

S U P P L E M E N T.

THE following species of Tenthredinidæ, Cynipidæ, Figitidæ, Chalcididæ, Trigonalidæ, and Proctotrupidæ have been described or noticed by me since the preceding pages were published*. Some errata in the published text and plates are also corrected here.

STRONGYLOGASTER (p. 4).

11. **Strongylogaster melanostoma.**

Strongylogaster melanosoma, antea, p. 10.

The specific name of this species is incorrectly printed on p. 10.

16. **Strongylogaster leucostoma.**

Strongylogaster leucosoma, antea, p. 12.

29. **Strongylogaster rogenhoferi.**

Strongylogaster rogenhoferi, Camer. Trans. Ent. Soc. Lond. 1884, p. 483¹.

Hab. MEXICO, Orizaba (*Bilimek*, in *Mus. Vind. Cæs.*¹).

30. **Strongylogaster fumipennis.** (Tab. XX. fig. 15.)

Strongylogaster fumipennis, Camer. Trans. Ent. Soc. Lond. 1884, p. 484¹.

Hab. MEXICO¹.

BLENNOCAMPA (p. 31).

7. **Blennocampa bicolorata.**

Blennocampa bicolorata, Camer. Trans. Ent. Soc. Lond. 1884, p. 483¹.

Hab. MEXICO, Chapultepec and Orizaba (*Bilimek*, in *Mus. Vind. Cæs.*¹).

EMPHYTUS (p. 35).

1. **Emphytus aztecus.**

Emphytus aztecus, Camer. Mem. & Proc. Manch. Lit. and Phil. Soc. i. p. 163 (1888)¹.

Hab. MEXICO, Orizaba (*F. D. G. and H. H. Smith*¹).

* [The types of the species marked with an asterisk cannot now be found.—ED.]

Subfam. *NEMATINA* (to precede the subfamily *Hylotomina*, p. 35).

NEMATUS.

Nematus, Jurine, Nouv. méth. Class. Hymén. p. 59 (1807).

1. *Nematus mexicanus* *.

Nematus mexicanus, Camer. Trans. Ent. Soc. Lond. 1884, p. 481¹.

Hab. MEXICO, Northern Sonora (*Morrison*¹).

EUURA (to follow the genus *Nematus*).

Euura, Newman, Ent. Mag. iv. p. 259 (1837).

Cryptocampus, Hartig, Fam. d. Blatt- und Holzwesp. p. 221 (1837).

1. *Euura mexicana*. (Tab. XX. fig. 17.)

Euura mexicana, Camer. Trans. Ent. Soc. Lond. 1884, p. 482¹.

Hab. MEXICO, Northern Sonora (*Morrison*¹).

HEMICHROA (to follow the genus *Euura*).

Hemichroa, Stephens, Illustr. Brit. Ent., Mand. vii. p. 55 (1835).

Leptocerca, Hartig, Fam. d. Blatt- und Holzwesp. p. 228 (1837).

1. *Hemichroa nigricans* *. (Tab. XX. fig. 16.)

Hemichroa nigricans, Camer. Trans. Ent. Soc. Lond. 1884, p. 482¹.

Hab. MEXICO, Northern Sonora (*Morrison*¹).

HYLOTOMA (p. 35).

Hylotoma basimacula (p. 36). (Tab. XX. fig. 14.)

The reference to the figure was omitted on p. 36.

PTILIA (p. 43).

5. *Ptilia crassula*. (Tab. XX. fig. 18.)

Ptilia crassula, Camer. Trans. Ent. Soc. Lond. 1884, p. 484¹.

Hab. MEXICO, Northern Sonora (*Morrison*¹).

6. *Ptilia luteiventris*.

Ptilia luteiventris, Camer. Trans. Ent. Soc. Lond. 1884, p. 485¹.

Hab. MEXICO, Northern Sonora (*Morrison*¹).

7. **Ptilia nigerrima.** (Tab. XX. fig. 19.)

Ptilia nigerrima, Camer. Trans. Ent. Soc. Lond. 1884, p. 485¹.

Hab. MEXICO, Northern Sonora (*Morrison*¹).

ANDRICUS (to follow the genus *Synergus*, p. 72).

Andricus, Hartig, in Germar's Zeitschr. f. Ent. ii. p. 185 (1840).

Aphilothrix, Förster, Verh. zool.-bot. Ges. Wien, xix. pp. 331, 336 (1869).

This is a dimorphic genus, *Andricus* being the spring bisexual and *Aphilothrix* the autumnal agamic (unisexual) form.

1. **Andricus (Aphilothrix) aztecus.** (Tab. XX. fig. 23.)

Andricus (Aphilothrix) aztecus, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 261 (1897)¹.

Hab. MEXICO, Northern Sonora (*Morrison*¹).

AULAX (to follow the genus *Andricus*).

Aylax, Hartig, in Germar's Zeitschr. f. Ent. ii. p. 186 (1840).

Aulax, Dalla Torre, Cat. Hymen. ii. p. 119 (1893).

1. **Aulax rufipes.** (Tab. XX. fig. 21.)

Aulax rufipes, Camer. Trans. Ent. Soc. Lond. 1884, p. 485¹.

Hab. MEXICO (*Bilimek*, in *Mus. Vind. Cæs.*¹).

EUCÆLA (to precede the genus *Cothonaspis*, p. 73).

Eucoila, Westwood, Mag. Nat. Hist. vi. p. 494 (1833).

Eucæla, Dalla Torre, Cat. Hymen. ii. p. 15 (1893).

1. **Eucæla claripennis** *.

Eucoila claripennis, Camer. Mem. & Proc. Manch. Lit. and Phil. Soc. ii. p. 14 (1889)¹.

Hab. MEXICO, Vera Cruz (*H. H. Smith*¹).

2. **Eucæla mexicana** *.

Eucoila mexicana, Camer. Mem. & Proc. Manch. Lit. and Phil. Soc. ii. p. 14 (1889)¹.

Hab. MEXICO, Orizaba (*F. D. G. and H. H. Smith*¹).

3. **Eucæla marginicollis** *.

Eucoila marginicollis, Camer. Mem. & Proc. Manch. Lit. and Phil. Soc. ii. p. 15 (1889)¹.

Hab. MEXICO, Orizaba (*F. D. G. and H. H. Smith*¹).

4. **Eucæla incisa.**

Eucæla incisa, Camer. Trans. Ent. Soc. Lond. 1884, p. 486¹.

Hab. MEXICO (*Bilimek, in Mus. Vind. Cæs.*¹).

COTHONASPIS (p. 73).

2. **Cothonaspis rufiventris.**

Cothonaspis rufiventris, Camer. Trans. Ent. Soc. Lond. 1884, p. 486¹.

Hab. MEXICO (*Bilimek, in Mus. Vind. Cæs.*¹).

GRONOTOMA (to follow the genus *Cothonaspis*, p. 73).

Gronotoma, Förster, Verh. zool.-bot. Ges. Wien, xix. pp. 342, 346 (1869).

1. **Gronotoma gracilicornis** *.

Gronotoma gracilicornis, Camer. Mem. & Proc. Manch. Lit. and Phil. Soc. ii. p. 15 (1889)¹.

Hab. MEXICO, Orizaba (*F. D. G. and H. H. Smith*¹).

ANACHARIS (to precede the genus *Balna*, p. 73).

Anacharis, Dalman, Anal. Ent. p. 96 (1823).

Megapelmus, Hartig, in Germar's Zeitschr. f. Ent. ii. p. 186 (1840).

1. **Anacharis mexicanus.** (Tab. XX. fig. 22.)

Megapelmus mexicanus, Camer. Trans. Ent. Soc. Lond. 1884, p. 487¹.

Hab. MEXICO (*Bilimek, in Mus. Vind. Cæs.*¹).

IBALIA (to follow the genus *Anacharis*).

1. **Ibalia ruficollis.** (Tab. XX. fig. 20.)

Ibalia ruficollis, Camer. Trans. Ent. Soc. Lond. 1884, p. 488¹.

Hab. MEXICO, Pinos Altos in Chihuahua (*Buchan-Hepburn*¹).

SMICRA (p. 78).

52. **Smicra ardens.**

Smicra ardens, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 262 (1897)¹.

Hab. MEXICO, Orizaba (*F. D. G. and H. H. Smith*).

53. **Smicra divinatrix.**

Smicra divinatrix, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 263¹.

Hab. HONDURAS. Ruatan I. (*Gaumer*¹).

54. **Smicra fasciola.**

Smicra fasciola, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 264 (1897)¹.

Hab. MEXICO, Northern Sonora (*Morrison*¹).

55. *Smicra armillata*.

Smicra armillata, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 264 (1897)¹.

Hab. MEXICO, Orizaba (*F. D. G. and H. H. Smith*¹).

LIRATA (p. 102).

Lirata luteogaster (p. 102).

Figured by me under the name *Schizaspidia flaviventris*, on Tab. V. figg. 16, 16 *a*.

KAPALA (p. 103).

Kapala furcata (p. 103).

Figured by me under the name *Schizaspidia furcata*, on Tab. V. figg. 17, 17 *a-d*.

Subfam. *PERILAMPINÆ* (to precede the subfamily *Eupelminæ*, p. 114).

PERILAMPUS.

Perilampus, Latreille, Gen. Crust. et Ins. iv. p. 30 (1809).

1. *Perilampus mexicanus*.

Perilampus mexicanus, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 265 (1897)¹.

Hab. MEXICO, Vera Cruz (*H. H. Smith*¹).

2. *Perilampus antennatus*.

Perilampus antennatus, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 266 (1897)¹.

Hab. MEXICO, Vera Cruz (*H. H. Smith*¹).

ICHNEUMON (p. 137).

Ichneumon mexicanus (p. 144). (Tab. VIII. fig. 1.)

The reference to the figure was omitted on p. 144.

Ichneumon suffultus (p. 144). (Tab. VIII. fig. 2.)

The reference to the figure was omitted on p. 144.

MESOSTENUS (p. 214).

Mesostenus brachygaster (p. 219).

Hab. GUATEMALA, Las Mercedes (*Champion*).

The locality was omitted on p. 219.

not Walker, 1834

LABENA (p. 277).

Labena grallator (p. 277). (Tab. XII. fig. 7.)

The reference to the figure was omitted on p. 277.

BRACON (p. 312).

Bracon albipalpis (p. 315). (Tab. XVII. fig. 6, ♀.)

The reference to the figure of the female of this species was omitted on p. 315.

RHOGAS (p. 389).

Rhogas bugabensis (p. 391). (Tab. XVII. figg. 1 *a-c*.)

The reference to the figures of the mouth-parts of this insect was omitted on p. 391.

TRIGONALYS (p. 434).

4. **Trigonalys scutellaris**.

Trigonalys scutellaris, Camer. Ann. & Mag. Nat. Hist. (6) ix. p. 267 (1897)¹.

Hab. MEXICO, Omilteme in Guerrero 8000 feet (*H. H. Smith*¹).

5. **Trigonalys maculifrons**.

Trigonalys maculifrons, Camer. Ann. & Mag. Nat. Hist. (6) ix. p. 268 (1897)¹.

Hab. MEXICO, Teapa in Tabasco (*H. H. Smith*¹).

6. **Trigonalys apicipennis**.

Trigonalys apicipennis, Camer. Ann. & Mag. Nat. Hist. (6) ix. p. 269 (1897)¹.

Hab. MEXICO, Atoyac in Vera Cruz (*H. H. Smith*¹).

7. **Trigonalys flavonotata**.

Trigonalys flavonotata, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 270 (1897)¹.

Hab. MEXICO, Xucumanatlan in Guerrero 7000 feet (*H. H. Smith*¹).

8. **Trigonalys fasciatipennis**.

Trigonalys fasciatipennis, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 271 (1897)¹.

Hab. MEXICO, Atoyac in Vera Cruz [♀], Venta de Zopilote in Guerrero [♂] (*H. H. Smith*¹).

9. **Trigonalys championi**. (Tab. XX. fig. 24.)

Trigonalys championi, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 273 (1897)¹.

Hab. GUATEMALA, Panima in Vera Paz (*Champion*¹).

DRYINUS (p. 444).

Dryinus maculicornis (p. 444).

To the localities given, add:—GUATEMALA, Mirandilla (*Champion*).

The Guatemalan habitat was omitted on p. 444.

EPYRIS (p. 449).

10. **Epyris rufipes**.

Epyris rufipes, Camer. Mem. & Proc. Manch. Lit. and Phil. Soc. i. p. 173 (1888)¹.

Hab. MEXICO, Orizaba (*F. D. G. and H. H. Smith*¹).

11. **Epyris punctatus**.

Epyris punctatus, Camer. Mem. & Proc. Manch. Lit. and Phil. Soc. i. p. 174 (1888)¹.

Hab. MEXICO, Orizaba (*F. D. G. and H. H. Smith*¹).

12. **Epyris orizabæ**.

Epyris orizabæ, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 273 (1897)¹.

Hab. MEXICO, Orizaba (*F. D. G. and H. H. Smith*¹).

13. **Epyris palliditarsis**.

Epyris palliditarsis, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 274 (1897)¹.

Hab. MEXICO, Teapa in Tabasco (*H. H. Smith*¹).

14. **Epyris scutellaris**.

Epyris scutellaris, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 275 (1897)¹.

Hab. MEXICO, Tierra Colorada in Guerrero 2000 feet (*H. H. Smith*¹).

15. **Epyris montezuma**.

Epyris montezuma, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 276 (1897)¹.

Hab. MEXICO, Orizaba (*F. D. G. and H. H. Smith*¹).

MESITIUS (p. 455).

Mesitius longicollis (p. 455).

The locality in Mexico, Cordova, was omitted on p. 455.

CORRIGENDUM.

On Tab. XVII. fig. 15 a species of Ichneumonidæ, subfam. Ophioninæ, is figured under the name *Pharsalia albofacialis*: this insect is not mentioned in the text, and as the locality-label has been lost, it is not advisable to describe it now.