

DEPARTMENT OF AGRICULTURE

JAMAICA.

ENTOMOLOGICAL BULLETIN No. 4,

PARTS 1 AND 2.

CATALOGUS
INSECTORUM JAMAICENSIS

BY

C. C. GOWDEY, B.Sc., F.E.S.,

GOVERNMENT ENTOMOLOGIST,

JAMAICA.



PRICE : TWO SHILLINGS.

JAMAICA
GOVERNMENT PRINTING OFFICE, KINGSTON.

1926.

ORDER HYMENOPTERA.

FAMILY BRACONIDAE

SUBFAMILY AGATHIDINAE

Genus *Agathis*, Latr.

rubricincta, Ashm., Jn. Linn. Soc. Zool., XXX, p. 128 (1894).

FAMILY ICHNEUMONIDAE

SUBFAMILY OPHIONINAE

Genus *Ephiosoma*, Cress.

(*Brachixiphosoma*) *jamaicensis*, Brues, Ent. News, XXVIII, p. 451, f. 2 (1917).

lutens, (L.), Morl., Rev. Ichneumon., Pt. 1, p. 56 (1912).

(*Brachixiphosoma*) *luteum*, Brues, supra, p. 450, f. 1 (1917).

Genus *Ophion*, F.

bilineatus, Say, Hooker, Trans. Am. Ent. Soc., XXXVIII, p. 41 (1912).

Genus *Athyreodon*.

flammiger, Morl., Rev. Ichneumon., Pt. 1, p. 14 (1912).

SUPERFAMILY CHALCIDOIDEA

FAMILY ENTEDONTIDAE

Genus *Horismenus*, Walk.

apantelivorus, Crawford, Proc. U.S. Nat. Mus., XL, p. 446 (1911).

cockerelli, Crawford, supra, p. 447 (1911).

FAMILY ENCYRTIDAE

Genus *Pseudhomalopoda*.

prima, Gir., N. Y. Ent. Soc., XXIII, p. 23 (1915).

Hosts.—*Chrysomphalus aonidium*, (L.), *Aleurocanthus woglumi*, Ash.

Genus *Brachymera*.

annulata, (F.)

Chalcis annulata, F., Syst. Piez., p. 167.

SUPERFAMILY SERYHOIDEA

FAMILY SCELIONIDAE

Genus *Telenomus*, Hal.

flaviventris, Ashm., Proc. Zool. Soc. Lond., p. 795 (1895).

FAMILY PELECINIDAE

Genus Pelecinus, Latr.

polyturator, (Dru.)

Ichneumon polyturator, Dru., Ill. Nat. Hist., II, p. 77.*Pelecinus polyturator*, de Rom., in Guer.'s, Mag. Zool., Ins., t. 49. f. 1 (1840).*Ichneumon polyerator*, F., Gen. Ins., p. 245; Spec. Ins., I. p. 430; Mant. Ins., I, p. 265.*Ichneumon libellua*, Christ, Naturg. Class. Nomencl. Ins., p. 352, t. 36, f. 1.*Pelecinus tibiator*, Perty, Del. Anim. Artic. Brasil, p. 131.

FAMILY SCOLIDAE

SUBFAMILY SCOLIINAE

Genus Campsomeris, Le P.

trifasciatus, (F.)

Tiphia trifasciata, F., Syst. Ent., II, p. 226.*Scolia trifasciata*, Klug, in Weber & Mohr's, Beitr., I, p. 32.*Scolia radula*, F., Syst. Piez., p. 242.*Colpa alexandri*, Le P., Hist. Nat. Ins., Hymen., III, p. 543.

FAMILY PSAMMOCHARIDAE

SUBFAMILY PEPSINAE

Genus Pepsis, F.

ubra, (Dru.)

Sphex rubra, Dru., Ill. Exot. Ins., II, p. 75 (1773)*Pepsis rubra*, Mocs., Termes. Fuzetek, LX, p. 245.*Sphex auripennis*, De G., Mem. Ins., III, p. 585.*Sphex caerulea*, F., Syst. Ent. II, p. 21 (*nec Linn.*)*Sphex speciosus* F., supra, p. 217.*Pepsis formosa*, Cress., Trans. Am. Ent. Soc., I, p. 144.

FAMILY SPHECIDAE

SUBFAMILY CHLORIONINAE

Genus Chlorion, Latr.

dorsalis (Le P.)

Sphex dorsalis, Le P., Hist. Nat. Ins. Hymen., III, p. 347 (1845)

singularis, (Sm.)

Sphex singularis, Sm., Cat. Hymen. Brit. Mus., IV., p. 261 (1856).

spinger, (Kohl)

Sphex spinger, Kohl, Ann. Naturg. Hofm. Wien., V, p. 428.*Chlorion (Protosphez) spinger*, Fern., Proc. U. S. Nat. Mus., XXXI, p. 392 (1906).

SUPERFAMILY APOIDEA

FAMILY HALICTIDAE

Genus Augochlora, Sm.

jamaicensis, Ckll., Ann. Mag. Nat. Hist., IV. P. 399 (1909).