

INDEX ANIMALIUM

SIVE

INDEX NOMINUM QUAE AB A.D. MDCCLVIII
GENERIBUS ET SPECIEBUS ANIMALIUM
IMPOSITA SUNT

SOCIETATIBUS ERUDITORUM ADIUVANTIBUS

A

CAROLO DAVIES SHERBORN
CONFECTUS

SECTIO SECUNDA

*A KALENDIS IANUARIIS, MDCCCI
USQUE AD FINEM DECEMBRIS, MDCCCL.*

*PART IV. INDEX **Bail.**—**Byzos.** pp. 641-943.
1801-1850*

LONDON :

PRINTED BY ORDER OF THE TRUSTEES OF THE BRITISH MUSEUM.

SOLD AT THE

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, LONDON, S. W. 7 ;

AND BY

LONGMANS, GREEN & CO. ; B. QUARITCH, LTD. ; DULAU & CO., LTD. ;
THE OXFORD UNIVERSITY PRESS ; AND WHELDON & WESLEY, LTD., LONDON ;

ALSO BY

OLIVER & BOYD, EDINBURGH.

May, 1924.

Price—Fifteen Shillings.

[*All rights reserved.*]



- bailloni** Andigena (Wagl.), J. Gould, Proc. Zool. Soc. 1850, 93.—Pteroglossus, Temm.
- baillonii** Arvicola, E. De Selys-L., Bull. Ac. Roy. Brux. VIII (2) 1841, 236.
- baillonii** Caesiomorus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 92.
- bailloni** Crenilabrus, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 191.
- baillonii** Crex (Vieill.), H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 80.—Gallinula.
- bailloni** Gallinula (Vieill.), Temminck, Man. Orn. II. 1820, 692.—Rallus.
- baillonii** Ortygometra (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (1) 1824, 228.—Gallinula.
- bailloni** Petrodroma, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 107.
- baillonii** Pteroglossus (Vieill.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxv.—
Ramphastos. [Rallus.]
- baillonii** Rallites (Vieill.), Pucheran, Rev. Zool. (Soc. Cuv.) VIII. Aug. 1845, 278.—
- bailloni** Rallus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 548.
- baillonii** Ramphastos, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 283.
- baillonii** Salar, Cuvier & Valenc., H. N. Poiss. XXI. 1848, 342.
- baillonii** Trachinotus, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 431.
- bailloni** Urinator, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- Baillonus** C. S. Rafinesque, Analyse, 1815, 85.—P. [*n. n.*] [1802], 311.
- bainbridgii** Bolboceras, J. O. Westwood, Proc. Linn. Soc. London (35) May 1848, 366.
- bainbridgii** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (147) Sept. 1845, 44.
- bainii** Dicynodon, R. Owen, Tr. Geol. Soc. London [2] VII. 1845, 76.
- Bainopus** B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 84.—A. [*n. n.*].
- Baione** J. E. De Kay, N. H. New York (Fish) 1842, 244.—P.
- bairdii** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 272, Oct. 1848.
- bairdii** Cottus, C. Girard, P. Amer. Assoc. 1849 (1850), 410.
- bairdii** Dianaea, G. Johnston, Mag. Nat. Hist. VI. July 1833, 320.
- bairdii** Emberiza, J. J. Audubon, Birds of Amer. (1st 8vo ed., New York) VII. 1844, 359.
- bairdi** Flabellum, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 274.
- bairdii** Lerneonema, J. Salter, Ann. Mag. N. H. (2) VI. Aug. 1850, 86.
- bairdii** Palaeotherium, J. Leidy, Proc. Acad. Nat. Sci. Philad. V (6) Dec. 1850, 122.
- bairdii** Saurophagus, W. Gambel, Journ. Acad. Nat. Sci. Philad. I (1) Dec. 1847, 40.
- bairdii** Tima (Johnst.), E. Forbes, Mon. Brit. Medusae (Ray Soc.) 1848, 37.—Dianaea.
- Bairdia** *emend. pro* Bairdia, M'Coy; F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 165.—Cr.
- bairdiana** Balanophyllia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Aug. 1848, 87.
- bairdiana** Cythere, T. R. Jones, Cret. Entom. (Pal. Soc. III.) Aug. 1850, 13.
- baiulus** *v. bajulus*.
- Baizongia** C. Rondani, N. Ann. Sci. Nat. [2] IX. 1848 [Feb.], 35.—Hem.
- baja** Amathes (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 222.—Noctua, 1775.
- baja** Graphiphora (D. & S.), F. Ochseneimer, Schmett. Europa, IV. 1816, 68.—Noctua,
- baja** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 332. [1775.
- bayad** Bagrus (Forsk.), Cuvier & Valenc., H. N. Poiss. XIV. 1839, 397.—Silurus, 1775.
- bajad** Caranx (Forsk.), E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.)
Fische (—) 1830 or 1831, 98.—Silurus, 1775. [1775.
- bajad** Pimelodus (Forsk.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 96.—Silurus,
- bayad** Porcus (Forsk.), I. Geoffroy St H. in Savigny, Egypte, I (1) (Suite Poiss. Nil)
1827, 303.—Silurus, 1775.
- bajadera** Helix, L. Pfeiffer, Zeitschr. f. Malakozool., May [July] 1850, 69.
- bajae** Anthosoma, Basoches in Brébisson, Mém. Soc. Linn. Calvados, 1825, 263 [teste
M. J. Rathbun]. [1775.
- bajaria** Agriopsis (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 320.—Geometra,
- bajaria** Fidonia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 437.—Geom. 1775.
- bajaria** Hibernia (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, VII (2)
(Noct. 4, pt. 2), 324, 1829.—Geometra, 1775.
- bayeri** Delphinus, A. Risso, H. N. Europe, III. 1826, 22.
- bajeri** Euryale, C. D. E. König, Icones foss. 1825, 2.
- bajeri** Mecochirus (Megachirus), Germar; H. G. Bronn, Lethaea Geogn. I (5) 1836, 476.
- bajocensis** Alecto, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 288.

- bajocensis** Ammonites, Defrance, Dict. Sci. Nat., Suppl. I. 1840, 153.
- bajocensis** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1846, 381.
- bajocense** Cnemidium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 294.
- bajocensis** Cribrospongia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 294.
- bajocense** Hippopodium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 277.
- bajocensis** Intricaria, Defrance, Dict. Sci. Nat. XXIII. 1822, 546.
- bajocensis** Isoarca, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 280.
- bajocensis** Isocardia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 280.
- bajocensis** Natica, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 264.
- bajocensis** Nautilus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 261.
- bajocensis** Neritopsis, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 264.
- bajocensis** Pentacrinus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 291.
- bajocensis** Plicatula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 285.
- bajociana** Anabracia, A. d'Orbigny, Note Polyp. foss., Oct. 1849, 11.
- bajociana** Astarte, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 276.
- bajociana** Ceromya, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 275.
- bajociana** Rhynchonella, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 286.
- bajocina** Anabacia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 292.
- bajocinum** Cardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 280.
- bajocina** Cyprina, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 278.
- bajocina** Entalophora, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 289.
- bajocina** Lasmosmilia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 291.
- bajocina** Terebratula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 288.
- bajonado** Sparus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 284.
- Bajone** De Kay, 1842, [*teste* Agassizi *sed* Baione *est*]. [1775.]
- bajularia** Cleora (D. & S.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 43.—Geometra, [Cr.]
- bajularia** Comibaena (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1825, 284.—Geometra, 1775. [Cr.]
- bajularia** Phorodesma (Esp.), Boisduval, Gen. Index Europ. Lépid. 1840, 179.—? Phalaena, [Liparus.]
- Bajulus** J. Gistl, Nat. Thierr. 1848, p. viii.—Cirr. [Liparus.]
- bajulus** Anisorhynchus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 309.—
- bajulus** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 13 ["Mon. Anth." *poster. edit.*].
- bajula** Bracca, J. Huebner, Verz. bekannt. Schmett. [1822], 179.
- bajulus** Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 413.
- baiulus** Calliptamus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 251.
- baiulus** Cratonychus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. III. 1841, 98.
- bajulus** Dolerus, Le Peletier, Mon. Tenthred. 1823, 121. [Dolerus.]
- bajulus** Dositheus (Le P.), J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 128.—
- bajula** Galeruca, A. G. Olivier, Entom. VI. 1808, 618. [1789.]
- bajula** Gymnetis (Fabr.), M. Perty, Del. anim. artic. Brasil. (1) 1830, 53.—Cetonia, Ol.
- baiulus** Heilipus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 130.
- bajulus** Hylotrupes (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 77.—Callidium, 1775. [*v. puellus* [*n. n.*].]
- bajulus** Hylotrupes, Fab.; A. & G. Villa in Cattaneo, Notiz. Nat. Lombard. 1844, 466.
- bajulus** Hylotrupes, J. L. Le Conte, Journ. Acad. Nat. Sc. Philad. II (1) Nov. 1850, 31.
- bajula** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 459.
- bajulus** Liparus, A. G. Olivier, Entom. V. 1807, 287.
- baiulus** Mallodon, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 138.
- bajulus** Molytes (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 357.—Liparus.
- bajulus** Opus, A. H. Haliday, Entom. Mag. IV (3) Jan. 1837, 214.
- bajulus** Phileurus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 44.
- bajula** Pimelia, F. Klug in Ehrenberg, Sym. Phys., Ins. II (1830), sign. *a*.
- bajulus** Rhizobius, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1003.
- bajulus** Tragopa, E. F. Germar, Revue Entom. III (6) 1835, 309.
- bajura** Pieris, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 48.
- bakeri** Cercaria, Bory de St V., Ency. Méth. (Zooch.) 1824, 190.
- bakeri** Dendrella, Bory de St V., Ency. Méth. (Zooch.) 1824, 244.

- bakeri** Esechielina, Bory de St V., Ency. Méth. (Zooph.) 1827, 536.
- bakeri** Foliculina, Bory de St V., Ency. Méth. (Zooph.) 1827, 417.
- bakeri** Lophopus, P. J. van Beneden, Mém. Ac. Roy. Belg. XXI. 1848, 24.
- bakeri** Noteus (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 48.—Brachionus, 1786.
- bakerii** Operculina, Bory de St V., Ency. Méth. (Zooph.) 1827, 577.
- bakerii** Operculina, Bory de St V., Dict. Class. H. N. XII. Aug. 1827, 232.
- bakeriae** Ammonites, J. De C. Sowerby, Min. Conch. VI. 1827, 134.
- Bakerina** Bory de St V., Ency. Méth. (Zooph.) 1827, 535 [=larva culicis *apud* Agassiz].
- Bakevellia** W. King, Catal. Org. Rem. Perm. (19 Aug.) 1848, 10.—L. [*melior* Bakevellia].
- bakewellii** Trionyx, G. A. Mantell, Geol. S. E. England, May 1833, 255.
- bakkamuna** Athene (Forst.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 42.—Strix, 1781.
- balacrus** Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 442. [1781.]
- baladena** Odontolabis, F. W. Hope, Proc. Linn. Soc. London (14) Mar. 1842, 127.—*baladeva* in Trans. XIX. 105.
- Baladeva** G. R. Waterhouse, Tr. Entom. Soc. Lond. II (4) Nov. 1840, 225.—Col.
- Balaea** W. E. Leach in Turton, Man. L. & F. W. Shells, 1831, 87; Ann. Mag. N. H.
- balaenae** Tubicinella, L. Oken, Lehrb. Nat. III (1) 1815, 360. [XX. Oct. 1847, 269.—G.]
- balaenae-mysticeti** Cysticercus, K. M. Diesing, Syst. Helminth. 1850, 493.
- balaenaris** Balanus, (Brug.), F. v. Olfers, Ges. Nat. Fr. Berlin, Mag. VIII (3) 1817, 173.—Coronula. [1776.]
- balaenaris** Cetopirus (L.), C. Ranzani, Opusc. Sci. (Bologna) II. 1818, 87.—Lepas, Müll.
- balaenaris** Coronula (Müll.), Bruguière, Ency. Méth. (Tabl. Vers), 144, pl. 165 (1792).—Lepas, 1776.
- balaenarum** Balanus (Tubicinella), F. S. Voigt in Cuvier, Thierreich, III. 1834, 615.
- balaenarum** Protozoon, J. Gistel, Nat. Thierr. 1848, 188. [Phalangium, 1767]
- balaenarum** Pycnogonum (L.), P. A. Latreille, Sonnini's Buffon, Ins. VII (1804), 332.—
- balaenarum** Trochus, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls.
- balaenarum** Tubicinella, W. Wood, Suppl. Index Test. 1828, 56. [1846].
- Balaeniceps** J. Gould, Proc. Linn. Soc. London (44) Jan. 1851 [*non* 1850], 109.—A.
- Balaenodon** R. Owen, B. Foss. Mamm. (1846), 536.—M. [[*n. n.*]
- Balaenoptera** B. G. E. de Lacepède, H. N. Cétac. 1804, p. xxxvi.—M.
- balaerica** *v.* balearica.
- Balanarius** A. M. C. Duméril, Zool. Anal. 1806, 170.—Cirr.
- balanarum** Coronula, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 380.
- Balanephagus** F. O. Morris, The Naturalist, II (9) June 1837, 124.—A.
- Balanephagus** C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 341.—Col.
- balani** Gregarina, A. Koelliker, Zeitschr. Wiss. Zool. I (1) 1848, 35.
- Balaninus** E. F. Germar, Mag. Entom. (Germar) II. 1817, 340.—Col.
- Balanitina** E. F. v. Schlotheim, Syst. Verz. Petref.-Samml. 1832, 66.—? Cirr.
- balanocephalus** Echinorhynchus, R. Owen, Catal. R. Coll. Surg. Lond. 1830, 45.
- Balanocrinites** G. Troost, P. Amer. Assoc. 1849 (1850), 60.—Ech. [*n. n.*] [Crin.]
- Balanocrinus** L. Agassiz in Desor, Bull. Soc. Sci. Neuchâtel, I (19, 1845) 1847, 214.—
- Balanoforus** V. Briganti, Atti R. Accad. Sci. [Napoli] II (2) 1825, 79.—Verm. [*non* phorus *apud* Waterhouse].
- Balanoglossus** S. d. Chiaje, Mem. An. s. vert. Napoli, IV. 1829 [1831], 141.—Chordata
- balanoides** Balanus (L.), G. Montagu, Test. Brit. I. 1803, 7.—Lepas, 1761.
- balanoides** Bulimus, J. H. Jonas, Proc. Zool. Soc. London, X (119) Feb. 1843, 188.
- balanoides** Fissurella, L. Reeve, Conch. Icon. VI.—Fissurella, no. 66, June 1850.
- balanoidea** Ampullaria, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 196.
- balanoidea** Halosydna, T. E. Bowdich, Excurs. Madeira, 1825, 125 [*n. n.*]. [[*sine typo*].
- Balanomorpha** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 393.—Col.
- balanophorus** Sipunculus, S. d. Chiaje, Mem. An. s. vert. Napoli, I (2-4) 1824, 22.
- Balanophyllia** S. V. Wood, I., Ann. Mag. N. H. XIII. Jan. 1844, 11.—Cor.
- balanorum** Clavagella, A. Scacchi, Ant. di Sci. nat. (2) Mar. 1841, 4.
- balantia** C. Illiger, Prod. 1811, 77.—M.
- balantiophthalmus** Scomber, J. G. Schneider, Bloch, Syst. Ichth. 1801, 29.
- Balantium** J. G. Children, Q. Journ. Sci. (R. Inst.) XV. July 1823, 220.—Moll.

- Balantium** Benson, J. Asiat. Soc. Bengal, VI. 1837, 151.—Moll.
balantium Cleodora, Férussac in Férussac, Bull. Sci. XII. 1827, 349.
balantium Hyalaea, A. d'Orbigny, Amér. Mérid. (Moll.) 1836, 116.
Balanus Da Costa, Brit. Conch. 1778, 249; Gronovius, Zoophylac. (3) 1781, 257.—Cirr.
balanus Achatina L. Reeve (*ex* Benson MS), Conch. Icon. V.—Achatina, no. 109, Mar.
balanus Labrus, J. Fleming, Hist. Brit. Anim. 1828, 209. [1850.]
balanus Merodon, F. Walker, List Dipt. Coll. B. M. (3) 1849, 600.
balanus Pteroceras, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 168.
balao Hemiramphus, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. II. Nov. 1821, 136.
balasinesis Cypselus, J. E. Gray in G. R. Gray, Genera of Birds, I. Feb. 1845, 54.
balasteriana Helix, I. Lea, P. Amer. Phil. Soc. I (10) Feb. 1840, 175.
balatonica Congeria, P. Partsch, Ann. Wiener Mus. I [1] 1835, 100.
balatro Turbo, E. Eichwald, Paleont. Rossii, 1850, 118.
balaustina Loripes, A. Risso, H. N. Europe, IV. 1826, 343.
balaustina Lucina, B. C. Payraudeau, Cat. Moll. Corse, 1826, 43.
Balaustium C. v. Heyden, Isis (Oken), 1826, 609.—Ar.
balbi Nebria, F. A. Bonelli, Mém. Ac. Sci. Turin, 1809-10 (1811) Mém. prés. 65.
balbi Platycerus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 174.
balbillus Dasygogon, F. Walker, List Dipt. Coll. B. M. (2) 1849, 307.
balbis Lepadogaster, A. Risso, Ich. Nice, 1810, 73.
balbisianum Buccinum, A. Risso, H. N. Europe, IV. 1826, 160. [Scopelus.]
balbo Odontostomus (Risso), J. Müller, Abh. ph.-Kl. K. pr. Ak. Wiss. 1844 (1846), 185.—
balbo Scopelus, A. Risso, Mem. R. Acc. Sci. Torino, XXV. 1820, 268.
balbul Anas, P. A. J. Drapiez, Dict. class. Sci. Nat. II. 1837, 92.
Balbusardus J. Fleming, Hist. Brit. Anim. 1828, 51.—A.
balbuzardus Aquila, C. Dumont, Dict. Sci. Nat. (ed. 1) I. 1804, 351.
balcanica *v.* **balkanica**.
balchanensis Bombyx, E. Eichwald, Reise Casp. Kauk. I. 1834, 279 [*n. n.*].
Balcis W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 271.—G.
baldacconii Risso, F. Cantraine, Bull. Ac. Roy. Brux. IX (2) 1842, 347. [1847, 4-
baldense Broscosoma, W. G. Rosenhauer, Broscosoma etc. 1846; Beitr. Ins.-Faun. Europ.
baldensis Cryptophagus, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (3) 1846, 353.
baldensis Elater, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 20 [*n. n.*].
baldensis Helix, A. & J. B. Villa, Syst. Conch. 1841, 55.
baldensis Pterostichus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 7 [*n. n.*].
balder Chionobas, J. A. Boisduval, Ic. hist. lépidopt. Europe, I (—) 1833, 189.
balderi Eumenis, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. V. 1837, 43.
balder Satyrus (Boisd.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. I
(Diurnes) 1835, 310.—Chionobas.
baldichieri Conus, S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 193.
baldimorensis Harpalus, J. Sturm, Catal. Ins. Samml. 1826, 148 [*n. n.*]—? *balt-g.v.*
baldneri Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 262.
balduri Ammonites, A. Keyserling, Wiss. Beob. Petschora, 1846, 321.
baldus Satyrus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 551.—Papilio, 1775-
baldus Trochus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 354.
baldus Ypthima (Fab.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 139.—
Papilio, 1775.
Balea J. E. Gray (*ex* Prideaux MS), Zool. Journ. I (1) Mar. 1824, 61.—G.
Balea L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Balaea, Leach.
balea Limacina, H. P. C. Møller, Naturhist. Tidsskrift, III (4 & 5) 1841, 489. [[*n. n.*].
balea Mechanitis, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 130
baleanica Saperda, I. Frivaldszky, K. magyar tudos Tarsasag évkönyvei, II. 1835, 268.
balaericus Conger (Delar.), H. Cloquet, Dict. Sci. Nat. X. 1818, 273.—Muraena.
balearicus Conger, O. G. Costa, Fauna Regno Napoli, Pesci, I. Conger, 8 (Oct. 1844).
balaerica Dianaea, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 566.
balearica Geryonia (Q. & G.), H. D. de Blainville, Man. Actin. 1834, 287.—Dianea.
balearica Helix, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. II (1 & 2)
June 1838, 15.

- balearica** Muraena, Delaroché, Ann. Mus. H. N. (Paris) XIII (77) June 1809, 327.
- balearica** Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 111f.
- balearica** Saphenia (Q. & G.), J. F. Eschscholtz, Syst. Aculephen, 1829, 93.—Dianaea.
- balearica** Timarcha, H. Gory in F. E. Guérin-M., Iconographie, 1844, Ins. 300.
- balearica** Zygaena, Boisduval, Essai Zygén. 1829 [1828], 39.
- Balearius** C. S. Rafinesque, Analyse, 1815, 71.—A. [*n. n.*].
- balearius** Bombinator, S. Mueller, Verh. Batav. Genootsch. Wetensch. XVI. 1836, 96.
- balearius** [Hyladactylus] (Muell.), J. J. Tschudi, Classif. Batrach. 1838, *ex* Mem. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 48.—Bombinator.
- baletus** Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 427.
- baletus** Encyrtus, F. Walker, Entom. Mag. V (5) Oct. 1838, 428.
- balgara** [Schistura], J. M'Clelland, Asiat. Researches, XIX (2) 1839, 307.
- balgonera** Meliphaga, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 261.
- bali** Trachys, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. Nov. 1840, 329.
- Balia** ? *err. pro* Balea, Leach; W. Swainson, Treat. Malacol., May 1840, 182.
- balia** Melolontha, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 195.
- balicassius** Dicrurus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, IX. 1817, 586.—Corvus, L. 1766.
- balicassius** Edolius (L.), G. Cuvier, R. Anim. I. 1817, 350.—Corvus, 1766.
- balice** Thestias, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 593.
- balidia** Pieris, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 529. [Moluk.], 28.
- balinensis** Apogon, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Percoid. Malayobalinensis Engraulis, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Ichth. fauna Bali), 11. [fauna Bali], 9.
- balinensis** Glijphisodon (*sic*), P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Ichth. fauna Bali), 8.
- balinensis** Scarus, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Ichth. fauna Bali), 8.
- Balinus** *err. pro* Bulinus, Adans.; Broderip in Maw, Journ. Pass. Pacific to Atlantic,
- baliodeira** Coronella, Kuhl in Férussac, Bull. Sci. IX. 1826, 237 [*n. n.*]. [1829, 481.
- baliodeira** Duberria (Kuhl), L. J. Fitzinger, Neue Classif. Rept. 1826, 55.—Coronella.
- baliodeira** Gongylosoma (Boie), L. Fitzinger, Syst. Rept. 1843, 25.—Coronella, Kuhl.
- Balistapodus** Péron & Lesueur, Voy. Aust. I. 1807, 139.—P.
- Balistapus** W. G. Tilesius, Mém. Ac. Imp. Sci. St Pétersb. VII. 1820, 306.—P.
- balistes** Piazurus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 135.
- Balistopus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Balistapus, Til.
- Balistus** *err. pro* Balistes, L.; Marion de Procé, Bull. Sci. Soc. Philom. Paris, 1822 (Sept.),
- Balitora** J. E. Gray, Ill. Indian Zool. I [1830-32], pl. 88.—P. [131.
- Balitora** Hardwick & Gray in W. Swainson, N. H. Fishes etc. I. Oct. 1838, 366; II.
- balitora** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 348. [July 1839, 190.—P.
- Balitus** C. S. Rafinesque, Analyse, 1815, 65.—A. [*n. n.*]. [Moluk.], 26.
- baliiroides** Gobius, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Blennioid. Soenda-
- baliiurus** Gobius, Kuhl & v. Hasselt in Cuvier & Valenc., H. N. Poiss. XII. 1837, 61.
- Balius** J. Gistel, Nat. Thierr. 1848, p. xi.—Col.
- Balius** J. Gistel, Nat. Thierr. 1848, p. xiv.—Col.
- balius** Odontomyia, F. Walker, List Dipt. Coll. B. M. (3) 1849, 533.
- balkanica** Lycaena, C. F. Freyer, Neuere Beitr. Schmett. V (71) 1844, 63.
- balcanica** Oberea, H. C. Kuester (*ex* Frivaldszky MS), Käfer Europas, XIII. 1848, 87.
- ballan** Labrus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 252.
- ballanus** Labrus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 498.
- ballarini** Tarentola, Graells, Ann. Soc. Ent. France, III (2) *post* June 1834, p. xxviii.
- Ballatro** J. Gistel, Nat. Thierr. 1848, 123; Handb. Naturges. 1850 [1847] 404.—Col.
- balleroides** Barbus, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 158.
- balleropsis** Abramis, L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 39.
- Ballerus** J. J. Heckel in Russegger, Reise, I (2) 1843, 1033.—P. [1758.
- ballerus** Abramis (L.), H. Cloquet, Dict. Sci. Nat. (ed. 2) V (Suppl.) 1817, 74.—Cyprinus,
- ballerus** Ballerus (L.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1033.—Cyprinus, 1758.
- ballerus** Leuciscus (L.), Cuvier & Valenc., H. N. Poiss. XVII. 1844, 45.—Cyprinus, 1758.
- [balli.] [pralia.
- ballii** Escharina (Johnst.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 124.—Le-

- ballii** Koleoceras, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 380.
- ballii** Lepralia, G. Johnston, Hist. Brit. Zooph., ed. 2, 1847, 321.
- ballii** Modiola, T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 132.
- ballii** Ophiocoma, W. Thompson, Ann. Nat. Hist. V. Ap. 1840, 99. [coma.]
- ballii** Ophiolepis (Thomps.), Joh. Mueller & Troschel, Syst. Asterid. 1842, 97.—Ophio-
- ballii** Ophiopholis (Thomps.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 25.—
Ophiocoma.
- balliae** Cingula (Thomp.), C. Thorpe, Brit. Mar. conch., Ap. 1844, 185.—Rissoa.
- balliae** Rissoa, W. Thompson, Ann. Nat. Hist. V. Ap. 1840, 98.
- Ballida** E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1042.—Col. [1825, 292.]
- ballista** Aptinus, Illiger in Dejean, Catal. Coléopt. 1821, 4 [*n. n.*]; Spec. gén. Coléopt. I.
- ballista** Hypsauchenia, E. F. Germar, Revue Entom. III (5) 1835, 231.
- ballista** Sphongophorus (A. & S.), L. Fairmaire, Ann. Soc. Ent. France [2] IV (2) Oct. 1846, 261.—Hypsauchenia, ? Germ. [1846, 199.]
- ballistarius** Brachinus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug.
- balliston** Lampides, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 11.
- balliviani** Odontophorus, J. Gould, Proc. Zool. Soc. London, XIV (162) Oct. 1846, 69.
- ballotae** Chrysomela, T. Marsham, Coleopt. Brit., Sept. 1802, 205.
- ballotae** Haltica (Marsh.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 320.—Chrysomela.
- ballotae** Thyamis (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 312.—
Chrysomela.
- ballotella** Elachista, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) [1843], 314.
- ballotella** Ornix, J. E. Fischer v. R., Abbild. Schmett. (12) 1839, 154.
- ballotella** Porrectaria (Fisch. v. R.), Zeller, Linnaea Entom. IV. Dec. 1849, 221.—Ornix.
- balloticolella** Coleophora, T. Bruand, Mém. Soc. Emul. Doubs, Vol. III, Tom. 3 (5 & 6)
- Balluca** C. v. Heyden, Isis (Oken), 1826, 611.—Ar. [1850, 54.]
- balluca** Dyachrysia, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 22.
- Ballus** C. L. Koch, Uebers. Arachnidensyst. V. 1850, 68.—Ar.
- ballus** Lycaena (Fab.), F. Ochseneimer, Schmett. Europa, IV. 1816, 27.—Papilio, 1787.
- ballus** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 72 (Fernaldo judice 1799) [*n. et f.*]. [1787.]
- ballus** Polyommatus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 673.—Papilio,
- ballus** Thestor (Fab.), J. Huebner, Verz. bekannt. Schmett. 1818, 73.—Papilio, 1787.
- ballus** Tomares (Fab.), P. Rambur, F. Ent. Andal. II (5) Mar. 1840, 262.—Hesperia. 1793.
- balmatianus** Ammonites, F. J. Pictet, Mém. Soc. Phys. H. N. Genève, XI (2) 1848, 353.
- balmea** Nemertes, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) VI. Oct. 1846, 197.
- balmea** Omatoplea (Quat.), C. M. Diesing, Syst. Helminth. I. 1850, 249.—Nemertes.
- balmei** Circinaria (Michaud), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 24.—Helix.
- balmei** Helix, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 120.
- balmei** Helix (Circinaria), Mich.; Beck, Index Moll. Mus. Ch. Fred. 1837, 24 [*teste* B. B. Woodward]. [81.]
- balneorum** Anthophora, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
- balonnensis** Melania, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. V (1) Feb. 1850, 11.
- balonnensis** Unio, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. V (1) Feb. 1850, 10.
- balookee** Chela, W. H. Sykes, Proc. Zool. Soc. London, VI (71) May 1839, 160.
- balsami** *z.* balsamoi.
- balsamitae** Cucullia, Boisduval, Gen. Index Europ. Lépid. 1840, 154.
- [balsamoi.]
- balsamo** Clausilia, Strobel, Giorn. R. Ist. Lomb. e Bibl. Ital., n. s., II (8) Dec. 1850, 117.
- balsamii** Eolidia, G. B. Verany in Descr. Genova, I. 1846, 97 & 107. [166.]
- balsami** Lariosaurus, G. Curioni, Giorn. R. Ist. Lomb. e Bibl. Ital. XVI (47) May 1847,
- balsamo** Urceolaria, B. Panizza, Giorn. R. Ist. Lomb. e Bibl. Ital. XV (44) Mar. 1847,
- baltearia** Fidonia, C. F. Freyer, Neuere Beitr. Schmett. V (79) 1845, 153. [196.]
- balteata** Achatina, L. Reeve, Conch. Icon. V.—Achatina, no. 7, Feb. 1849.
- balteata** Achatina, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 195.
- balteata** Acutalis, L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847, 496.

- balteatus** Allantus (Klug), J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Aug. 1835, 66.—
balteatus Ammonites, J. Phillips, Geol. Yorksh. I. 1829, 163 [*n. et f.*]. [Tenthredo.
balteatus Ampedus (L.), E. F. Germar, Zeitschr. f. d. Entom. V. 1844, 161.—Elater, 1758.
balteata Ancillaria (Sow.), W. Swainson, Q. Journ. Sci. (R. Inst. Gt Brit.) XVIII (36)
 Jan. 1825, 284.—Eburna.
balteatus Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic.
 (8) 1849, 112 ["Mon. Anth." *poster. edit.*].
balteatus Bombus, G. Dahlbom, Bomb. Scand. 1832, 36.
balteatum Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 59, Dec. 1846.
balteata Buprestis, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 18 [*n. n.*].
balteatum Cerithium, R. A. Philippi, Zeitschr. f. Malakozool., Feb. 1848, 22.
balteata Cetonia, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 40 [*n. n.*].
balteata Chysomela, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 80 [*n. n.*].
balteata Cicada, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 290.
balteatus Coelosternus, Schoenherr in C. R. Sahlberg, Peric. Entom. 1823, 50.
balteatus Conus, G. B. Sowerby, I., Conch. Illustr. (37) 1833, f. 58 [*n. et f.*].
balteata Crioceris, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 76 [*n. n.*].
balteatus Cryptorhynchus, Sch.; Dejean, Catal. Coléopt. 1821, 85 [*n. n.*].
balteatus Cryptorhynchus (Sahlb.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
 139.—Coelosternus.
balteatus Cyldrus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 263.
balteatus Cyprinus (Abramis), J. Richardson, F. Bor.-Amer. (3) 1836, 301.
balteatus Dasytes, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 24 [*n. n.*].
balteatum Diagramma, Ruhl & v. Hasselt in Cuvier & Valenc., H. N. Poiss. V. 1830, 316.
balteata Diapromorpha, T. Lacordaire, Mém. Soc. R. Sci. Liége, V. May 1848, 236.
balteata Doryphora, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 95 [*n. n.*].
balteata Eburna, G. B. Sowerby, II., Gen. Shells (19) 1823.
balteatum Enoplium (Epiphlaeus), A. Chevrolat, Ann. Soc. Ent. France [2] I (1) Ap.
balteatus Eques, G. Cuvier, Règne Anim., ed. 2, II. 1829, 175. [1843, 36.
balteatus Erotylus, P. A. J. Duponchel, Mém. Mus. H. N. (Paris) XII [2] Sept. 1825, 164.
balteatus Euplotes (Duj.), C. M. Diesing, Syst. Helminth. I. 1850, 169.—Ploesconia.
balteatus Exocentrus (Fab.), E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839,
 153.—Cerambyx, ? De G. 1775.
balteata Gametis (De G.), H. Burmeister, Handb. Ent. III. 1842, 367.—Scarabaeus, 1778.
balteatus Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 95.
balteata Helix, G. B. Sowerby, I., Proc. Zool. Soc. London, VIII (94) July 1841, 136.
balteatus Ichneumon, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 48.
balteatus Julis, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 267.
balteatus Laius, W. F. Erichson, Entomographien, 1840, 64. [? De G. 1775.
balteata Lamia (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 378.—Cerambyx,
balteatus Leptoscelis (L.), J. O. Westwood in Drury, Ill. Exot. Ent. I. 1837, 92.—Cimex,
balteata Lyda, C. F. Fallen, K. Vet. Ac. Nya Handl. XXIX (3) 1808, 225. [1771.
balteata Mangelia, L. Reeve, Conch. Icon. III.—Mangelia, no. 57, June 1846.
balteata Marpissa, C. L. Koch, Die Arachniden, XIII (2) Jan. 1846, 68.
balteatus Mastostethus (Klug), T. Lacordaire, Mém. Soc. R. Sci. Liége, III (2) Nov.
 1845, 616.—Megalopus.
balteatus Megalopus, F. Klug, Jahrb. Insectenk. I. 1834, 219.
balteata Meloe, P. S. Pallas in Georgi, Nach. Besch. Russ. Reichs, 1802, 338 [*n. n.*].
balteatus Murex, G. B. Sowerby, II., Proc. Zool. Soc. London, VIII (94) July 1841, 146.
balteatus Naupactus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 56 [*n. n.*].
balteatus Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 77.
balteatus Odax, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 303.
balteata Oedipoda, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
balteatus Phytonomus, A. Chevrolat, Rev. Zool. (Soc. Cuv.) III. Jan. 1840, 16. [734.
balteatus Pirates, E. F. Germar, Revue Entom. V (3) 1840, 131.
balteata Platessa, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 278.
balteatus Plectorhynchus (K. & H.), T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec.
 1850), 1060.—Diagramma.

- balteata** Pleurotomaria, J. Phillips, Mem. Geol. Surv. Gt Britain, II (1) 1848, 358.
balteata Ploesconia, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 437.
balteatus Pogonocherus, Fab.; Dejean, Catal. Coléopt. 1821, 107 [*n. n.*].
balteatus Pogonocherus (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1836, 59.—Cerambyx, ? De G. 1775.
balteatus Pomacanthus, Cuvier & Valenc., H. N. Poiss. VII. 1831, 208.
balteatus Rogas, J. Curtis (*ex* Hal. MS), Brit. Entom. XI (128) Aug. 1834, no. 512.
balteatum Rygghium, T. Say, Boston Journ. N. H. I (4) 1837, 383.
balteata Saperda, J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 45.
balteata Scaeva (De G.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 58.—Musca, 1776.
balteatus Smarius, Cuvier & Valenc., H. N. Poiss. VI. 1830, 424.
balteatus Squalius, J. J. Heckel in Russegger, Reise, I (2) 1843, 1041.
balteatus Stenocorus (Cerasphorus) (De G.), J. O. Westwood in Drury, Ill. Exot. Ent. I. 1837, 80.—Cerambyx, 1775.
balteatus Syrphus (De G.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 312.—
balteata Tachyusa, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 71. [Musca, 1776.
balteata Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (3) 1817, 181.
balteata Tenthredo (Emphytus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (4) 1818, 287.
balteatus Thynnus, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 136.
balteatus Tillus, L. Fairmaire, Rev. et Mag. de Zool. (2) II. Mar. 1850, 184.
balteatus Tropideres, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 154.
balteatus Upeneus, Cuvier & Valenc., H. N. Poiss. III. 1829, 484.
balteolata Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 54, Sept. 1844.
balteus Conus, W. Wood, Suppl. Index Test. 1828, 8 [*n. et f.*].
baltea Helicogena, G. Jan, Consp. méth. Testac. 1830, 3 [*n. n.*].
balticus *v.* **balticus**.
baltica Acervularia, A. F. Schweigger, Beob. naturh. Reisen, 1819, tab. vi.
balticus Actinocyathus (Lonsd.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 48.
 —Acervularia. [1848, 360.—Acervularia.
baltica Arachnophyllum (Lonsd.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. Astrea (Schw.), de Blainville, Dict. Sci. Nat. LX. 1830, 340.—Acervularia.
baltica Cicindela, V. v. Motschulsky, Corr.-Bl. Nat. Ver. Riga, I (6) c. Nov. 1845, 99.
balticus Colymbus, Hornschuch & Schilling in C. L. Brehm, Lehrb. Nat. europ. Vögel, II. 1824, 888.
baltica Cyanea, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 363.
balthica Cytherina, W. Hisinger, Anteckn. Physik Geogn. V. 1831, 109; Lethaea Svecica,
balticus Echinospaerites, E. Eichwald, Zool. spec. I. 1829, 231. [1837, 10.
baltica Ephyra (P. & L.), L. Oken, Lehrb. Nat. III (1) 1815, 116.—Cyanea.
balthica Gelocheledon, C. L. Brehm, Isis, 1830, 994 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831, 772.
balthica Gulnaria (L.), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 114.—Helix, 1758.
baltica Hadena, Hering in C. F. Freyer, Neuere Beitr. Schmett. VI (85) 1848, 45.
balticus Haematopus, C. L. Brehm, Isis, 1830, 987 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831, 562.
balticus Heliocrinites, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 189.—Echinospaerites, 1829.
balticus Hydrophorus (Meig.), J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 3050.—Medeterus.
balticus Ichneumon, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 135.
baltica Jaera, F. Müller, Arch. f. Naturg. XIV (1) 1848, 63.
balthica Lymnaea (L.), S. Nilsson, Hist. Moll. Suec. 1822, 64.—Helix, 1758. [66.
balticus Medeterus, Wiedemann in J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824,
baltica Murchisonia (Vern.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 8.—Pleurotomaria.
balthica Neritina, H. Beck, Amt. Ber. 24 Vers. Deutsch. Naturf. 1846 (1847), 123 [*n. n.*].
balthica Paludina, S. Nilsson, Hist. Moll. Suec. 1822 [1823], 91.
balthica Paludinella (Nilss.), H. Beck, Amt. Ber. 24 Vers. Deutsch. Naturf. 1846 (1847),
baltica Pholoe, A. S. Oersted, Annul. Dan. Consp. (1) 1843, 14. [123.—Paludina.

- baltica** Pleurotomaria, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 338.
- balticus** Scirtetes, J. A. Wagner in Schreber, Säugth., Suppl. III. 1842, 288.
- balticus** Sphaeronites (Eichw.), E. Forbes, Mem. Geol. Surv. Gt Britain, II (2) 1848, 518.—Echinosphaerites.
- baltica** Spirorbis, J. C. Chenu, Illustr. conch. I. Spirorbis, 1843, 2. [466.]
- balthica** Succinea, E. v. Eichwald, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (2) 1849,
- balthica** Sylochelidon, C. L. Brehm, Isis, 1830, 994 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831, 769. [220.]
- baltica** Synchaeta, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834],
- baltimore** Icterus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 243.
- baltimore** Psarocolius (L.), J. Wagler, Syst. Avium, I. 1827, sign. 2214.—Oriolus, 1766.
- baltimore** Xanthornus (L.), Cuvier, Règne Anim. I. 1817, 395.—Oriolus, 1766.
- baltimore** Yphantès (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 214.—Oriolus, L. 1766. [Carabus.]
- baltimoriensis** Anisodactylus (Melsh.), Dejean, Spec. gén. Coléopt. IV. 1829, 152.—
- baltimoriensis** Anisodactylus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 431.—Harpalus, 1825.
- baltimoriensis** Buprestis, Herbst in Jablonsky, Nat. Ins. (Käfer) IX. 1801, 99.
- baltimoriensis** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 50 [*n. n.*].
- baltimorensis** Cicindela, Herbst in Jablonsky, Nat. Ins. (Käfer) X. 1806, 181.
- baltimoriensis** Harpalus (Melsh.), T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 34.—
- baltimorensis** Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 163. [Carabus.]
- balux** Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 488.
- balzaci** Flustra, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps) 1826, 239.
- bambalio** Lixus, E. F. Germar, Ins. Spec. novae, I. 1824, 392.
- bambala** Formicivora (Bodd.), G. R. Gray, Genera of Birds, III. App. 1849, 9.—Formicarius, 1783.
- bambala** Formicivorus (Gm.), C. J. Temminck, Cat. Syst. cab. Orn. 1807, 92.—Turdus, 1788.
- bambala** Myiothera, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 182.—Turdus, 1817, ? Gm. 1788.
- bambala** Myothera (Gm.), C. Dumont, Dict. Sci. Nat. XVII. 1820, 320.—Turdus, 1788.
- bambala** Myrmecophaga, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 237. [1788.]
- bambala** Myrmothera (Gm.), L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 111.—Turdus,
- bamboucha** Bulinus, Webb & Berthelot, Ann. Sci. Nat. XXVIII (111) Mar. 1833, 325.
- bambucina** Noctua, F. Eschscholtz in Kotzebue, Entdeck. Reise Süd-See, III. 1821, 219.
- bambusa** Leuciscus, J. Richardson, Zool. "Sulphur," 1845, 141.
- bambusae** Muscicapa, F. H. v. Kittlitz, Kupfertaf. Nat. Vögel (1) 1832, 7.
- bambyce** Ormocerus, F. Walker, Mon. Chalcid. I. 1839, 208.
- [bamffius.]
- bamffium** Buccinum (Don.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270.—Murex.
- bamffius** Fusus (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xlvii, f. 1.—Murex, ? Don.
- bamffius** Fusus (Don.), J. Fleming, Hist. Brit. Anim. 1828, 352.—Murex. [? Don.]
- bamffius** Fusus (Penn.), L. Reeve, Conch. Icon. IV.—Fusus, no. 90, Ap. 1848.—Murex,
- bamffia** Galathea (Penn.), W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 398.—Astacus, 1777.
- bamffia** Munida (Penn.), A. White, List Brit. Anim. B. M. (Crust.) 1850, 30.—Astacus,
- bamffius** Murex, E. Donovan, Brit. Shells, 1804, pl. clxix. [1777.]
- bamffium** Pleurotoma (Penn.), W. Magillivray, Hist. Moll. Aberdeen, 1843, 171.—Murex, Don. [Murex.]
- bamffii** Trophon (Don.), H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 87.—
- bamffii** Trophon (Don.), H. P. C. Möller, Index Moll. Grœn. 1842, 14.—Murex.
- banana** *v.* bonana.
- bananus** Butyrinus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 45.
- banana** Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 103.
- bananae** *v.* bonana.

- bananivora** Mniotilta (Gm.), G. R. Gray, Genera of Birds, I. Dec. 1848, 197.—Motacilla, [1788.]
[banaticus]
- bannatica** Anthaxia (*ex* Dej.), Gory in Laporte & G., H. N. Coléopt. IV. 1841, 297.
bannatica Buprestis, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 18 [*n. n.*].
bannatica Chrysomela, J. Sturm, Catal. Ins. Samml. 1826, 116 [*n. n.*].
bannaticus Cophosus, Dahl, J. Sturm, Catal. Ins. Samml. 1826, 125.
banatica Helix, Partsch in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. II (1 & 2) June 1838, 14.
bannaticus Loborhynchus, Dej.; J. Sturm, Catal. Ins. Samml. 1826, 164.
banaticus Podabrus, W. G. Rosenhauer, Beitr. Ins.-Faun. Europ. 1847, 17.
bannaticus Procrustes, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 188.
banatica Scelopendra, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 162.
banaticus Scorpius, C. L. Koch, Die Arachniden, VIII (6) *post* May 1841, 111.
bannaticus Trechus, Dejean, Spec. gén. Coléopt. V. 1831, 20.
bannaticus Trechus, G. Putzeys, Entom. Zeitung, Stettin, VIII (10) Oct. 1847, 308.
bancanus Cephalopachus (Horsf.), W. Swainson, N. H. & Classif. Quads. 1835, 352.—Tarsius.
bancanus Hypsicebus (Horsf.), R. P. Lesson, Spec. des Mamm., Nov. 1840, 253.—Tarsius.
bancanus Tarsius, T. Horsfield, Zool. Researches Java (2) 1821.
banchiformis Bembecia, J. Huebner, Verz. bekannt. Schmett. [1820], 128.
banchiformis Sphinx, J. Huebner, Europ. Schmett., Tab. Sphinx, 27 (Fernaldo judice
bancks- *v.* **banks-**. [1808-18] [*n. et f.*].
- bandanus** Conus, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 437.
bandanus Coronaxis, W. Swainson, Treat. Malacol., May 1846, 147 & 311.
bandarius Murex, G. Perry, Conchology, Ap. 1811, pl. 1.
bandata Cassidea, G. Perry, Conchology, Ap. 1811, pl. 34.
bandatum Cerithium, G. Perry, Conchology, Ap. 1811, pl. 36.
bandatus Conus, G. Perry, Conchology, Ap. 1811, pl. 25; Arcana, 1811.
bandatum Cymbium, G. Perry, Conchology, Ap. 1811, pl. 37.
bandata Cypraea, G. Perry, Conchology, Ap. 1811, pl. 20.
bandata Dentalia, G. Perry, Conchology, Ap. 1811, pl. 52.
bandatus Murex, G. Perry, Conchology, Ap. 1811, pl. 1.
bandi Mullus, G. A. Goldfuss, Vergl. Naturb. Säugeth. (1) 1809, 143.
bandinii Unio, Kuester in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (5 & 6) July
bane Mormyrus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 620. [1837, 22.
banffius *v.* **bamffius**.
- Bangana** F. Hamilton, Fish. Ganges, 1822, 385; J. E. Gray, Ill. Indian Zool. I (—)
bangana Cyprinus, F. Hamilton, Fish. Ganges, 1822, 277. [[1830-2] (pl. 86).—P.
bankii Pimelia, W. Turton, Linnaeus, Syst. Nat. II. 1802, 496.
Bankia J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 150.—L. [*n. n.*].
bankiana *v.* **banksiana**.
- bankieri** Glyphisodon, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 253.
bankieri Petrosirtes, J. Richardson, Zool. "Sulphur," 1845, 137.
bankiva Gallus, C. J. Temminck, Fig. et Gallin. II. *post* June 1813, 87.
Bankivia "Beck" in Krauss, Südafr. Moll. 1848, 105.—G.
banksii Ammonites, J. Sowerby, Min. Conch. II. 1818, 229.
banksii Areoda, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 128.
banksii Astarte, G. B. Sowerby, Zool. "Blossom," 1839, 152. [Leach.
banksii Astarte (Sab.), H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 92.—Nicania,
banksii Astarte (Sab.), H. P. C. Möller, Index Moll. Grœn. 1842, 19.—Nicania, Leach.
banksii C. [=Loligo], W. E. Leach, Isis (Oken), 1819, 102. [1790.
banksii Cacatua (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XVII. 1817, 8.—Psittacus,
banksii Calyptorhynchus (Lath.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1)
1826, 109.—Psittacus, 1790.
banksii Cimex, E. Donovan, Epit. N. H. Ins. New Holland, 1805.
banksii Citula, A. Risso, Journ. de Physique, XCI. Oct. 1820, 254.
bancksii (*sic*) Citula, H. R. Schinz in Cuvier, Thierreich, II. 1822, 508.

- banksii** Crassina (Leach), J. E. Gray, Ann. Phil. XXV. 1825, 136.—Nicania.
- banksii** Cymothoa, W. E. Leach, Dict. Sci. Nat. XII. 1818, 353.
- banksii** Gymnetrus, Cuvier & Valenc., H. N. Poiss. X. 1835, 365.
- banksii** Hipparchia, W. E. Leach, Zool. Miscell. I. 1814, 28.
- banksii** Homea, J. Fleming, Phil. Zool. II. 1822, 375.
- banksii** Loligo, W. E. Leach, Zool. Miscell. III. 1817, 141.
- banksii** Lupa, W. E. Leach, Tr. Linn. Soc. London, XI (2) 1815, 319.
- banksii** Matuta, W. E. Leach, Zool. Miscell. III. 1817, 14.
- banksi** Murex, G. B. Sowerby, II., Proc. Zool. Soc. London, VIII (94) July 1841, 140.
- banksii** Nicania, W. E. Leach in J. Ross, Voy. Discov. Baffin's Bay, 4to, Ap. 1819, App. ii, p. lxii.
- banksii** Nicania, W. E. Leach, Journ. de Physique, LXXXVIII. June 1819, 466.
- banksii** Noctricula, J. V. Thompson, Zool. Res. (3) Ap. 1829, 53.
- banksi** Oculina, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XIII. Feb. 1850, 68.
- banksii** Onychoteuthis (Leach), A. d'Orbigny, Ann. Sci. Nat. VII (26) Feb. 1826, 151.—
- banksii** Pachyptila, A. Smith, Ill. Zool. S. Afr. (Aves) pl. lv, 1840. [Loligo.]
- banksii** Phalangista, J. E. Gray, Ann. Nat. Hist. I (2) Ap. 1838, 107.
- banksii** Planites (Sow.), W. de Haan, Mon. Ammon. 1825, 85.—Ammonites.
- banksii** Plumularia, J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 294.
- banksii** Prion (Smith), J. Gould, Ann. Mag. N. H. XIII. May 1844, 366.—Pachyptila.
- banksii** Prion (A. Sm.), G. R. Gray, List Birds Coll. B. M. III. 1844, 165.—Pachyptila.
- banksii** Rhinobatus (Rhinobatus), Joh. Mueller & Henle, Syst. Plagiost. (3) 1841, 123.
- banksii** Rhinobatus (Syrrhina), Joh. Mueller & Henle, Syst. Plagiost. (3) 1841, 192.
- banksii** Scutellera, Herrich-S., Wanzenart. Ins. IV (1) May 1837, 2.
- banksii** Turritella, L. Reeve (ex Gray MS), Conch. Icon. V.—Turritella, no. 15, May 1849.
- banksii** Venus, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 341. [1775.]
- banksia** Cyllo (Fab.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 121.—Papilio,
- banksia** Lasiommata (Leach), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 134.—
Hipparchia banksii.
- banksia** Satyrus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 477.—Papilio, 1775.
- banksiae** Bombyx, W. J. Lewin, Prod. Ent. Lep. Ins. N.S.W. 1805, 10.
- banksiae** Carpophagus, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827
[i.e. Ap. 1826], 447.
- banksiae** Harpya, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 238.
- Banksianus** R. P. Lesson, Traité Ornith. (3) July 1830, 179.—A.
- banksiana** Apis, W. Kirby, Mon. Apum Angl. II. 1802, 179. [1800.]
- banksianus** Cephalopterus (Lac.), H. Cloquet, Dict. Sci. Nat. VII. 1817, 409.—Raja,
- banksianum** Choanopoma (Sow.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 52.—
Cyclostoma.
- banksianum** Cyclostoma, G. B. Sowerby, I., Thes. Conch. I (3) ante 23 June 1843, 144.
- banksiana** Dasyopoda (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 86.—Apis.
- banksianus** Dicerobatus (Lac.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.).
121.—Raia, 1800. [1775.]
- bankiana** Erastria (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 43.—Pyralis,
- bankiana** Hyela (Fab.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 150.—
Pyralis, 1775.
- banksianus** Kangurus, Quoy & Gaimard, Ann. Sci. Nat. V (20) Aug. 1825, 481.
- banksianus** Macropus (Gaim.), R. P. Lesson, Man. Mamm., May 1827, 226.—Kangurus.
- bankiana** Phytometra (Fab.), A. H. Haworth, Lepidopt. Brit. (2) 1809, 261.—Pyralis,
- banksianus** Psittacus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 342. [1775.]
- banksiaria** Geometra, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Aug. 1841, 257.
- bannani** Geotrupes, W. A. Bromfield, Mag. Nat. Hist. VII. Mar. 1834, 184.
- bannaticus** v. banaticus.
- banonii** Cercoptera, M. Spinola, Magasin de Zool. (2) I. 1839, pl. 12.
- banonii** Clostrocera, J. G. Audinet-S., Ann. Soc. Ent. France, III (1) post Mar. 1834, 83.
- banoni** Lucidia, Laporte, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 137.
- banonii** Macraspis, Dejean, Catal. Coléopt. 1821, 60 [n. n.].
- banoni** Octogonotes, A. Drapiez, Ann. gén. Sc. Phys. (Bruxelles) III. Feb. 1820, 191.

- banonii** Procrustes, Dupont in Dejean, Cat. Coléopt., ed. 2 (1) 1833, 17.
banonii Sitophilus, F. E. Guérin-M., Iconographie, 1844, Ins. 172.
banonis Porites, F. V. Raspail, Ann. Sci. Observ. III (3) Mar. 1830, 414.
banthensis Ornithocephalus, C. Theodori, Notizen (Froriep) XXIX. 1830, 103.
banthensis Pterodactylus, C. Theodori, Beob. nat. Ver. Bamberg, I. Ber. 1852, 78.
banting Bibos, J. E. Gray (*ex Raffles vernac.*), Glean. Menag. Knowsley Hoof. Quadr., Banyboas J. Gistel, Naturg. Thierr. 1848, p. xi.—R. [Aug. 1850, 48.
banyumas Cyornis (Horsf.), E. Blyth, J. Asiat. Soc. Bengal, XII. 1843, 941.—Muscicapa.
banyumas Muscicapa, T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 146.
banyumas Niltava (Horsf.), G. R. Gray, Genera of Birds, I. Aug. 1846, 264.—Muscicapa.
Baphia J. E. Gray (*ex Gevers*), Proc. Zool. Soc. London, XV (178) Nov. 1847, 199.—L.
Baphonulina Zborzewski, Bull. Soc. Imp. Nat. Moscou, 1843, 364.—Coel.
baphtthalmus Cyprinus, W. Turton, Linnaeus, Syst. Nat. I. 1802, 878.
baphyrus Chrysotoxum, F. Walker, List Dipt. Coll. B. M. (3) 1849, 542.
Bapta J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Lep.
baptodactylus Pterophorus, P. C. Zeller, Entom. Zeitung, Stettin, XI (6) June 1850, 211.
Baptria J. Huebner, Verz. bekannt. Schmett. 1826, 306.—Lep. [Mus, 1773.
barabensis Cricetus (Pall.), A. Desmarest, Nouv. Dict. H. N. XXIV (Tab.) 1804, 23.—
barabensis Oedipoda (Pall.), G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 296.—Gryllus, 1773.
barabini Inoceramus, S. G. Morton, Syn. Org. Rem. Cret. 1834, 62.
baracola Raja, G. D. Nardo (*ex Chiereghini MS*), Sin. mod. spec. Lag. Veneto, 1847, 111.
barang Leptonyx, R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 72.
barang Lutra, F. Cuvier, Dict. Sci. Nat. XXVII. 1823, 246.
Barathra J. Huebner, Verz. bekannt. Schmett. [1822], 218.—Lep.
Barathroea T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 164.—Col. [Barathraea [barba=a beard] *v. et barbatus -a -um.* [on p. 878].
barba Epistylis, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1840, 199.
barba Palparia, A. H. Haworth, Lepidopt. Brit. (3) 1811, 490.—Tinea barbella, Huebn.
barba Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (119) Jan. 1814, 372. [1796.
barba-jovis Arca, Bory de St V., Ency. Méth. (Vers), 1824, 156 [*n. et f.*]. [Jar.
Barbacous Cuvier, R. Anim. I. 1817, 42; ed. 2, I. 1829, 455.—*vernac.*; *v.* Barbaculus,
Barbaculus F. P. Jarocki, Zoologia, II. 1821, 33.—A. [*typus* Bucco calcaratus, Lath.].
barbadensis Carocolla, L. Guilding, Zool. Journ. IV (14) Oct. 1828, 167. [Helix.
barbadensis Dentellaria (Lam.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 35.—
barbadensis Fissurella (Gm.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 143.—Patella, 1790.
barbadensis Helix, Lamarck, An. s. vert. VI (2) 1822, 78.
barbadensis Helix (Guild.), L. Pfeiffer, Mon. Helic. I (1) 1847, 310.—Carocolla.
barbadensis Plicatula, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 669.
barbadensis Succinea, L. Guilding, Zool. Journ. III (12) Ap. 1828, 532.
barbadensis Tanagra, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) X (2) 1817, 453.
Barbala J. E. Gray, Ann. Phil. XXV. 1825, 138.—L.
barbalis Erpyzon, J. Huebner, Tentamen (me giudice 1806), 2.—[*n. n.*] [Cl. 1759.
barbalis Herminia (L.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 227.—Phalaena,
barbalis Paracolax (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 344.—Phalaena, Cl. 1759.
barbalis Pechipogon (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Jan. 1834, 15.—
barbalis Polyogon (Hueb.), F. v. P. Schrank, F. Boica, II (2) 1802, 161.—Pyralis, 1796.
barbalis Polyogon (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Phalaena, Cl.
barbancho Pimelodus, Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1821), 172. [1759.
barbarae Andrena, G. W. F. Panzer, Ins. Germ., heft 94, 1804, tab. 10.
barbareae Cecidomyia, "Ruricola" [*i. e.* J. Curtis], Gardener's Chron. 14 June 1845, 400.
barbarae Ceutorhynchus, E. Suffrian, Entom. Zeitung, Stettin, VIII (3) Mar. 1847, 88 &
barbarella Phalaena (Alucita), W. Turton, Linnaeus, Syst. Nat. III. 1802, 381. [90.
barbarica Apis, W. Turton, Linnaeus, Syst. Nat. III. 1802, 561.
barbaricus Cerambyx, W. Turton, Linnaeus, Syst. Nat. II. 1802, 314.
barbaricus Geophilus, F. L. P. Gervais, Magasin de Zool. V. 1835, pl. 133.

- barbarica** Hydrogallina, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV.
barbarica Perdix, C. J. Temminck, Cat. Syst. cab. Orn. 1807, 155. [1799 [1802], 337.
barbarossa Dasypogon, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 370.
barbarossa Lucanus, J. C. Fabricius, Syst. Eleuth. II. 1801, 251.
barbarossa Oryctes (Fab.), H. Burmeister, Handb. Ent. V. 1847, 192.—Geotrupes, 1798.
barbarossa Sisyphus, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 23.
barbarus Acalles, H. Lucas, Explor. Algér. (Artic. II.) 1849, 453.
barbara Acmaeodera, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 45.
barbarum Acridium, O. G. Costa, Fauna Regno Napoli, Ortott. 13 (*ad* 1836).
barbara Adimonia, W. F. Erichson in M. Wagner, Reisen Algier, III. 1841, 191.
barbara Aethiessa (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 408.—Cetonia.
barbara Akis, A. J. J. Solier (*ex* Dej. Cat.), Ann. Soc. Ent. France, V (4) *post* Jan. 1837,
barbarus Anelastes, H. Lucas, Explor. Algér. (Artic. II.) 1846, 167. [673.
barbarus Anisorhynchus (Boh.), C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 312.—
Molytes.
barbarum Anthidium, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
barbarus Argutor, Dejean, Catal. Coléopt. 1821, 11 [*n. n.*]. [357.
barbarus Argutor (Dej.), P. Rambur, F. Ent. Andal. I (2) Mar. 1838, 96.—Feronia.
barbara Blaps, A. J. J. Solier, Baudi & Truqui, Studi Ent. I. 1848, 343.
barbarus Brachynus, H. Lucas, Explor. Algér. (Artic. II.) 1846, 21.
barbara Brachyphylla, H. Lucas, Explor. Algér. (Artic. II.) 1846, 288.
barbara Bulimus (L.), L. Pfeiffer, Mon. Helic. II. 1848, 124.—Helix, 1758.
barbarus Canis, G. Shaw, Gen. Zool. (Mamm.) I (2) 1800, 311.
barbara Cantharis, J. C. Fabricius, Syst. Eleuth. I. 1801, 299.
barbarus Carabus, Dejean, Spec. gén. Coléopt. II. 1826, 98.
barbarus Cebrio, H. Lucas, Explor. Algér. (Artic. II.) 1846, 170.
barbara Centris, J. C. Fabricius, Syst. Piezat. 1804, 357.—Apis, 1793.
barbarus Cerambyx, W. Turton, Linnaeus, Syst. Nat. II. 1802, 326.
barbarus Cercus, H. Lucas, Explor. Algér. (Artic. II.) 1846, 216.
barbarus Cervus, E. T. Bennett in L. Fraser, Zool. typica [*post* 1846], pl. 13.
barbarus Cervus, E. T. Bennett in J. E. Gray, Glean. Menag. Knowsley Hoof. Quadr.,
Aug. 1850, 59.
barbara Cetonia, Gory & Percheron, Mon. Cétoines (10) Ap. 1836, 251.
barbara Chrysis, H. Lucas, Explor. Algér. (Artic. III.) 1849, 307.
barbara Cicindela, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840, 18.
barbarus Cleonis, Ol.; Dejean, Catal. Coléopt. 1821, 96 [*n. n.*].
barbara Clubiona, H. Lucas, Explor. Algér. (Artic. I.) 1846, 210. [1758.
barbarus Cochlicellus (L.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 63.—Helix,
barbara Colaspidea (Fab.), Laporte, Revue Entom. I (1) Mar. 1833, 21.—Colaspis.
barbara Colaspidea (Fab.), H. Lucas, Explor. Algér. (Artic. II.) 1849, 516.—Colaspis.
barbara Colaspis, J. C. Fabricius, Syst. Eleuth. I. 1801, 415.
barbara Coleoptera, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845,
barbarus Coluber, Boie in Férussac, Bull. Sci. IX. 1826, 237 [*n. n.*]. [387.
barbara Cosmethis (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 179.—Phalaena,
barbarus Cossyphus, F. de Brême, Ess. Cossyph. (2) 1846, 24. [1781.
barbara Dapsa, H. Lucas, Explor. Algér. (Artic. II.) 1849, 552.
barbara Dasysterna, P. Rambur (*ex* Dej.), Ann. Soc. Ent. France [2] I (4) Mar. 1844,
barbarus Dendarus, H. Lucas, Explor. Algér. (Artic. II.) 1846, 329. [331.
barbarus Ditomus (Sol.), H. Lucas, Explor. Algér. (Artic. II.) 1846, 31.—Odogenius.
barbara Eira (L.), C. H. Smith, Introd. Mamm. (Nat. Libr. XXXV.) Dec. 1842, 202.
—Mustela, 1758.
barbara Eirara (L.), Lund, Ann. Sci. Nat. [2] (Zool.) XI. Ap. 1839, 232.—Mustela, 1758.
barbara Elaphocera, P. Rambur, Ann. Soc. Ent. France [2] I (4) Mar. 1844, 350.
barbara Emesa, H. Lucas, Explor. Algér. (Artic. III.) 1849, 49.
barbarus Encyrtus, J. W. Dalman, K. Vet. Ac. Handl. 1820 (1) 1820, 158.
barbarus Erodium, Dejean, Catal. Coléopt. 1821, 63 [*n. n.*].
barbarus Erodium, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 538.
barbarus Eulophus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 42.

- barbarus** Eumerus (Coq.), C. R. W. Wiedemann, *Aussereurop. Zweifl. Insekt.* II. 1830, 112.—Syrphus.
- barbara** Feronia, Dejean, *Spec. gén. Coléopt.* III. 1828, 261.—Argutor, 1821.
- barbara** Galera (L.), J. E. Gray, *List Mamm. Coll. B. M.* 1843, 67.—Mustela, 1758.
- barbara** Galictis (L.), J. A. Wagner in Schreber, *Säugth., Suppl.* II. 1840, 214.—Mustela, 1758.
- barbarus** Geobius, F. L. de Laporte in Brullé, H. N. *Anim. artic. (Coléopt.)* II. 1840, 108.
- barbara** Golunda (Benn.), J. E. Gray, *Mag. Nat. Hist., n. s., I. Nov.* 1837, 586.—Mus,
- barbara** Gulo (L.), C. Illiger, *Prod.* 1811, 129.—Mustela, 1758. [L. 1766.]
- barbara** Helix (Cochlicella) (L.), A. E. Férussac, H. N. g. et p. *Moll., Tabl. Limaçons,* 1821, 56. [[1802], 155.]
- barbarus** Ichneumon, F. M. Daudin in Buffon, *Hist. Nat. (Didot's ed.) Quad.* XIV. 1799
- barbarus** Lanarius (Lath.), L. P. Vieillot, *Ency. Méth. (Orn.)* 1822, 755.—Lanius, L. 1766.
- barbarus** Laniarius (Shaw), J. F. Stephens in G. Shaw, *Gen. Zool. (Aves)* XIII (2) 1826, 151.—Lanius, L. 1766.
- barbarus** [Lanius], H. Lichtenstein, *Zool. Mus. Univ. Berlin,* 1816, 39.
- barbarus** Leo, J. E. Gray, *List Mamm. Coll. B. M.* 1843, 39.
- barbara** Lestes (Fab.), De Selys-L., *Mon. Libell. Europ.* 1840, 142.—Agrion, 1798.
- barbara** Libellula, De Selys in H. Lucas, *Explor. Algér. (Artic. III.)* 1849, 117.
- barbarus** Lixus, A. G. Olivier, *Entom. V.* 1807, 262.—Curculio, 1790.
- barbarus** Lixus, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc. VII (1)* 1843, 432.
- barbara** Macrocera, Lepeletier de S. F. (*Roret's Suite à Buffon, Hyménopt.* II. 1841, 112. [1766.]
- barbarus** Malaconotus (L.), W. Swainson, *Zool. Illust. (2) II (16)* 1831, pl. 71.—Lanius,
- barbarus** Mecinus, Gyllenhal in C. J. Schoenherr, *Gen. et Sp. Curc. IV (2)* 1838, 778.
- barbarus** Molytes, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc. II (2)* 1834, 358.
- barbara** Muscivora, F. M. Daudin in Buffon, *Hist. Nat. (Didot's ed.) Quad.* XIV. 1799
- barbara** Mygale, H. Lucas, *Explor. Algér. (Artic. I.)* 1846, 89. [[1802], 230.]
- barbara** Myrmica (L.), H. Lucas, *Explor. Algér. (Artic. III.)* 1849, 300.—Formica, 1767.
- barbara** Nebria, M. de Chaudoir, *Bull. Soc. Imp. Nat. Moscou,* XVI. 1843 (4) 1843, 748.
- barbarus** Odogenus, A. J. J. Solier, *Ann. Soc. Ent. France,* III (4) *post* Mar. 1835, 665.
- barbara** Oedemera (F.), P. A. Latreille, *Sonnini's Buffon, Ins.* XI (1804), 15.—Necydalis.
- barbarus** Olios, H. Lucas, *Explor. Algér. (Artic. I.)* 1846, 202.
- barbarum** Opatrum, W. F. Erichson in M. Wagner, *Reisen Algier,* III. 1841, 181.
- barbarus** Orthomus (Dej.), M. de Chaudoir, *Bull. Soc. Imp. Nat. Moscou,* 1838 (1) 1838, 8.—Argutor.
- barbara** Pallosoma, Lepeletier de S. F. (*Roret's Suite à Buffon, Hyménopt.* III. 1845,
- barbarus** Pelicinius (Gm.), F. Boie, *Isis (Oken),* 1826, 973.—Lanius, L. 1766. [495.]
- barbarum** Phalangium, H. Lucas, *Explor. Algér. (Artic. I.)* 1846, 293.
- barbarus** Philax (Er.), H. Lucas, *Explor. Algér. (Artic. II.)* 1846, 327.—Opatrum.
- barbarus** Pholcus, H. Lucas, *Explor. Algér. (Artic. I.)* 1846, 237.
- barbara** Pimelia, Dejean, *Catal. Coléopt.* 1821, 63 [*n. n.*].
- barbara** Pimelia, A. J. J. Solier, *Ann. Soc. Ent. France,* V (1) *post* May 1836, 106.
- barbarus** Poecilus, H. Lucas, *Ann. Sci. Nat. [2] (Zool.)* XVIII. July 1842, 63.
- barbarus** Portunus, H. Lucas, *Explor. Algér. (Artic. I.)* 1846, 15.
- barbarus** Pristonychus, H. Lucas, *Explor. Algér. (Artic. II.)* 1846, 49.
- barbara** Puella (Fabr.), A. Brullé in Bory de St V., *Exp. Morée (Ins.)* 1832, 104.—Agrion, 1798.
- barbarus** Purpuricenus, H. Lucas, *Ann. Sci. Nat. [2] (Zool.)* XVIII. Sept. 1842, 185.
- barbarus** Rhizotrogus, H. Lucas, *Explor. Algér. (Artic. II.)* 1846, 281.
- barbarus** Sacalius (Sh.), C. H. Smith, *Dogs,* I (Nat. Libr. XXV.) Dec. 1839, 218.—
- barbarus** Scarites, Dejean, *Spec. gén. Coléopt. I.* 1825, 388. [Canis, 1800.]
- barbarus** Scaurus, A. J. J. Solier, *Ann. Soc. Ent. France,* VII (2) *post* June 1838, 165.
- barbarus** Scaurus, W. F. Erichson in M. Wagner, *Reisen Algier,* III. 1841, 181.
- barbarum** Sepidium, A. J. J. Solier, *Mem. R. Acc. Sci. Torino [2] VI.* 1844, 235.
- barbara** Solpuga, H. Lucas, *Explor. Algér. (Artic. I.)* 1846, 279.
- barbarus** Squalus, G. D. Nardo (*ex* Chierighini MS), *Sin. mod. spec. Lag. Veneto,* 1847,
- barbarus** Syrphus, A. J. Coquebert, *Icon. Ins. (3)* 1804, 117. [111.]

- barbarus Tabanus, P. A. Latreille in A. J. Coquebert, Icon. Ins. (3) 1804, 111.
 barbarus Tabanus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 60.
 barbarus Telephorus (Fab.), H. Lucas, Explor. Algér. (Artic. II.) 1846, 188.—Cantharis.
 barbara Tentyria, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 340.
 barbarum Trombidium, H. Lucas, Explor. Algér. (Artic. I.) 1846, 310.
 barbarus Tropidonotus, H. Boie, Isis (Oken), 1827, 537.
 barbara Viverra (L.), G. Shaw, Gen. Zool. (Mamm.) I (2) 1800, 428.—Mustela, 1758.
 barbara Zophosis, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1831, 608.
 barbara Zygaena, Herrich-S., Syst. Bearb. Schmett. Europ. II (—) 1846, 47.
 Barbastella J. E. Gray, London Med. Reposit. XV. Ap. 1821, 300.—M.
 Barbastellus J. E. Gray, Ann. Phil. XXVI. Nov. 1825, 339 [*n. n.*]; Phil. Mag., n. s., VI (31) July 1829, 31.—M.
 Barbastellus J. E. Gray, Zool. Miscell. 1831, 38.—M. [*teste* Palmer].
 barbastellus Plecotus (L.), R. P. Lesson, Man. Mamm., May 1827, 96.—Vespertilio, 1774.
 Barbata *err. pro* Barbala, Humph.; G. B. Sowerby, II., Conch. Man., ed. 2, 1839, 81.
 barbatellus Modiolus, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 397.
 barbatellus Nemotois, P. C. Zeller, Isis (Oken), 1847, 33.
 Barbatia J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 151.—L. [*n. n.*].
 barbator Pimpla, J. C. Fabricius, Syst. Piezat. 1804, 116.—Ichneumon, 1793.
 Barbatula R. P. Lesson, Compl. de Buffon, IX. 1837, 292.—A.
 barbatulae Ascaris, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 59 [*n. n.*].
 barbatulae Bothriocephalus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 144 [*n. n.*].
 barbatulatus Psittacus, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 77.
 barbatula Andrena (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 71.—Melitta.
 barbatula Andrena, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 461.
 barbatula Arca, Lamarck, Ann. Mus. H. N. (Paris) VI (33) June 1805, 220.
 barbatula Bucco, C. J. Temminck in T. & Laugier, Pls. color. (88) May 1831.
 barbatulus Chironectes, Eydoux & Souleyet in Vaillant, Voy. "Bonite," Zool. I. 1842,
 barbatula Cobitis, L. Agassiz (*ex* Rond.), Jahrb. f. Min. 1832, 134. [184.
 barbatula Emys, J. L. C. Gravenhorst, Rept. Mus. Vrat. 1829, 15.
 barbatulus Eusomus, E. F. Germar, Ins. spec. novae, I. 1824, 460.
 barbatula Hydraspis (Grav.), J. E. Gray, Syn. Rept. 1831, 43.—Emys.
 barbatul[us] Lophius, Schleep, Isis (Oken), 1824, 899.
 barbatula Megalaima (Temm.), G. R. Gray, Gen. Birds, II. Mar. 1846, 430.—Bucco.
 barbatula Melitta, W. Kirby, Mon. Apum Angl. II. 1802, 152. [Eusomus.
 barbatulus Sciaphilus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 547.—
 barbatula Trichomycterus, Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 498.
 barbatulus Tylognathus, J. J. Heckel in Hügel, Kaschmir, IV (2) 1844, 376.
 barbatus Achirus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 658.
 barbata Agama, G. Cuvier, R. Anim., ed. 2, II. 1829, 35.
 barbata Agama, T. Cocteau, Dict. pittoresque H. N. I (7) Nov. 1833, 53; N. Dict. class.
 H. N., ed. 2, I. Mar. 1844, 206.
 barbatus Alutarius (Gray), T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850),
 1339.—Balistes.
 barbatus Anacanthus, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 8.
 barbata Andrena (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 70.—Melitta.
 barbata Anthophora, J. C. Fabricius, Syst. Piezat. 1804, 373.
 barbata Antilope, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. IV (1827),
 barbatus Apate, F. V. Melsheimer, Ins. Pennsylv. 1806, 7 [*n. n.*]. [180; Syn. 1827, 325.
 barbata Apis, F. v. P. Schrank, F. Boica, II (2) 1802, 381.
 barbatus Apistus, Cuvier & Valenc., H. N. Poiss. IV. 1829, 413.
 barbata Ascidia, Péron & Lesueur, J. Acad. Nat. Sci. Philad. III. Ap. 1823, 8 [*n. n.*].
 barbatus Astur, T. C. Eyton, Ann. Mag. N. H. XVI. Oct. 1845, 227.
 barbatus Ateuchus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 409.
 barbatus Bagrus, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 230.
 barbatus Balistes (Anacanthus), J. E. Gray, Ill. Indian Zool. I. [1830–36], pl. 84.
 barbatus Batrachus, Cuvier & Valenc., H. N. Poiss. XII. 1837, 498.
 barbatus Brotula (Schn.), G. Cuvier, R. Anim., ed. 2, II. 1829, 335.—Enchelyopus.

- barbata** Cabera (Lam.), A. d'Orbigny in Webb & Berthelot, Canaries (Ech. & Pol.) 1840, 149.—Cellaria. [Müll. 1776.]
- barbata** Calcocephalus (Fab.), F. Cuvier, Dict. Sci. Nat. XXXIX. 1826, 547.—Phoca,
- barbatus** Callichthys, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 234.
- barbatum** Callipogon (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832, 142.—Prionus, 1781.
- barbata** Carocolla (Fér.), C. T. Menke, Syn. meth. Moll. 1828, 14.—Helix.
- barbata** Carocollina (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 28.—Helix.
- barbatus** Cebus, E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 110.
- barbatus** Cebus, A. G. Desmarest [*non* Geoff.], Ency. Méth. (Mamm.) (1) 1820, 82.
- barbata** Cellaria, Lamarck, An. s. vert. II. 1816, 136.
- barbata** Cetonia, T. Say, J. Acad. Nat. Sci. Philad. III. Jan. 1824, 239.
- barbatus** Chalepus (Fab.), H. Burmeister, Handb. Ent. V. 1847, 77.—Melolontha, 1792.
- barbata** Chibia (J. E. Gray), G. R. Gray, List Gen. Birds, ed. 2, 1841, 47.—Edolius.
- barbata** Comatula, J. Fleming, Hist. Brit. Anim. 1828, 490.
- barbata** Cordylura, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 734.
- barbata** Crania, F. v. Hagenow, N. Jahrb. f. Min. 1842, 531.
- barbatus** Crossorhinus (L.), Joh. Mueller & Henle, Syst. Plagiost. (1) 1838, 21.—Squalus,
- barbata** Cyclocephala, Fab.; Dejean, Catal. Coléopt. 1821, 57 [*n. n.*]. [1789.]
- barbata** Cyclocephala (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 128.—Melolontha, 1792.
- barbata** Cymopolia (Pall.), J. V. F. Lamouroux, Hist. Polyp. 1816, 293.—Corallina, L. 1758.
- barbata** Cynogale (Müll.), H. R. Schinz, Syst. Verz. Säug. I. 1844, 388.—Potamophilus.
- barbata** Cytherina, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1837, 136.
- barbatus** Dasyopogon, J. C. Fabricius, Syst. Antliat. 1805, 169.
- barbatus** Dendrorityx, J. Gould, Mon. Odontophorinae (2) 1846, pl. 22.
- barbatus** Dorcacerus (Ol.), Dejean, Catal. Coléopt. 1821, 105.—Cerambyx, 1790.
- barbata** Dynamena, J. V. F. Lamouroux, Hist. Polyp. 1816, 178.
- barbatum** Echiostoma (Cuv.), R. T. Lowe, Proc. Zool. Soc. London, XI (125) Dec. 1843,
- barbatus** Edolius, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 34. [88.—Stomias.]
- barbata** Empis, J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, I. 1823, 164.
- barbatus** Enchelyopus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 52.
- barbatus** Eumolpus, Melsh.; T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1826, 296.
- barbatus** Exotheucus, C. Wesmael, N. Mémoires. Ac. Roy. Brux. XI. 1838, 79.
- barbata** Gematis, Kirby; Dejean, Catal. Coléopt. 1821, 58 [*n. n.*].
- barbata** Gemmatophora (Cuv.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 60.—Agama.
- barbatus** Geniatis, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 403.
- barbatus** Gnathochasmus, W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 65.
- barbatus** Gulo, A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 175.—Mustela barbara,
- barbatus** Gymnapistes, W. Swainson, N. H. Fishes etc. II. July 1839, 266. [L. 1758.]
- barbatus** Gypaetos (L.), F. Meisner, Syst. Verz. Vögel Schweiz, 1804, 3.—Vultur, 1758.
- barbata** Helix (Helicigona), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 41.
- barbata** Helops (F.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 348.—Melandrya.
- barbatum** Himatidium, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 76 [*n. n.*].
- barbata** Hipponyx, G. B. Sowerby, I., Proc. Zool. Soc. London, III (25) Ap. 1835, 5.
- barbata** Homola (Herbst.), A. White, List Crustacea Coll. B. M. 1847, 55.—Cancer, Fab. 1793.
- barbatus** Huro (Desm.), I. Geoffroy, Résumé des leçons de Mamm. 1835, 37.—Gulo.
- barbatus** Hygenites (Gm.), C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 281.—Parus, 1784. [XXXII.] 1841, 147.
- barbatus** Hypostoma, W. Jardine in Schomburgk, Fishes Brit. Guiana, I (Nat. Libr.)
- barbatus** Hypostomus, Cuvier & Valenc., H. N. Poiss. XV. 1840, 506.
- barbatus** Ichneumon, G. Cuvier, Revue Entom. I (5) c. Nov. 1833, 207.
- barbatus** Leuciscus, T. C. Jerdon, Madras Journ. XV (35) 1849, 322.
- barbatus** Liparis, C. U. Ekström, K. Vet. Ac. Handl. 1832 (1833), 169.
- barbata** Lucina, L. Reeve, Conch. Icon. VI.—Lucina, no. 16, May 1850.

- barbata Lystra, J. C. Fabricius, Syst. Rhyng. 1803, 59.—Cicada, 1775. [Fab. 1793.
 barbata Maja (Herbst), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 252.—Cancer,
 barbata Melandrya, J. C. Fabricius, Syst. Eleuth. I. 1801, 165.—Helops, 1787.
 barbata Meliphaga, Swainson, H. N. Class. Birds, II. 1837, 326.
 barbata Melitta, W. Kirby, Mon. Apum Angl. II. 1802, 150.
 barbatus Mistacinus, E. F. v. Homeyer, Vögel Pommerns, 1837, 6.
 barbata Modiola (L.), Lamarck, An. s. vert. VI (1) 1819, 114.—Mytilus, 1758.
 barbata Morrhuia (L.), H. Cloquet, Dict. Sci. Nat. XXXIII. 1824, 55.—Gadus, 1758.
 barbata Muscicapa, J. Latham, Index Orn., Suppl. 1801, p. li.
 barbata Muscipeta (Gm.), Cuvier, Règne Anim. I. 1817, 345.—Muscicapa, 1788.
 barbata Mustela, W. Turton, Linnaeus, Syst. Nat. I. 1802, 58.
 barbatus Mycetes, J. v. Spix, Sim. Vesp. Brasil. 1824, 46.
 barbata Mycetophila, Latr.; Dejean, Catal. Coléopt. 1821, 71 [n. n.].
 barbatus Myiobius (Gm.), G. R. Gray, List Gen. Birds, 1840, 30.—Muscicapa, 1788.
 barbatus Odontophorus, "Licht."; G. R. Gray, Genera of Birds, III. May 1846, 513.
 barbatus Palaeornis (Gm.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30 (De-
 cember 1832), 514.—Psittacus pondicerianus, v. barbatus, 1788.
 barbata Pangonia, P. A. Latreille, Ency. Méth. VIII (2) (Ins.) 1812, 703.
 barbatus Parus, P. S. Pallas, Zoographia, I. 1811, 549.
 barbatus Passalus, J. C. Fabricius, Syst. Eleuth. II. 1801, 256.
 barbata Patella, Lamarck, An. s. vert. VI (1) 1819, 326.
 barbatus Pecten, J. Sowerby, Min. Conch. III. 1819, 53.
 barbata Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 308.
 barbata Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 332.
 barbata Pherusa, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) XII. Nov. 1849, 290.
 barbata Phryganea, J. W. Zetterstedt, Ins. Lapp. descr. 1840, 1071.
 barbatus Picus, J. Wilkes, Ency. Londin. XX. 1825, 401.
 barbata Platygenia (Schoenh.), Burmeister & Schaum in Germar, Zeitschr. f. d. Entom.
 II (2) 1840, 392.—Trichius.
 barbatus Platyrhynchus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 10.
 —Muscicapa, Gm. 1788.
 barbatus Pleuronectes, G. Shaw, Nat. Misc. XXI. 1810, pl. 903.
 barbatus Pogonognathus, P. Bleeker, Journ. Indian Arch. III (1) Jan. 1849, 73.
 barbatus Potamophilus, S. Müller, Tijdschr. nat. geschied. physiol. V (1 & 2) 1838, 142.
 barbatus Proctacanthus (Fab.), J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 238.
 —Asilus, 1787.
 barbatus Psilocephalus, W. Swainson, N. H. Fishes etc. II. July, 1839, 327.
 barbata Raja, J. G. Schneider, Bloch, Syst. Ichth. 1801, 369.
 barbata Rhizosolenia, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 87.
 barbatus Rhombus, A. Risso, H. N. Europe, III. 1826, 251.
 barbatus Rhombus, H. Cloquet, Dict. Sci. Nat. LVI. 1828, 118.
 barbata Rhyacophila, F. J. Pictet, Rech. Phrygan. 1834, 196.
 barbatus Scatonomus, W. Erichson, Arch. f. Naturg. I (1) 1835, 258.
 barbatus Schizothorax, M'Clelland & Griffith, Calcutta Journ. Nat. Hist. II (8) Jan. 1842,
 barbata Scorpaena, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 259. [580.
 barbata Scorpaena, E. Rueppell, Neue Wirbelth. Abyssin. (12) 1838, 105.
 barbatus Scyllorhinus (Gm.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.),
 121.—Squalus, 1789.
 barbatus Scylium (Gm.), E. Eichwald, De Selachis, 1819, 66.—Squalus, 1789.
 barbata Serpula, S. G. Morton, Syn. Org. Rom. Cret. 1834, 73.
 barbata Serropalpus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 178.—
 Dircaea, 1798.
 barbata Sesarma (Macl.), F. Krauss, Südafrik. Crust. 1843, 45.—Gnathochasmus.
 barbatus Stomias, G. Cuvier, R. Anim., ed. 2, II. 1829, 283.
 barbatum Stromatium (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, III (1) post Mar.
 1834, 80.—Callidium, 1775.
 barbata Stryx, P. S. Pallas, Zoographia, I. 1811, 318.
 barbatus Sus, S. Müller, Tijdschr. nat. geschied. physiol. V (1 & 2) 1838, 149.

- barbata** Sylvia, L. P. Vieillot, N. Dict. H. N., ed. 2, XI. 1817, 167.
barbata Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 371.
barbatus Tenebrio, A. W. Knoch, N. Beitr. Insectenkunde (1) 1801, 166. [1817, 38.
barbatus Trichius, A. Afzelius; C. J. Schoenherr, Syn. Insect. I (3) 1817, 99 & App.
barbatus Trichophorus, C. J. Temminck in T. & Laugier, Pls. color. (15) Ap. 1822.
barbatum Trombidium, C. L. Koch, Uebers. Arachnidensyst. III (2) 1842, 44.
barbata Tyrannula, W. Swainson, Zool. Journ. III (11) Dec. 1827, 359.—Muscipeta,
barbata Umbrina, H. Cloquet, Dict. Sci. Nat. XXXVI. 1825, 101. [? Lath.
barbata Uronais (Müll.), P. Gervais, Bull. Ac. Roy. Brux. V. 1838, 18.—Nais, 1774.
barbatus Vespertilio, Gundlach, Arch. f. Naturg. VI (1) 1840, 356.
barbata Xylocopa, J. C. Fabricius, Syst. Piezat. 1804, 341.
barbei Presbytis, E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 734.
barbei Sciurus, E. Blyth, J. Asiat. Soc. Bengal, XV. 1846, 379 [*n. n.*]; XVI. 1847, 875.
barbella Anadeta (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 405.—Tinea, 1775.
barbella Fugia (D. & S.), P. A. J. Duponchel, Cat. méth. Lépid. Europe (3) 1846, 349.
 —Tinea, 1775.
barbella Palpula (Fab.), F. Treitschke, Schmett. Europa, X (3) 1835, 193.—Tinea, 1794.
barbella Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 366.
barberinus Mullus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 383.
barbesillensis Pecten, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 611.
barbicauda Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 79.
barbicollis Rhina, J. Sturm, Catal. Ins. Samml. 1826, 190 [*n. n.*].
Barbicornis Godart, Ency. Méth. IX (2) (Ins.) 1824, 706.
barbicornis Anthribus, J. C. Fabricius, Syst. Eleuth. II. 1801, 406.
barbicornis Bruchus, J. C. Fabricius, Syst. Eleuth. II. 1801, 403.
barbicornis Callichroma (Fab.), Dejean, Catal. Coléopt. 1821, 105.—Saperda, 1792.
barbicorne Callidium (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 456.—Saperda,
 1792. [—Tipula, L. 1767.
barbicornis Ceratopogon (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger), II. 1803, 261.
barbicornis Chironomus (L.), J. C. Fabricius, Syst. Antliat. 1805, 42.—Tipula, 1767.
barbicornis Composcerus (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar.
 1834, 63.—Saperda, 1792. [Anthribus,
barbicornis Corrhoeus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 256.—
barbicornis Ectrichodia (Fab.), J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837, 61.
 —Reduvius, 1775.
barbicornis Goliath, M'L.; Dejean, Catal. Coléopt. 1821, 61 [*n. n.*].
barbicornis Lophonocerus (Oliv.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829,
 112.—Cerambyx, L. 1764.
barbicornis Magdalis (Latr.), E. F. Germar, Ins. Spec. novae, I. 1824, 192.—Rhina.
barbicornis Mastigocera, Fab.; Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 345.
barbicornis Panus (Latr.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 15.—Rhina.
barbicornis Paramithrax (Latr.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I.
 1834, 324.—Pisa. [1843, 343.—Reduvius, 1775.
barbicornis Physorhynchus (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères,
barbicornis Pisa, P. A. Latreille, Ency. Méth. X (Ins.) 1825, 141.
barbicornis Rhina (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 199.—Curculio,
barbicornis Rhinodes, Latr.; Dejean, Catal. Coléopt. 1821, 98 [*n. n.*]. [1775.
barbicorne Scarabaeus, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.)
 1809, 344.
barbicornis Thamnophilus (Latr.), L. Gyllenhal, Ins. Suecica, I (4) 1827, 563.—Rhina.
barbicornis Trichocera (Fab.), Lamarck, An. s. vert. III. 1816, 440.—Chironomus.
barbicrus Necdalis, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 443.
barbiculus Bucco, G. Cuvier, Règne Anim. I. 1817, 428.
barbier Aylopon, C. S. Rafinesque-S., Car. n. gen. 1810, 52.
barbifrons Cicindela, C. H. Boheman, Ins. Caffr. I (1) 1848, 12.
barbifrons Psepholax, A. White, Zool. "Ereb. Terr." (Ins. 1846), 15.
barbifrons Scaeva, C. F. Fallen, Syrphici Sveciae (5) 1817, 45. [Scaeva.
barbifrons Syrphus (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 339.—

- barbiger** Gecarcinus, E. Poeppig, Arch. f. Naturg. II (1) 1836, 138.
- barbigera** Idya, R. A. Philippi, Arch. f. Naturg. IX (1) 1843, 59.
- barbiger** Microctonus, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 69.
- barbiger** Phanoglene, Nordmann in Lamarck, H. N. Anim. s. Vert., ed. 2, III. Feb. 1840, 664.
- barbilabris** Andrena (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 71.—Melitta.
- barbilabris** Melitta, W. Kirby, Mon. Apum Angl. II. 1802, 151.
- Barbilanius** Dumont, Dict. Sci. Nat. IV. 1805, 185.—A.
- Barbions** Less. 1831; *teste* Agass. *sed fam. non gen.*
- barbipennis** Polydrusus, Dejean, Catal. Coléopt. 1821, 93 [*n. n.*].
- barbipennis** Sitanus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 30 [*n. n.*].
- barbipes** Anisarthron (Dahl), Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 331.—Callidium.
- barbipes** Asilus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 481.—Laphria, 1819. [1781.]
- barbipes** Callidium (Schr.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 459.—Cerambyx,
- barbipes** Callidium, Dahl; Dejean, Catal. Coléopt. 1821, 110 [*n. n.*].
- barbipes** Callidium, A. & G. Villa in Cattaneo, Notiz. Nat. Lombard. 1844, 466 [*n. n.*].
- barbipes** Ceratopogon, B. A. Gimmerthal, Corr.-Bl. Nat. Ver. Riga, I (6) c. Nov. 1845, 102.
- barbipes** Chironomus, C. Staeger, Naturhist. Tidsskrift, II (6) 1839, 561.
- barbipes** Crabro, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 521.
- barbipes** Gomphocerus, Motschulsky in G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 339.
- barbipes** Laphria, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 48.
- barbipes** Limnobia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 130.
- barbipes** Limnophila (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 98.
- barbipes** Limonia, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 61. —Limnobia.
- barbipes** Lycosa, C. J. Sundevall, K. Vet. Ac. Handl. 1832 (1833), 184.
- barbipes** Myocoris, H. Burmeister, Tr. Entom. Soc. Lond. II (2) Sept. 1838, 107.
- barbipes** Sepsis, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 289.
- barbirostris** Dorytomus, J. Sturm, Catal. Ins. Samml. 1826, 133 [*n. n.*].
- barbirostris** Lixus, J. C. Fabricius, Syst. Eleuth. II. 1801, 501.—Curculio, 1775.
- barbirostris** Myiobius (Sw.), G. R. Gray, Genera of Birds, I. May 1847, 249.—Tyrannula.
- barbirostris** Rhina (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 102.—Lixus.
- barbirostris** Rhynchophorus (Th.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 828.—Cordyle, 1797.
- barbirostris** Tyrannula, W. Swainson, Phil. Mag., n. s., I (5) May 1827, 367.
- barbitarsis** Tanypus, J. W. Zetterstedt, Dipt. Scand. IX. 1850, 3607.
- Barbitistes** T. v. Charpentier, Horae Ent. 1825, 98.—Orth.
- barbiton** Buccinum, D. Solander, Catal. Portland Mus. 1786, 3 & 68 [*n. n.*].
- barbitus** Curculio, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 27 [*n. n.*] & *var. dentatus*, F. V. M. [*n. n.*]. [Thamnophilus.]
- barbitus** Magdalinus (Say), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 140.—
- barbitus** Thamnophilus, T. Say, Descr. N. Amer. Curcul., July 1831, 6.
- barbiventris** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1589.
- barbiventris** Asilus, C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Nov.], 187.
- barbiventris** Eumenes, C. Rondani, Ann. Soc. Ent. France [2] VIII (1) *post* Mar. 1850, 120.
- barbotanus** Aganides (Vern.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 116.—Goniatites.
- barbotanus** Goniatites, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 369.
- barbulus** Barbus, J. J. Heckel in Russegger, Reise, II (3) [1847], 256. [1845, 369.]
- barbula** Bombylius, Pallas in C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818, 18.
- barbulus** Cerambyx, W. Turton, Linnaeus, Syst. Nat. II. 1802, 316.
- barbula** Helix, Charpentier in E. A. Rossmassler, Icones L. u. S. Moll. Europ. II (1 & 2) June 1838, 11.
- Barbus** Cuvier & Cloquet, Dict. Sci. Nat. (ed. 2) IV (Suppl.), 1816, 6.—P.
- Barbus** S. Nilsson [*non* Cuv.], Prod. Ichth. Skand. 1832, 33.—P.
- [barbus = stupid.]
- barbus** Barbus (L.), G. Cuvier, R. Anim. II. 1817, 193.—Cyprinus, 1758.

- barbus** Gobio, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1846), 198.
barbus Pimelodus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 94.
Barbuserics Less. 1831; *teste* Agass. *sed fam. non gen.*
barbutellus Apathus (Kirby), F. Smith, The Zoologist, II (5) 1844, 543.—Apis.
barbutella Apis, W. Kirby, Mon. Apum Angl. II. 1802, 343.
barbutella Bombus (Kirby), G. Samouelle, Entom. Comp., June 1819, 458.—Apis.
barbutellus Psithyrus (Kirby), Le Peletier de St F., Ann. Soc. Ent. France, I (4) c. Jan.
barca Encyrtus, F. Walker, Entom. Mag. V (2) Jan. 1838, 116. [1833, 377.—Apis.
barca Ophiocephalus, F. Hamilton, Fish. Ganges, 1822, 67.
barca Stratiomys, F. Walker, List Dipt. Coll. B. M. (3) 1849, 530.
barce Aterica, E. Doubleday, Proc. Zool. Soc. London, XV (173) June 22, 1847, 59.
barcellonicus Cneorhinus (Herbst), C. J. Schoenherr, Isis (Oken), 1823, 1139.—Curculio,
barcha Dexia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 857. [1797.
barcinensis Cypraea, J. E. Gray (*ex* Koenig MS), Zool. Journ. III (12) Ap. 1828, 575.
barcinensis Trivia (Koen.), J. E. Gray, Penny Cyclop. VIII. 1837, 259.—Cypraea.
barcinonensis Perla, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 454.
barclayana Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIV (166) Jan. 26, 1847, 110.
barclayi Helix, W. H. Benson, Ann. Mag. N. H. (2) VI. Oct. 1850, 252.
barclayi Turbinella, L. Reeve, Conch. Icon. IV.—Turbinella, no. 20, July 1847.
bardana Noctua, C. F. Freyer, Neuere Beitr. Schmett. V (79) 1845, 149.
bardanae Curculio, F. de Tigny, s. à Deterville ed. Buffon, Ins. VIII. 1801, 147.
bardanae Lixus, J. C. Fabricius, Syst. Eleuth. II. 1801, 502.—Curculio, 1787.
bardanae Tephritis, J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2223.
bardanae Trupanea, F. v. P. Schrank, F. Boica, III (1) 1803, 149.
bardanae Trypeta (Schr.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 349.—
bardellii Lampyris, Le Guillou, Rev. Zool. (Soc. Cuv.) VII. June 1844, 222. [Trupanea.
bardensis Serpula, F. v. Hagenow, N. Jahrb. f. Min. 1840, 667.
bardes Larinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 114.
Bardistus E. Newman, Entomologist (5) Mar. 1841, 80.—Col.
bardus Allantus, T. Say, Boston Journ. N. H. I (3) 1836, 218.
bardus Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 678.
barda Chrysomela, T. Say, Boston Journ. N. H. I (2) 1835, 197. [231.
bardus Larinus, Schoenherr in F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837,
bardus Otiorynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 348.
bardus Perieges, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 420.
barda Plectris, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct 1850, 127.
bardus Polydrosus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 143.
bardus Quedius, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844, 39.
bardus Tanyrhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 526.
bardyllis Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 401.
baremensis *v.* *barrem-*.
baremoze Myletes, De Joannis, Magasin de Zool. V. 1835, pl. 6.
bares Hilara, F. Walker, List Dipt. Coll. B. M. (3) 1849, 491.
barge Limosa, P. S. Pallas, Zoographia, II. 1811, 180.
Bargea C. S. Rafinesque, Analyse, 1815, 71.—A. [*n. n.*].
bariconensis Cypraea, C. D. E. König, Icones foss. 1825, pl. 18 [*n. et f.*].
baridioides Phacemastix, C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 124.
Baridius C. J. Schoenherr, Isis (Oken), 1825, 584; Curc. disp. meth. 1826, 274.—Col.
baridius Elater, T. Say, Tr. Amer. Phil. Soc., n. s., VI (2) 1839, 176.
barila Cyprinus, F. Hamilton, Fish. Ganges, 1822, 267.
barilensis Ancylus, S. Moricand, Mém. Soc. Phys. H. N. Genève, XI (1) 1846, 159.
Barilius F. Hamilton, Fish. Ganges, 1822, 384.—P.
barilius Cyprinus, F. Hamilton, Fish. Ganges, 1822, 266.
Barinotus *v.* *Barynotus*, Germ.; Crist. & Jan. 1832.
Bariosta C. S. Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 2.—L.
Baripus Dejean, Spec. gén. Coléopt. III. 1828, 24.—Col.
Baris E. F. Germar, Mag. Entom. (Germar) II. 1817, 340.—Col.
baris-se Psittacula, W. Fraser in A. Halliday, The West Indies, 1837, 220.—[*n. n.*]

- Barisia** J. E. Gray, Ann. Nat. Hist. I (5) July 1838, 390.—R.
- Baristus** C. S. Rafinesque, Analyse, 1815, 68.—A. [*n. n.*].
- Barita** G. Cuvier, R. Anim. I. 1817, 340.—A.
- baritula** Diglossa, J. G. Wagler, Isis (Oken), 1832, 281. [1758.]
- barita** Icterus (L.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. liv.—Gracula,
- baritus** Quiscalus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 487.—
Gracula, L., 1758.
- barita** Scaphidura, W. Swainson, Anim. in Menag. Dec. 1837, 301.
- barium** Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 426.
- barleei** Rissoa, J. G. Jeffreys, Ann. Mag. N. H. XIX. May 1847, 310.
- barlovi** Ambassis, W. H. Sykes, Proc. Zool. Soc. London, VI (71) May 1839, 158.
- barna** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 268.
- barnabita** Euchnemis, A. Villa in A. Comolli, De coleopt. Novocomi, 1837, 15.
- barnabita** Osmoderma, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845
(1) 1845, 58.
- barnardi** Platycercus, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 283.
- barnardi** Psittacus, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Aves, II. 1829 [581]
- Barnea** A. Risso (Leach MS), H. N. Europe, IV. 1826, 376.—L. [& pl.]
- barnesii** Chiton, J. E. Gray, Spec. Zool. 1828, 5. [1828.]
- barnesii** Radsia, J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 126.—Chiton,
- barnesianus** Unio, I. Lea, Syn. Naiades, 1836, 20 [*n. n.*]; Tr. Amer. Phil. Soc., n. s.,
VI (1) 1838, 31.
- Barnia** J. E. Gray (*ex* Leach MS), Syn. cont. B. M., ed. 44, 1842, 76.—L.
- barnstoni** Colymbetes, A. White, Nomen. Coleopt. Coll. B. M. (2) 1847, 15 [*n. n.*].
- baro** Calliphara (Fab.), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 127.—Cimex, 1798.
- baro** Choetodon, G. Cuvier, R. Anim. II. 1817, 333.
- baro** Tetyra, J. C. Fabricius, Syst. Rhyng. 1803, 129.—Cimex, 1798.
- baronessa** Chaetodon, G. Cuvier, Règne Anim., ed. 2, II. 1829, 190.
- baroni** Agrilus, Laporte & Gory, H. N. Coléopt. II. 1839, 23.
- barozzii** Cryphocricos, V. Signoret, Rev. et Mag. de Zool. (2) II. May 1850, 291.
- barpana** Anthomyia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 933.
- barrabandi** Palaeornis (Sw.), N. A. Vigors, Zool. Journ. II (5) Ap. 1825, 56.—Psittacus.
- barrabandi** Pionus (Kuhl), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30 (Dec.
1832), 610.—Psittacus.
- barrabandi** Poicephalus, W. Swainson, N. H. Classif. Birds, II. June 1837, 301.
- barrabandi** Polytelis (Sw.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30 (Dec.
1832), 519.—Psittacus.
- barrabandii** Psittacus, W. Swainson, Zool. Illust. (1) I (10) July 1821, pl. 59.
- Barrabandius** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 2.—A.
- barracuda** Sphyræna (Sh.), Cuvier & Valenc., H. N. Poiss. III. 1829, 343.—Esox, Edw.
[barrandei.] [1771.]
- barrandi** Cellepora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 92.
- barrandii** Ctenocephalus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 26.
- barrandii** Cyphaspis, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 81.
- barrandii** Lichas, T. W. Fletcher, Q. J. Geol. Soc. London, VI. 1850, 238.
- barrandei** Murex, M. Hoernes, Verz. Fossil-Reste Wien, 1848, 18 [*n. n.*].
- barrandi** Nautilus, F. v. Hauer, Naturw. Abhandl. (Haidinger) I. 1847, 263.
- barrandi** Orthoceras, Kolenati, K.-B. zool.-min. Ver. Regensburg, III. 1849, 122.
- barrandi** Spirifer, de Verneuil, Bull. Soc. géol. France (sér. 2) V. 1848, 345.
- barrandi** Spirigerina (Dav.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 43.—
Terebratula.
- barrandii** Terebratula, T. Davidson, Bull. Soc. géol. France (sér. 2) V. 1848, 332.
- barrandei** Trinucleus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 41.
- barrandei** Venericardia, d'Archiac, Mém. Soc. géol. France (2) III (2) 1850, 430.
- Barrandia** F. M'Coy, Ann. Mag. N. H. (2) IV. Dec. 1849, 401.—Cr.
- barrattii** Anomoepus, E. Hitchcock, Mem. Amer. Acad., n. s., III. 1848, 225.—Sauroid-
ichnites, 1841.
- barrattii** Sauroidichnites, E. Hitchcock, Amer. J. Sci. XXXII (1) Ap. 1837, 175.

[barremensis.]

- barremensis** *Cardium*, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 325.
barremensis *Cerithium*, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 116.
barremensis *Pleurotomaria*, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 104.
barremensis *Trochus*, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 115.
barriensis *Asaphus* (Mur.), H. F. Emmerich, De Trilobitis, 1839, 33.—*Bumastus*.
barriensis *Bumastus*, R. I. Murchison, Silurian System, Jan. 1839, 656.
barroti *Heliothrix* (Bourc.), G. R. Gray, Genera of Birds, I. Dec. 1848, 115.—*Trochilus*.
barroti *Ornismya*, Bourcier & Mulsant, Ann. Soc. Agric. Lyon, VI (—) 1843, 48.
barrotti *Phoenicophaeus*, Eydoux & Souleyet in Vaillant, Voy. "Bonite," Zool. I. 1841, 89.
barroti *Trochilus*, J. Bourcier, Rev. Zool. (Soc. Cuv.), VI. Mar. 1843, 72.
barrotiana *Chalcothea*, Dupont in H. Burmeister, Handb. Ent. III. 1842, 319.
- [barrow →.]
- barrovensis** *Eryon*, F. M'Coy, Ann. Mag. N. H. (2) IV. Sept. 1849, 172.
barrowii *Anas* (Rich.), C. J. Temminck, Man. Orn., ed. 2, IV. Dec. 1839, 551.—*Clangula*.
barrowii *Cephalus*, W. D. Webster, S. African Quart. Journ. I (1) Jan. 1830, 26.
barrovii *Clangula*, Richardson in Jameson's ed. Wilson & B., Amer. Orn. IV. Aug. 1831, 245 & 346; F. Bor.-Amer. (2) Feb. 1831 [*z. z.* Feb. 1832], 456.
barrovii *Fuligula* (R. & S.), T. Nuttall, Man. Ornith., Water Birds, 1834, 444.—*Clangula*.
barrowii *Onychophis*, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 133.
barrowii *Otis*, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Aves, III. 1829, 304.
barrowii *Platypus*, J. C. H. Reinhardt, Afhandl. K. Danske Vid. Selsk. VII. 1838, 103.
barrus *Dasyopogon*, F. Walker, List Dipt. Coll. B. M. (2) 1849, 353. [*n. n.*]
barsene *Ithomia*, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 126
bartelsii *Cleonus*, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 108.
bartelsii *Gneorimus*, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 289.
bartelsi *Heilipus*, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 230.
bartelsii *Macrotarsus*, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 339.
barthelemensis *Harpalus*, J. Sturm, Catal. Ins. Samml. 1826, 148 [*n. n.*].
barthelemyi *Balaninus*, F. W. Hope, Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 67
bartholomaei *Caranx*, Cuvier & Valenc., H. N. Poiss. IX. 1833, 100. [*n. n.*]
barthelemii *Cicindela*, H. Gory, Rev. Zool. (Soc. Cuv.) Oct. 1838, 253.
bartholomaei *Cotinis* (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 257.—*Gymnetis barthelemyi*.
barthelemyi *Entomogonus*, A. J. J. Solier in Baudi & Truqui, Studi Ent. I. 1848, 157.
barthelemyi *Graphipterus*, Solier in Dejean & Boisduval, Icon. Coléopt. I. 1830, 181.
barthelemy *Gymnetis*, Gory & Percheron (*ex Dup. MS*), Mon. Cétoines (12) May 1836, 333.
bartholomaei *Mygale*, P. A. Latreille, N. Ann. Mus. H. N. (Paris) I [1] May 1832, 69.
barthelemyi *Pimelia*, A. J. J. Solier, Ann. Soc. Ent. France, V (2) *post* May 1836, 350.
barthelemyi *Sepidium*, A. J. J. Solier, Mem. R. Acc. Sci. Torino (2) VI. 1844, 236.
barthii *Chirotherium*, J. J. Kaup, N. Jahrb. f. Min. 1835, 328 [*n. n.*]; Das Thierreich, I.
barthii *Orcula*, F. H. Troschel, Arch. f. Naturg. XII (1) 1846, 64. [1835, 246.
bartholdi *Cervus*, Kaup; G. F. Jaeger, Foss. Säug. Württ. (1) 1835, 56.—[*v. bertholdi.*]
bartholomaei v. barthelemyi.
bartlettiana *Helix*, L. Pfeiffer, Zeitschr. f. Malakozool., June 1848 [Jan. 1849], 89.
bartlingii *Cardinia* (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 76.—
bartlingii *Crassatella*, F. A. Roemer, Verst. Harzgeb. 1843, 24. [Crassatella.
bartlingii *Loligo*, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. II. Mar. 1821, 95.
bartlingii *Onychoteuthis* (Le Sueur), J. E. Gray, Cat. Moll. Coll. B. M. (1) 1849, 54.—
Loligo.
bartonensis *Columbella* (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 335.—*Murex*.
bartonensis *Conus*, T. Brown, Ill. Foss. Conch. G. B. I. (10) 1838, 44.
bartonensis *Littorina*, T. Brown, Ill. Foss. Conch. G. B. I. (17, 18) [1843], 74.
bartonensis *Murex*, J. Sowerby, Min. Conch. I. 1813, 77 (pl. 34). [Murex.
bartonensis *Ranella* (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. (13, 14) 1839, 58.—
bartonensis *Strombus* (J. Sow.), J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 5.
—*Murex*.

- bartonensis** Tritonium (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.), 1840, 62.
—Murex.
- bartonii** Astacus (Cambarus), Fabr.; W. F. Erichson, Arch. f. Naturg. XII (1) 1846, 97.
- bartrami** Actitis (Wils.), J. F. Naumann, Naturg. Vögel Deutschl. VIII. 1836, 43.—
Tringa bartramia.
- bartramii** Loligo, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. II. Mar. 1821, 90.
- bartrami** Mesodeca, C. S. Rafinesque, Atlantic Journ. (2) 1832, 65.
- bartramii** Ommastrephes (Les.), A. d'Orbigny, Amér. Mérid. (Moll.), 1836, 55.—Loligo.
- bartrami** Testudo, F. M. Daudin, Sonnini's Buffon, Rept. II (1802), 74.
- bartrami** Trionyx, J. Le Conte, Ann. Lyceum N. H. New York, III (3 & 4) Feb. 1830, 96.
- bartramii** Vireo, J. Richardson in Jameson's ed. Wilson & B., Amer. Orn. IV. Aug. 1831,
245 [*n. n.*]. [1832], 235.
- bartramii** Vireo, W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i. e.* Feb.
- bartrami** Vireosylva (Sw.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 26.—Vireo.
- Bartramia** R. P. Lesson, Traité Ornith. (7) Ap. 1831, 553.—A.
- bartramius** Actiturus (Wils.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 51.—Tringa.
- bartramius** Totanus (Wils.), S. Nilsson, Skand. Fauna, Fogl., ed. 2, II. 1835, 214.—Tringa.
- bartramia** Tringa, A. Wilson, Amer. Ornith. VII. 1813, 63.
- bartramius** Tringoides (Wils.), G. R. Gray, Genera of Birds, III. July 1846, 574.—Tringa.
- bartsiae** Aphis, F. Walker, The Zoologist, VII. 1849, App. p. xlix.
- barual** Ovis, B. H. Hodgson, J. Asiat. Soc. Bengal, XVI. 1847, 1010.
- baruffri** Oriolus, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 347.
- Barullius** Cuvier & Valenc., H. N. Poiss. XVI. 1842, 371 [= Barilius, Buch.].
- barvicensis** Doris, G. Johnston, Ann. Nat. Hist. I (4) Mar. 1838, 55.
- barvicensis** Fusus, G. Johnston, Edinburgh Phil. Journ. XIII (26) Oct. 1825, 221.
- barvicensis** Goniodoris (Johnst.), E. Forbes, Ann. Nat. Hist. V. Ap. 1840, 105.—Doris.
- barvicensis** Trophon (Johnst.), Forbes & Hanley, Hist. Brit. Moll. III. 1851, 442.—Fusus.
- Baryastrea** Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 495.—Cor.
- Baryaena** T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 95.—Col.
- Barybas** Dejean, Catal. Coléopt., ed. 2 (2) Jan. 1833, 164.—Col.
- Barybas** [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 94.—
- Baryboas** J. Gistel, Nat. Thierr. 1848, p. xi.—R. [Col.
- Baryceros** J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, Conspectus, p. 64 & II. 1829,
777.—Hym.
- Barycerus** C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 25.—Col.
- Barycerus** C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 733.—Col.
- Barydius** v. Baridius, Schoenh. 1825; Guérin-M. in Delessert, Voy. Inde (2) 1843, 52.
- baryerus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 18.
- Barymorpha** F. E. Guérin-M. in Delessert, Voy. Inde (2) 1843, 40.—Col.
- barynoti** Bracon, Boudier, Ann. Soc. Ent. France, III (2) *post* June 1834, 333.
- Barynotus** E. F. Germar, Mag. Entom. (Germar) II. 1817, 341.—Col.
- Baryosta** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Bariosta, Raf.
- Barypenthus** H. Burmeister, Handb. Ent. II (2) ii, 1839, 928.—Neur.
- Baryphonus** L. P. Vieillot, Analyse, 1816, 48.—A.
- Baryphora** H. Loew, Entom. Zeitung, Stettin, V (4) Ap. 1844, 123.—Dipt.
- Baryphyllum** Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, p. lxxvi.
- "Barypus** A. H. Haliday," Ann. Nat. Hist. II. Oct. 1838, 117.—Hym. [—Cor.
- Barypus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Baripus, Dej.
- Baryscelis** J. A. Boisduval in Dejean, Cat. Coléopt., ed. 2, (3) 1834, 204.—Col.
- Baryscelis** J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 253.—Col.
- Barysmilia** Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 468.—Cor.
- Barysomus** Dejean, Spec. gén. Coléopt. IV. 1829, 56.—Col.
- Barystomus** Germar in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 493.—Col.
- Barytopus** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 425.—Col. [*sine*
- Barytopus** Dejean in T. Lacordaire, Mon. Erotyl., Sept. 1842, 379.—Col. [*typo*].
- basak** Leucos, J. J. Heckel in Russegger, Reise, I (2) 1843, 1038 [*n. n.*].
- basale** Achenium, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 584.
- basale** Adorium, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 545.

- basalis** Agonioneurus, J. O. Westwood, Mag. Nat. Hist. VI. Mar. 1833, 122.
basale Agonum, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug. 1846,
basalis Agrilus, L. A. A. Chevrolat, Coléopt. Mex. (6) June 1835, no. 144. [227.
basalis Alophora (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 289.—
 Hyalomymia, Rob.
basalis Altica, Dejean, Catal. Coléopt. 1821, 119 [*n. n.*].
basalis Alysia, J. Curtis, Guide Brit. Ins. (4) 1829-30, 106 [*n. n.*].
basalis Amycterus, Dejean in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2)
basalis Anisoplia, Guérin-M. in Lefebvre, Voy. Abyssin. VI. 1849, 313. [1835, 390.
basalis Anthaxia, H. C. Kuester, Käfer Europas, XI. 1847, 29.
basalis Anthicus, Villa & Villa, Coleopt. Europ. 1833, Alt. Suppl. 1838 [1839], 63.
basalis Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (8)
basalis Anthocomus, W. F. Erichson, Entomographien, 1840, 110. [1849, 113.
basalis Anthomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 663.
basalis Anthomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 691.
basalis Anthrax, F. Walker, List Dipt. Coll. B. M. (2) 1849, 267.
basalis Aphelinus (Westw.), F. Walker, Mon. Chalcid. I. 1839, 2.—Agonioneurus.
basalis Aphidius, J. Curtis, Guide Brit. Ins. (4) 1829-30, 104 [*n. n.*].
basalis Apomecyna, J. Sturm, Catal. Ins. Samml. 1826, 97 [*n. n.*].
basalis Asilus, H. Loew, Linnaea Entom. III. Ap. 1848, 450.
basalis Asilus, H. Loew, Linnaea Entom. IV. Dec. 1849, 16.
basalis Astrapaeus, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 31 [*n. n.*].
basalis Atomaria, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (3) 1846, 391.
basalis Baetis, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 26 [*n. n.*].
basalis Barbicornis, J. B. Godart, Ency. Méth. IX (2) (1829), 706.
basalis Belytus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37 [*n. n.*].
basalis Bembex, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 490.
basale Bembidium, M. de Chaudoir, Enum. Carab. 1846, 201.
 Blatta, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 95.
basalis Boletina (Meig.), C. Staeger, Naturhist. Tidsskrift, III (2 & 3) 1840, 234.—Leia.
basalis Brachiacantha, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (7) Feb. 1847,
basalis Brachypeplus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 149. [179.
basalis Bracon, J. Curtis, Guide Brit. Ins. (4) 1829-30, 104 [*n. n.*].
basalis Broscus, E. Newman, Entom. Mag. V (4) Ap. (*i.e.* July) 1838, 388.
basalis Bruchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 52.
basalis Calleida, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 372.
basalis Callimome, F. Walker, Entom. Mag. I (2) Jan. 1833, 125.
basalis Calliphara (Gray), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 129.—Scutellera.
basalis Cantharis, Dejean, Catal. Coléopt. 1821, 36 [*n. n.*].
basalis Cantharis, J. Sturm, Catal. Ins. Samml. 1826, 109 [*n. n.*].
basalis Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840, 330.
basalis Carineta, F. Walker, List Homopt. Coll. B. M. (1) 1850, 245.
basalis Cassida, E. F. Germar, Ins. Spec. novae, I. 1824, 537.
basalis Celetes, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (1) Dec. 1847, 76.
basalis Centrinus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 77.
basalis Ceraphron, J. Curtis, Guide Brit. Ins. (4) 1829-30, 111 [*n. n.*].
basalis Ceratopogon, F. Walker, List Dipt. Coll. B. M. (1) 1848, 27.
basalis Chaetodus, J. O. Westwood, Ann. Mag. Nat. Hist. XV (100) June 1845, 440.
basalis Chelonus, J. Curtis, Brit. Entom. XIV (168) Dec. 1837, no. 672.
basalis Chironomus, C. Staeger, Naturhist. Tidsskrift, [2] I (4) 1846, 351.
basalis Chlaenius, G. Fischer v. W., Entom. Imp. Russ. III. *post* Nov. 1828, 282.
basalis Cholus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 559.
basalis Chrysococyx (Horsf.), E. Blyth, J. Asiat. Soc. Bengal, XV. 1846, 54.—Cuculus.
basalis Clerus, Dejean, Ann. Sci. Nat. XX (79) July 1830, 252 [*n. n.*].
basalis Clerus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 312. [732.
basalis Clidonia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
basalis Clivina, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 733.
basalis Clytus, Dejean, Catal. Coléopt., 1821, 111 [*n. n.*].

- basalis** Coccinella, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 563.
basalis Coenosia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 61 [*n. n.*].
basalis Colymbetes, Dejean, Catal. Coléopt. 1821, 19 [*n. n.*].
basalis Colymbetes, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 65.
basalis Conurus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 225.
basalis Copelatus, C. H. Boheman, Ins. Caffr. I (1) 1848, 244.
basalis Coreus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 24.
basalis Corixa, A. Costa, Atti R. Ist. Incoragg. Napoli, VII. 1847, 147.
basalis Coscinia, Dejean, Spec. gén. Coléopt. V. 1831, 480.
basalis Cothonaspis, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. 2 (1) 1840, 201.
basale Cryptobium, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.), 1842, 84.
basalis Cuculus, T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 179.
basalis Cymidid (*sic*), L. Gyllenhal, Ins. Suecica, I (2) 1810, 174.
basalis Cymindis, Gyllenhal in Dejean, Catal. Coléopt. 1821, 3 [*n. n.*].
basalis Cinips, Boyer de F., Ann. Sci. Nat. [2] (Zool.) XIII. Mar. 1840, 187.
basalis Dacus, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1072.
basalis Dasytes, H. C. Kuester, Käfer Europas, XIX. 1849, 19.
basalis Dendrobias, Reiche in H. Dupont, Suppl. Mon. Trachyd. in Magasin de Zool. (2) II. 1840, pl. 33.
basalis Diastata, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 98.
basalis Dichroa, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 50 [*n. n.*]. [Chaetodus.
basalis Dicraeodon (Westw.), W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 105.—
basalis Dryinus, J. W. Dalman, Anal. Entom. 1823, 11.—Gonatopus, 1818.
basalis Elater, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 277 & App. 1817,
basalis Elater, J. W. Randall, Boston Journ. N. H. II (1) 1838, 9. [1830.
basalis Eleotris, J. E. Gray, Zool. Miscell. (Gray) (5) June 1842, 73.
basalis Enicocephalus, J. O. Westwood, Tr. Entom. Soc. Lond. II (1) Feb. 1838, 23.
basalis Epiclines, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.), 1844, 96.
basalis Eulophus, T. Say, Boston Journ. N. H. I (3) 1836, 273.
basalis Eumerus, H. Loew, Entom. Zeitung, Stettin, IX (4) Ap. 1848, 126.
basalis Euphoria, H. Burmeister, Handb. Ent. III. 1842, 380.
basalis Euphorus, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 118 [*n. n.*].
basalis Eurybrachis, F. W. Hope, Tr. Linn. Soc. London, XIX (2) 1843, 134.
basalis Exorista, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 259.
basalis Gabrius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Nov. 1833, 251.
basalis Glyptocrinus, F. M'Coy, Ann. Mag. N. H. (2) VI. Oct. 1850, 289.
basalis Gnatho, J. Curtis, Guide Brit. Ins. (4) 1829-30, 118 [*n. n.*].
basalis Goera, F. A. Kolenati, Entom. Zeitung, Stettin, IX (1) Jan. 1848, 22.
basalis Gonatopus, J. W. Dalman, K. Vet. Ac. Handl. 1818 (1) 1818, 84. [1844, 215.
basalis Harpalus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov.
basalis Heterogaster, Herrich-S. in Panzer, Ins. Germ., heft 135, 1835, tab. 18.
basale Himatidium, Germ.; J. Sturm, Catal. Ins. Samml. 1826, 151. [1845, 122.
basalis Holoptilus (Orthocnemis), J. O. Westwood, Tr. Entom. Soc. Lond. IV (2) Nov.
basalis Hyalomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 299.
basalis Hydnocera (Klug), A. White, Nomen. Coleopt. Coll. B. M. (4) 1849, 41.—Clerus.
basalis Hylotoma, F. Klug, Jahrb. Insectenk. I. 1834, 237.
basalis Ichthyurus, J. O. Westwood, Cab. Orient. Entom. 1848, 84.
basalis Lagria, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 32.
basalis Languria, F. E. Guérin-M., Iconographie, 1844, Ins. 314.
basalis Lauxania, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 61 [*n. n.*].
basalis Lauxania, J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2367.
basalis Leia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 257.
basalis Leiophron, J. Curtis, Brit. Entom. X (119) Nov. 1833, no. 476.
basalis Leis (Redt.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 243.—Coccinella.
basalis Lema, L. A. A. Chevrolat, Coléopt. Mex. (5) Jan. 1835, no. 115.
basalis Leptacinus, C. Aubé, Ann. Soc. Ent. France [2] VIII (3) *post* Sept. 1850, 314.

- basalis** Lestes, T. Say, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1840, 35.
basalis Leucospis, Klug; J. E. Germar, Zeitschr. f. d. Entom. I (2) 1839, 264.
basalis Libellula, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 26 [*n. n.*]; & III. Brit. Ent. (Mand. VI.) June 1836, 96.
basalis Libellula, H. Burmeister, Handb. Ent. II (2) ii, 1839, 852.
basalis Libellula, T. Say, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1840, 23.
basalis Limnephilus, J. Curtis, Lond. & Edinb. Phil. Mag., 3 s., IV (20) Feb. 1834, 122.
basalis Liparetrus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
basalis Lissonotus, J. Sturm, Catal. Ins. Samml. 1826, 163 [*n. n.*]. [1850, 105.
basalis Lucilia, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 305.
basalis Mantis (Mantis), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 67.
basalis Melania, I. Lea, P. Amer. Phil. Soc. IV (33) Aug. 1845, 166.
basalis Mesochorus, J. Curtis, Brit. Entom. X (116) Aug. 1833, no. 464.
basalis Midas, J. O. Westwood, Arcana Entom. (4) Nov. 1841, 53.
basalis Necrophorus, Dejean, Catal. Coléopt. 1821, 42 [*n. n.*].
basalis Necrophorus, Dejean in F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5) Mar. 1835, 364.
basalis Nomada, Herrich-S., E. F. Germar, Zeitschr. f. d. Entom. I (2) 1839, 284.
basalis Ochthedromus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July
basalis Odacantha, M. Perty, Del. anim. artic. Brasil. (1) 1830, 2.—Col. [1847, 454.
basalis Odontoscelis, E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 41.
basalis Oedemera, Handschuch in H. C. Kuester, Käfer Europas, XVIII. 1849, 70.
basalis Onthophagus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 134.
basalis Opilus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 323.
basalis Ortalis, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 430 [*n. n.*].
basalis Orthix, J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 116.
basalis Otodus, P. de M. Grey Egerton, Proc. Geol. Soc. London, IV. 1844, 385.
basalis Oxymerus (Dalm.), J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 51.—Trachyderes.
basalis Oxytelus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844, 41.
basalis Pachyrhizodus, L. Agassiz in F. Dixon, Geol. Sussex, 1850, 374.
basalis Palpomylia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 52 [*n. n.*].
basalis Pandora, A. H. Haliday, Entom. Mag. I (2) Jan. 1833, 169.
basalis Pangonia, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 26.
basalis Pangonia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 133.
basalis Phasia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 285.
basalis Platydema, S. S. Haldeman, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848, 101.
basalis Polydictya, F. E. Guérin-M., Iconographie, 1844, Ins. 359.
basalis Pompilus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 33 [*n. n.*].
basalis Pompilus, Herrich-S. in Panzer, Ins. Germ., heft 117, 1830-33, tab. 20.
basalis Proctophana, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 492.
basalis Proctotrupes, J. Curtis, Guide Brit. Ins. (4) 1829-30, 109 [*n. n.*].
basalis Psen, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 33 [*n. n.*].
basalis Pteromalus, F. Walker, Entom. Mag. III (2) July 1835, 185.
basale Rhaphium, H. Loew, Entom. Zeitung, Stettin, XI (3) Mar. 1850, 93.
basalis Saperda (Sphenura), W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 262.
basalis Sapromyza, J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2344.
basale Scaphidium, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 19.
basalis Scutellera, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 233.
basalis Scymnus, L. Redtenbacher, Disp. gen. et sp. Col., Pseudotrit. 1843, 20.
basalis Spilota, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 191.
basalis Stenus, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 45 [*n. n.*]; Ann. Nat. Hist. V. June
basalis Sternocera, Laporte & Gory, H. N. Coléopt. I. 1835-36, 9. [1840, 277.
basalis Stizus (Stizoides), F. E. Guérin-M., Iconographie, 1844, Ins. 438.
basale Sympetrum (Steph.), E. Newman, Entom. Mag. I (5) Oct. 1833, 513.—Libellula.
basalis Synergus, T. Hartig, E. F. Germar, Zeitschr. f. d. Entom. II (1) 1840, 198.

- basalis** Syrphus, F. Walker, Tr. Linn. Soc. London, XVII (3) 1836, 345.
basalis Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 130.
basalis Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 182.
basalis Tachina, F. Walker, Tr. Linn. Soc. London, XVII (3) 1836, 351.
basalis Tachinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 262.
basalis Tachyporus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) May 1832, 179.
basalis Tarus (Gyll.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 177.—Cymindis.
basalis Tentredo (Emphytus), F. Klug, Ges. Nat. Fr. Berlin. Mag. VIII (4) 1818, 282.
basalis Tephritis, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 61 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 316.
basalis Tettigonia, D. H. Schneider, Verz. Insectensamml. 1828, 92 [*n. n.*].
basalis Therates, d'Urville in Dejean, Spec. gén. Coléopt. II. 1826, 437.
basalis Therates, Guérin, Dict. pittoresque H. N. IX. 1839, 399; N. Dict. class. H. N., ed. 2, XLV. 1847, 91.
basalis Timia, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 270 [*n. n.*].
basalis Trachyderes, Dejean, Catal. Coléopt. 1821, 106 [*n. n.*].
basalis Trachyderes, J. W. Dalman, Anal. Entom. 1823, 65.
basalis Tritoma, Dejean, Catal. Coléopt. 1821, 129 [*n. n.*].
basalis Tritoma, T. Lacordaire, Mon. Erotyl., Sept. 1842, 225.
basale Tritoma, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (7) Feb. 1847, 175.
basalis Tryphon, J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Nov. 1835, 255.
basalis Velia, M. Spinola, Ess. Ins. Hémipt. 1837, 66.
basalis Xiphydra, T. Say, Boston Journ. N. H. I (3) 1836, 222.
basaltica Hippurites, H. G. Bronn, Ersch & Grube, Allg. Ency. (2) VIII. 1831, 374.
basaltica Astrea, J. W. Vanclève, P. Amer. Assoc. 1848 (1849), 22 [*n. n.*].
basaltica Calamopora, G. A. Goldfuss, Petref. German. I (2) 1829, 78.
basaltica Favosites (Goldf.), de Blainville, Dict. Sci. Nat. LX. 1830, 367.—Calamopora.
basaltides Papilio, W. Turton, Linnaeus, Syst. Nat. III. 1802, 83.
basaltiformis Astrea, Conybeare & Phillips, Outlines Geol. E. & W., I. 1829, 359.
basaltiforme Cyathophyllum, J. Phillips, Geol. Yorksh. II. 1836, 202.
basaltiformis Pentacrinites, J. S. Miller, N. H. Crinoidea, 1821, 62.
basaltinella Gelechia, P. C. Zeller, Isis (Oken), 1839, 198.
Basalys J. O. Westwood, Lond. & Edinb. Phil. Mag., 3 s., III (17) Nov. 1833, 343.—Hym.
basanistes A. v. Nordmann, Mikr. Beitr. wirbellos. Thiere (2) 1832, 87.—Cr.
Basanistes H. Lichtenstein, Verz. Samml. Kaffernlande, 1842, 12.—A.
Basanites Nordm. 1832; *err.* Agassizi *pro* Basanistes, *q. v.*
Basanus Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 197.—Col. [*n. n.*].
Basaris *err. pro* Bassaris, Licht.; J. E. Gray, List Osteol. Spec. B. M. 1847, p. x, 14.
baschkir- *v.* bashkir-.
basella Adela, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 592.
basella Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 20 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Mar. 1832, 112.
basella Atomaria, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 8 [*n. n.*]; & Ill. Brit. Ent. (Mand. III.) June 1830, 65.
Basentidema J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 201.—Dipt.
Baseodiscus C. M. Diesing, Syst. Helminth. I. 1850, 243.—Verm.
baseolus Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 245.
baseotoxus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Basitoxus, Serv.
baschkiricus Elaphrus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 72.
bashkiricus Pentamerus, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. basialba Oxypleura, F. Walker, List Homopt. Coll. B. M. (1) 1850, 26. [1845, 117.
basicorne Apion, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 307.
Basicryptus Herrich-S., Wanzenart. Ins. VII (5) May 1844, 81.—Hem.
basifascia Anthrax, F. Walker, List Dipt. Coll. B. M. (2) 1849, 248.
basifissus Crocodilus, R. Owen, Q. J. Geol. Soc. London, V. 1849, 381.
basiflamma Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 170.

- basifolia** Platycleura, F. Walker, List Homopt. Coll. B. M. (1) 1850, 15.
- basifulva** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 725.
- basilanica** Lima, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 75.
- basilaris** Agromyza, J. Walzl, Isis (Oken), 1837, 283.
- basilaris** Agromyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 401.
- basillaris** Amara, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 428.—Feronia, 1825.
- basillaris** Anthicus, T. Say, J. Acad. Nat. Sci. Philad. III. Feb. 1824, 279.
- basilaris** Anthomyia (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 333.
- basilaris** Apate, T. Say, J. Acad. Nat. Sci. Philad. III. Ap. 1824, 321. [—Pegomyia.
- basilaris** Auletes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 346.
- basilaris** Bombylius, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 46.
- basilaris** Caenosia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 348.
- basilaris** Cantharis, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 70.
- basillaris** Cantharis, T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 181.
- basilaris** Catops, T. Say, J. Acad. Nat. Sci. Philad. III. Dec. 1823, 194.
- basilaris** Chrysomela, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 451.
- basillaris** Cistela, T. Say, J. Acad. Nat. Sci. Philad. III. Feb. 1824, 269.
- basillaris** Dytiscus, T. W. Harris, New England Farmer, VIII (1) July 1829, 1.
- basilaris** Elater, T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 172.
- basilaris** Ephydra, J. Walzl, Isis (Oken), 1837, 281.
- basilaris** Ephydra, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 383.
- basilaris** Eristalis, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 502.
- basillaris** Feronia, T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 35.
- basilaris** Harpalus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 41.
- basilaris** Leptis, T. Say, J. Acad. Nat. Sci. Philad. III. May 1823, 36.
- basilaris** Libellula, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 171.
- basilaris** Limnobia, C. R. W. Wiedemann, Dipt. exot. 1821, 15.
- basilaris** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 425.
- basilaris** Musca, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 310.
- basilaris** Pangonia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 554.
- basilaris** Pangonia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 621.
- basilaris** Pegomyia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 353.
- basilaris** Psilopus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 215.
- basilaris** Saxinis, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 481.
- basilaris** Sigalphus, T. Say in Keating, Exp. Peter River, II. 1824, 322; & ed. London, 1825 (App.), 59.
- basilaris** Syrphus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 143.
- basilaris** Tenthredo, T. Say in Keating, Exp. Peter River, II. 1824, 316; & ed. London, 1825 (App.), 54.
- basilaris** Tetraspilus, C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 127.
- basilaris** Tettigonia, T. Say, J. Acad. Nat. Sci. Philad. IV. Ap. 1825, 344.
- basilaris** Tettigonia, T. Say, J. Acad. Nat. Sci. Philad. VI. Ap. 1831, 314.
- basilaris** Thryptocera, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 663.
- basilaris** Trypeta, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 510.
- basilaris** Urophora, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 458.
- basileensis** Buccinities, E. F. Schlotheim, Taschen. Min. 1813, 71.
- basileensis** Clausilia, Fitzinger in Rossmassler, Icones Iconogr. Moll. I (1) 1835, 80.
- basileus** Ceratites, G. v. Muenster, Beitr. zur Petref. (4) 1841, 131.
- basilea** Chrysomela, F. Gebler, Mém. Soc. Imp. Nat. Moscou, VI. 1823, 122.
- basilea** Heterochroa (Cr.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 278.—Papilio, 1777.
- basilea** Oreina, Eschscholtz in Gebler, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (3) 1848,
- Basileuterus** J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 316.—A. [*n. n.*]. [30.
- basilia** Memphis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 48.—Papilio, 1780.
- basilia** Paphia (Cr.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 319.—Papilio, 1780.
- basilica** Callidea, E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 117.
- basilicus** Catapionus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 247.

- basilicus** Leptocerus, E. F. Germar, *Ins. Spec. novae*, I. 1824, 421.
- basilicus** Lyrops, F. E. Guérin-M., *Iconographie*, 1844, *Ins.* 440. [Leptocerus.]
- basilicus** Naupactus (Germ.), C. J. Schoenherr, *Gen. et Sp. Curc.* I (2) 1833, 611.—
- basilicus** Sphaeromorphus, E. F. Germar, *Zeitschr. f. d. Entom.* IV. 1843, 122.
- basilides** Tmolus, C. Geyer in J. Huebner, *Zuträge z. Exot. Schmett.* V. 1837, 42.
- basilinea** Apamea (D. & S.), F. Ochsenheimer, *Schmett. Europa*, IV. 1816, 76.—Noctua,
- basilinea** Delphax, E. F. Germar, *Mag. Entom. (Germar)* IV. 1821, 105. [1775.]
- basilinea** Hama (D. & S.), J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 41.—Noctua, 1775.
- basilinea** Luperina (Fab.), E. Blanchard in Brullé, *H. N. Anim. artic. (Orth. etc.)* III. 1840, 504.—Noctua, ?D. & S. 1775.
- basilinea** Ogygia (D. & S.), J. Huebner, *Verz. bekannt. Schmett.* [1822], 225.—Noctua,
- Basilinna** F. Boie, *Isis (Oken)*, 1831, 546.—A. [1775.]
- basilis** Adelpha, J. Huebner, *Verz. bekannt. Schmett.* 1818, 42.
- basiliscus** Blennius, Cuvier & Valenc., *H. N. Poiss.* XI. 1836, 245.
- basiliscus** Carabus, *Magasin de Zool.* VI. 1836, pl. 169 [= 170].
- basiliscus** Ichthyocoris (Cuv.), C. L. Bonaparte, *Cat. met. Pesci Eur.* 1846, 67.—Blennius.
- basilissa** Trepsichrois (Cr.), J. Huebner, *Verz. bekannt. Schmett.* 1816, 16.—Papilio, 1780.
- basillaris** *v.* **basilaris**.
- Basilornis** C. L. Bonaparte (*ex* Temm. MS), *Consp. Gen. Av.* (1) 1850, 420.—A.
- Basilosaurus** R. Harlan, *Tr. Amer. Phil. Soc.*, n. s., IV (3) 1834, 403.—Rept. [*Agass. dict.* 1825, *sed non comp.*]. [241; F. Ent. Madag. 1833 (6), 93.]
- basimacula** Apamea, J. A. Boisduval, *N. Ann. Mus. H. N. (Paris)* II [2] 3rd qtr. of 1833,
- basimacula** Apis, F. v. P. Schrank, *F. Boica*, II (2) 1802, 402.
- basimacula** Platycleura, F. Walker, *List. Homopt. Coll. B. M.* (1) 1850, 10.
- basimarginata** Galleruca, Dejean in J. A. Boisduval in d'Urville, *Voy. "Astrolabe," Ent.*
- Basimus** J. Gistel, *Nat. Thierr.* 1848, p. x.—Cr. [(2) 1835, 558.]
- Basinotopus** F. M'Coy, *Ann. Mag. N. H.* (2) IV. Sept. 1849, 167.—Cr.
- Basinotypus** F. M'Coy; *teste* Marschall, *v.* **Basinotopus**.
- basipallidella** Elachista, H. T. Stainton, *Syst. Cat. Brit. Tin.*, Mar. 1846, 24.
- basipennis** Gynandrophtalma, T. Lacordaire, *Mém. Soc. R. Sci. Liège*, V. May 1848, 269.
- basipennis** Lema, T. Lacordaire, *Mém. Soc. R. Sci. Liège*, III (2) Nov. 1845, 508.
- Basiprionota** Chevrolat in Dejean, *Catal. Coléopt.*, ed. 2 (5) *extremo* 1835, 367.—Col.
- Basiprionota** E. Blanchard (*ex* Chevrl.), *Hist. Insect.* II. 1845, 182.—Col. [*sine typo*].
- Basipta** Chevrolat in Dejean, *Catal. Coléopt.*, ed. 2 (5) *extremo* 1835, 374.—Col.
- basi-rufus** Tabanus, F. Walker in Saunders, *Ins. Saund.* I (1) Oct. 1850, 32.
- basistigma** Oxypheura, F. Walker, *List Homopt. Coll. B. M.* (1) 1850, 30.
- basisulcata** Oxyrhina, E. Sismonda, *Mem. R. Acc. Sci. Torino* [2] X. 1849, 45.
- Basitoxus** J. G. Audinet-S., *Ann. Soc. Ent. France*, I (2) c. July 1832, 174.—Col.
- basitruncatus** Crocodilus, R. Owen, *Q. J. Geol. Soc. London*, V. 1849, 381.
- basi-viridis** Platycleura, F. Walker, *List Homopt. Coll. B. M.* (1) 1850, 18.
- basi-vitta** Tabanus, F. Walker, *The Zoologist*, VIII. 1850, App. p. lxviii.
- basizonus** Hylaeus, K. Illiger, *Mag. f. Insektenk.* (Illiger) V. 1806, 58 [*n. n.*].
- basizona** Megilla, K. Illiger, *Mag. f. Insektenk.* (Illiger) V. 1806, 141 [*n. n.*].
- basizonus** Phygadeuon, J. L. C. Gravenhorst, *Ichneum. Europ.* II. 1829, 748.
- basizona** Tetralonia, M. Spinola, *Ann. Soc. Ent. France*, VII (4) *post* Jan. 1839, 538.
- baska** Emys, J. E. Gray, *Ill. Indian Zool.* I. [1830-2] (pl. 75).
- baska** Tetronyx (Hardw.), Duméril & Bibron (*Roret's Suite à Buffon*), *Erpét.* II. May 1835, 341.—Emys, Gray.
- baskervillei** Helix, L. Pfeiffer, *Proc. Zool. Soc. London*, XVII (198) Jan.—June 1850, 130.
- basoches** Hesperia, P. A. Latreille, *Ency. Méth.* IX (2) (*Ins.*) 1824, 747. [*n. et f.*].
- basochesella** Tinea, J. Huebner, *Europ. Schmett.*, Tab. Tinea, 69 (Fernaldo giudice 1827)
- basochesii** Trochosmia (Deffr.), Edwards & Haime, *Ann. Sci. Nat.* [3] (*Zool.*) X. Oct. 1848, 239.—Turbinolia.
- basochesii** Turbinolia, Deffrance, *Dict. Sci. Nat.* LVI. 1828, 94. [5, pt. 1] 1831, 558.
- basochesiata** Cidaria, Duponchel in J. B. Godart, *H. N. Lépid. France*, VIII (1) (Noct.)
- Basodonta** J. O. Westwood in F. E. Guérin-M., *Spec. et Icon. Anim. artic.* (2) 1843, 1.
- Basoleia** J. O. Westwood, *Magasin de Zool.* V. 1835, pl. 132.—Col. [—Col.]
- bassanae** Docophorus (Muell.), H. Denny, *Mon. Anoplur.* 1842, 110.—Pediculus, 1776.

- bassani** Cellularia, G. Montagu, Mem. Werner. N. H. Soc. I. 1811, 192.
- bassani** Philopterus (Müller), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 341.—Pediculus, 1776.
- bassanus** Dysporus (L.), C. Illiger, Prod. 1811, 280.—Pelecanus, 1758.
- bassanus** Hybodus, P. de M. Grey Egerton, Proc. Geol. Soc. London, IV. 1844, 416.
- bassana** Moris, W. E. Leach, Syst. Cat. Mamm. Birds Brit. Mus. 1816, 35. [1758.
- bassanus** Morus (L.), L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 39.—Pelecanus,
- bassanus** Sula (L.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 319.—Pelecanus, 1758.
- Bassareus** S. S. Haldeman, Journ. Acad. Nat. Sci. Philad. I (4) July 1849, 246.—Col.
- Bassaris** J. Huebner, Exot. Schmett. II. Tab. [24] [1816-21].—Lep. [*n. et f.*].
- Bassaris** M. H. K. Lichtenstein, Abh. ph.-Kl. K. pr. Ak. Wiss. 1827 (1830), 119.—M.
- basseletii** Salticus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 158.
- bassensis** Calpe (Q. & G.), R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 451.—Diphyes.
- bassensis** Diphyes, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 91.
- bassensis** Platycephalus, Cuvier & Valenc., H. N. Poiss. IV. 1829, 247.
- bassensis** Sillago, Cuvier & Valenc., H. N. Poiss. III. 1829, 412.
- bassii** Cantharis, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 272.
- bassii** Colymbetes, A. White, Nomen. Coleopt. Coll. B. M. (2) 1847, 16 [*n. n.*].
- bassii** Eolidia, G. B. Verany in Descr. Genova, I. 1846, 97 & 107.
- bassii** Phascolomys, R. P. Lesson, Man. Mamm., May 1827, 229.
- bassi** Platyope, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 14.
- bassii** Schizorhina (Diaphonia), A. White, Ann. Mag. N. H. XX. Oct. 1847, 264.
- bassii** Sphenoptera, Laporte & Gory, H. N. Coléopt. II. 1839, 13.
- bassi** Tentyria, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 356.
- Bassia** Quoy & Gaimard in H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 123.—Coel.
- bassiae** Galleruca, J. C. Fabricius, Syst. Eleuth. I. 1801, 484.
- bassiarica** Acidalia, Feisthamel, Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 133.
- Bassus** J. C. Fabricius, Syst. Piezat. 1804, 93.—Hym.
- bassus** Falco, J. R. Forster in Levaillant, Nat. Afrik. Vögel, 1798, 55.
- bassus** Teles, F. Walker, Entom. Mag. III (4) Jan. 1836, 363.
- Basta** L. Oken, Lehrb. Nat. III (1) 1815, 77.—Sp.
- Bastactes** C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 293.—Col.
- bastardi** Anthrax, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 338.
- bastardi** Erax, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 233.
- bastardii** Eristalis, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 95.
- bastardii** Trupanea, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 220.
- basteri** Acarus, G. Johnston, Mag. Nat. Hist. IX. July 1836, 353.
- basteri** Beroe, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838), 104.
- basteri** Echinus, W. Turton, Linnaeus, Syst. Nat. IV. 1802, 137.
- basteri** Idotea, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Crust.), 1826, 95.
- basteri** Lerneae, H. D. de Blainville, Journ. de Phys. XCV (12) Dec. 1822, 437.
- basteriana** Callirhoe, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 342.
- basteriana** Evagora (P. & L.), L. Oken, Lehrb. Nat. III (1) 1815, 122.—Callirhoe.
- basteriana** Medusa (Callirhoe), F. S. Voigt in Cuvier, Thierreich, VI. 1843, 154.
- basteroti** Arthemis, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. VII. 1845, 24.
- basterotii** Astarte, De la Jonkaire, Mém. Soc. H. N. Paris, I (1) 1823, 129.
- basteroti** Buccinum, A. J. Michelotti, N. Jahrb. f. Min. 1846, 56 [*n. n.*].
- basterotii** Caryophyllia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. Ap. 1849, 239.
- basteroti** Cerithium, P. M. T. de Serres, Geogn. Terr. tert. 1829, 108.
- basterotii** Cerithium, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 181.
- basteroti** Congeria, G. P. Deshayes, Traité élém. Conch. I (2) 2, 1850, 650.—Mytilus, 1836.
- basteroti** Dreissena (Desh.), H. G. Bronn, Lethaea Geogn. II (9-) 1838, 924.—Mytilus.
- basterotii** Flabellum, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 263.
- basteroti** Idothea, H. Rathke, Zur Morph. Reisebemerck. Taurien, 1837, 56.
- basteroti** Littorina, B. C. Payraudeau, Cat. Moll. Corse, 1826, 115.
- basteroti** Lucina, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. VII. 1845, 58.

- basteroti** Mytilus, G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VII. Jan. 1836, 54. [III (2) 1847, 206.]
- basteroti** Nassa, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2)
- basterotii** Neritina, C. A. Récluz, Journ. de Conch. I (3) Aug. 1850, 277.
- basteroti** Panopaea, A. Valenciennes, Archives Mus. H. N. (Paris) I [1] Mar. 1839, 22.
- basteroti** Pleurotoma, C. Des Moulins, Actes Soc. Linn. Bordeaux, XII (39=60) 1842, 156.
- basteroti** Psammobia, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 600.
- basterotii** Solecurtus, C. Des Moulins, Actes Soc. Linn. Bordeaux, V (26) 1832, 105.
- basterotii** Terebra, P. H. Nyst, Mem. cour. Ac. Roy. Belg. XVII. 1845 (1844), 582.
- basteroti** Trochus, Al. Brongniart in Cuvier & B., Desc. Géol. Paris, ed. 3, 1822, 382.
- basteroti** Trochus, A. Risso, H. N. Europe, IV. 1826, 131.
- basterotii** Trochus, M. Hoernes (*ex* Partsch MS), Verz. Fossil-Reste Wien, 1848, 22 [*n. n.*].
- basterotii** Turbinella, Bellardi & Michelotti, Mem. R. Acc. Sci. Torino [2] III. 1841, 120.
- basteroti** Venus, G. P. Deshayes, Traité élém. Conch. I (2) 2, 1850, 565.
- basterotiana** Erycina, C. A. Récluz, Rev. Zool. (Soc. Cuv.) VII. Sept. 1844, 336.
- basterotinum** Cerithium, Grateloup, Actes Soc. Linn. Bordeaux, V (29) 1832, 270.
- basterotina** Donax, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1825, 110.
- basterotina** Phasianella, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 563.
- bata** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 283.
- bata** Musca, F. Walker, List Dipt. Coll. B. M. (4) 1849, 875.
- batagur** Clemmys (Gray), L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 123.—Emys.
- batagur** Emys, J. E. Gray, Syn. Rept. 1831, 23.
- batagur** Tetraonyx, J. E. Gray, Cat. Tortoises etc. Coll. B. M. 1844, 29.—Emys, 1831.
- batana** Melania, A. A. Gould, Proc. Boston Soc. N. H. I (2-3) [1844-5], 144.
- batanica** Helix, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 60.
- Batara** R. P. Lesson (*ex* Azara, *non* Vieillot), Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 347.—A.
- batasio** Bagrus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 425. [pp. lviii & lxxviii.]
- batasio** Pimelodus, F. Hamilton, Fish. Ganges, 1822, 179. [pp. lviii & lxxviii.]
- batatae** Ceutorhynchus, G. R. Waterhouse, Proc. Entom. Soc. Lond. V (7) Sept. 1849,
- batatas** Coreus, J. C. Fabricius, Syst. Rhyng. 1803, 192.—Lygaeus, 1798.
- batatas** Gamarus (L.), J. C. Fabricius, Syst. Antliat. 1805, 362.—Acarus, 1758.
- batatas** Spartocera (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 186.—Coreus. [1790.]
- batavensis** Geoffroyus (Lath.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 6.—Psittacus,
- batavensis** Psittacula (Lath.), G. R. Gray, Gen. Birds, II. Feb. 1846, 423.—Psittacus, 1790.
- bataviae** Bulimus, Grateloup, Actes Soc. Linn. Bordeaux, XI (55) 1840, 165.
- bataviana** Helix, v. d. Busch in R. A. Philippi, Abb. Conch. I (1) 1842, 10.
- bataviana** Helix, v. d. Busch in L. Pfeiffer, Symb. Helic. II. 1842, 17.
- batavianus** Platax, Cuvier & Valenc., H. N. Poiss. VII. 1831, 225.
- batavica** Psittacula (Bodd.), G. R. Gray, Gen. Birds, II. Feb. 1846, 423.—Psittaca, 1783.
- bataviensis** Crioceris (Hornst.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 277.—Chryso-mela, 1788.
- bataviensis** Serranus, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Percoid. Malayo-
- batava** Mya, Maton & Rackett, Tr. Linn. Soc. London, VIII. 1807, 36. [Moluk.], 38.
- batava** Mysca (M. & R.), W. Turton, Conch. Insul. Brit. 1822, 244.—Mya.
- batava** Potomida, W. Swainson, Treat. Malacol., May 1840, 282.
- batava** Unio (M. & R.), Lamarck, An. s. vert. VI (1) 1819, 78.—Mya. [I. 1837, 24.]
- batavus** Unio, Lam. *var.* sinuatus, Studer in Charpentier, N. D. Allg. Schweiz. Gesellsch.
- batavus** Unio, Lam. *var.* squamosus, J. de Charpentier, N. D. Allg. Schweiz. Gesellsch.
- batea** Caligo, J. Huebner, Exot. Schmett. II. Tab. [70] [*n. et f.*]. [I. 1837, 25.]
- batensoda** Synodontis, E. Rueppell, Fortz. Beschr. Fische Nil, 1832, 6.
- batesii** Callithea, Hewitson, The Zoologist, VIII. 1850, 2976.
- Bathis** Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 409.—Col.
- bathis** Polymmatum (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 628.—Hesperia,
- bathis** Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 266. [1793.]
- Bathmidurus** J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 241.—A.
- bathonica** Cypriocardia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 308.
- bathonica** Ostrea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 315.

- bathonica** Pinnigena, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 314.
- Bathseba** Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 411.—Col. [*n. n.*].
- bathseba** Satyrus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 543.—Papilio, 1793.
- bathus** Pecten, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 139.
- bathus** Trochus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 151.
- Bathyacria** L. Agassiz, Moll.; *teste* Scudder, *sed non comp.* [Chevr.
- Bathybothrus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Botrobatys,
- bathycles** Papilio, J. L. T. E. Zinken, N. A. Ac. Caes. Leop. Car. XV (1) 1831, 157.
- Bathycoelia** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 110.—Hem.
- Bathyrythmus** Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 294.—Cor.
- Bathyergus** *err. pro* Bathyergus, Ill.; J. Wagler, Nat. Syst. Amph. 1830, 21.
- Bathyergus** C. Illiger, Prod. 1811, 86.—M.
- bathyerga** Leucania (Freyer), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. III (Noct.) 1839, 343.—Nonagrya.
- bathyerga** Noctua, F. Boie, Isis (Oken), 1835, 323.
- bathyerga** Nonagrya, C. F. Freyer, Neuere Beitr. Schmett. II (29) 1836, 122. [—G.
- Bathyomphalus** L. Agassiz in Charpentier, N. D. Allg. Schweiz. Gesellsch. I. 1837, 20.
- Bathyrhynchus** McClelland, India Review, II. 1838, 513.—A. [*teste* Waterhouse].
- bathyrinchus** Larus, W. Macgillivray, Mem. Werner. N. H. Soc. V (1) 1824, 253.
- Bathys** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Bathis, Dej.
- Bathyscia** Schiödte, Overs. K. Danske Vid. Selsk. Forhandl. (6) 1847, 79.—Col.
- Batia** J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834, 290.—Lep.
- batikeli** Lycaena, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 172; F. Ent. Madag. 1833 (2), 24.
- Batilla** (? *id. ac* Batillus) Schum.; J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 147.—
- Batillaria** W. H. Benson, Ann. Mag. Nat. Hist. IX. Aug. 1842, 488.—G. [G. [*n. n.*].
- batillium** Balistes, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847,
- Batillus** C. F. Schumacher, Ess. Vers test. 1817, 60 & 197.—G. [111.
- batillus** Encyrtus, F. Walker, Entom. Mag. IV (5) July 1837, 442.
- batio** *v.* batis.
- Batis** F. Boie, Isis (Oken), 1833, 880.—A.
- Batis** C. L. Bonaparte, N. Ann. Sci. Nat. II. 1838, 204.—P.
- batis** Cheilodipterus, J. E. Gray, Ill. Indian Zool. II [1832-5] (pl. 93).—butis on pl.
- batis** Dasybatis (L.), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 13.—Raja, 1758.
- batio** Dipturus (L.), C. S. Rafinesque-S., Car. n. gen. 1810, 16.—Raja, 1758.
- batis** Strophia (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (4) 1832, 174.—Phal., L. 1758.
- batis** Thyatira (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 77.—Phalaena, 1758.
- bato** Apocryptes, Cuvier & Valenc., H. N. Poiss. XII. 1837, 143.
- bato** Gobius, F. Hamilton, Fish. Ganges, 1822, 40.
- bato** Lamprotatus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 33.—Miscogaster, 1839.
- bato** Miscogaster, F. Walker, Mon. Chalcid. II. 1839, 22.
- Batocera** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 341.—Col. [*sine typo*].
- Batocera** Laporte in Brullé, H. N. Anim. artic. (Col.) II. 1840, 470.—Col.
- Batodes** A. Guénéé, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 174.—Lep.
- Batolites** Denys de Montfort, Conch. I. 1808, 334.—Moll.
- Batolites** L. Oken, Lehrb. Nat. III (1) 1815, 323.—Cor.
- Batolithes** Cuvier in Bronn, Lethaea Geogn. II. 1837, 561 & 633 [= Batolites].
- Batolithus** Hermannsen, Ind. Gen. Malac. 1846, 104 [= Batolites].
- baton** Pteromalus, F. Walker, Mon. Chalcid. II. 1839, 32.
- baton** Xylota, F. Walker, List Dipt. Coll. B. M. (3) 1849, 554.
- Batonota** F. W. Hope, Ann. Nat. Hist. III. Ap. 1839, 98.—Col.
- Batoscelis** Dejean, Catal. Coléopt., ed. 3 (1-4) July 1836, 46.—Col.
- Batrachichthys** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Batrictius, Raf.
- Batrachidea** Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 764.—Orth.
- Batrachion** Chevrolat in Dejean, Catal. Coléopt., ed. 3 (1-4) July 1836, 50.—Col. [*n. n.*].
- Batrachiosaurus** R. Harlan, Proc. Geol. Soc. London, III. 1839, 24.—R.

- Batrachium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Batrachion, Chevr.
- Batrachocephalus** P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, III (2) 1846, 147 & 176.—P. [*v.* Batraco-, 1819].
- batrachocephalus** Gobius, P. S. Pallas, Zoographia, III. 1814, 149.
- batrachoides** Psammosaurus, J. C. Zenker, Beitr. Nat. Umwelt, 1833, 62. [252.]
- batrachoides** Tetrodon, Fréminville, N. Bull. Sci. Soc. Philom. Paris, III (67) Ap. 1813.
- Batrachomorphus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Batraco-
- Batrachops** J. Heckel, Ann. Wiener Mus. II [3] 1840, 432.—P. [morphus, Lewis.]
- Batrachopsis** L. Fitzinger, Syst. Rept. 1843, 34.—R.
- Batrachorhina** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 345.—Col. [*n. n.*].
- Batrachosaurus** ? *id. ac* Batrachios-, Harl.; L. J. Fitzinger, Ann. k. k. Hofmus. II (1)
- Batrachoseps** C. L. Bonaparte, Icon. F. Ital. II. 1841, sign. 131***.—R. [1839, 186.]
- Batrachosoma** L. Fitzinger, Syst. Rept. 1843, 17 & 79.—R. [*typus* Phrynosoma coronatum,
- Batrachostomus** J. Gould, Icones Avium (2) Aug. 1838, text to pl. 17.—A. [Bl.]
- Batrachotetrix** H. Burmeister, Handb. Ent. II (2) i, 1838, 660.—Orth.
- Batrachotherium** *err. pro* Batrachiosaurus, Harl.; Bull. Soc. géol. France, X. 1839, 90.
- Batrachus** C. S. Rafinesque, Specchio d. Sci. II (10) Oct. 1814, 102.—R.
- batrachus** Clarias (Bl.), Cuvier & Valenc., H. N. Poiss. XV. 1840, 385.—Silurus, L. 1758.
- batrachus** Macropteronotus (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 84.—
- Batrachyla** T. Bell, Zool. "Beagle" (Rept. 1843), 43.—R. [Silurus, 1758.]
- Batracinus** C. S. Rafinesque, Analyse, 1815, 78.—R. [*n. n.*].
- Batracocephalus** Hollberg, N. Handl. Gotheborgs Wett. Witt. Samh. III. 1819, 39.—P.
- Batracomorphus** R. H. Lewis, Tr. Entom. Soc. Lond. I (1) Nov. 1834, 51.—Hem.
- Batrictius** C. S. Rafinesque, Analyse, 1815, 82.—P. [*n. n.*] [*non* Batrichtius *apud* Jordan].
- Batrisus** C. Aubé, Pselaph. Mon. in Magasin de Zool. III. 1833, 45.—Col.
- Batrius** *err. pro* Batrisus, Aubé; de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1845 (2) 1845, 163.
- battarae** Orthragoriscus, C. Ranzani, N. Comm. Ac. Sci. Inst. Bonon. III. 1839, Dis-
- battis** Eulophus, F. Walker, Mon. Chalcid. I. 1839, 162. [positio.]
- battis** Ithomia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 125 [*n. n.*].
- Battus** J. W. Dalman, K. Vet. Ac. Handl. 1826 (1) 1826, 151.—Cr.
- battus** Cupido (D. & S.), F. v. P. Schrank, F. Boica, II (1) 1801, 215.—Papilio, 1775.
- batus** Hamaticherus (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 16.—Cerambyx battus, L. 1758.
- battus** Lycaena (Fab.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 26.—Hesperia, 1793.
- battus** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 66 (Fernaldo judice 1799) [*n. et f.*]. [1823] [*n. et f.*].
- battus** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio 159 [*i. e.* 160] (Fernaldo judice
- battus** Scolitantides (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1818, 68.—Papilio,
- batus** Sphinx, W. Turton, Linnaeus, Syst. Nat. III. 1802, 177. [1775.]
- battus** Thecla (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 38.—Papilio, 1775.
- battus** Zephyrus (Fab.), J. W. Dalman, K. Vet. Ac. Handl. 1816 (1) 1816, 100.—Papilio, Cr. 1775.
- batychrus** Gyrohypnus (Kn.), J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 102.—Xantholinus. [Staphylinus.]
- batychrus** Leptacinus (Gyll.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 429.—
- batychrus** Staphylinus (Kn.), L. Gyllenhal, Ins. Suecica, I (4) 1827, 480.—Xantholinus.
- batychrus** Tachinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 191.
- batychrus** Xantholinus, Kn.; Dejean, Catal. Coléopt. 1821, 23 [*n. n.*].
- baucis** Atrypa (Barr.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 40.—Terebratula-
- baucis** Charidea, J. W. Dalman, Anal. Entom. 1823, 50.
- baucis** Cirrospilus, F. Walker, Mon. Chalcid. II. 1839, 53.
- baucis** Erycina (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837, 15.—Papilio,
- baucis** Hispa, E. Newman, Entom. Mag. V (4) Ap. [*i. e.* July] 1838, 390. [1782.]
- baucis** Maniola, F. v. P. Schrank, F. Boica, II (1) 1801, 177.
- baucis** Mechanites, E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 148.
- baucis** Terebratula, J. Barrande, Naturw. Abhandl. (Haidinger) I. 1847, 389.
- baucis** Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 80.—Cirrospilus, 1839.

- baud[i]** *Brachyurus* (Muell.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 255.—Pitta.
- baudii** Pitta, Müller & Schlegel in Temminck, *Verh. nat. ges. Ned. overz. bezitt.*, Zool.
- baudinii** *Calyptorhynchus*, E. Lear, *Psittacidae* (12) 1832. [(Aves) 1840, 10.
- baudini** *Eumeces*, Duméril & Bibron (*Roret's Suite à Buffon*), *Erpét. V. Nov.* 1839, 653.
- baudini** *Helix*, G. P. Deshayes, *Ency. Méth. (Vers) II* (2) 1832, 256 (II*).
- baudinii** *Hyla*, Duméril & Bibron (*Roret's Suite à Buffon*), *Erpét. VIII. Jan.* 1841, 364.
- baudinii** *Mabouya* (D. & B.), J. E. Gray, *Cat. Lizards Coll. B. M.* 1845, 95.—*Eumeces*.
- baudini** *Nanina* (Desh.), H. Beck, *Index Moll. Mus. Ch. Fred.* (1) 1837, 4.—*Helix*.
- baudini** *Panops*, Lamarck, *Ann. Mus. H. N. (Paris) III* (16) ? Feb. 1804, 265.
- baudini** *Pyrazus*, Denys de Montfort, *Conch. II.* 1810, 459.
- baudini** *Scutellera*, Guérin-M. in Duperry, *Voy. "Coquille," Zool. II* (2) 1 (1838), 158.
- baudiniana** *Danais*, J. B. Godart, *Ency. Méth. IX* (1) (Ins.) 1819, 181. [88.—*Danais*.
- baudiniana** *Euploea* (God.), Doubleday in D. & Westwood, *Gen. diurn. Lepidopt. I* (1847),
- baudiniana** *Lygia*, H. M. Edwards (*Roret's Suite à Buffon*), *Crustacés, III.* 1840, 155.
- baudouinii** *Belemnites*, A. d'Orbigny, *Pal. Franç., Crét. I (Céph.)* 1840, 54.
- baudouiniana** *Flabellina*, A. d'Orbigny, *Mém. Soc. géol. France, IV* (1) 1840, 24.
- baudouiniana** *Textularia*, A. d'Orbigny, *Mém. Soc. géol. France, IV* (1) 1840, 46.
- baueri** *Aleuterius*, J. Richardson, *Zool. "Ereb. Terr." (Fish, 1846), 68.*
- baueri** *Limosa*, Naumann, *Vögel Deutschl. VIII.* 1836, 420.
- baueri** *Platycercus* (Temm.), N. A. Vigors, *Zool. Journ. I* (4) Jan. 1825, 528.—*Psittacus*.
- bauerii** *Psittacus*, C. J. Temminck, *Man. Orn.*, ed. 2, I. Oct. 1820, p. lxxix [n. n.]; *Trans. Linn. Soc. Lond. XIII.* May 1821, 118.
- bauga** *Nerinea*, A. d'Orbigny, *Pal. Franç., Crét. II (Gast.)* 1843, 91.
- bauga** *Turritella*, A. d'Orbigny, *Pal. Franç., Crét. II (Gast.)* 1842, 45.
- baugasii** *Rhynchonella*, A. d'Orbigny, *Pal. Franç., Crét. IV (Brach.)* 1849, 43.
- baugasiana** *Lima*, A. d'Orbigny, *Prodr. Paléont. II [Nov.]* 1850, 248.
- baugieri** *Ammonites*, A. d'Orbigny, *Pal. Franç., Jurass. I (Céph.)* 1847, 445.
- baugieri** *Anatina*, A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850], 275.
- baugieri** *Ancyloceras*, A. d'Orbigny, *Pal. Franç., Jurass. I (Céph.)* 1850, 580.
- baugieri** *Arca*, A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850], 281.
- baugieri** *Astarte*, A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850], 276.
- baugieri** *Cribrospongia*, A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850], 388.
- baugieri** *Cryptocoenia*, A. d'Orbigny, *Prodr. Paléont. II [Nov.]* 1850, 33.
- baugieri** *Gastrochaena*, A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850], 275.
- baugieri** *Helcion*, A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850], 272.
- baugieri** *Pholas*, A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850], 272.
- baugieri** *Pleurotomaria*, A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850], 267.
- baugieri** *Terebratula*, A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850], 377.
- baugieri** *Toxoceras*, A. d'Orbigny, *Pal. Franç., Jurass. I (Céph.)* 1850, 596.
- baugieri** *Trochus*, A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850], 265.
- Bauharnaisius** Bonaparte, *v. Beauharnaisius*.
- bauhinae** *Saturnia*, J. A. Boisduval in F. E. Guérin-M., *Iconographie*, 1844, Ins. 506.
- baulus** *Leptosoma*, J. A. Boisduval in d'Urville, *Voy. "Astrolabe," Ent.* (1) 1832, 200.
- baumanniana** *Argyrolepis* (Fab.), J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 48.—*Pyralis*, 1787.
- baumanniana** *Chlidonia* (D. & S.), J. Huebner, *Verz. bekannt. Schmett.* 1826, 393.—*Tortrix*, 1775. [190.—*Pyralis*, 1787.
- baumanniana** *Lozopera* (Fab.), J. F. Stephens, *Ill. Brit. Ent. (Haust. IV.)* Sept. 1834,
- baumanniana** *Phalaena* (*Pyralis*), W. Turton, *Linnaeus, Syst. Nat. III.* 1802, 351.
- baumanniana** *Tortrix* (Fab.), A. H. Haworth, *Lepidopt. Brit.* (3) 1811, 404.—*Pyralis*, [Wien] II. 1832, 97. 1787.
- baumella** *Oecophora*, V. Kollar, *Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch.*
- baumhaueri** *Callomyia*, J. W. Meigen, *Syst. Besch. Zweifl. Insekt. IV.* 1824, 14.
- baumhaueri** *Dioctria*, J. W. Meigen, *Syst. Besch. Zweifl. Insekt. II.* 1820, 245.
- baumhaueri** *Platyura*, J. W. Meigen, *Syst. Besch. Zweifl. Insekt. I.* 1818, 235.
- baumhaueri** *Sapromyza*, H. Loew, *Dipterologische Beiträge, I.* 1845, 21.
- Baumhaueria** J. W. Meigen, *Syst. Besch. Zweifl. Insekt. VII.* 1838, 251.—*Dipt.*
- baumonti** *v. beaumonti*.

- bautias** Merodon, F. Walker, List Dipt. Coll. B. M. (3) 1849, 600.
bauvoisi *v.* **beauvoisi**.
bavaricum Cardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 78.
bavaricum Deinotherium, H. v. Meyer, Jahrb. f. Min. 1831, 297.
bavaricum Dinotherium, H. v. Meyer, N. A. Ac. Caes. Leop. Car. XVI (2) 1833, 487.
bavaricus Mosasaurus, F. Holl, Handb. Petref. I. 1829, 85.
bavarica Segestria, C. L. Koch, Die Arachniden, X (5) 1843, 93.
bavarica Venus, Muenster in G. A. Goldfuss, Petref. German. II (7) 1840, 246.
bavarica Vespa, F. v. P. Schrank, F. Boica, II (2) 1802, 350.
bavariensis Aganides, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 60.
bavius Lycaena, E. Eversmann, N. Mém. Soc. Imp. Nat. Moscou, II. 1832, 349.
bavosa Raja, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 1111.
bavus Lycaena, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, III. 1831, 245 [*n. n.*].
baxii Agrilus, Laporte & Gory, H. N. Coléopt. II. 1839, 35.
bax Cetonia, Gory & Percheron, Mon. Cétoines (1) 1833, 56; (6) 1834, 180.
baxii Pachnoda (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 525.—Cetonia.
bax Tetragonoderus, H. Gory, Ann. Soc. Ent. France, II (2) *c.* July 1833, 242.
bayad *v.* **bajad**.
bayardi Akis, A. J. J. Solier, Ann. Soc. Ent. France, V (4) *post* Jan. 1837, 670.
bayardi Asida, A. J. J. Solier, Ann. Soc. Ent. France, V (3) *post* Aug. 1836, 423.
bayardi Brachinus, A. J. J. Solier in Dejean, Spec. gén. Coléopt. V. 1831, 431.
bayardi Carabus, A. J. J. Solier, Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 117.
bayeri *v.* **bajeri**.
bayfieldii Ormoceras, C. Stokes, Proc. Geol. Soc. London, II. 1838, 689 [*n. n.*].
bayliana Eupsammia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Aug. 1848, 80.
baylei Calymene, J. Barrande, Not. prélim. Silur. 1846, 51. [*bratula*.
baylii Hemithiris (Dav.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 37.—Tere-
baylei Natica, M. Rouault, Mém. Soc. géol. France (2) III (2) 1850, 477 [=475].
baylei Orthos, M. Rouault, Bull. Soc. géol. France (sér. 2) IV. 1847, 322.
baylii Pradocrinus, de Verneuil, Bull. Soc. géol. France (sér. 2) VII. 1850, 184.
baylii Retzia (Dav.), W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 137.—Terebratula
baylei Terebratula, T. Davidson, Bull. Soc. géol. France (sér. 2) V. 1848, 330.
baylii *v.* **baylei**.
bayliana *v.* **bayleana**.
Baza B. H. Hodgson, J. Asiat. Soc. Bengal, V. 1836 (1837), 777.—A.
bazalus Amblypodia, E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 24 [*n. n.*].
bazarkensis Natica, d'Archiac, Bull. Soc. géol. France (sér. 2) VII. 1850, 405 [*n. n.*].
bazochii Polyommatus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 681.
bazochii Thecla (God.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 30.—Polyomm.
Bdella J. C. Savigny, Egypte, I (3) (Ann.) 1822, 112.—Ann.
bdellalites Cyrtoceras, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 117.
bdelloides Caligonus, C. L. Koch, Deutsch. Crust., heft 20, 1838, tab. 19.
Bdellostoma J. Müller, Vergl. Anat. Myx. 1835, 2 & 16.—P.
Bdellura Leidy, 1848; *teste* Marschall, Bdelloura, 1851 *est*.
beachii *v.* **beecheyi**.
beadlei Phasianella, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 152.
bealei Cistuda, J. E. Gray, Syn. Rept. 1831, 71.
bealii Emys, J. E. Gray, Proc. Zool. Soc. London, II (18) Sept. 1834, 54.—Cistudo, 1831.
bealiae Cetonia, Gory & Percheron (*ex* Hope MS), Mon. Cétoines (11) Ap. 1836, 282.
bealiae Gametis (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 365.—Cetonia.
beanii Ammonites, M. Simpson, Mon. Amm. 1843, 36.
beanii Ancyloceras (Y. & B.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 114.—Hamites.
beanii Cingula, S. Hanley in C. Thorpe, Brit. Mar. conch., Ap. 1844, p. xli. [*Hamites*.
beanii Crioceratites (Ph.), J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, 409.—
beanii Halecium, G. Johnston, Hist. Brit. Zooph., ed. 2, 1847, 59.—Thoa, 1839.
beani Hamites, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 278.
beanii Lingula, J. Phillips, Geol. Yorksh. I. 1829, 157 [*n. et f.*].
beanii Littorina, W. Macgillivray, Hist. Moll. Aberdeen, 1843, 139.

- beanii** Rissoa, S. Hanley, Forbes & Hanley, Hist. Brit. Moll. III. 1850, 84.
beanii Sertularia (Thoa), J. G. Dalyell, Rare Anim. Scotland, I. 1847, 175.
beanii Spirifer, T. Brown, Ill. Foss. Conch. G. B. I. (22, 23) 1844, 109.
beanii Thoa, G. Johnston, Hist. Brit. Zooph. 1838, 120.
Beania G. Johnston, Ann. Nat. Hist. V. June 1840, 272.—Polyz.
beaniana Elasmopora, W. King, Ann. Mag. N. H. (2) III. May 1849, 390 [*n. n.*].
beaniana Nerita, C. A. Récluz, Proc. Zool. Soc. London, XI (130) June 1844, 200.
beaniana Retepora, W. King, Ann. Mag. N. H. XVIII. Oct. 1846, 237.
beardsleana Cylindrella, C. B. Adams, Contr. to conch. (2) Oct. 1849, 3 [*i.e.* 19].
beata Paropsis, E. Newman, Entomologist (26) Dec. 1842, 414. [133.
beaticus Rhizotrogus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
beatix Porthetria (Stoll), J. Huebner, Verz. bekannt. Schmett. [1820], 160.—Phalaena, 1790.
beaucoudraisii Nereis, Audouin & Edwards in Cuvier, Règne Anim., ed. 2, III. 1829,
 201 [*n. n.*].
beaucoudrayi Nereis, Audouin & Edwards, Ann. Sci. Nat. XXIX (115) July 1833, 214.
beaucoudraii Talitrus, H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 364.
beaudouini Astrea, J. Haimé, Bull. Soc. géol. France (sér. 2) VII. 1850, 679.
beaudouini Cerithium, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 361.
beauharnaisii Pteroglossus, J. G. Wagler, Isis (Oken), 1832, 280. [Bauharnaisius].
Beauharnaisius C. L. Bonaparte, Consp. gen. Avium, I. 1850, 95.—A. [in early copies
beaumontianus (*sic*) Millericrinus, A. d'Orbigny, H. N. Crinoides (2) Nov. 1840, 64.
beaumonti Actinoceras, Castelnau, Ess. Silur. Amér. sept. 1842, 32.
beaumontii Aganides (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 180.—
 Goniatites, Muenst. [—Goniatites.
beaumontii Ammonites (Muenst.), H. D. de Blainville, Dict. Sci. Nat. Suppl. I. 1840, 143.
beaumontii Amphion (Barr.), Hawle & Corda, Prodr. Mon. böhm. Trilob. 1847, 92.—
beaumontii Aptychus, Coquand, Bull. Soc. géol. France, XII. 1841, 388. [Calymene.
beaumontii Arca, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 237.
beaumontii Astarte, A. de Leymerie, Mém. Soc. géol. France, IV (2) 1841, 341 [*n. n.*];
ibid. V (1) 1842, 4.
beaumonti Calymene, J. Barrande, Not. prélim. Silur. 1846, 52.
beaumonti Cardium, d'Archiac, Mém. Soc. géol. France, V (2) 1843, 373.
beaumonti Chimaera, P. de M. Grey Egerton, Proc. Geol. Soc. London, IV. 1843, 155.
beaumontii Chimaera (Ischydon), P. de M. G. Egerton in J. L. R. Agassiz, Poiss. Foss.
 III. 346 (1843).
beaumontii Clypeaster, E. Sismonda, Mem. R. Acc. Sci. Torino [2] IV. 1842, 42.
beaumontii Coscinopora (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 283.—
beaumontii Cyphosoma, L. Agassiz, Cat. Ect. Ech. 1840, 11. [Scyphia.
beaumontii Cyprina (Arch.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 308.—
beaumonti Echinolampas, L. Agassiz, Cat. Ect. Ech. 1840, 5. [Cardium.
beaumonti Echinolampas, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 165.
beaumontii Goniatites, G. v. Muenster, Beitr. zur Petref. (1) 1839, 23. [Metaxytherium.
beaumontii Halitherium (Christol), F. L. P. Gervais, Zool. Pal. Franç. I. 1850, 144.—
beaumontii Helix, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 200; Rep. trav.
 Soc. stat. Marseille, VI. 272.
beaumontii Leptocera, J. Desjardins, Mag. Nat. Hist., n. s., II. Aug. 1838, 470.
beaumonti Macropneustes, Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 8.—
 Micraster, 1840.
beaumontii Metaxytherium, Christol in H. D. de Blainville, Ostéogr., Manatus, 1843, 130.
beaumonti Micraster, L. Agassiz, Cat. Ect. Ech. 1840, 2.
beaumontii Murex, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46
 [*vero propius* 1847] Ranelles pl. ii. [315.
beaumontii Mytilus, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
beaumonti Niloeus, M. Rouault, Bull. Soc. géol. France (sér. 2) IV. 1847, 321.
beaumonti Orthis, de Verneuil, Bull. Soc. géol. France (sér. 2) VII. 1850, 180.
beaumontii Ostrea, Rivière, C. R. Acad. Sci. (Paris) IV. 1837, 66. [1850, 6.
beaumonti Palaeonicus, Ag.; P. de M. Grey Egerton, Q. J. Geol. Soc. London, VI.
baumontii Panopaea, Muenster in G. A. Goldfuss, Petref. German. II (7) 1840, 274.

- beaumonti** Pentamerus, Castelnau, Ess. Silur. Amér. sept. 1843, 38.
- beaumonti** Perca, J. L. R. Agassiz, Poiss. Foss. IV. 81 (1836).
- baumontii** (*sic*) Pleurotoma, I. Lea, Contrib. to Geol. 1833, 134. [361.]
- beaumonti** Pleurotomaria, d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI. 1842,
- beaumontii** Pleurotomaria, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 163.
- beaumontii** Polydesmus, E. J. F. Le Guillou, C. R. Acad. Sci. (Paris) XIII. 1841, 221
[*n. n.*] [Philom. Paris, 1841, 85.]
- beaumontii** Polydesmus, H. M. Edwards, L'Institut., Aug. 1841, 279; Extr. P. V. Soc.
- beaumontii** Scyphia, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 76.
- beaumonti** Terebratula, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 331.
- beaumontii** Thecophyllia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. Ap. 1849,
243. [1845, 447.]
- beaumontii** Trochus, A. d'Orbigny in Hommaire de Hell, Steppes Mer Caspienne, III.
- beaumontii** Turbo, A. d'Orbigny in Hommaire de Hell, Steppes Mer Caspienne, III. 1845,
- beaumontianus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 328. [458.]
- beaumontianus** Belemnites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1843, 118.
- beaumontiana** Paludina, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 224; Rep.
trav. Soc. stat. Marseille, VI. 296.
- beaumontiana** Plicatula, M. Rouault, Mém. Soc. géol. France (2) III (2) 1850, 472.
- beaumontiana** Pterocera, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 305.
- beaumontiana** Truncatulina, A. d'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 35.
- beauperthuisii** Nasica, Pucheran & de Lafresnaye, Rev. et Mag. de Zool. (2) II. Aug.
1850, 419.
- beaupresii** Palaemon, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Crust.) 1826, 91.
- beautempsii** Edwardsia, A. de Quatrefages, Ann. Sci. Nat. [2] (Zool.) XVIII. Aug. 1842,
- beauvoisii** Amphiroa, J. V. F. Lamouroux, Hist. Polyp. 1816, 299. [69.]
- beauvoisi** Brachinus, Dejean, Spec. gén. Coléopt. I. 1825, 310.
- beauvoisi** Carabus, Dejean, Catal. Coléopt. 1821, 6 [*n. n.*].
- beauvoisi** Carabus, Dejean, Spec. gén. Coléopt. II. 1826, 67.
- beauvoisi** Catascopus, F. L. de Laporte, Etudes Entom. (1) 1834, 60.
- beauvoisii** Chelifer, V. Audouin in Savigny, Egypte, I (4) (Expl. pl. Arach.), 1826, 175.
- beauvoisi** Chelonarium, P. A. Latreille, Gen. Crust. Ins. II. 1807, 45.
- beauvoisi** Cyclomorphus, T. Lacordaire, Mon. Eroytl., Sept. 1842, 259.
- beauvoisi** Cyphocrana, J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 60.
- beauvoisii** Iulus, F. L. P. Gervais, Ann. Sci. Nat. [2] (Zool.) VII. Jan. 1837, 47.
- beauvoisii** Osmoderma, W. Bainbridge, Ann. Mag. Nat. Hist. VI. no. 39, Feb. 1841, 481.
- beauvoisii** Pecten, DeFrance, Dict. Sci. Nat. XXXVIII. 1825, 260. [1830, 760.]
- beauvoisii** Prionella, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- beauvoisii** Selenophorus, Dejean, Spec. gén. Coléopt. IV. 1829, 98.
- beaveri** Pecten, J. Sowerby, Min. Conch. II. 1817, 131.
- bebe** Mormyrus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 619.
- be-beck** Uranoscopus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 47.
- Bebelis** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 349.—Col.
- Bebelus** J. Gistl, Nat. Thierr. 1848, p. x.—Hym.
- bebius** Pteromalus, F. Walker, Mon. Chalcid. II. 1839, 31. [*typo*].
- Bebroptera** W. Sodovsky, Bull. Soc. Imp. Nat. Moscou, 1837 (6) 1837, 84.—Lep. [*sine*
- Bebryce** R. A. Philippi, 5 Jahresh. Ver. Nat. Cassel, 1841, 9; Arch. f. Naturg. VIII (1)
1842, 35.—Polyp.
- Bebryce** W. Thompson (*ex* Johnst. MS), Rep. Brit. Assoc. (Cork 1843) 1844, 273.—Verm.
- bebryce** Ixias, J. Huebner, Verz. bekannt. Schmett. [1820], 95. [*n. n.*].
- bebryce** Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 273.
- Bebryx** J. Gistl, Nat. Thierr. 1848, p. ix.—Dipt.
- Becardia** C. S. Rafinesque, Analyse, 1815, 67.—A. [*n. n.*].
- beccabungae** Cionus (L.), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 205.—Curculio,
- beccabungae** Cleopus (Fab.), Dejean, Catal. Coléopt. 1821, 83.—Rhynchaenus. [1761.]
- beccabungae** Gymnetron (Fab.), C. J. Schoenherr, Isis (Oken), 1825, 587.—Rhynchaenus,
- beccabungae** Prasocuris (Ill.), H. C. Kuester, Käfer Europas, VII. 1846, 93.—Chrysomela,

- beccabungae** Ramphus (L.), C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 112.
—Curculio, 1761.
- beccabungae** Rhynchaenus (L.), J. C. Fabricius, Syst. Eleuth. II. 1801, 493.—Curculio,
- beccaria** Buccinum, A. Risso, H. N. Europe, IV. 1826, 165. [1761.]
- beccarii** Rosalina (L.), H. G. Bronn, Index Pal. 1848, 1100.—Nautilus, 1758.
- beccarii** Rotalia (L.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 275.—Nautilus,
- bechei** *melior delabechei*, *q. v.* [1758.]
- becheri** Aganides (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 58.—
- becheri** Ammonites, F. W. Hoeninghaus, Jahrb. f. Min. 1830, 229 [*n. n.*]. [Goniatites.
- becheri** Goniatites, Goldfuss in Archiac & Verneuil, Trans. Geol. Soc. London (2) VI (2)
- becheri** Posidonia, H. G. Bronn, Zeitschr. Min. 1828, I. 269. [1842, 382.]
- becheri** Posidonomya, H. G. Bronn, Lethaea Geogn. I (1) 1834, 89.—Posidonia, 1828.
- becheri** Posidonomya, Bronn, *var. liasina*, H. G. Bronn, Lethaea Geogn. I (4) 1836, 342.
—Posidonia liasina, Voltz.
- bechsteinii** Cichloides (Naum.), J. J. Kaup, Skizz. Europ. Thierw. 1829, 153.—Turdus.
- bechsteinii** Coluber (Natrix), B. Merrem, Tent. Syst. Amph. 1820, 110.
- bechsteinii** Myotis (Desm.), J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 258.—Vespertilio.
- bechsteinii** Turdus, J. F. Naumann, Naturg. Vögel Deutschl. II. 1822, 310.
- bechsteinii** Vespertilio, A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 135.
- beckenhauptii** Abax (Dufts.), Dejean, Catal. Coléopt. 1821, 12.—Carabus.
- beckenhauptii** Carabus, Dahl in K. Duftschmid, Fauna Austriae, II. 1812, 67.
- beckenhauptii** Feronia (Dufts.), Dejean, Spec. gén. Coléopt. III. 1828, 387.—Carabus.
- beckenhauptii** Pterostichus (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 28.
—Carabus.
- beckii** Calymene (Green), J. Hall, N. H. New York (Pal. I.), 1847, 237.—Triarthrus.
- beckii** Cypraea, J. S. Gaskoin, Proc. Zool. Soc. London, III (36) Ap. 1836, 203.
- beckii** Defrancia, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 87.
- beckii** Defrancia, H. P. C. Möller, Index Moll. Groenl. 1842, 14.
- beckii** Fusus, L. Reeve, Conch. Icon. IV.—Fusus, no. 34 (pl. xvii), Jan. 1848.
- becki** Graptolithus, J. Barrande, Grapt. Bohême, 1850, 50.
- beckii** Murex, A. J. Michelotti, N. Jahrb. f. Min. 1846, 55 [*n. n.*].
- beckii** Murex, R. A. Philippi, Abb. Conch. III (2) 1847, 39.
- beckii** Nerita, C. A. Récluz, Rev. Zool. (Soc. Cuv.) IV. Sept. 1841, 275.
- beckii** Paradoxides (Green), J. Hall, Amer. J. Sci. XXXIII (1) Oct. 1837, 142.—Triarthrus.
- beckii** Pleurotoma, L. Reeve, Proc. Zool. Soc. London, X (119) Feb. 1843, 199.
- beckii** Ranella, L. C. Kiener, Spec. Coquilles (Ranella) 1842, 5.
- beckii** Solen, R. A. Philippi, Abb. Conch. III (2) 1847, 43.
- beckii** Triarthrus, J. Green, Monthly Amer. J. Geol. I (? Aug.) 1832, 560.
- beckii** Voluta, W. J. Broderip, Proc. Zool. Soc. London, IV (40) July 1836, 43.
- beckianus** Bulimus, L. Pfeiffer, Symb. Helic. III. 1846, 82.
- beckiana** Helix, L. Pfeiffer, Symb. Helic. II. 1842, 23.
- beckiana** Helix, L. Pfeiffer, Proc. Zool. Soc. London, X (113) Dec. 1842, 87.
- beckiana** Vitrina, L. Pfeiffer, Proc. Zool. Soc. London, XVI (187) Ap. 25, 1849, 105.
- becksii** Cardium, Jos. Mueller, Beitr. Petref. Aachen. Kreidef. 1846, 19.
- becksii** Natica, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 194.
- becksii** Terebratula, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 44.
- beckwithella** Apis, W. Kirby, Mon. Apum Angl. II. 1802, 323.
- beckwithellus** Bombus (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 164.—Apis.
- beckwithii** Phryganea, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 28 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) Dec. 1836, 206.
- beckwithii** Scarites, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) Aug. 1827, 37.
- becquereli**—
- becquereli** Crocodilus, J. E. Gray, Syn. Rept. 1831, 61.
- becquerelii** Flustra, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps) 1826, 240.
- becuna** Esox (Lac.), G. Shaw, Gen. Zool. (Pisc.) V (1) 1804, 112.—Sphyaena.
- becuna** Sphyaena, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 325.
- bedeau** Elaphocera, W. F. Erichson, Entomographien, 1840, 37.
- bedeguaris** Callimone (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 36.—Ichn. 1758.

- bedeguaris** Callimone (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 262.—Diplolepis, F. 1785. [F. 1785.]
- bedeguaris** Chalcis (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 316.—Diplolepis,
- bedeguaris** Evania (L.), G. Cuvier, Revue Entom. I (4) c. Sept. 1833, 154.—Ichneumon, 1758.
- bedeguaris** Ophion, Klug in G. W. F. Panzer, Ins. Germ., heft 107, 1806-9, tab. 9.
- bedeguaris** Torymus (Fab.), C. H. Boheman, K. Vet. Ac. Handl. 1833 (1834), 350.—Ichneumon, L. 1758.
- bedellella** Microsetia, J. Sircom, The Zoologist, VI (3) 1848, 2037.
- Bedellia** H. T. Stainton, Syst. Cat. Brit. Tin., Mar. 1846, 23.—Lep.
- beden** Aegoceros, J. A. Wagner in Schreber, Säugth. V (1), 1303 (1835), pl. cclxxxi cc
- beden** Capra, H. R. Schinz, Syst. Verz. Säug. II. 1845, 460. [(1836).]
- bedius** Entedon, F. Walker, Ann. Mag. N. H. X. Oct. 1842, 115.
- beduinus** Platyprosopus, A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV (1 & 2) Oct. 1837, 133.
- Bedula** J. E. Gray, Ill. Indian Zool. II [1832-5] (pl. 88).—P.
- [beecheyi.]
- beecheyi** Arctomys (Spermophilus), J. Richardson, F. Bor.-Amer. (1) June 1829, 170.
- beecheyi** Bacillus, G. R. Gray, Syn. Phasmidae, 1835, 21.
- beecheyi** Corvus (Vig.), P. A. J. Drapiez, Dict. class. Sci. Nat. III. 1839, 73.—Pica.
- beecheyi** Corvus (Pica), Vigors; Eydoux & Gervais, Oiseaux de la "Favorite" in Magasin de Zool. VI. 1836, pl. 72.—Pica.
- beachii** Cyanocitta (Vig.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 378.—Pica.
- beecheyi** Cyanocorax (Vig.), G. R. Gray, Genera of Birds, II. Mar. 1846, 307.—Pica.
- beecheyi** Melipona, E. T. Bennett in F. W. Beechey, Narr. Voy. Pacific, II. 1831, 363.
- beecheyi** Pica, N. A. Vigors, Zool. Journ. IV (15) Jan. 1829, 353.
- beecheyi** Salamandra, J. E. Gray, Zool. "Blossom," 1839, 99.
- beecheyi** Spermophilus (Rich.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1842, 245.
- beelzebub** *etc. v. belzebub.* [—Arctomys.]
- beema** Budytes, W. H. Sykes, Proc. Comm. Sci. Zool. Soc. London (18) July 1832, 90.
- begga** Laria (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 159.—Phalaena, 1781.
- begrandaria** Eupithecia, Boisduval, Gen. Index Europ. Lépid. 1840, 211.
- begrandella** Gracillaria, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) Jan. 1844, 513.
- beharicum** Cyclostoma, W. H. Benson, J. Asiat. Soc. Bengal, I. 1832, 76 [*n. n.*].
- Beharus** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 352.—Hem.
- behenis** Hadena, C. F. Freyer, Neuere Beitr. Schmett. V (78) 1845, 142.
- behmii** Eschara, v. Hagenow in H. B. Geinitz, Grundriss Verst. (3) 1846, 608.
- behnii** Glyphisodon, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, IV (2) 1846, 156.
- behni** Hoplisus, A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 165.—Lestiphorus, 1842.
- behni** Lestiphorus, A. G. Dahlbom, Disp. meth. sp. Scand. Hym. 1842, 10.
- behrensi** Calathus, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 195.
- behri** Agarista, G. F. Angas, South Australia, 1847, pl. xxxvii.
- behrii** Glycyphana (Gametis), H. Schaum, Tr. Entom. Soc. Lond. V (4) June 1848, 70.
- behrii** Pempelia, P. C. Zeller, Isis (Oken), 1848, 883.
- behrii** Prosodes, E. F. Germar, Linnaea Entom. III. Ap. 1848, 196.
- behringi** *v. beringi.*
- behringiana** *v. beringiana.*
- beirensis** Mytilus, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 187.
- beirensis** Spirifer, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 191.
- beirensis** Terebratula, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 192.
- beirensis** Turrillites, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 194.
- beisa** Antilope, E. Rueppell, Neue Wirbelth. Abyssin. (1) 1835, 14.
- bejeus** Colisa, Cuvier & Valenc., H. N. Poiss. VII. 1831, 365.
- bejeus** Trichopodus, F. Hamilton, Fish. Ganges, 1822, 118.
- Bela** W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270.—G.
- belangeri** Agarista, Guérin-M. in C. Belanger, Voy. Indes Orient. (7) Aug. 1833, 506.
- belangerii** Apistus, Cuvier & Valenc., H. N. Poiss. IV. 1829, 412.

- belangerii** Arius, Cuvier & Valenc., H. N. Poiss. XV. 1840, 71.
- bellangeri** Buccinum, L. C. Kiener, Spec. Coquilles (Buccinum), 1834, 34.
- belangeri** Bullia (Kien.), L. Reeve, Conch. Icon. III.—Bullia, no. 8, Dec. 1846.—Buc-
- belengerii** Caranx, Cuvier & Valenc., H. N. Poiss. IX. 1833, 116. [cinum.]
- belangeri** Cirrhinus (Val.), T. C. Jerdon, Madras Journ. XV (35) 1849, 303.—Rohita.
- belangeri** Cladobates, J. A. Wagner in Schreber, Säugth., Suppl. II. 1840, 42.
- belengerii** Corvina, Cuvier & Valenc., H. N. Poiss. V. 1830, 120.
- belangeri** Emys, R. P. Lesson in C. Belanger, Voy. Indes Orient. (5) Sept. 1832, 291.
- belangeri** Garrulax, R. P. Lesson in C. Belanger, Voy. Indes Orient. (4) Aug. 1832, 258.
- belangerii** Gymnapistes, W. Swainson, N. H. Fishes etc. II. July 1839, 266.
- belangeri** Helix, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 233 (Gg*).
- belangeri** Helix, G. P. Deshayes in C. Belanger, Voy. Indes Orient. (6) Dec. 1832, 413.
- belangeri** Hydrocena, L. Pfeiffer, Zeitschr. & Malakozool. 1847, 112.
- belengeri** Johnius (C. & V.), T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1047.—Corvina.
- belangeri** Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 99.
- bellangeri** Marginella, L. C. Kiener, Spec. Coquilles (Marginella) 1834, 27.
- belangeri** Nanina (Desh.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 4.—Helix.
- belangeri** Nyctalus (I. Geoff.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 27.—
Vespertilio. [113.—Vespertilio.]
- belangeri** Nycticeus (I. Geoff.), R. P. Lesson, H. N. Mamm. Ois. depuis 1788, V. 1836,
- bellangerii** Pseudocarcinus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 409.
- belangeri** Realia (Pf.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 63.—Hydrocena.
- belangeri** Rohita, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 255.
- belangeri** Scarabaeus, Guérin-M., C. Belanger, Voy. Indes Orient. (7) Aug. 1833, 483.
- belangeri** Vespertilio, Geoffroy in C. Belanger, Voy. Indes Orient. (2) Mar. 1831, 87.
- belangeri** Vespertilio (Nycticeus), H. D. de Blainville, Ostéogr., Vespertilio, 1840, 104.
- Belania** F. L. de Laporte, H. N. Anim. artic. (Col. I.) 1840, 236.—Col.
- Belaustium** C. v. Heyden, 1826,—*err.* Waterhouse *pro* Balaustium, *q. v.*
- Belba** C. v. Heyden, Isis (Oken), 1826, 611.—Ar.
- belcheri** Ammonites, M. Simpson, Mon. Amm. 1843, 12.
- belcheri** Amphioxus, J. E. Gray, Proc. Zool. Soc. London, XV (171) May 17, 1847, 35.
- belcheri** Arcania, A. White, List Crustacea Coll. B. M. 1847, 128 [*n. n.*].
- belcheri** Aturia, J. E. Gray, Cat. Snakes Coll. B. M. 1848, 46.
- belcheri** Callionymus, J. Richardson, Zool. "Sulphur," 1844, 62.
- belcheri** Cardium, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829, 366.
- belcheri** Clausilia, L. Pfeiffer, Proc. Zool. Soc. London, XVII (198) Jan.—June, 1850, 135.
- belcheri** Euprepis, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 116.
- belcheri** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (153) Feb. 1846, 128.
- belcheri** Larus, N. A. Vigors, Zool. Journ. IV (15) Jan. 1829, 358.
- belcheri** Marginella, R. B. Hinds, Proc. Zool. Soc. London, XII (134) Sept. 1844, 73.
- belcheri** Mitra, R. B. Hinds, Ann. Mag. N. H. XI. Ap. 1843, 255.
- belcheri** Murex (Brod.), L. Reeve, Conch. Syst. II. 1842, 194.—Typhis.
- belcheri** Murex, R. B. Hinds, Proc. Zool. Soc. London, XI (128) Mar. 1844, 127.
- belcheri** Nucula, R. B. Hinds, Proc. Zool. Soc. London, XI (126) Dec. 1843, 98.
- belcheri** Pectunculus, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 76.
- belcheri** Psettodotes, E. T. Bennett, Proc. Comm. Sci. Zool. Soc. London (12) Dec. 1831, 147.
- belcheri** Pyrula (Hinds), L. Reeve, Conch. Icon. IV.—Pyrula, no. 4, May 1847.—Murex.
- belcheri** Sciuurus, J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 263.
- belcheri** Stellaster, J. E. Gray, Proc. Zool. Soc. London, XV (174) June 30, 1847, 76.
- belcheri** Stellaster, J. E. Gray in Jukes, Narr. Voy. of "Fly," II. July 1847, 343.
- belcheri** Turbinella, L. Reeve, Conch. Icon. IV.—Turbinella, no. 22, July 1847.
- belcheri** Turbinella, Adams & Reeve, Zool. "Samarang" (6) Moll., May 1850, 42.
- belcheri** Typhis, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (24) Jan. 1833, 178.
- belemia** Anthocharis (Esp.), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 557.
—Papilio, 1799.
- belemia** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 82 (Fernaldo iudice 1799).

- belemia** Pieris (Esp.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 127.—Papilio, 1799.
- belemia** Pontia (Huebner), F. Ochseneimer, Schmett. Europa, IV. 1816, 31.—Papilio, 1799.
- belemia** Synchloe, J. Huebner, Verz. bekannt. Schmett. [1820], 94.
- belemida** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 189 (Fernaldo judice 1823-33) [*n. et f.*].
- Belemnita** J. Fleming, Hist. Brit. Anim. 1828, 240.—Ceph.
- belemnitarum** Diastopora, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 288.
- Belemnitea** Herrmannsen, Ind. Gen. Malac. 1846, 105.—Ceph.
- Belemnitella** A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1840, 59.—Ceph.
- Belemniteuthis** J. E. Gray (*ex* Pearce), Proc. Zool. Soc. London, XV. 1847, 206.—Ceph.
- belemniticus** Atractilites, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 9.
- belemnitiphagus** Spirozoites, F. V. Raspail, Ann. Sci. Observ. I (2) Feb. 1829, 300.
- belemnitoidea** Beloptera, H. D. de Blainville, Mém. Bélem. 1827, 111.
- belemnitoideum** Terebellum, d'Archiac, Bull. Soc. géol. France (sér. 2) VII. 1850, 405
- belemnioideus** Paxillus, C. D. E. König, Icones foss. 1825, pl. 18 [*n. et f.*] [*n. n.*].
- Belemnopsis** F. Edwards in J. E. Gray, Cat. Moll. Coll. B. M. (1) 1849, 157.—Ceph.
- Belemno-Sepia** W. Buckland, N. Jahrb. f. Min. 1835, 627.—Ceph.
- Belemnosepia** W. Buckland, Geol. & Min. II. 1836, 70.—Ceph.
- Belemnosis** F. E. Edwards, Eoc. Moll. (Pal. Soc. II.) July 1849, 38.—Ceph.
- Belemnoteuthis** *emend. pro* B—theutis, Pearce; L. Agassiz, Nom. Zool. (Moll.) 1845, 11.
- Belemnotheutis** J. C. Pearce, Proc. Geol. Soc. London, III. 1842, 593.—Ceph.
- Belemnum** *emend. pro* Belemnites; C. D. E. König, Icones foss. 1825, pl. 17 [*n. et f.*].
- Belemnus** G. Fischer, Mém. Soc. Imp. Nat. Moscou, V [*post* 12 Dec.] 1817, 450.—Ceph.
- belengeri** *v.* **belangeri**. [= Belemnites].
- Belenois** J. Huebner, Verz. bekannt. Schmett. [1820], 92.—Lep.
- belenus** Callionymus, A. Risso, H. N. Europe, III. 1826, 263.
- belenus** Heliophorus, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 40.
- belenus** Telenomus, F. Walker, Entom. Mag. III (4) Jan. 1836, 352.
- Beleogale** Peters, Tagsber. Fortschr. Nat. Heilk. (Zool.) I (196) 1850, 264.—M. [Bdeo-
- Beleopteris** F. Klug, Arch. f. Naturg. I (1) 1835, 334.—Col. [gale, 1852].
- belesis** Anomia, J. E. Gray, Proc. Zool. Soc. London, XVII (197) Jan.—June 1850, 116.
- belesis** Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 189.
- Beleus** W. E. Leach in Desmarest, Consid. Crust. 1825, 105.—Cr. [belgiaria, 1796].
- belgicaria** Pseudnothrix, J. Huebner, Verz. bekannt. Schmett. 1826, 320.—Geometra
- belgicum** Anisopelma, C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1838, 135.
- belgicus** Arpactus, C. Wesmael, Bull. Ac. Roy. Brux. VI (1) 1839, 79.
- belgicus** Buccinites, E. F. Schlothheim, Tasch. Min. 1813, 111.
- belgicus** Cassidulus, Lamarck, Syst. Anim. 1801, 349 [*n. n.*].
- belgicum** Cerithium, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 34.
- belgicus** Gorytes, C. Wesmael, Bull. Ac. Roy. Brux. VI (1) 1839, 81.
- belgicus** Mosasaurus, F. Holl, Handb. Petref. I. 1829, 84. [1766].
- belgica** Pectinaria (Pall.), Lamarck, An. s. vert. V. 1818, 350.—Nereis cylindraria, *var.*
- belgica** Pedicellina, P. J. van Beneden, N. Mém. Ac. Roy. Brux. XIX. 1845, 23.
- belgica** Perdix, E. de Selys-L. in P. v. d. Maelen, Dict. géogr. Liège, 1831, App. p. 37.
- belgica** Pleurotoma, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 20.
- belia** Anthocharis (Fab.), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 559.—Papilio, L. 1767.
- belia** Anthocharis (L.), Villiers & Guénee, Tabl. Syn. Lépid. I. 1836, 129.—Papilio, 1767.
- belia** Euchloe (Esp.), J. Huebner, Verz. bekannt. Schmett. [1820], 94.—Papilio, L. 1767.
- belia** Hestia, J. O. Westwood, Cab. Orient. Entom. 1848, 75. [*n. et f.*].
- belia** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 83 (Fernaldo judice 1799)
- belia** Pieris (Esp.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 126.—Papilio, L. 1767.
- belia** Pontia (L.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 283.—Papilio, 1767.
- belia** Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 266.
- belial** Anachalcos, F. W. Hope, Coleopt. Manual, I. 1837, 50.
- belibus** Encyrtus, F. Walker, Entom. Mag. V (1) Oct. 1837, 49.
- Belidea** *id. ac* Belideus, G. R. Waterhouse; J. Gould, Proc. Zool. Soc. London, X (108) June 1842, 11.

- Belidens** *err. pro* Belideus, Waterh.; A. F. A. Wiegmann, Arch. f. Nat. 1839 (2) 418.
- Belideus** G. R. Waterhouse, Proc. Zool. Soc. London, VI (71) May 1839, 149.—M.
- Belideus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Belideus, Waterh.
- Belideus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Belidens, Wiegmann.
- belina** Saturnia, J. O. Westwood, Proc. Zool. Soc. London, XVII (192) Dec. 17, 1849, 41.
- Belinurus** C. D. E. König, Icones foss. 1825, pl. 18 [*n. et f.*].—Cr.
- Belionota** F. Eschscholtz, Zool. Atlas, I. 1829, 8.—Col.
- Beliophorus** J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 345.—Col.
- belis** Psithyros (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 132.—Sphinx, 1776.
- belisama** Cathaemia (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 92.—Papilio, 1779.
- belisama** Pieris (Cr.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 147.—Papilio, 1779.
- belise** Erycina (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 578.—Papilio, 1782.
- belise** Thisbe (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 24.—Papilio, 1782.
- belizana** Colombella, P. L. Duclos in Chenu, Illustr. Conch. (77 & 78) 1848, pl. 22 [*n. et f.*].
- bella** *v.* bellus. [1842] [3].
- bella crenata** Melania, S. S. Haldeman, Mon. Limniades N. Amer., wrapper of (4) Jan.
- bellacrenata** Pleurotoma, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (3) June 1841, 30.
- belladonna** Heliconia (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 224.—Papilio, 1793. [Ap. 1826], 456.
- belladonna** Lestes, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [*i. e.*].
- belladonna** Pieris (Fab.), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 447.—
- bellalis** Eromene, J. Huebner, Verz. bekannt. Schmett. 1826, 366. [Papilio, 1793].
- bellana** Cnephasia, J. Curtis, Brit. Entom. III (25) Jan. 1826, no. 100.
- bellangeri** *v.* belangeri.
- bellardii** Cancellaria, A. J. Michelotti, N. Jahrb. f. Min. 1846, 55 [*n. n.*].
- bellardii** Cancellaria, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 225. [III (2) 1847, 216].
- bellardii** Cassis, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2)
- bellardi** Cerithium, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46 [*vero propius* 1847] Cérites, pl. ii.
- bellardii** Colombella, P. L. Duclos in Chenu, Illustr. Conch. (77 & 78) 1848, pl. 27 [*n. et f.*].
- bellardii** Delphinula, A. J. Michelotti, N. Jahrb. f. Min. 1846, 54 [*n. n.*].
- bellardii** Delphinula, G. Michelotti, Nat. Ver. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 166.
- bellardii** Eolidia, G. B. Verany in Descr. Genova, I. 1846, 97 & 106.
- bellardii** Fasciolaria, M. Hoernes, Verz. Fossil-Reste Wien, 1848, 19 [*n. n.*].
- bellardii** Flabellum, J. Haime, Bull. Soc. géol. France (sér. 2) VII. 1850, 678.
- bellardii** Lima, d'Archiac, Mém. Soc. géol. France (2) III (2) 1850, 433.
- bellardii** Meandrina, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849, 283.
- bellardii** Parmophorus, A. J. Michelotti, N. Jahrb. f. Min. 1846, 54 [*n. n.*]; Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 139 [Parma-].
- bellardii** Phorus (Mich.), H. G. Bronn, Index Pal. 1848, 968.—Trochus.
- bellardi** Pleurotoma, E. Sismonda, Syn. Meth. 1842, 33.
- bellardii** Pleurotoma, C. Des Moulins, Actes Soc. Linn. Bordeaux, XII (39=60) 1842, 177.
- bellardi** Schizaster, Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 21.
- bellardii** Spirulirostra, A. d'Orbigny, Ann. Sci. Nat. [2] (Zool.) XVII. June 1842, 376.
- bellardii** Trochocyathus (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 310.—Turbinolia.
- bellardii** Trochus, G. Michelotti, Ann. Sci. Lomb.-Ven. X. 1840, 150.
- bellardii** Turbinella, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 264.
- bellardii** Turbinolia, H. Michelin, Icon. Zoophyt. (3) 1841, 36.
- bellargus** Papilio, S. A. v. Rottemburg, Naturforscher, VI. 1775, 25.
- bellarugosa** Orthis, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (33) Dec. 1843, 333.
- bellastriata** Amphidesma, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June, 1837, 239. [Microdon.
- bellastriata** Cypricardia (Conr.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 75.—
- bellastriata** Microdon, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 247.

- bellastriata** Nuculites, T. A. Conrad [5 A. Rep. N. Y. Geol. Surv.], Assembl. no. 150, 1841, 50.
- bellata** Idaeus, C. F. Freyer, Neuere Beitr. Schmett. IV (54) 1840, 55.
- bellator** Athyreus, J. O. Westwood, Proc. Linn. Soc. London (34) Mar. 1848, 358.
- bellatrix** Callimorpha, J. W. Dalman, Anal. Entom. 1823, 50.
- bellator** Copris, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 81.
- bellatrix** Eusemia, J. O. Westwood, Cab. Orient. Entom. 1847, 67.
- bellator** Gelasimus, A. White, Proc. Zool. Soc. London, XV (175) July 20, 1847, 84.
- bellator** Gelasimus, A. White, List Crustacea Coll. B. M. 1847, 36 [n. n.].
- bellatrix** Gelasimus, A. White, List Crustacea Coll. B. M. 1847, 128 [n. n.].
- bellator** Hamaticherus, Dejean, Catal. Coléopt. 1821, 105 [n. n.]. [post Mar. 1834, 15.
- bellator** Hamaticherus, J. G. Audinet-S. (ex Dej. Cat.), Ann. Soc. Ent. France, III (1)
- bellator** Ichneumon, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 258.
- bellator** Lampronota (Grav.), J. Curtis, Brit. Entom. IX (102) June 1832, no. 407.—Ichneumon.
- bellator** Lissonota, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 107.—Ichneumon,
- bellator** Palmon, J. W. Dalman, K. Vet. Ac. Handl. 1825 (2) 1826, 390. [1807.
- bellatrix** Tachina, J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 3241.
- bellator** Tryphon (Grav.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 384.—Pimpla [non
- bellatorius** Metopius, A. Foerster, Verh. nat. Ver. pr. Rheinl. VII. 1850, 277. [comp.].
- Bellatrix** F. Boie, Isis (Oken), 1831, 544.—A.
- bellatula** Calymene, J. W. Dalman, K. Vet. Ac. Handl. 1826 (2) 1827, 228.
- bellatula** Cybele (Dalm.), S. Loven, Ofvers. K. Vet. Ac. Förh. II (4) 1845, 110.—Calymene.
- bellatula** Leda (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 74.—Nucula.
- bellatula** Nucula, J. Hall, N. H. New York (Geol. 4 dist.), 1843, 197.
- bellatulus** Zethus (Dalm.), A. v. Volborth, Verh. Russ.-Kais. min. Ges. St P., 1847 (1848), 10.—Calymene. [412.—Cirrhineries.
- bellavistae** Cirrhatulus (Bl.), Audouin & Edwards, Ann. Sci. Nat. XXIX (116) Aug. 1833,
- bellavistae** Cirrhineries, de Blainville, Dict. Sci. Nat. LVII. 1828, 488. [33] [n. et f.].
- belledice** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 189 (Fernaldo judice 1823—
- bellermanni** Echiniscus, C. A. S. Schultze, Echiniscus Bellermanni, 1840.
- Bellerophina** A. d'Orbigny, Bull. Soc. géol. France, XIV. 1843, 466.—G. [n. n.].
- Bellerophon** de Montfort, Conch. syst. I. 1808, 50.—G.
- bellerophon** Papilio, J. W. Dalman, Anal. Entom. 1823, 37.
- Bellerophorina** J. E. Gray, Proc. Zool. Soc. XV. 1847, 164.—G.
- Bellerophus** de Blainville, Man. Malac. 1825, 477.—G.
- Bellerus** F. Walker, Ann. Mag. N. H. XI. Jan. 1843, 32.—Hym.
- belletana** Micromata, A. Risso, H. N. Europe, V. 1826, 170.
- bellezina** Pieris, Boisduval, Europ. Lepid. Index, 1829 [1828], 9.
- bellii** Acanthodactylus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 36.
- bellii** Achaetula, J. E. Gray, Ill. Indian Zool. II [1832-5] (pl. 80).
- bellii** Astacus, F. Dixon, Geol. Sussex, 1850, 223.
- bellii** Bucephalus, A. Smith, Zool. Journ. IV (16) May 1829, 442.
- bellii** Chelonia, G. A. Mantell, Medals, II. 1844, 776.
- bellii** Clemmys (Gray), L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 124.—Emys.
- belli** Emberiza, J. Cassin, Proc. Acad. Nat. Sci. Philad. V (5) Oct. 1850, 104.
- bellii** Emys, J. E. Gray, Syn. Rept. 1831, 31.
- belli** Eunice, Audouin & Edwards in Cuvier, Règne Anim., ed. 2, III. 1829, 200 [n. n.].
- bellii** Evesia, Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 782.
- bellii** Gelasimus, J. Couch, Cornish Fauna, I. 1838, 73.
- bellii** Gonyocephalus (Dum.), L. Fitzinger, Syst. Rept. 1843, 45.—Lophyrus.
- bellii** Hemidactylus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 155.
- belli** Hoploparia, F. McCoy, Ann. Mag. N. H. (2) IV. Sept. 1849, 178.
- bellii** Hydrosaurus (D. & B.), J. E. Gray, Ann. Nat. Hist. I (5) July 1838, 394.—Varanus.
- belli** Ignana (Ctenos.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 38.
- bellii** Lamia, J. Le Conte, Proc. Boston Soc. N. H. I (2-3) [1844-5], 201; Boston Journ. N. H. V (2) 1845, 209.
- bellii** Leiolaemus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 212.

- bellii** Leiolepis, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 263.—Uromastix.
- bellii** Leiolopisma, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 84.—Tiliqua, 1830.
- bellii** Liosaurus, Duméril & Bibron (Roret's Suite à Buffon), Erpét. IV. Oct. 1837, 242.
- bellii** Lophyrus, Duméril & Bibron (Roret's Suite à Buffon), Erpét. IV. Oct. 1837, 416.
- bellii** Marginella, G. B. Sowerby, II., Thes. Conch. I (7) *ante* 27 Nov. 1846, 375.
- belli** Muscicapa, J. P. Giraud, Descr. N. Amer. Birds, 1841.
- bellii** Phrynops, J. E. Gray, Cat. Tortoises etc. Coll. B. M. 1844, 41.
- bellii** Plestiodon, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 92.
- bellii** Pseudodactylus (D. & B.), L. Fitzinger, Syst. Rept. 1843, 23.—Evesia.
- bellii** Python, J. E. Gray, Zool. Miscell. (Gray) (2) Mar. 1842, 44.
- bellii** Ramphosaurus, L. Fitzinger, Syst. Rept. 1843, 23.
- bellii** Scotophilus, J. E. Gray, List Mamm. Coll. B. M. 1843, 30 [*n. n.*].
- bellii** Spelerpes, J. E. Gray, Cat. Amphib. Coll. B. M. (2) 1850, 46.
- bellii** Testudo, J. E. Gray, Spec. Zool. 1828, 2.
- bellii** Tiaris (D. & B.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 239.—Lophyrus.
- bellii** Tiliqua, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 70.
- bellii** Tropidolepis, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 44.
- bellii** Uromastyx, J. E. Gray, Zool. Journ. III. 1827, 216; Ill. Indian Zool. II [1832-5] (pl. 72) [belliana on plate].
- bellii** Varanus, Duméril & Bibron (Roret's Suite à Buffon), Erpét. III. July 1836, 493.
- bellii** Vireo, J. J. Audubon, Birds of Amer. (1st 8vo ed., New York) VII. 1844, 333.
- Bellia** H. M. Edwards, Ann. Sci. Nat. [3] (Zool.) IX. Mar. 1848, 192.—Cr.
- belliaei** Monodonta, Michaud, Bull. h. n. Soc. Linn. Bordeaux, III (18) 1829 [? 1830], 265.
- belliana** Kinixys, J. E. Gray, Syn. Rept. 1831, 69.
- bellianus** Otion, W. E. Leach, Zool. Journ. II (6) July 1825, 210.
- belliana** Uromastix, Hardwicke & Gray, Zool. Journ. III (10) July (*i.e.* Sept.) 1827, 220.
- bellicincta** Murchisonia, J. Hall, N. H. New York (Pal. I.) 1847, 179.
- bellicornis** Phaeogenes, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 186.
- bellicosus** Ammonites, S. G. Morton, Amer. J. Sci. XXIX (1) Oct. 1835, 150.
- bellicosus** [Anisoscelis] (Fab.), Latreille in Cuvier, R. Anim., ed. 2, V. 1829, 197.—Lygaeus.
- bellicosum** Anomalon, C. Wesmael, Bull. Ac. Roy. Brux. XVI (2) 1849, 124. [385.
- bellicosum** Anthidium, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841.
- bellicosus** Apalecticus, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 166.
- bellicosus** Aquila (Daud.), C. Dumont, Dict. Sci. Nat. (ed. 1) I. 1804, 347.—Falco, 1800.
- bellicosus** Brachinus, L. Dufour, Ann. gén. Sc. Phys. (Bruxelles) VI. Dec. 1820, 320.
- bellicosus** Chaetodon, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 383.
- bellicosa** Copris (Ol.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 44.—Scarab. 1789.
- bellicosus** Cremastus, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 741.
- bellicosus** Cryptus, A. H. Haliday, Tr. Linn. Soc. London, XVII (3) 1836, 318.
- bellicosus** Erotylus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 84 [*n. n.*].
- bellicosus** Heilipus (Hbst.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 178.—Curculio, 1797.
- bellicosa** Helliomorpha, F. L. de Laporte, Etudes Entom. (1) 1834, 53.
- bellicosa** Hirundinea (Vieill.), A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 46.—Tyrannus.
- bellicosa** Hispa, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. Jan. 1841, 9.
- bellicosa** Iguana, R. P. Lesson, Ann. Sci. Nat. XIII (52) Ap. 1828, 376.
- bellicosus** Ischyryus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 98.
- bellicosa** Melania, R. B. Hinds, Ann. Mag. N. H. XIV. July 1844, 11.
- bellicosus** Oxybelus, A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 595.
- bellicosus** Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 141. [1789.
- bellicosus** Phanaeus (Ol.), W. S. Macleay, Horae Entom. I (1) 1819, 125.—Scarabaeus,
- bellicosus** Pissodes, Herbst; J. Sturm, Catal. Ins. Samml. 1826, 184. [1800.
- bellicosus** Spizaetus (Daud.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 28.—Falco,
- bellicosa** Sternella, F. de Filippi, Mus. Mediol. Anim. vert., Mar. 1847, 32.
- bellicosus** Tyrannus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXV. 1819, 74.
- bellicula** Lithacodia, J. Huebner, Beiträge z. Exot. Schmett. I. 1818, 18.

- bellicus** Peritelus, T. Say, Descr. N. Amer. Curcul., July 1831, 13.
- bellidioides** Oplarium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 19.
- bellidis** Lycastes, J. Huebner, Verz. bekannt. Schmett. [1820], 118.
- bellidis** Sphinx, J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 78.
- belligera** Membracis, T. Say, J. Acad. Nat. Sci. Philad. VI. Ap. 1831, 302.
- bellingheriana** Trochocyathus (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 307.—Turbinolia.
- bellingheriana** Turbinolia, H. Michelin, Icon. Zoophyt. (4) 1842, 41.
- bellipes** Ichneumon, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 38.
- bellis** Cereus (E. & S.), L. Oken, Lehrb. Nat. III (1) 1815, 349.—Actinia, 1786.
- bellis** Lycaena, C. F. Freyer, Neuere Beitr. Schmett. V (67) 1842, 26.
- bellis** Ophiocoma (Flem.), E. Forbes, Mem. Werner. N. H. Soc. VIII (1) 1839, 126.—
- bellis** Ophiura, J. Fleming, Hist. Brit. Anim. 1828, 488. [Ophiura.]
- bellis** Pecten, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 89.
- bellistriata** Ambonychia, J. Hall, N. H. New York (Pal. I.) 1847, 163.
- bellistriata** Posidonomya (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 13.
- Bellocoris** C. W. Hahn, Wanzenart. Ins. II (2) Feb. 1834, 42.—Hem. [—Ambonychia.]
- bellona** Anatina, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 336. [1775.]
- bellona** Argynnis (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 271.—Papilio,
- bellona** Astarte, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 136.
- bellona** Chemnitzia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 332.
- bellona** Euterpe (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (App.) 1848, 5.—Papilio,
- bellona** Lucina, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 309. [1775.]
- bellona** Pholadomya, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 305.
- bellona** Trochus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 299.
- bellona** Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 266.
- bellone** Odynerus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 660.
- bellones** Bomolochus, H. Burmeister, N. A. Ac. Caes. Leop. Car. XVII. 1835, 298.
- bellones** Cyclocotyla, W. Otto, Isis (Oken), 1821, Beylage no. 18; Consp. anim. (1) 1821,
- bellonii** Oidicnemus, J. Fleming, Hist. Brit. Anim. 1828, 114. [19.]
- bellonii** Onychoteuthis, Lichtenstein, Isis (Oken), 1818, 1592.
- bellonii** Tadorna, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 72.
- bellosus** Cryptus, J. Curtis, Brit. Entom. XIV (167) Nov. 1837, no. 668.
- bellovacina** Cytherea, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1825, 141. [1806, 159.]
- bellovacina** Ostrea, Lamarck, Ann. Mus. H. N. (Paris) VIII (44-45) *inter* June-Sept.
- bellovacina** Venus (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 304.—Cytherea.
- bellua** Dimorphastrea, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 178.
- bellula** Aeolis, S. Loven, Ofvers. K. Vet. Ac. Förh. III (5) 1846, 140.
- bellula** Aphis, F. Walker, The Zoologist, VII. 1849, App. p. xxxvi.
- bellula** Astrea, H. Michelin, Icon. Zoophyt. (13-19) 1845, 158.
- bellulus** Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 404.
- bellulus** Bulimus, J. H. Jonas, Zeitschr. f. Malakozool., Mar. 1844, 36.
- bellula** Calliopaea, A. d'Orbigny in Magasin de Zool. VII. 1837, pl. 108.
- bellula** Chrysis, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) V. May 1842, 149.
- bellula** Chrysobothris, Mannerheim (*ex* Dej. Cat.), Bull. Soc. Imp. Nat. Moscou, 1837 (8) 1837, 79.
- bellula** Gyrophaena, J. L. Leconte in Agassiz, Lake Superior, 1850, 219 [*n. n.*].
- bellula** Lima, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 371.
- bellulus** Malachus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) I (1838), 78.
- bellulus** Milvulus (Vieill.), G. R. Gray, Genera of Birds, I. May 1847, 248.—Tyrannus.
- bellulum** Pleurotoma, R. A. Philippi, Palaeontographica, I (2) Mar. 1847, 67.
- bellula** Posidonomya, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 283.
- bellula** Prionastrea (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 404.—Astrea.
- bellula** Synastrea, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. May 1850, 178.
- bellulus** Trochus, W. Dunker in R. A. Philippi, Abb. Conch. II (2) 1845, 38.
- bellulus** Tyrannus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXV. 1819, 75.
- [**bellus** -a -um.]
- bella** Achatinella, L. Reeve, Conch. Icon. VI.—Achatinella, no. 17, Ap. 1850.

- bella** Agria, J. Macquart in Webb & Berthelot, Canaries (Dipt.) 1840, 113. [1793.
bella Agrias (Fab.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 106.—Papilio,
bella Amphotis, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 38.
bella Anculosa, I. Lea, P. Amer. Phil. Soc. II (19) Oct. 1841, 83.
bella Anthaxia, A. J. J. Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 298.
bella Anthaxia (Guér.), Laporte & Gory, H. N. Coléopt. II. 1839, 3.—Buprestis.
bella Apamea (Borkh.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 76.—Phalaena,
bella Astrea, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (3) June 1841, 33. [1792.
bella Avicula, T. A. Conrad [5 A. Rep. N. Y. Geol. Surv.], Assembl. no. 150, 1841, 54.
bellum Bembidium, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (12) 1826, 199; & Ins. Fenn.
 I. 1834, 199.
bella Bolitochara, F. Maerkel in Germar, Zeitschr. f. d. Entom. V. 1844, 209.
bella Buprestis, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 66.
bella Buprestis, Gory in Laporte & G., H. N. Coléopt. IV. 1849, 116. [325.
bella Cassida, C. Steven; F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837,
bella Cetonia, W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 46.
bellus Chilo (Hueb.), F. Treitschke, Schmett. Europa, IX (2) 1833, 268.—Tinea, 1796.
bella Clausilia, Stenz in E. A. Rossmassler, Icones L. u. S. Moll. Europ. II (5) June
 1842, 6.
bella Clavatula, R. B. Hinds, Proc. Zool. Soc. London, XI (122) Oct. 1843, 41.
bella Coccothraustes (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 545.—
bella Corticaria, L. Redtenbacher, F. Austr. Käfer, 1849, 208. [Loxia.
bellus Crambus (Hueb.), Duponchel in J. B. Godart, H. N. Lépid. France, X (Noct. 7)
 1836, 81.—Tinea, 1796.
bellus Cryptohypnus (Say), F. E. Germar, Zeitschr. f. d. Entom. V. 1844, 147.—Elater.
bella Ctenophora, F. Walker, Entom. Mag. II (5) Jan. 1835, 470.
bella Cyliindrophora (Guér.), A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 503.—
 Buprestis.
bella Deiopeia (L.), J. O. Westwood in Drury, Ill. Exot. Ent. I. 1837, 46.—Phalaena,
bellus Elater, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 43 [n. n.]. [1758.
bellus Elater, T. Say, Journ. Ac. Nat. Sci. Philad. III (6) 1823, 168.
bella Eolida, E. Rueppell & Leuckart in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.)
 Wirbellose Thiere (—) 1830 *vel* 1831, 35.
bella Estrelida (Lath.), J. Gould, Birds of Australia, III (18) 1845, pl. 78.—Loxia.
bella Estrilda (Lath.), H. E. Strickland, Ann. Mag. N. H. XI. May 1843, 337.—Loxia.
bellus Euchromius (Hueb.), A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845,
 324.—Tinea, 1796.
bella Euophrys, C. L. Koch, Die Arachniden, XIII (6) June 1846, 203.
bella Euprepia (L.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
 606.—Bombyx, ? Fab. 1775.
bella Fissurella, L. Reeve, Conch. Icon. VI.—Fissurella, no. 21, Aug. 1849.
bella Freya, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 66.—Euophrys, 1846.
bella Fringilla (Lath.), Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 257.—
bellus Fusus, T. A. Conrad, Foss. Shells Tert. N. Amer. (4) Oct. 1833, 43. [Loxia.
bella Glaucopis, F. E. Guérin-M., Iconographie, 1844, Ins. 502.
bella Gynoplistia (Walker), J. O. Westwood, Lond. & Edinb. Phil. Mag., 3 s., VI (34)
 Ap. 1835, 280.—Ctenoph.
bellus Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 571. [170.
bella Lamia, Dalman in C. J. Schoenherr, Syn. Insect. I (3) 1817, 392; & App. 1817,
bella Loxia, J. Latham, Index Orn., Suppl. 1801, p. xlvii.
bella Loxia, C. Dumont, Dict. Sci. Nat. XIX. 1821, 492.
bella Lucina, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 254.
bella Mantis, Salzmänn in E. F. Germar, Fauna Ins. Europ. (6) [1822-25], 16.
bella Microsetia, J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834, 266.
bella Mitylus (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 138.—Modiola.
bella Modiola, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 336.
bella Montagua (Ruepp.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 108.—Eolida.
bellus Murex, L. Reeve, Conch. Icon. III.—Murex, no. 84, June 1845.

- bella** Muscicapa, A. Hay, Madras Journ. XIII (31) Dec. 1844, 158. [Modiola.]
- bellus** Mytilus (Modiolus) (Sow.), E. Forbes, Q. J. Geol. Soc. London, I. 1845, 248.—
- bellus** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 598.
- bella** Neritina, v. d. Busch in R. A. Philippi, Abb. Conch. I (2) 1843, 27.
- bella** Nesaea, C. L. Koch, Deutsch. Crust., heft 9, 1836, tab. 9.
- bella** Nucula, T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 343.
- bella** Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 375.—Papilio,
- bellus** Oxybelus, A. G. Dahlbom, Hymenopt. Europaea (2) 1844, 268. [1793.]
- bella** Perga, E. Newman, Entomologist (6) Ap. 1841, 89.
- bella** Phycis (Hueb.), F. Treitschke, Schmett. Europa, VIII. 1830, 297.—Tinea, 1796.
- bellus** Planorbis, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 32. [1843.]
- bella** Pleurotoma, L. Reeve (*ex* Hinds MS), Conch. Icon.—Pleurotoma, no. 146, Dec.
- bellus** Porphyrio, J. Gould, Proc. Zool. Soc. London, VIII (95) July 1841, 176.
- bella** Psilites, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 250.
- bellus** Psithyrus, Le Peletier de St F., Ann. Soc. Ent. France, I (4) c. Jan. 1833, 379.
- bellus** Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 466.
- bella** Ricinula, L. Reeve, Conch. Icon. III.—Ricinula, no. 15, Aug. 1846.
- bellus** Sciaphilus, W. G. Rosenhauer, Beitr. Ins. Faun. Europ. 1847, 39.
- bella** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 317.
- bella** Tachytes, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 248.
- bella** Tenthredo, Le Peletier, Mon. Tenthred. 1823, 73. [Mar. 1835, 393.]
- bella** Tentyria, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5)
- bellus** Trochus, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* Sept. 1834, 137.
- bella** Utetheisa (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 168.—Phalaena, 1758.
- bella** Venus, J. H. Jonas, Zeitschr. f. Malakozool., Mar. 1844, 34. [n. n.]
- bella** Vincularia, v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 246
- belobrancha** Eleotris, Cuvier & Valenc., H. N. Poiss. XII. 1837, 243.
- Belocercus** Müller & Schlegel, Verh. Nat. Gesch. Ned. overz. Bezitt. (Land. en Volk.)
- Belodon** H. v. Meyer, N. Jahrb. f. Min. 1842, 302.—R. [1839, 107 & 471.—A.]
- Belona** *id. ac* Belone, Cuvier; C. A. Le Sueur, J. Acad. Nat. Sci. Philad. II. Oct. 1821,
- Belone** G. Cuvier, R. Anim. II. 1817, 185.—P. [124.—P.]
- belone** Belone (L.), G. Cuvier, R. Anim. II. 1817, 186.—Esox, 1761.
- belone** Cidaris, L. Agassiz, Cat. Ect. Ech. 1840, 10.
- belone** Cidaris, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 335.
- belone** Esox, Linn.; J. G. Schneider, Bloch, Syst. Ichth. 1801, 391,—*varr.* marinus, houttuyni, et maris-rubri.
- belone** Tetrapturus, C. S. Rafinesque-S., Car. n. gen. 1810, 54. [f. 2.—Col.]
- Belonephorus** Nordmann, Mém. prés. Ac. Imp. Sci. St Pétersb. IV (1 & 2) 1837, pl. ii.
- belones** Bothriocephalus, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 616.
- belones** Dibothrium (Duj.), C. M. Diesing, Syst. Helminth. I. 1850, 595.—Bothriocephalus.
- belones** Taenia, C. A. Rudolphi, Entoz. II (2) 1810, 212. [1844.—G.]
- Belonis** J. D. W. Hartmann, Erd- u. Süsw. Gast. (1, 2) 1840, 48 & Syst. Uebers. (8)
- Belonognatha** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (3) 1843, 383.—Col.
- Belonostomus** J. L. R. Agassiz, Poiss. Foss., Feuilleton, 16 (1834); II (2) 140 (1844).—P.
- Belonota** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Belionota, Esch.
- Belonuchus** A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV (1 & 2) Oct. 1837, 129.—Col. [France, XI. 1840, 45.—Ceph.]
- Belopeltis** L. Voltz, Mém. Soc. H. N. Strasbourg, III (1) 1840, 1; Bull. Soc. géol.
- Belopherus** C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 6 & 334.—Col.
- Belophorus** Schoenh.; J. Sturm, Catal. Käfer Samml. 1843, 362 [Belophorus *est*].
- Belophorus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Beliphorus, Esch.
- Belopoeus** C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 872.—Col.
- Beloprymnus** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 106.—M.
- Beloptera** H. D. de Blainville (*ex* Deshayes MS), Mém. Bélem. 1827, 109.—Ceph.
- Belorhinus** F. E. Guérin-M., Iconogr. 1844; *err.* Agassiz *pro* Belorhynchus.
- Belorhynchus** A. A. Berthold, Nat. Fam. Thierr. 1827, 384.—Col. [*non* Latr. *vernac.*].

- Belorhynus** F. E. Guérin-M., Iconogr. 1844, 177.—Col.
- Belosaepia** Voltz, Mém. Soc. H. N. Strasbourg, I. 1830, 23.—Ceph.
- Belosepia** H. G. Bronn, Leth. Geogn. II. 1838, 1126.—Ceph. [Scudder *dict.* Bull. Univ. Sc. 1827, *sed non comp.*].
- Belostoma** P. A. Latreille, Gen. Crust. Ins. III. 1807, 144.—Hem.
- Belostoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Belostomum, Burm.
- Belostomum** *emend. pro* Belostoma, Latr.; H. Burmeister, Handb. Ent. II (1) 1835, 195.
- Beloteuthis** G. v. Muenster, Beitr. z. Petref. (6) 1843, 59.—Ceph.
- Belothrips** A. H. Haliday, Entom. Mag. III (5) Ap. 1836, 450.—Thys. [760.]
- belphegor** Tetrax, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838].
- belsiacus** Sus, F. L. P. Gervais, Zool. Pal. Franç. I. 1850, 101. [1845.]
- belticum** Cardium, L. Reeve (*ex* Beck MS), Conch. Icon. II.—Cardium, no. 113, Mar.
- beltis** Panolis (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 214.—Phalaena beltes,
- beltrao** Caligo, J. Huebner, Exot. Schmett. III. Tab. [*z. et f.*]. [1782.]
- beluel** Chryseus, C. H. Smith, Dogs, I (Nat. Libr. XXV) Dec. 1839, 205.
- Beluga** C. S. Rafinesque, Analyse, 1815, 60.—M.=Delphinapterus, Lac.
- Beluga** R. P. Lesson, H. N. Mamm. Ois. 1788, I. 1828, pl. 3.—M.
- Beluga** J. E. Gray, Spec. Zool. 1828, 2.—M.
- beluga** Delphinapterus, B. G. E. de Lacepède, H. N. Cétac. 1804, p. xli.
- beluga** Delphinus (Lac.), C. Ranzani, Elem. Zool. II (3) 1820, 688.—Delphinapterus.
- Belus** C. J. Schoenherr, Isis (Oken), 1823, 1137; Curc. disp. meth. 1826, 73.—Col.
- belus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 166.
- belus** Ithobalus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 88.—Papilio, 1777.
- belus** Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 235.
- belus** Trochus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 300.
- belus** Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 266. [Ammonites.]
- belvalianus** Aganides (Kon.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 115.—
- belvalianus** Ammonites, L. G. de Koninck, Descr. Anim. foss. (12) Ap. 1844, 566.
- belvosii** Phumosa, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 428.
- Belvosia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 103.—
- Belyta** L. Jurine, N. Méth. class. Hyménopt. 1807, 311.—Hym. [Dipt.]
- Belytus** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37.—Hym.
- [belzebub.]
- beelzebut** Alouatta, B. G. de Lacepède, Mém. Inst. [Paris] III (1801), 490.
- beelzebuth** Anthrax, C. Duméril, Dict. Sci. Nat. (ed. 1) II. 1804, 215.
- beelzebul** Asilus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 425.
- beelzebuth** Ateles, E. Geoffroy, Ann. Mus. H. N. (Paris) II (40-41) Ap. 1806, 272.
- beelzebuth** Ateleus, G. Fischer, Zoogn., ed. 3, II. 1813, 531.
- beelzebul** Bombylius, W. Turton, Linnaeus, Syst. Nat. III. 1802, 686.
- beelzebut** Cebus (L.), P. A. Latreille, H. N. Singes, II. An IX (1801); Sonnini's Buffon, XXXVI (1804), 298.—Simia, 1766.
- beelzebul** Copris, J. C. Fabricius, Syst. Eleuth. I. 1801, 37.—Scarab. 1775.
- beelzebul** Erax, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 224. [1794.]
- beelzebub** Lomatia (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 57.—Anthrax,
- beelzebul** Mycetes (L.), C. Illiger, Prod. 1811, 70.—Simia, 1766. [Fab. 1775.]
- beelzebul** Phanaeus (Dru.), W. S. Macleay, Horae Entom. I (1) 1819, 128.—Scarabaeus,
- beelzebub** Satyrus, A. Costa, Exercit. Accad. Aspir. Nat. [I.] 1839, 27. [Anthrax, 1794.]
- beelzebul** Stygia (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 139.—
- beelzebub** Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 301.
- beelzebuth** Tetrax, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838].
- belzonii** Tetragonum, Quoy & Gaimard, Ann. Sci. Nat. VI (21) Sept. 1825, 83. [759.]
- belzoni** Tetragonum, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 579.
- Bembecia** J. Huebner, Verz. bekannt. Schmett. [1820], 128.—Lep. [Lat. [Gyll.].]
- Bembecidium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Bembidium,
- bembeciformis** Sesia (Huebner.), F. Ochsenheimer, Schmett. Europa, II. 1808, 126.— Sphinx. [1802-8.]
- bembeciformis** Sphecia, J. Huebner, Verz. bekannt. Schmett. [1820], 127.—Sphinx,

- bembeciformis** Sphinx, J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 92.
bembeciformis Sphinx, J. Huebner, Europ. Schmett., Tab. Sphinx, 20 [Fernaldo judice 1802-08] [*n. et f.*].
- Bembicium** R. A. Philippi, Zeitschr. f. Malakozool., Sept. 1846, 129.—G.
bembidioides Actenonyx, A. White, Zool. "Ereb. Terr." (Ins. 1846), 2.
bembidioides Lebia, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Jan. 1849, 34.
bembidioides Platynus (Kirby), J. L. Léconte in Agassiz, Lake Superior, 1850, 206.—Sericoda.
- bembidioides** Sericoda, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 15.
Bembidion P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 82.—Col.
Bembidium *id. ac* Bembidion, Latr.; L. Gyllenhal, Ins. Suecica, I (2) 1810, 12.
Bembix L. G. de Koninck, Mém. Soc. R. Sci. Liège, I (2) 1844, 206.—G.
bembix Omatoplea (Quat.), C. M. Diesing, Syst. Helminth. I. 1850, 251.—Polia.
bembix Polia, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) VI. Oct. 1846, 209.
Bembras Cuvier & Valenc., H. N. Poiss. IV. 1829, 282.—P.
Bena G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 90.—Lep. [n. d., 3 nom. triv. append.].
- benacensis** Anodonta, A. & J. B. Villa, Syst. Conch. 1841, 61.
benacensis Cyprinus, C. Pollini, Viaggio Lago Garda, 1816, 21.
benburbensis Cidaris, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 352.
benburbensis Echinocrinus (Portl.), H. G. Bronn, Index Pal. 1848, 443.—Cidaris.
bendelisis Cyprinus, F. Buchanan, Journey from Madras, III. 1807, 345.
bendelisis Cyprinus, F. Hamilton, Fish. Ganges, 1822, 270.
bendilisis Gobio (Buch.), Cuvier & Valenc., H. N. Poiss. XVI. 1842, 316.—Cyprinus.
bendelisis [Opsarius] (Ham.), J. McClelland, Asiat. Researches, XIX (2) 1839, 297.—
Bendis J. Huebner, Verz. bekannt. Schmett. 1825, 269.—Lep. [Cyprinus].
bendis Telchinia, J. Huebner, Verz. bekannt. Schmett. 1818, 27.
benedenii Axinus, L. de Koninck, N. Mém. Ac. Roy. Brux. XI. 1838, 35.
benedenii Tellina, Nyst & Westendorp, Bull. Ac. Roy. Brux. VI (2) 1839, 399.
benediana Avicula, L. G. de Koninck, Descr. Anim. foss. (3) Mar. 1842, 130.
benediana Pleurotomaria, L. G. de Koninck, Descr. Anim. foss. (9) Sept. 1843, 386.
benedictensis Anodonta, I. Lea, Syn. Naiades, 1836, 48.—Symphynota, 1834.
benedictensis Symphynota, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 104.
benedicti Cebrio, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Sept. 1849, 475.
benedictus Pecten, Lamarck, An. s. vert. VI (1) 1819, 180.
benefica Lebia, E. Newman, Entomologist (23) Aug. [*i. e.* Sept.] 1842, 368.
benetti Trochus, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 141 [*n. n.*] [Flem].
benettiae Cnemidium (Ph.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 285.—Spongia,
benettiae Echinus, C. D. E. König, Icones foss. 1825, 2.
benettiae Monodonta (Sow.), F. W. Hoeninghaus, Jahrb. f. Min. 1831, 141.—Trochus.
benettiae Ocellaria (Mant.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 284.—Ventriculites.
benettiae [Scyphia benettiae].
benettiae Plocoscyphia (Reuss), A. d'Orbigny, Prodr. Paléont. II. [Nov.] 1850, 288.—
benettiae Scyphia (Mant.), A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 74.—Ventriculites.
- benettiae** Spongia (Mant.), J. Fleming, Hist. Brit. Anim. 1828, 527.—Ventriculites.
benettiae Trochus, J. Sowerby, Min. Conch. I. 1815, 224.
benettiae Ventriculites, G. A. Mantell, Foss. South Downs, May 1822, 177.
benettianus Ammonites, J. De C. Sowerby, Min. Conch. VI. 1826, 77.
- Bengala** [*v.* Bengana], J. E. Gray, Ill. Indian Zool. II [1832-5] (pl. 96).
bengalensis Ailia, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 8.
bengalensis Alcyon, H. Boie, N. Staatsburg. Mag. (Schleswik) I (2) 1832, 472 [*n. n.*].
bengalensis Alcyon, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82 [*n. n.*].
bengalensis Anthicus, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 70.
bengalensis Arvicola, J. E. Gray, Ill. Indian Zool. II [1832-5] (pl. 21).
bengalensis Asilus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 257.
bengalensis Blaps, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 31. [Picus, 1758].
bengalensis Brachylophus (L.), T. C. Jerdon, Madras Journ. XI (27) Ap. 1840, 214.—

- bengalensis** Brachyurus (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 254.—
Corvus brachyurus b. Kerr, 1792.
- bengalensis** Bubo (Frankl.), G. R. Gray, Genera of Birds, I. Sept. 1845, 37.—Otus.
- bengalensis** Buceros, G. Cuvier, Règne Anim., ed. 2, I. 1829, 446.
- bengalensis** Bufo, F. M. Daudin, H. N. Rainettes, 1802, 96.
- bengalensis** Bulimulus (Lam.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 65.—
bengalensis Bulimus, Lamarck, An. s. vert. VI (2) 1822, 124. [Helix.]
- bengalensis** Buthus, C. L. Koch, Die Arachniden, IX (1) *post* May 1841, 3.
- bengalensis** Callidea, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 15.
- bengalensis** Centropus (Gm.), J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1812-1813
(1816), 224.—Cuculus, 1788. [—Polophilus, 1815.]
- bengalensis** Centropus, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 213.
- bengalensis** Cetonia, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 24.
- bengalensis** Chlaenius, J. Sturm, Catal. Ins. Samml. 1826, 114 [*n. n.*].
- bengalensis** Clausilia, v. d. Busch; L. Pfeiffer, Symb. Helic. II. 1842, 60.
- bengalensis** Clivina, Dupont in J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 603.
- bengalensis** Coluber, J. E. Gray, Ill. Indian Zool. II [1832-5] (pl. 82).
- bengalensis** Comatotis (Gm.), H. G. L. Reichenbach, Synop. Avium, No. III. Feb. 1848,
[6].—Otis, 1788.
- bengalensis** Corapica, R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 353.
- bengalensis** Cybister, Dupont in C. Aubé, Spec. gén. Hydroc. 1838, 61.
- bengalensis** Cyrena, Lamarck, An. s. vert. V. 1818, 554 (sign. 36). [Erotylus.]
- bengalensis** Cyrtomorphus (Guér.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 242.—
bengalensis Dactylethra, R. P. Lesson, Illustr. de Zool. (16) *inter* Feb. & Dec. 1835, pl. 47.
- bengalensis** Diacope (Bl.), G. Cuvier, R. Anim. II. 1817, 275.—Holocentrus, 1790.
- bengalensis** Enhydryna, J. E. Gray, Cat. Snakes Coll. B. M. 1849, 48.—Hydrophis, 1842.
- bengalensis** Eristalis, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 16.
- bengalensis** Erotylus (Cyrtomorphus), F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. May
bengalensis Eryx, J. E. Gray, Zool. Miscell. (Gray) (2) Mar. 1842, 45. [1841, 153.]
- bengalensis** Euplectes (L.), T. C. Jerdon, Madras Journ. XI (26) Jan. 1840, 25.—Loxia,
1758. [1788.]
- bengalensis** Eupodotis (Gm.), G. R. Gray, Genera of Birds, III. Feb. 1845, 533.—Otis,
bengalensis Exoprosopa, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 327.
- bengalensis** Falco, J. Wilkes, Ency. Londin. VII. 1805, 190.
- bengalensis** Felis, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 541. [1758.]
- bengalensis** Fringilla (L.), C. J. Sundevall, Phys. Sällsk. Tidsk. I (1) 1837, 88.—Loxia,
bengalensis Glyphisodon (L.), H. Cloquet, Dict. Sci. Nat. XIX. 1821, 113.—Chaetodon,
Bl. 1787.
- bengalensis** Gyps (Gm.), G. R. Gray, Genera of Birds, I. June 1844, 6.—Vultur, 1788.
- bengalensis** Helix (Cochlogena), Lamarck in A. E. Férussac, H. N. g. et p. Moll., Tabl.
Limaçons, 1821, 74.—[*n. n.*] [123.—Eristalis.]
- bengalensis** Helophilus (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842,
bengalensis Hemipodius, E. Blyth, J. Asiat. Soc. Bengal, XVII (1) 1848 (May), 300 [*n. n.*].
- bengalensis** Heterorhina (Hope), J. O. Westwood, Arcana Entom. (9) Sept. 1842, 137.—
Cetonia.
- bengalensis** Hister, C. R. W. Wiedemann, Mag. Entom. (Germa) IV. 1821, 126.
- bengalensis** Hydrophis, J. E. Gray, Zool. Miscell. (Gray) (4) May 1842, 62.
- bengalensis** Idia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- bengalensis** Ierax, G. R. Gray, Cat. Hodgson Coll. B. M. 1846, 45. [1830, 421.]
- bengalensis** Laphria, C. R. W. Wiedemann, Dipt. exot. 1821, 237.
- bengalensis** Leptocoris, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 18.
- bengalensis** Limnophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
- bengalensis** Loris, F. Tiedemann, Zool. 1808, 334. [II. 1830, 518.]
- bengalensis** Lucanus, F. W. Hope, Cat. Lucanoid Coleopt. 1845, 22. [1830, 460.]
- bengalensis** Lucilia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- bengalensis** Melapterus (Ailia), J. E. Gray, Ill. Indian Zool. I [1830-2] (pl. 85).
- bengalensis** Monitor (Daud.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830,
- bengalensis** Moschus, H. v. Meyer, Palaeologica, 1832, 89. [Syn. 26.—Tupinambis.]

- bengalensis** Muraena, J. E. Gray, Ill. Indian Zool. I [1830-2] (pl. 95).
- bengalensis** Muraenesox, J. McClelland, Calcutta Journ. Nat. Hist. V (18) July 1843, 182.
- bengalensis** Muraenophis, C. A. Lesueur, J. Acad. Nat. Sci. Philad. V. Aug. 1825, 108.
- bengalensis** Mutilla, Spinola in Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 637.
- bengalensis** Neritina, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 300.
- bengalensis** Neritina, G. B. Sowerby, II. (*ex* Chemn.), Thes. Conch. II (10) 1849, 525.
- bengalensis** Nycticebus, E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 164.
- bengalensis** Nyctinomus, A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 116.
- bengalensis** Oestrus, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 182.
- bengalensis** Ophisternon, J. McClelland, Calcutta Journ. Nat. Hist. V (18) July 1844, 197.
- bengalensis** Otis, C. J. Temminck in T. & Laugier, Pls. color. (90) July 1832.
- bengalensis** Otus, J. Franklin, Proc. Comm. Sci. Zool. Soc. London (10) Oct. 1831, 115.
- bengalensis** Otus, Vigors in Gould, Cent. Birds Himalaya, 1831, pl. 3.
- bengalensis** Oxytelus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 789. [1781.
- bengalensis** Palaeorhis (Penn.), N. A. Vigors, Zool. Journ. II (5) Ap. 1825, 54.—Psittacus,
- bengalensis** Paludina, Lamarck, An. s. vert. VI (2) 1822, 174.
- bengalensis** Paludina, T. Hutton, J. Asiat. Soc. Bengal, III. 1834, 89.
- bengalensis** Pelopoeus, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 433.
- bengalensis** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 36.
- bengalensis** Pitta, L. P. Vieillot, Ency. Méth. (Orn.) 1822, 685.
- bengalensis** Pitta, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 183.
- bengalensis** Ploceus (L.), E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (1845), 945.—
- bengalensis** Polistes, J. C. Fabricius, Syst. Piezat. 1804, 277. [Loxia, 1758.
- bengalensis** Polophilus (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) IX (1) 1815, 50.—Cuculus, 1788.
- bengalensis** Psittacus, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1392.
- bengalensis** Pycnonotus, E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (*post* Sept.), 566.
- bengalensis** Rana, J. E. Gray, Ill. Indian Zool. I [1830-2] (pl. 82).
- bengalensis** Rhinoplia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*in*ente 1851], 182.
- bengalensis** Rhynchoea (Gm.), G. Cuvier, R. Anim. I. 1817, 488.—Rallus, L. 1758.
- bengalensis** Sapromyza, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 345.
- bengalensis** Scarites, Dejean, Spec. gén. Coléopt. II. 1826, 468. [1799 [1802], 333.
- bengalensis** Scolopax, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV.
- bengalensis** Sphaerophoria, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 164.
- bengalensis** Stenops, H. R. Schinz, Nat. Abb. Säug. 1824-28, 72.
- bengalensis** Sterna, R. P. Lesson, Traité Ornith. (8) June 1831, 621.
- bengalensis** Tetragnatha, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837
- bengalensis** Tetrao, G. A. Suckow, Naturg. II [2] 1801, 1346. [[1841], 223.
- bengalensis** Tupinambis, F. M. Daudin, Sonnini's Buffon, Rept. III (1802), 67.
- bengalensis** Unio, I. Lea, Syn. Naiades, 1836, 26 [*n. n.*]; Tr. Amer. Phil. Soc., n. s., VI (1) 1838, 3.
- bengalensis** Urrua (F. & V.), T. C. Jerdon, Madras Journ. X (24) July 1839, 87.—Otus.
- bengalensis** Varanus (Daud.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. III. July 1836, 480.—Tupinambis.
- bengalensis** Viverra, J. E. Gray, Ill. Indian Zool. I [1830-2] (pl. 4). [Bechst. 1799.
- bengalensis** Vulpes (Shaw), J. E. Gray, List Mamm. Coll. B. M. 1843, 61.—Canis,
- Bengalia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 425.—
- bengalina** Pyrrula, Grateloup, Actes Soc. Linn. Bordeaux, XI (55) 1840, 170. [Dipt.
- Bengalis** C. S. Rafinesque, Analyse, 1815, 68.—A. [*n. n.*].
- benghala** Estrela (L.), G. R. Gray, Genera of Birds, II. June 1849, 368.—Fringilla, 1766.
- bengala** Ibis, R. P. Lesson, Traité Ornith. (8) June 1831, 568.
- bengalus** Linaria (L.), Cuvier, Règne Anim. I. 1817, 388.—Fringilla, 1766.
- Bengana** [Bengala on pl.], J. E. Gray, Ill. Indian Zool. II [1832-5] (pl. 96).—P.
- benghala** *v.* **bengalus**.
- bengoensis** Galatea, W. Dunker, Zeitschr. f. Malakozool. (Dec.) 1848 [Ap. 1849], 183.
- benguelensis** Bulimus, L. Pfeiffer, Symb. Helic. III. 1846, 82.

- benguelensis** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 298, Nov. 1848.
- benguelensis** Fissurella, W. Dunker, Zeitschr. f. Malakozool., Feb. 1846, 27.
- benguelensis** Planorbis, W. Dunker, Zeitschr. f. Malakozool., Nov. 1845, 164.
- benickii** Lestris, C. L. Brehm, Isis, 1830, 993 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831,
- benigna** Aranea, C. A. Walckenaer, Faune Paris, II. 1802, 209. [723.]
- benignum** Argus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 500.—
Theridion, 1805.
- benignum** Dictyna (Walck.), C. J. Sundevall, Consp. Arach. 1833, 16.—Theridium.
- benigna** Ergatis (Walck.), J. Blackwall, Tr. Linn. Soc. London, XVIII (4) 1841, 608.
—Theridion.
- benignum** Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 610.
- benignum** Operaria (Walck.), J. Blackwall, Proc. Linn. Soc. London (8) May 1840, 66.—
Theridion.
- benignum** Theridion, C. A. Walckenaer, Tab. Aran. 1805, 77.—Aranea, 1802.
- benignus** Trigonogaster, Guérin-M., C. R. Acad. Sc. (Paris) XIX. 1844, 1149; Rev.
Zool. (Soc. Cuv.) VII. Dec. 1844, 428.
- beniniensis** Elater, Palisot de B., Ins. Afr. Amér. (—) 1806, 11.
- beniniensis** Helops, Palisot de B., Ins. Afr. Amér. (—) 1813, 124.
- beniniense** Opatrum, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 143.
- benjaniensis** Sphex, Palisot de B., Ins. Afr. Amér. (—) 1807, 48. [42.]
- benjamina** Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841],
- benjaminii** Hesperia (Thymele), F. E. Guérin-M. in Delessert, Voy. Inde (2) 1843, 79.
- benmebari** Priacanthus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1842), 19.
- bennettii** Adactylus, J. Curtis, Brit. Entom. X (118) Oct. 1833, no. 471. [Adactylus.
- bennettii** Agdistes (Curt.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Jan. 1835, 370.—
- bennettii** Centrotus, W. Kirby, Mag. Nat. Hist. II. Mar. 1829, 20. [bennettii.
- benneti** Halmaturus (Wat.), H. R. Schinz, Syst. Verz. Säug. I. 1844, 550.—*v.* Macropus
- bennettii** Sphingophorus (Kirby), L. Fairmaire, Ann. Soc. Ent. France (2) IV (2) Oct.
1846, 262.—Centrotus. [1837, 249.]
- bennettii** Telephorus (Brachynotus), W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct.
- bennettii** Abrocoma, G. R. Waterhouse, Proc. Zool. Soc. London, V (50) Nov. 1837, 31.
- bennettii** Alecto, J. Müller, Ber. Verh. k. pr. Ak. Wiss. 1841, 187.
- bennettii** Antilope, W. H. Sykes, Proc. Comm. Sci. Zool. Soc. London (8) Aug. 1831, 104.
- bennettii** Chaetodon, Cuvier & Valenciennes, H. N. Poiss. VII. 1831, 84.
- bennettii** Chrysopicos (Smith), A. Malherbe, Mém. Ac. Metz, XXX (*post* May) 1849, 354.
- bennettii** Chrysoptilus, A. Smith, Rpt. Exp. C. Afr. 1836, 53. [—Chrysoptilus.
- bennettii** Ciniflo, J. Blackwall, Ann. Mag. N. H. XVII. Jan. 1846, 41. [1841.]
- bennettii** Comatula, J. Müller, Abh. ph.-Kl. K. pr. Ak. Wiss. 1847 (1849), 264.—Alecto,
- bennettii** Cynogale, J. E. Gray, Proc. Zool. Soc. London, IV (46) Feb. 1837, 88.
- bennettii** Emys, J. E. Gray, Cat. Tortoises etc. Coll. B. M. 1844, 21.
- bennettii** Galleruca, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 29.
- bennettii** Gazella (Syk.), J. E. Gray, List Mamm. Coll. B. M. 1843, 161.—Antilope.
- bennettii** Gindalia, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 247. [Macropus.
- bennettii** Halmaturus (Waterh.), J. Gould, Mon. Macropidae (1) Aug. 1841, pl. 7.—
- bennettii** Herpestes, J. E. Gray, Mag. Nat. Hist., n. s., I. Nov. 1837, 578.
- bennettii** Hysirhina, J. E. Gray, Zool. Miscell. (Gray) (4) May 1842, 67.
- bennettii** Leirus, R. T. Lowe, Proc. Zool. Soc. London, I (12) Ap. 1834, 143.
- bennettii** Leirus [= Crius], A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 43.
- bennettii** Macropus, G. R. Waterhouse, Proc. Zool. Soc. London, V (58) May 1838, 103.
- bennettii** Mecistops, J. E. Gray, Cat. Tortoises etc. Coll. B. M. 1844, 57. [371.]
- bennettii** Megalophthalmus, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832,
- bennettii** Mimon, J. E. Gray, Proc. Zool. Soc. London, XV (169) Ap. 13, 1847, 14.—
Phyllostoma, 1838. [90.]
- bennettii** Orthotomus, W. H. Sykes, Proc. Comm. Sci. Zool. Soc. London (18) July 1832,
- bennettii** Phasma, Curtis in G. R. Gray, Syn. Phasmidae, 1835, 25.
- bennettii** Phrenapates, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 188.
- bennettii** Phyllostoma, J. E. Gray, Mag. Zool. Bot. II (12) Feb. 1838, 488.
- bennettii** Pica, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Aves, II. 1829, [334] & pl.

- bennettii** *Pristipoma*, R. T. Lowe, Tr. Zool. Soc. London, II (3) June 1839, 176.
- bennetti** *Scarus*, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 270.
- bennetti** *Tragops* (Sykes), B. H. Hodgson, J. Asiat. Soc. Bengal, XVI. 1847, 695.—
- bennetti** *Trygon*, Joh. Mueller & Henle, Syst. Plagiost (3) 1841, 160. [Antelope.
- bennettiae** *Plocoscyphia*, *v. benettiae*.
- benoisti** *Scopelus*, A. Cocco, N. Ann. Sci. Nat. II. 1838, 172.
- benoiti** *Gastronemus*, A. Cocco, Atti 7 Riun. Sci. Ital. 1846, 749.
- bensasi** *Mullus*, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1843), 30.
- bensoni** *Boysia*, L. Pfeiffer, Zeitschr. f. Malakozool., July 1849 [Jan. 1850], 105.
- bensoni** *Bulimus*, L. Reeve, Conch. Icon. V.—*Bulimus*, no. 571, Sept. 1849.
- bensoni** *Helix*, v. d. Busch in R. A. Philippi, Abb. Conch. I (1) 1842, 11.
- bensoni** *Helix*, v. d. Busch in L. Pfeiffer, Symb. Helic. II. 1842, 23.
- bensoni** *Macrocheilus*, W. Kirby in F. W. Hope, Coleopt. Manual, II. 1838, 166.
- bensoni** *Melanospilus* (*Dimeroderus*), J. O. Westwood, Ann. Mag. Nat. Hist. XVIII (Suppl.) Jan. 1847, 469. [no. 9 [1847], 130.
- bensoni** *Melanospilus* (*Merismoderus*), J. O. Westwood, Jl. Proc. Entom. Soc. Lond.,
- bensoni** *Merismoderus*, J. O. Westwood, Tr. Entom. Soc. Lond. V (1) June 1847, 23.
- bensoni** *Protaetia*, J. O. Westwood, Tr. Entom. Soc. Lond. V (6) May 1849, 145.
- bensoni** *Succinea*, L. Pfeiffer, Proc. Zool. Soc. London, XVII (198) Jan.—June 1850, 133.
- bensoni** *Vitrina*, L. Pfeiffer, Proc. Zool. Soc. London, XVI (187) Ap. 25, 1849, 107.
- Bensonia** J. E. Gray (*ex* Cantr. MS), Proc. Zool. Soc. London, 1847, 150.—G.
- benstedii** *Cardium*, E. Forbes, Q. J. Geol. Soc. London, I. 1845, 244.
- benstedii** *Chelone* (*Mant.*), R. Owen, 11 Rept. Brit. Assoc. (Plym. 1841) 1842, 173.—
- benstedii** *Chelonia*, G. A. Mantell, Medals, II. 1844, 772. [Emys.
- benstedii** *Emys*, G. A. Mantell, Phil. Trans. R. Soc. 1841 (1841), 157.
- benstedii** *Solarium*, E. Forbes, Q. J. Geol. Soc. London, I. 1845, 349.
- bentet** *Lanius*, T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 144.
- bentleyana** *Argyrolepia* (*Don.*), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—*Phalaena*.
- bentleyana** *Orthotaenia* (*Don.*), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Sept. 1834, 179.—*Phalaena*.
- bentleyana** *Peronea*, J. Curtis, Brit. Entom., ed. 2, I (4) 1835-9, no. 16, 2.
- bentleiana** *Phalaena*, E. Donovan, Brit. Ins. X. 1801, 85.
- bentleiana** *Tortrix*, A. H. Haworth, Lepidopt. Brit. (3) 1811, 403.
- Bentophilus** E. Eichwald, Bull. Soc. Imp. Nat. Moscou, 1838 (2) 1838, 139; Arch. f. Naturg. IV (1) 1838, 102.—P. [Oct. 1841, 90.
- benzi** *Lucina*, P. Calcara, Mon. Spirorb. e Succ. 1841, 7; Giorn. Sci. Lett. Sicilia, LXXXVI.
- benzi** *Paludina*, Aradas & Maggiore, Atti Acc. Gioenia, XX. 1843(-4), 108.
- benzi** *Trochus*, C. F. Krauss, Südafrik. Moll. 1848, 99.
- beon** *Entedon*, F. Walker, Mon. Chalcid. I. 1839, 107. [1780.
- beon** *Polyommatus* (*Cr.*), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 636.—*Papilio*,
- beon** *Strymon* (*Cr.*), J. Huebner, Verz. bekannt. Schmett. 1818, 75.—*Papilio*, 1780.
- beon** *Thecla* (*Cr.*), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 32.—*Papilio*, 1780.
- Beosus** *Amyot* & *Serville* (*Roret's* Suite à *Buffon*), Hémiptères, 1843, 254.—*Hem.*
- beotus** *Ammonites* (*Ceratites*), G. v. Muenster, N. Jahrb. f. Min. 1834, 12.
- Bequania** *Brown* (*ex* *Leach* MS), Ill. Rec. Conch: G. B. I. 1844, 99.—L.
- bequereli** *v. becquereli*.
- Beraea** J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 118.—*Neur.*
- berag** *Squalius*, J. J. Heckel in Russegger, Reise, I (2) 1843, 1041 [*v. n.*].
- berak** *Squalius*, J. J. Heckel in Russegger, Reise, I (2) 1843, 1078.
- berardi** *Aluterus*, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 108.
- berardii** *Cancer* (*Thelphusa*), Aud.; W. de Haan in Siebold, F. Japon. (Crust. 1835), 52. [333.—*Thelphusa*, 1826.
- berardi** *Iulus*, F. L. P. Gervais in Walckenaer (*Roret's* Suite à *Buffon*), Aptères, IV. 1847,
- berardi** *Pelecanoides* (*Less.*), G. R. Gray in J. Gould, Zool. "Beagle" (Birds, 1841), 138. —*Puffinuria*.
- berard** *Procellaria*, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 135.
- berardi** *Puffinuria* (*Q. & G.*), R. P. Lesson, Traité Ornith. (8) June 1831, 614.—*Procellaria*.
- berardi** *Thelphusa*, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Crust.) 1826, 82.

- beraudi** Pecten, Defrance, Dict. Sci. Nat. XXXVIII. 1825, 262.
- berberaria** Anticlea, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet B (Nov. 1847), 16.
- berberata** Amoeba (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 333.—Geometra, 1775. [—Geometra, 1775.]
- berberata** Anticlea (D. & S.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) May 1831, 236.
- berberata** Cidaria (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 443.—Geom. 1775. [1775.]
- berberata** Harpalyce (D. & S.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Geom.
- berberata** Phalaena (Geometra), D. & S.; W. Turton, Linnaeus, Syst. Nat. III. 1802, 256.
- berberidella** Chionodes, J. Huebner, Verz. bekannt. Schmett. 1826, 420.
- berberidis** Aphis, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 95.
- berberidis** Arge, F. v. P. Schrank, F. Boica, II (2) 1802, 229.
- berberidis** Coccus, F. v. P. Schrank, F. Boica, II (1) 1801, 146.
- berberidis** Exorista, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 257. [Arge.]
- berberidis** Hylotoma (Schrank), F. Klug, Ges. Nat. Fr. Berlin, Mag. VI (4) 1814, 287.—
- berberidis** Syrphus, H. Loew, Posener Zweiflügler, 1840, 34; Isis (Oken), 1840, 572.
- berberidis** Trupanea, F. v. P. Schrank, F. Boica, III (1) 1803, 144. [Trupanea.]
- berberidis** Trypanea (Schr.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 348.—
- berberiformis** Epistylis, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1840, 199.
- berberina** Campanella, G. A. Goldfuss, Handb. Zool. (1) 1820, 71. [Tipula, 1781.]
- berberina** Cecidomyia (Schr.), J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 41.—
- berberina** Criorhina (Meig.), J. Macquart, Mém. Soc. R. Sci. Lille, 1827–8, 1829, 326.—Milesia. [—Eristalis.]
- berberina** Criorhina (Fab.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 497.
- berberina** Dendrella (Gm.), Bory de St V., Ency. Méth. (Zooch.) 1824, 244.—Vorticella.
- berberinus** Eristalis, J. C. Fabricius, Syst. Antliat. 1805, 240. [L. 1767.]
- berberina** Lasioptera (Schr.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 90.—Tipula, 1781. [Eristalis.]
- berberina** Milesia (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 237.—
- berbicaeus** Copris (Herbst), C. J. Schoenherr, Syn. Insect. I (1) 1806, 44.—Scarab. 1789.
- berbis** Equula, Cuvier & Valenc., H. N. Poiss. X. 1835, 85.
- berboscii** Glaucopsis, F. E. Guérin-M., Iconographie, 1844, Ins. 501.
- berboscii** Myrmex, F. E. Guérin-M., Iconographie, 1844, Ins. 428.
- berbruggeri** Salticus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 180. [164.]
- bercei** Carcelia, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VIII (2) *post* June 1850,
- bercei** Phorocera, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VIII (2) *post* June 1850, 177. [(16) Nov. 1848, 246 [*? err. pro* herculea].]
- berculea** Natica, A. T. v. Middendorff, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. VII
- berda** Aurata (L.), H. Cloquet, Dict. Sci. Nat. XII. 1818, 553.—Sparus, F. 1775.
- berda** Chrysophris (Forsk.), G. Cuvier, R. Anim., ed. 2, II. 1829, 182.—Sparus, 1775.
- berdmorei** Sciurus, E. Blyth, J. Asiat. Soc. Bengal, XVIII. 1849 (22 Sept.), 603.
- Berdytes** *id. ac* Budytes, Cuv.; J. Fleming, Phil. Zool. II. 1822, 242.
- berea** Omatoplea (Quat.), C. M. Diesing, Syst. Helminth. I. 1850, 252.—Polia.
- berea** Polia, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) VI. Oct. 1846, 211.
- Berecynthia** J. Gistl, Nat. Thierr. 1848, 179.—Med.
- berecynthia** Brassolis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 50.—Papilio, 1777.
- berecynthia** Potamis, J. Huebner, Exot. Schmett., Tab. Potamis [*n. et f.*].
- berecynthus** Morpho (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 453.—Papilio,
- berecynthus** Papilio, W. Turton, Linnaeus, Syst. Nat. III. 1802, 117. [*? Turt.* 1802.]
- berecynthus** Pavonia (Fab.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 118.—Papilio berecynthia, Cr. 1777.
- berecynthos** Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 190.
- Berenice** Péron & Lesueur, Ann. Mus. H. N. Paris, XIV. 1809, 326 [*teste* Scudder *sed*
- Berenice** L. Oken, Lehrb. Nat. III (1) 1815, 114.—Coel. [Berenix, *q. v.*]
- Berenice** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Berenix, P. & L.
- berenice** Atrypa (Barr.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 39.—Terebratula. [134.—Papilio, 1779.]
- berenice** Danaüs (Cr.), Boisduval & Leconte, Hist. lépidopt. Amér. sept. (15) [1834–37],

- berenice** *Nymphalis* (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 356.—Papilio,
berenice Octopus, J. E. Gray, Cat. Moll. Coll. B. M. (1) 1849, 11. [? Cr. 1779.
berenice *Terebratula*, J. Barrande, Naturw. Abhandl. (Haidinger) I. 1847, 433.
Berenicea J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 80.—Polyz.
Bericornis C. L. Bonaparte, Consp. gen. Avium, I. 1850, 91.—A.
Berenix Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 326.—Med.
bergeri Ammonites, Al. Brongniart in Cuvier & B., Desc. Géol. Paris, ed. 3, 1822, 395.
bergeri *Bulimus* (Roth), L. Pfeiffer, Symb. Helic. III. 1846, 52.—Pupa.
bergeri *Clausilia*, Mayer in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (3) Mar.
bergeri Pupa, J. R. Roth, Moll. Orient. 1839, 19. [1836, 18.
bergeri *Semionotus*, J. L. R. Agassiz, Poiss. Foss. II (1), 8 (1833), 224 (1836).
bergeri *Turrilites*, W. Buckland, Geol. & Min. II. 1836, 65.
bergeri *Turrilites* (Br.), W. de Haan, Mon. Ammon. 1825, 77.—*Turrilites*, Buckl.
berghausi *Conus*, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem
(2) III (2) 1847, 342. [Onychoteuthis.
bergii *Loligo* (Licht.), H. D. de Blainville, Journ. de Physique, XCVI. Mar. 1823, 126.—
bergii *Onychoteuthis*, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 94;
Isis (Oken), 1818, 1592.
bergii *Pachydactylus*, A. F. A. Wiegmann, Herpet. Mex. 1834, 19.
bergii *Sterna*, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 80.
Berginus W. F. Erichson (*ex* Gené), Nat. Ins. Deutschl. I. 3 (3) 1846, 405.—Col.
berglax *Macrourus*, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 169.
bergmanni *Nematus*, A. G. Dahlbom, Conspect. Tenthred. 1835, 8 [*n. n.*]; *Clavis Hy-*
menopt. 1835, 24.
bergmanni *Thelepus*, R. Leuckart, Arch. f. Naturg. XV (1) 1849, 169. [1758.
bergmanniana *Argyrotoza* (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—Phalaena,
bergmanniana *Croesia* (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 392.—
Tortrix, L. 1758. [Phalaena, L. 1758.
bergmanniana *Tortrix* (D. & S.), F. Treitschke, Schmett. Europa, VII. 1829, 230.—
bergomensis Pupa, Charpentier in Martini and Chemnitz, Syst. Conch. Cab., ed. 2, Pupa
(97) 1850, 114.
bergsnyltrus *Labrus*, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 439.
bergstraessella *Phalaena* (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 376.
Beria J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 418.—
berica *Turbinolia*, T. A. Catullo, Terr. sed. Veneto e Descr. Polipai, 1847, 39. [Dipt.
berigora *Falco*, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 184.
berigora *Ieracidea* (V. & H.), J. Gould, Syn. Birds of Australia & adj. islands (3) Ap.
berina *Phiale*, C. L. Koch, Die Arachniden, XIII (6) June 1846, 198. [1838.—*Falco*.
beringii *Anser* (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXIII. 1818, 329.—*Anas*,
Gm. 1788.
behringii *Tritonium* (*Fusus*), A. T. v. Middendorff, Bull. Phys. Math. Ac. Imp. Sci.
St Pétersb. VII (16) Nov. 1848, 243.
behringiana *Cyanea*, J. F. Brandt, Prod. anim. Mertens. I. 1835, 24.
Beris P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 447.—Dipt.
berkeleyanus *Bronteus*, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 61.
Berla A. White (Leach MS), List Crust. B. M. 1847, 84.—Cr. [1834, 537.
berlandieriana *Helix* (*Helicogena*), S. Moricand, Mém. Soc. Phys. H. N. Genève, VI (2)
bermius *Tetrastichus*, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 237.
bermondiana *Paludina*, A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 7.
bermudensis *Helix*, L. Pfeiffer, Proc. Zool. Soc. London, XIII (147) Sept. 1845, 67.
bernardii *Cellepora*, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps) 1826, 238.
bernardii *Conus*, L. C. Kiener, Spec. Coquilles (*Conus*) 1848, 220.
bernardii *Marginella*, Largilliert, Magasin de Zool. (2) VII. 1845, pl. 116.
bernardi *Plesiosaurus*, R. Owen in F. Dixon, Geol. Sussex, 1850, 396.
bernardii *Polistes*, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Oct. 1841, 325. [1844, 348.
bernardi *Tamnophilus*, R. P. Lesson (*ex* Abeille MS), Echo Monde Savant, XI. 22 Aug.
bernardiana *Pholadomya*, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 305.
bernardiana *Prionastrea*, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 293.

- bernardiana** Stephanocoenia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 292.
bernardina Calamophyllia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 32.
bernardina Cyprina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 16.
bernardina Dicerias, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 23.
bernardina Meandrina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 39.
bernardina Nerinea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 3.
bernardina Pseudocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 34.
bernardina Terebratula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 377.
bernardinum Unicardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 366.
bernardus Charaxes (Fab.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 112.—
 Papilio, 1793. [II (1850), 309.—Papilio, 1793.]
bernardus Nymphalis (Fab.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt.
bernhardus Sipunculus, E. Forbes, Hist. Brit. Starfish (6) Mar. 1841, 251.
bernensis Cyprina, A. de Leymerie, Mém. Soc. géol. France, IV (2) 1841, 336 [*n. n.*];
bernhardus *v.* **bernardus**. [*ibid.* V (1) 1842, 5.]
Bernicla L. Oken, Isis, I. 1817, 1183.—A.
Bernicla F. Boie, Isis (Oken), 1822, 563.—A.
bernieri Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 65.
bernieri Gallinago, Pucheran, Rev. Zool. (Soc. Cuv.) VIII. Aug. 1845, 279.
bernieri Oriolia, I. Geoffroy, C. R. Acad. Sci. (Paris) VI. 1838, 442.
bernieri Poederus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840, 183.
bernieri Steropes, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833,
 216; F. Ent. Madag. 1833 (5), 68.
berno-jurensis Chama, J. Thurmann, Mém. Soc. H. N. Strasbourg, I (2) 1833, 25 [*n. n.*].
beroe Cirospilus, F. Walker, Ann. Nat. Hist. III. May 1839, 181.
beroe Hipparchia, C. F. Freyer, Neuere Beitr. Schmett. V (70) 1844, 53.
beroe Leptoperla, E. Newman, Mag. Nat. Hist., n. s., III. Feb. 1839, 89. [1793.]
beroe Nymphalis (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 90.—Papilio,
beroe Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 147.—Cirospilus,
Beroea L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Beraea, Steph. [1839.]
beroes Distoma, F. Will, Arch. f. Naturg. X (1) 1844, 343.
Beroides Quoy & Gaimard in H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 127.—Coel.
beroides Pterolyra, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 278. [*n. n.*].
berolinensis Aspistes, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I.
berolinensis Buprestis, J. Sturm, Catal. Ins. Samml. 1826, 104 [*n. n.*]. [1818, 319.]
berolinensis Cancellaria, E. Beyrich, Ber. Verh. k. pr. Ak. Wiss. 1847, 162 [*n. n.*].
berolinensis Cassida, E. Suffrian (*ex* Dej. MS), Entom. Zeitung, Stettin, V (8) Aug. 1844,
 270.
berolinensis Dicerca (Hbst.), F. Eschscholtz, Zool. Atlas, I. 1829, 9.—Buprestis, 1779.
berolinensis Latipalpis (Fab.), Solier, Ann. Soc. Ent. France, II (2) *c.* July 1833, 288.—
 Buprestis, Hbst. 1779.
berolinensis Salticus, C. L. Koch, Die Arachniden, XIII (1) Jan. 1846, 34. [1847, 73.]
berosoides Trochus, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto,
Berosoma R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2, 1838, 133.—Med.
Berosus W. E. Leach, Zool. Miscell. III. 1817, 92.—Col.
Berosus P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 524.—Col.
berosus Trochus, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847,
Berpolis Leach in H. D. de Blainville, Man. Malac. 1825, 657.—L. [73.]
berrii Venus, W. Wood, Suppl. Index Test. 1828, 5 [*n. et f.*].
berteii Pterelachisus, C. Rondani, Rev. Zool. (Soc. Cuv.) V. Aug. 1842, 243.
berteriana Caryophyllia, F. Duchassaing, Anim. rad. Antilles (1850), 15.
Berthella de Blainville, Dict. Sci. Nat. XXXII. 1824, 262.—G.
[**bertheloti.**]
bertholletii Acamarchis, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps) 1826,
bertheloti Bulimus, L. Pfeiffer, Symb. Helic. III. 1846, 83. [241.]
bertholoti Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 142.
bertholetii Crisina (Aud.), P. J. van Beneden, Bull. Ac. Roy. Brux. XVI (2) 1849 [1850],
 656.—Acamarchis.

- berthelotii** Crius, A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 45.
- bertheloti** Doridigitata, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 40.
- bertholeti** Glossodoris (Orb.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 102.—Doridigitata.
- berthelotii** Helix, Férussac in A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839,
- berthelotii** Loligo, J. B. Vérany, Mem. R. Acc. Sci. Torino [2] I. 1839, 96. [65.
- berthelotii** Monodonta, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 81.
- bertheloti** Pagrus, A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 33.
- bertholletii** Palythoa, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps) 1826, 230.
- bertheloti** Rhynchonella, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1849, 39.
- bertheloti** Rosalina, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839, 135.
- bertheloti** Scissurella, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 96.
- berthelotii** Scytodes, H. Lucas in Webb & Berthelot, Canaries (Arach.) 1840, 25.
- bertheloti** Toxaster, A. Gras, Bull. Soc. stat. Isère, IV. 1846 (May 1848), 344.
- bertheloti** Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 248.
- berthelotii** Zoanthoa (Aud.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 270.—Palythoa.
- berthelotiana** Cristellaria, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839, 127.
- berthelotiana** Marginulina, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839, 125.
- berthelotiana** Nodosaria (Orb.), L. Reeve, Conch. Syst. II. 1842, 293.—Marginulina.
- berthelotiana** Polystomella, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839, 129. [1839, 142.
- berthelotiana** Quinqueloculina, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.)
- berthelotiana** Rotalina, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839, 130.
- berthelotiana** Spiroloculina (Orb.), L. Reeve, Conch. Syst. II. 1842, 290.—Quinqueloculina.
- berthoisi** Orthis, M. Rouault, Bull. Soc. géol. France (sér. 2) VI. 1849, 68 & 88. [lina.
- bertholdi** Cervus, J. J. Kaup, N. Jahrb. f. Min. 1833, 419 [v. n.].
- bertholdii** Dracontura, L. Fitzinger, Syst. Rept. 1843, 69.
- bertholleti** v. **bertheloti**.
- bertini** Delphinus, L. P. Vieillot, N. Dict. H. N., ed. 2, IX. 1817, 163.
- bertolina** Lobophyllia, T. A. Catullo, Terr. sed. Veneto e Descr. Polipai foss. 1847, 31.
- bertolinii** Moluris, F. E. Guérin-M., Magasin de Zool. (2) VI. 1844, pl. 148.
- bertolis** P[apilio] R. De Loche, Mém. prés. Math. phys. Ac. Sci. Torin. An. 1792-99 (1801), 148.
- bertolonii** Eunicea (Lamouroux), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 360.—Gorgonia.
- bertolonii** Gorgonia, J. V. F. Lamouroux, Hist. Polyp. 1816, 414.
- bertoloni** Nereis, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 174.
- bertrandi** Acanthonemus, J. L. R. Agassiz, Poiss. Foss. V (1), 27 (1834).
- bertrandi** Didelphis, F. L. P. Gervais, Zool. Pal. Franç. I. 1850, 134. [Pleurotoma.
- bertrandi** Mangelia (Payr.), L. Reeve, Conch. Icon. III.—Mangelia, no. 46, June 1846.—
- bertrandi** Mylabis, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- bertrandi** Nucula, M. Rouault, Bull. Soc. géol. France (sér. 2) IV. 1847, 322. [270.
- bertrandii** Pleurotoma, B. C. Payraudeau, Cat. Moll. Corse, 1826, 144.
- bertrandiana** Astrea, H. Michelin, Icon. Zoophyt. (24-27) 1847, 310.
- Berus** L. Oken, Lehrb. Naturg. VI. 1816, 234.—R.
- Berus** Wyder, Isis (Oken), 1817, 1052.—R.
- berus** Pelias (L.), B. Merrem, Tent. Syst. Amph. 1820, 148.—Coluber, 1758.
- berus** Vipera (L.), F. M. Daudin, Sonnini's Buffon, Rept. VI (1803), 89.—Coluber, 1758.
- bervicensis** Goniodoris (Johnst.), Forbes & G., Athenaeum, 1839, 647.—Doris barv-.
- Berycopsis** L. Agassiz in F. Dixon, Geol. Sussex, 1850, 372.—P.
- berylli** Pteromalus, F. Walker, Entom. Mag. III (2) July 1835, 199.
- beryllina** Alcedo, L. P. Vieillot, N. Dict. H. N., ed. 2, XIX. 1818, 414.
- beryllinus** Dinodes, C. H. Boheman, Ins. Caffr. I (1) 1848, 159.
- beryllina** Helicina, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 202.
- beryllina** Macraspis, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 98.
- beryllinus** Monochamus, F. W. Hope, Proc. Linn. Soc. London (9) Nov. 1840, 79.
- beryllina** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 38.

- beryllina** Popillia, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 23.
beryllinus Trochilus, M. Lichtenstein, Preizverz. Deppe Mex., (Sept. 1830, 1.
beryllina Vitrina, C. Pfeiffer, Naturg. deutsch. Land-Moll. (1) 1821, 47.
berytensis Helix, Fér.; L. Pfeiffer, Symb. Helic. I. 1841, 39.
berytensis Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
Berytus J. C. Fabricius, Syst. Rhyng. 1803, 264.—Hem. [47 [n. n.].
Beryx G. Cuvier, Règne Anim., ed. 2, II. 1829, 151; Cuvier & Valenc., H. N. Poiss. III.
besala Salmo, [Anon.], Helvet. Almanach, 1815, 51 [n. n.]. [1829, 221.
besckeanus Unio, W. Dunker, Zeitschr. f. Malakozool. (Dec.) 1848 [Ap. 1849], 182.
[besckei.]
beskei Agrilus, Laporte & Gory, N. N. Coléopt. II. 1839, 66.
besckii Augasmosomus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2)
beskii Augocoris, H. Burmeister, Handb. Ent. II (1) 1835, 396. [1850, 436.
besckei Cholus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 13.
besckii Combophora, E. F. Germar, Revue Entom. I (5) c. Nov. 1833, 232.
besckei Copturus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 640.
besckei Crino, J. Huebner, Exot. Schmett. II. Tab. [196] [n. et f.].
besckii Cyphus, E. F. Germar, Ins. Spec. novae, I. 1824, 436.
besckii Eupyga, Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 35.
besckei Helicina, L. Pfeiffer, Zeitschr. f. Malakozool., June 1848 [Jan. 1849], 88.
besckei Helix, W. Dunker, Zeitschr. f. Malakozool., June 1847, 81.
besckii Heteronotus (Germ.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III.
1840, 183.—Combophora.
besckii Inca, Burmeister & Schaum in Germar, Zeitschr. f. d. Entom. II (2) 1840, 380.
besckii Iresia, Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (2) 1837, 7.
beskii Melictis, A. Schinz, Rev. Zool. (Soc. Cuv.) XI. June 1848, 177.
besckei Microcerus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 729.
besckii Pangonia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 97.
besckii Phaenomeris (Mannerh.), H. Burmeister, Handb. Ent. IV (1) 1844, 335.—Eupyga.
besckii Physodactylus, Mannerheim, Acta Soc. Sci. Fennicae, I (1) 1840, 98.
besckii Platyomus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 640.—Cyphus.
bescke Porphyraspis, C. H. Boheman, Mon. Cassid. I. 1850, 99.
beskii Trochictis, H. R. Schinz, Mitth. Nat. Ges. Zuerich, I (2) no. 25, Aug. 1848, 176.
beskii Ynca, J. O. Westwood, Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 57 [n. n.].
beselii Oncinolabes (Jaeg.), J. F. Brandt, Prod. anim. Mertens. I. 1835, 49.—Synapta.
beselii Synapta, G. F. Jaeger, De Holothur. 1833, 15.
Beselia J. F. Brandt, Prod. anim. Mertens. I. 1835, 61.—Ech.
beski v. **besckei**.
beskidensis Ammonites, E. F. Glocker, N. A. Ac. Caes. Leop. Car. XIX (2) 1842, 693.
beskidensis Oncophorus, E. F. Glocker, N. A. Ac. Caes. Leop. Car. XXII (2) 1850, 937.
beso Systemus (Rüpp.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1017.—Varicorhinus.
beso Varicorhinus, E. Rueppel, Abh. Senckenb. Mus. II (1) 1836, 21.
besra Accipiter, T. C. Jerdon, Madras Journ. X (24) July 1839, 84.
bessarabicus Carabus, Steven in G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824,
bessarabica Coenatoria (Ziegl.), F. Held, Isis (Oken), 1837, 911.—Helix. [100.
bessarabica Helix, Ziegler in Rossmassler, Icones Iconogr. Moll. I (1) 1835, 55.
bessarabica Phasianella, A. d'Orbigny in Hommaire de Hell, Steppes Mer Caspienne,
III. 1845, 459.
bessarabica Venus, A. d'Orbigny in Hommaire de Hell, Steppes Mer Caspienne, III.
besse Characinus, De Joannis, Magasin de Zool. V. 1835, pl. 10. [1845, 487.
besseri Anatolica, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 390.
besseri Anguis, A. Andrezejowski, N. Mém. Soc. Imp. Nat. Moscou, II. 1832, 338.
besseri Brachycerus, Dejean, Bull. Soc. Imp. Nat. Moscou, V. 1832, 145.
besseri Carabus, Ziegler in Dejean, Catal. Coléopt. 1821, 6 [n. n.].
besseri Carabus, Ziegler in G. Fischer v. W., Entom. Imp. Russ. I (Ent. Ruthen.) *post*
May 1822, 117.
besseri Cellulina, A. Zborzewski, N. Mém. Soc. Imp. Nat. Moscou, III. 1834, 308.
besseri Chrysomela, Dejean, Bull. Soc. Imp. Nat. Moscou, V. 1832, 171.

- besseri** Cicindela, Dejean, Spec. gén. Coléopt. II. 1826, 427.
- besseri** Coccinella, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5) Mar. 1835, 449.
- besseri** Hedyphanes, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 95.
- besseri** Leis (Fald.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1029.—Coccinella.
- besseri** Marmaropus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 312.
- besseri** Molytes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 359.
- besseri** Nebria, Eschscholtz in G. Fischer v. W., Entom. Imp. Russ. III. *post* Nov. 1828,
- besseri** Pecten, A. Andrezejowski, Bull. Soc. Imp. Nat. Moscou, II (1) 1830, 103. [254.
- besseri** Pecten, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 246.
- besseri** Pentyria, J. Krynicki, Bull. Soc. Imp. Nat. Moscou, I (6) 1829, 193.
- Besseria** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 232.—
- Bessethera** J. Cabanis, Mus. Heineanum (1) 1850 [1851], 76.—A. [Dipt.
- bessinus** Belemnites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1843, 110.
- bessina** Cribrospongia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 294.
- Bessonornis** *err. pro* Dessonornis; A. Smith, Cat. S. Afr. Mus. 1837, 29.
- Bessonornithos** Sundeval, Ofver. K. Vet. Ak. Förh. 1849 (1850), 158.—A.
- Bessornis** J. Cabanis, Mus. Heineanum, I. 1850 [1851], 8.—A.
- Bessus** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 101.—Hym. [n. d., 1 nom. triv.
- bestii** Schizorhina, J. O. Westwood, Arcana Entom. (7) May 1842, 103. [append.]
- betae** Smynthurodes, J. O. Westwood, Gardener's Chron. 7 July 1849, 420.
- betae** Tinea, C. Passerini, Contin. Atti Acc. Georgofili, XV. 1837, 72.
- Betenia** C. J. B. Amyot, Ann. Soc. Ent. France, IV (1) 1846, 91.—Hem.
- Bethylus** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 315.—Hym.
- Bethylus** Cuvier & C. Dumont, Dict. Sci. Nat. (ed. 2) IV (Suppl.) 1816, 82.—A.
- beticata** *v.* baeticata.
- betro** Satyrus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 484.
- betsimena** Cyllo, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 206.
- betsimena** Cyllo, J. A. Boisduval, F. Ent. Madagas. 1833 (4), 58.
- Betta** P. Bleeker, Verh. Batav. Genootsch. XXIII. 1850 (Ichth. fauna Java), 14.—P.
- Betta** P. Bleeker, Nat. Tijd. Ned. Indie, I (1) 1850, 107.—P.
- bettae** Cryptophagus, J. Macquart, Ann. Sci. Nat. XXIII (89) May 1831, 95.
- Bethylo** F. Walker (*ex* Haliday MS.), Ann. Mag. N. H. XI. Mar. 1843, 188.—Hym.
- Bettongia** J. E. Gray, Mag. Nat. Hist., n. s., I. Nov. 1837, 584.—M.
- betula** Thereva, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 523.
- betulae** Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 260.
- betulae** Aradus (L.), J. C. Fabricius, Syst. Rhyng. 1803, 119.—Cimex, 1758.
- betulae** Aspidiotus, F. v. Baerensprung, Zeitung f. Zool. I (21) May 1849, 167.
- betulae** Auchenia (Fab.), Dejean, Catal. Coléopt. 1821, 114.—Cricocoris, 1793.
- betulae** Aurotis, J. W. Dalman, K. Vet. Ac. Handl. 1816 (1) 1816, 63.—*v.* Zephyrus.
- betulae** Balaninus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13 [*n.*]; & Ill. Brit. Ent. (Mand. IV.) Mar. 1831, 70. [culio, L. 1758.
- betulae** Brachyrhinus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 183.—Cur-
- betulae** Cephalcia (L.), G. W. F. Panzer, Ins. Germ., heft 87, 1801-2, tab. 18.—Tenthredo, 1758.
- betulae** Cephalcia (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 67.—Lyda.
- betulae** Cerithium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 303.
- betulae** Cis, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 352.
- betulae** Cupido (L.), F. v. P. Schrank, F. Boica, II (1) 1801, 218.—Papilio, 1758.
- betulae** Curculio, J. C. Fabricius, Syst. Eleuth. II. 1801, 543.
- betulae** Deporäus (Herbst), G. Samouelle, Entom. Compend., June 1819, 201.—Rhynchites,
- betulae** Lithocolletis, P. C. Zeller, Isis (Oken), 1839, 217. [1797.
- betulae** Lycaena (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 28.—Papilio, 1758.
- betulae** Lyda (L.), J. C. Fabricius, Syst. Piezat. 1804, 44.—Tenthredo, 1758.
- betulae** Nematus, T. Hartig, Adelfl. Deutschl. I. 1837, 219.
- betulae** Omophilus (Herbst), H. C. Kuester, Käfer Europas, XX. 1850, 63.—Cistela, 1783.
- betulae** Orsodachna, L. Gyllenhal, Ins. Suecica, I (3) 1813, 644. [thredo, 1758.
- betulae** Pamphilus (L.), P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 140.—Ten-

- betulae** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 76 (Fernaldo judice 1799) [*n. et f.*]. [—Hesperia, 1793.]
- betulae** Papilio (Fab.), Lepeletier de S. F., Faune Française (3 & 4), Lépidopt. 1821, 59.
- betulae** Phaedon (L.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 333.—Chrysomela, 1758. [Curculio, L. 1758.]
- betulae** Phyllobius (Fab.), A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 238.—
- betulae** Platyrinchus (L.), C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 123.—Attelabus, 1758.
- betulae** Polydrusus (L.), Dejean, Catal. Coléopt. 1821, 93.—Curculio, 1758.
- betulae** Polydrusus, Ol.; Dejean, Catal. Coléopt. 1821, 93 [*n. n.*]. [Papilio, 1758.]
- betulae** Polyommatus (L.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 116.—
- betulae** Psylla (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 67.—Chermes, 1758.
- betulae** Rhynchites (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 16.—Curculio, 1758.
- betulae** Strymon (L.), J. Huebner, Verz. bekannt. Schmett. 1818, 74.—Papilio, 1758.
- betulae** Syneta (Fab.), T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 231.—Cricocoris, 1792.
- betulae** Thecla (Fab.), J. C. Fabricius, Mag. f. Insectenk. (Illiger) VI. 1807, 286.—Hes-
- betulae** Vacuna, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 177. [peria, 1793.]
- betulae** Zephyrus, J. W. Dalman, K. Vet. Ac. Handl. 1816 (1) 1816, 63.—v. Aurotis.
- betulae nanae** Cryptocephalus, P. S. Schilling, Uebers. Arb. schles. Ges. 1837 (1838), 99.
- betularia** Amphidasis (L.), F. Treitschke, Schmett. Europa, V (2) 1825, 434.—Phal. 1758.
- betularia** Aphis, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 119.
- betularia** Biston, W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 134.
- betularia** Eubyja (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 318.—Phalaena, 1758.
- betularius** Nematus, T. Hartig, Adelfl. Deutschl. I. 1837, 192. [1831, 282.]
- betularum** Linaria, C. L. Brehm, Isis, 1828, 1277 [*n. n.*]; Handb. Nat. Vögel Deutschl.
- betularum** Spinus, C. L. Brehm, Isis, 1828, 1277 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831, 286. [1831, 386.]
- betularum** Turdus, C. L. Brehm, Isis, 1828, 1281 [*n. n.*]; Handb. Nat. Vögel Deutschl.
- betulea** Anacamptis (Huebner.), J. Curtis, Brit. Entom. IV (47) Nov. 1827, no. 189.—Tinea betulinella.
- betulea** Recurvaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 549.—Tinea betulinella,
- betulella** Acrolepia, J. Curtis, Brit. Entom. XV (170) Feb. 1838, no. 679. [Huebner.]
- betuleтана** Anthesia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Tortrix.
- betuleтана** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 432.
- betuleti** Agrilus (Ratz.), L. Redtenbacher, F. Austr., Käfer, 1849, 786.—Buprestis betuli.
- betuleti** Anthomyia, P. F. Bouché, Nat. Ins. 1834, 78.
- betuleti** Cimbex, F. Klug, Jahrb. Insectenk. I. 1834, 225.
- betuleti** Homoscotus (Fall.), C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 146.
- betuleti** Phytocoris, C. F. Fallen, Suppl. Cimic. Svec. 1826, 15.
- betuleti** Rhynchites (Fab.), C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 117.—Curculio, ?Panz. 1795.
- betuleti** Selandria (Klug), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 30.—Tenthredo.
- betuleti** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 73.
- betuli** Buprestis, J. T. C. Ratzeburg, Die Forstins. I. 1837, 57.
- betulicola** Aphis, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 44.
- betulifolia** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 44 (Fernaldo judice 1802-8) [*n. et f.*]. [—Gastropacha.]
- betulifolia** Euthrix (Ochs.), J. W. Meigen, Syst. Besch. Europ. Schmett. II (4) 1830, 192.
- betulifolia** Gastropacha, F. Ochseneimer, Schmett. Europa, III. 1810, 242.
- betulinella** Endrosis (Fab.), J. Huebner, Verz. bekannt. Schmett. 1826, 401.—Alucita, 1787.
- betulinella** Lita (Huebner.), Duponchel in J. B. Godart, H. N. Lépid. France, XI (Noct. 8) [1839], 298.—Tinea.
- betulinella** Scardia (Huebner.), F. Treitschke, Schmett. Europa, IX (1) 1832, 9.—Tinea.
- betulinoides** Conus, Lamarck, Ann. Mus. H. N. (Paris) XV (89-90) Oct. 1810, 440.
- betulina** Acanthoderus (Klug), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 461.—Lamia (Acanthocinus).
- betulina** Aradus, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 32.

- betulinus** Curculio, *emend.* betulae, Fab.; Bechstein & Scharfenberg, Vollst. Nat. schädll. Forstinsect. III. 1805, 886.
- betulinus** Dendroconus (L.), W. Swainson, Treat. Malacol., May 1840, 312.—Conus, 1758.
- betulina** Lamia (Acanthocinus), F. Klug, N. A. Ac. Caes. Leop. Car. XII (2) 1825, 462.
- betulinus** Nematius, A. G. Dahlbom, Conspect. Tenthred. 1835, 8 [*n. n.*].
- betulinus** Sminthus (Pall.), S. Nilsson, Skand. Fauna, Daggd., ed. 2, 1847, 333.—Mus, beudanti Actinoceras, Castelnau, Ess. Silur. Amér. sept. 1843, 31. [1779.]
- beudanti** Pecten, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 74.
- beudantii** Venus, B. C. Payraudeau, Cat. Moll. Corse, 1826, 53.
- beudantia** Terebratula, A. Risso, H. N. Europe, IV. 1826, 393.
- beurardi** Clupea, de Blainville, N. Dict. H. N., ed. 2, XXVII. 1818, 365.
- bevani** Exops, J. Curtis, Tr. Linn. Soc. London, XVIII (2) 1839, 204.
- beverlii** Natica, W. E. Leach in J. Ross, Voy. Discov. Baffin's Bay, 4to, Ap. 1819, App.
- bewickii** Cygnus, W. Yarrell, Tr. Linn. Soc. London, XVI (2) 1830, 453. [ii, p. lxi.]
- bewickii** Cygnus, P. J. Selby, Trans. N. H. Soc. Northumb. I (1) 1830, 17 & 25.
- bewickii** Olor (Yarr.), J. G. Wagler, Isis (Oken), 1832, 1234.—Cygnus. [dytes.]
- bewickii** Telmatodytes (Aud.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 78.—Troglodibewickii Thryothorus, C. L. Bonaparte, List Birds Eur. Amer. 1838, 11.—Troglodytes.
- bewickii** Tringa, J. Atkinson, Compend. Orn. Gt Brit. 1820, 156.
- bewickii** Troglodytes, Audubon, Birds of Amer., pl. xviii (1827); Orn. Biogr. I. 1831, 96.
- beyrichii** Battus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 116.
- beyrichii** Cheirurus, J. Barrande, Not. pré. Silur. 1846, 49.
- beyrichii** Cucullaea, A. v. Strombeck, Z. Deutsch. geol. Ges. I. 1849, 451.
- beyrichii** Odontopleura, Hawle & Co. da, Prod. Mon. böhm. Trilob. 1847, 152.
- beyrichii** Pleurotoma, R. A. Philippi, Palaeontographica, I (2) Mar. 1847, 68.
- beyrichii** Selenopeltis, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 35.
- Beyrichia** F. M^cCoy in Griffith, Syn. Silurian foss. Ireland, 1846, 57.—Cr.
- bezoar** Bezoardica, J. E. Gray, Figs. Moll. Anim. IV. 1850, 69. [Buccinum, 1767.]
- bezoar** Mancinella (L.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 115.—bezoar Purpura (Lam.), H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I (2) *post* May 1832, 234.—Pyrula.
- bezoar** Pyrula (L.), Lamarck, An. s. vert. VII. 1822, 143.—Buccinum.
- Bezoardica** C. F. Schumacher, Ess. Vers test. 1817, 75 & 248.—G.
- bezoartica** Cervicapra, J. E. Gray, List Mamm. Coll. B. M. 1843, 159.
- besoastica** Oryx (Pall.), A. Smith, S. African Quart. Journ. II. no. 2 (3) Mar. 1834, 188. —Antilope, 1766. [*n. n.*].
- bharatensis** Antelopa, B. H. Hodgson, Calcutta Journ. Nat. Hist. II (6) July 1841, 217
- bharatensis** Pernis, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 81 [*n. n.*].
- Bhringa** B. H. Hodgson, India Rev. I. 1837, 325.—A.
- Bhuchanga** B. H. Hodgson, India Rev. I. 1837, 326.—A.
- Bhuganga** *err. pro* Bhuchanga, Hodgs.; H. G. L. Reichenbach, Avium Syst. Nat., pl. Bia J. Huebner, Verz. bekannt. Schmett. 1818, 51.—Lep. [lxxxviii (Aug. 1850).]
- Bia** *emend. pro* Bius, Dej.; F. W. Hope, Coleopt. Manual, III. 1840, 132.
- biaculeatus** Androctonus, H. Lucas in Webb & Berthelot, Canaries (Arach.) 1840, 45.
- biaculeatus** Cancer, G. Montagu, Tr. Linn. Soc. London, XI (1) 1813, 2.
- biaculeatus** Gasterosteus, S. L. Mitchell, Tr. Lit. Phil. Soc. N. York, I. 1815, 430.
- biaculeatus** Hoploclerus, A. White, Nomen. Coleopt. Coll. B. M. (4) 1849, 40 [*n. n.*]; & biaculeatus Monoceros, J. G. Schneider, Bloch, Syst. Ichth. 1801, 180. [61.]
- biaculeatus** Naseus, J. Minding, Lehrb. Naturg. Fische, 1832, 112.
- biaculeatus** Pisa (Mont.), W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 431.—Cancer.
- biaculeatus** Premnas (Bl.), G. Cuvier, R. Anim. II. 1817, 346.—Chaetodon, 1790.
- biaculeatus** Scorpio (Lucas), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 54.—Androct. [218.]
- biaculeatus** Scorpio (Atrous), F. L. P. Gervais, Archives Mus. H. N. (Paris) IV [2] 1844,
- biaculeatus** Triacanthus (Bloch), H. R. Schinz in Cuvier, Thierreich. II. 1822, 257.—Balistes, 1786.
- biacutus** Lordops, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 177.
- biacuta** Sulculeolaria, Lesueur in H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 126.

- bialata** Spongolithis, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 90.
- bi-alata** Symphynota, I. Lea, Tr. Amer. Phil. Soc., n. s., III (4) 1829, 445.
- bi-alata** Unio (Lea), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VI. Mar. 1835, 558.—Symphynota.
- bialozurkense** Cyclostoma, F. Du Bois de M., Conch. foss. Wolhyni, 1831, 48.
- bialveata** Delthyris, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 261.
- bianconii** Loligo, Verany, Atti 8 Riun. Sci. Ital. 1847, 514.
- bianconii** Ommastrephes (Verany), J. E. Gray, Cat. Moll. Coll. B. M. (1) 1849, 64.—
- biangula** *v.* **biangulus**. [Loligo.]
- biangulana** Tortrix, F. v. P. Schrank, F. Boica, II (2) 1802, 77.
- biangularis** Cryptorhynchus, Munck in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
- biangularis** Orbulites, Lamarck, An. s. vert. VII. 1822, 643. [163.]
- biangularis** Tellina, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1825, 82.
- biangularis** Terebratula, Deshayes in Leymerie, Mém. Soc. géol. Fr. V. 1842, 11.
- biangularis** Unio, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 288.
- biangulata** Arca, G. B. Sowerby, I., Proc. Zool. Soc. London, I (1-3) May 1833, 21.
- biangulatum** Cardium, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829, 367.
- biangulata** Delphinula, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1832, 206.
- biangulata** Harpalycce (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Phalaena.
- biangulata** Helicina, L. Pfeiffer, Zeitschr. f. Malakozool., Dec. 1850 [Ap. 1851], 192.
- biangulata** Helix, L. Pfeiffer in R. A. Philippi, Abb. Conch. I (6) 1844, 155.
- biangulata** Loxonema (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 63.
- biangulata** Mactra, G. G. Pusch, Polens Palaeont. (1) 1836, 76. [—Turritella.]
- biangulatus** Nautilus, J. De C. Sowerby, Min. Conch. V. 1824, 84.
- biangulatus** Nautilus, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1843, 160.
- biangulatus** Nautilus (Temnocheilus), Sow.; F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 20.
- biangulata** Phalaena, [A. H. Haworth], Prod. Lepidopt. Brit. 1802, 26 [*n. n.*].
- biangulata** Pleurotomaria, J. Hall, N. H. New York (Pal. I.) 1847, 31. [1837, 73.]
- biangulatus** Septoteuthis, P. K. S. L. Rang, Doc. Céph. Crypt. in Magasin de Zool. VII.
- biangulatum** Solarium, J. E. Gray in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap.
- biangulatus** Trochus, E. Eichwald, Nat. Lithuaen, 1830, 221. [1826], 481.
- biangulatus** Trochus, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 286.
- biangulatus** Turbo (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 414.—Delphinula.
- biangulata** Turritella, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 104.
- biangulatus** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., VIII (2) 1842, 197. = biangularis,
- biangula** Arca, Lamarck, Ann. Mus. H. N. (Paris) VI (33) June 1805, 219. [1840.]
- biannularis** Orthosia, J. Curtis, Guide Brit. Ins. (5) 1830, 147 [*n. n.*].
- biannulatorius** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822,
- biannulatus** Chironomus, C. Staeger, Naturhist. Tidsskrift, II (6) 1839, 567. [254.]
- biannulatus** Hemiteles, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 846.
- biannulatus** Ichneumon, J. L. C. Gravenhorst, Mem. R. Acc. Sci. Torino, XXIV. 1820,
- biannulata** Myopa, T. Say, J. Acad. Nat. Sci. Philad. III. June 1823, 81. [293.]
- bianor** Achillides (Fab.), J. Huebner, Verz. bekannt. Schmett. [1820], 85.—Papilio, Cr.
- bianor** Monohammus, E. Newman, Entomologist (17) Mar. 1842, 277. [1777.]
- bianor** Trochus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 191.
- bianor** Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 266.
- biaperta** Eschara, H. Michelin, Icon. Zoophyt. (28-29) 1848, 330.
- biaperta** Hiatella, F. M. Daudin in L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III.
- Biapholius** Lamarck (*ex* Leach MS), An. s. vert. V. 1818, 453.—L. [1801, 120.]
- Biapholus** W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 272.—L.
- biappendiculata** Sphaeroma, E. Eichwald, Geogn. Zool. Ingria, 1825, 35.
- biarcuana** Anchylopera, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47 [*n. n.*].
- biarcuata** Aedionychis, L. A. A. Chevrolat, Coléopt. Mex. (3) Nov. 1834, no. 85.
- biarcuatus** Arremon, G. R. Gray, Genera of Birds, III. App. (1849), 16.
- biarcuata** Emberiza (Gray), F. Prévost & O. des Murs in Du Petit-Thouars, Voy. "Vénus" (Ois.) 1849, 216.—Arremon.

- biarcuata** Fringilla (Gray), F. Prévost & O. des Murs in Du Petit-Thouars, Voy. "Vénus" (Ois.) 1849, 216.—Arremon.
- biarcuatus** Oxytelus, A. Matthews, Entom. Mag. V (2) Jan. 1838, 198.
- biarcuatus** Pyrgisoma (Lafr.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 486.—Arremon, Gray.
- biarcuata** Pyrgita, Du Petit-Thouars, Voy. "Vénus" (Tab. Planch. 1846).
- biarcuata** Tephritis, J. Curtis, Brit. Entom. V (60) Dec. 1828, no. 240 [*n. n.*].
- biaritzana** Cordieria, M. Rouault, Mém. Soc. géol. France (2) III (2) 1850, 488.
- biaritzana** Nummulina, d'Archiac, Mém. Soc. géol. France (2) III (2) 1850, 414.
- biaritzana** Nummulites, d'Archiac, Mém. Soc. géol. France II (2) 1837, 191.
- biaritzensis** Pecten, d'Archiac, Mém. Soc. géol. France (2) II (1) 1846, 210.
- biaritziana** Retepora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 328.
- biarmatus** Ammonites, C. H. v. Zieten, Pétrif. Wurt. (1) 1830, 2.
- biarmatum** Buccinum, L. W. Dillwyn, Catal. Shells, 1817, 599.
- biarmata** Delphinula, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 203.
- biarmatus** Trochus, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 55.
- biarmatus** Trochus (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 190.—Delphinula. [Liège, 1831, App. 36.—Parus, 1758.
- biarmicus** Brachyrynchus (L.), E. de Selys-Longchamps in van der Maelen, Dict. géogr.
- biarmicus** Calamophilus, W. E. Leach, Syst. Cat. Mamm. Birds Brit. Mus. 1816, 17.
- biarmicus** Deuterosaurus, E. Eichwald, Gheoghn. Rossii, 1846, 457; Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (3) 1848, 151.
- biarmicus** Falco, C. J. Temminck in T. & Laugier, Pls. color. (55) Feb. 1825.
- biarmica** Jancia (Vern.), W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 178.—Solemya.
- biarmicus** Laniellus (L.), J. Rennie, Field Naturalist, I (2) Feb. 1833, 70.—Parus, 1758.
- biarmica** Lyonsia (Gein.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 164.—Solemya, Vern. [Turritella.
- biarmica** Murchisonia (Kut.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 164.—
- biarmicus** Mystacinus (L.), F. Boie, Isis (Oken), 1822, 556.—Parus, 1758.
- biarmicus** Panurus (L.), K. L. Koch, Syst. baier. Zool. I. 1816, 202.—Parus, 1758.
- biarmicus** Paroides (L.), G. R. Gray, Genera of Birds, I. Jan. 1847, 193.—Parus, 1758.
- biarmica** Periploma (V., M. & K.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],
- biarmicus** Picus, A. Valenciennes, Dict. Sci. Nat. XL. 1826, 176. [164.—Solemya.
- biarmica** Polypora, A. Keyserling, Wiss. Beob. Petschora, 1846, 191.
- biarmica** Solemya, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
- biarmicum** Syodon, S. Kutorga, Kupfersandst. Urals, 1838, 19. [294.
- biarmica** Turritella, S. Kutorga, Verh. Russ. Kais. min. Ges. St P. 1842 (1842) [1843],
- biarritz** → *v.* **biaritz** →. [28.
- biarticulata** Amara, Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 183.
- biarticulata** Nycteribia (Herm.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 400.
- biarticulatum** Phthiridium, J. F. Hermann, Mém. Aptèr. 1804, 124. [—Phthiridium.
- Bias** R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 385.—A.—*typus* "Moucherolle noir et blanc."
- bias** Ateuchus (Ol.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 65.—Scarab. 1789.
- bias** Papillon (*sic*), T. Roger, Bull. h. n. Soc. Linn. Bordeaux, I (1) 1826, 37; ed. 2, 1830,
- biasoletti** Trochus, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 178. [37.
- biasoletiana** Auricula, H. C. Kuester in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Auriculacea (53) 1845, 56.
- Biastes** G. W. F. Panzer, Krit. Revis. II. 1806, 239.—Hym.
- Biastes** Walk. 1850; *teste* Marschall, 1851 *est*.
- biatomella** Aphelosetia, H. T. Stainton, The Zoologist, VI (7) 1848, 2165.
- biauriculata** Eschara, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 66.
- biauriculata** Ostrea, Lamarck, Ann. Mus. H. N. (Paris) VIII (44-45) *inter* June-Sept. 1806, 160.
- biauriculata** Terebratulina, A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 85.
- biauritus** Otolithus, T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1039.

- bib** Morrhuia, H. Cloquet, Dict. Sci. Nat. XXXIII. 1824, 57.
bibax Anthomyia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 431.
bibens Stomoxys, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 249.
bibens Tachina, Wiedemann in J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 310.
Biber J. F. Blumenbach, Man. Hist. Nat. I. 1803, 157.—M.
Bibia G. R. Gray, List Gen. Birds, 1840 [*teste* Ag., *sed non comp.*; in *Index* 1841 *ed. est*
biebie Leuciscus, De Joannis, Magasin de Zool. V. 1835, pl. 4. [p. 104].—A.
biebie Pelecus (De J.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1035.—Leuciscus.
bibioniformis Sesia, E. J. C. Esper, Europ. Schmett., Suppl. II [1798], 30.
bibioniformis Setia (Esp.), J. W. Meigen, Syst. Besch. Europ. Schmett. II (3) 1829,
 122.—Sphinx, 1797.
Bibionus *emend. pro* Bibio, Geoff.; C. S. Rafinesque, Analyse, 1815, 130.—Dipt. [*n. n.*].
Bibiopsis O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 228.—Dipt.
bitrix Helia, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 26.
biblina Cethosia, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 248.
Biblis J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 281.—Lep.
Biblis R. P. Lesson, Prod. Méduses [auct. typ.] 1837, 44; (Roret's Suite à Buffon),
 Acalèphes, 1843, 339.—Coel.
Biblis G. R. Gray, List Gen. Birds, 1841, 11.—A. [Lesson, *vernac.* 1837].
biblis Biblis, J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 281.—Papilio, 1775.
biblis Cethosia (Fab.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 280.—
 Papilio, 1775.
biblis Didonis (Fab.), J. Huebner, Verz. bekannt. Schmett. 1818, 17.—Papilio, 1775.
biblis Helix, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 85.
biblis Mitra, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 48.
Bibos B. H. Hodgson, J. Asiat. Soc. Bengal, VI. 1837, 499; Ann. Nat. Hist. I (2) Ap.
 1838, 153.—M.
bibroni Atractaspis, A. Smith, Ill. Zool. S. Afr. (Rept.) pl. lxxi, 1849.
bibronii Borborocoetes, T. Bell, Zool. "Beagle" (Rept. 1843), 35.
bibroni Chamaeleon, W. Martin, Proc. Zool. Soc. London, VI (65) July 1838, 65.
bibroni Cystignathus (Tsch.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII.
 Jan. 1841, 410.—Pleurodema.
bibronii Diplolaemus, T. Bell, Zool. "Beagle" (Rept. 1843), 21.
bibronii Dracontura, L. Fitzinger, Syst. Rept. 1843, 69.
bibroni Enygrus, Duméril & Bibron (Roret's Suite à Buffon), Erpét. VI. Nov. 1844, 483.
bibronii Euprepes (Gray), Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov.
 1839, 675.—Tiliqua.
bibroni Gerrhosaurus, A. Smith, Ill. Zool. S. Afr. (Rept.), pl. xxxviii, 1844.
bibronii Ixodes, P. Gervais, Ann. Soc. Ent. France, XI (3) Jan. 1843, p. xlvii [*n. n.*].
bibronii Leiolaemus (Bell), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 212.—Proctotretus.
bibronii Onychocephalus, A. Smith, Ill. Zool. S. Afr. (Rept.) pl. li, 1846.
bibronii Oplurus, A. Guichenot in Gay, Chili (Rept.) 1848, 53.
bibronii Physalaemus (D. & B.), L. Fitzinger, Syst. Rept. 1843, 31.—Cystignathus.
bibroni Pleurodema, J. J. Tschudi, Classif. Batrach. 1838, *ex* Mém. Soc. Sci. Nat. Neu-
 châtel, II. 1839 [1840], 85.
bibronii Polydesmus, P. Gervais in Vaillant, Voy. "Bonite," Zool. I. 1842, 278.
bibronii Proctotretus, T. Bell, Zool. "Beagle" (Rept. 1842), 6.
bibronii Rana, E. Hallowell, Proc. Acad. Nat. Sci. Philad. II (9) June 1845, 249.
bibronii Tarentola, A. Smith, Ill. Zool. S. Afr. (Rept.) pl. l, 1846.
bibronii Tiliqua, J. E. Gray, Ann. Nat. Hist. II. Dec. 1838, 290.
bibronii Trapelus, L. Fitzinger, Syst. Rept. 1843, 81.
bibronii Triton, T. Bell, Hist. Brit. Rept. 1839, 129.
bibronii Varanus, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (Feb. 1843), 869.
bibullatus Battus, J. Barrande, Not. prélim. Silur. 1846, 14.
bibullata Kolpoda, Bory de St V., Ency. Méth. (Zooph.) 1827, 474.
bibullatum Phalacroma (Barr.), Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 43.—
bibulus Entedon, F. Walker, Mon. Chalcid. I. 1839, 62. [Battus.
bibula Lasiocampa, J. Huebner, Verz. bekannt. Schmett. [1822], 189.

- bibula** Limnobia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 552.
- bibulus** Papilio (Fab.), E. Donovan, Ins. India, 1801.—Hesperia, 1793.
- bibulus** Papilio, W. Turton, Linnaeus, Syst. Nat. III. 1802, 144.
- bicalcaratus** Brenthus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 534.
- bicalcaratum** Cerithium, Al. Brongniart, Mém. terr. Vicentin, 1823, 69.
- bicalcaratus** Diplectron (L.), L. P. Vieillot, Gal. des Ois. II (3) 1825, 17.—Pavo, 1758.
- bicalcaratus** Francolinus (L.), G. R. Gray, List Birds Coll. B. M. III. 1844, 33.—
Tetrao, 1766. [Pavo, 1758.]
- bicalcaratus** Polyplectron (L.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. xci.—
- bicaliginosus** Pteromalus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 190.
- bicallosus** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 613.
- bicallosus** Bulimus, Frivaldsky, Zeitschr. f. Malakozool., Dec. 1847, 192.
- bicallosa** Cypraea, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 35. [1850, 70.]
- bicallosa** Hoplia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
- bicallosus** Ptychoderes, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.), 1846, 200.
- bicanaliculatus** Belemnites, H. D. de Blainville, Mém. Bélem. 1827, 120.
- bicanaliculatus** Belemnites, Hartmann in C. H. v. Zieten, Pétrif. Wurt. (4) 1831, 32.
- bicanaliculata** Colombella, P. L. Duclos, H. N. Coq. (Colombelle) 1840, pl. 11 [*n. et f.*].
- bicanaliculata** [Helix] (Cochlodina), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 66.
- bicanaliculata** Nerita, C. A. Récluz, Proc. Zool. Soc. London, X (118) Feb. 1843, 171.
- bicanaliculata** Neritina, G. B. Sowerby, II. (*ex Récluz MS*), Thes. Conch. II (10) 1849, 509. [1842, 103.]
- bicanaliculata** Pupina, G. B. Sowerby, II., Proc. Zool. Soc. London, IX (107) May
- bicanaliculata** Serpula, Muenster in G. A. Goldfuss, Petref. German. I (3) 1831, 240.
- bicanaliculatum** Solarium, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1832), 270. [bratulites.]
- bicanaliculata** Terebratula (Schl.), H. G. Bronn, Zschr. Min. 1829, I. 77.—Tere-
- bicanaliculatus** Terebratulites, E. F. Schlotheim, Tasch. Min. 1813, 104; Die Petref. 1820, 278.
- bicanaliculatus** Trochus, W. Dunker in R. A. Philippi, Abb. Conch. I (8) Jan. 1845 [1844], 189. [Aug. 1832, 113.]
- bicanalifera** Columbella, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (19)
- bicanalifera** Pleurotoma, G. B. Sowerby, I., Proc. Zool. Soc. London, I (12) Ap. 1834, 136.
- bicanalis** Neritina, R. A. Philippi, Arch. f. Naturg. XI (1) 1845, 64.
- bicanthatus** Passalus, F. E. Guérin-M., Magasin de Zool. (2) III. 1841, pl. 79.
- bicapillata** Scorpaena, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 273.
- bicapillata** Synanceia (Sh.), Cuvier & Valenc., H. N. Poiss. IV. 1829, 454.—Scorpaena-
- bicarenus** Bellerophon, C. Léveillé, Mém. Soc. géol. France, II (1) 1835, 38.
- bicarinatum** Vermiculum, R. L. King, The Zoologist, IV (8) 1846, 1420.
- bicarinatus** Acanthias, E. Sismonda, Mem. R. Acc. Sci. Torino [2] X. 1849, 28.
- bicarinata** Achatina (Brug.), F. de Roissy, Sonnini's Buffon, Moll. V (1805), 357.—
- bicarinata** Aega, W. E. Leach, Dict. Sci. Nat. XII. 1818, 349. [Bulimus, 1792.]
- bicarinatus** Ammonites, G. v. Muenster, Beitr. zur Petref. (4) 1841, 138.
- bicarinata** Arca, A. E. Reuss, Geogn. Skizz. Boehmen, I. 1844, 194.
- bicarinatus** Astacus, J. E. Gray in E. J. Eyre, Journ. Centr. Austral. I. 1845, 410.
- bicarinata** Avicula (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 85.—
Pterinea.
- bicarinata** Bakevella, W. King, Catal. Org. Rem. Perm. (19 Aug.) 1848, 10.
- bicarinatum** Balantium, W. H. Benson, J. Asiat. Soc. Bengal, VI. 1837, 151.
- bicarinatus** Bolboceras, J. O. Westwood, Proc. Linn. Soc. London (36) June 1848, 386.
- bicarinatum** Buccinum, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 30.
- bicarinata** Bulla, W. Wood, Index Test. 1818, 89. [Isocardia.]
- bicarinata** Cardinia (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 76.—
- bicarinatum** Cardium, G. v. Muenster, Beitr. zur Petref. (3) 1840, 63.
- bicarinata** Cassis, I. H. Jonas, Arch. f. Naturg. V (1) 1839, 343.
- bicarinatum** Cerithium, Lamarck, Ann. Mus. H. N. (Paris) III (17) Feb. 1804, 348.
- bicarinata** Cerithium, J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 241.

- bicarinata** Chelonia, R. P. Lesson in Férussac, Bull. Sci. XXV. 1831, 121 [*n. n.*]; in C. Belanger, Voy. Indes Orient. (5) Sept. 1832, 301.
- bicarinatus** Chelonus, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 154, 1838, tab. 10 c.
- bicarinata** Cidaris, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 272.
- bicarinata** Clausilia, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. II (3 & 4) Sept. 1839, 17.
- bicarinata** Cleonis, G. Fischer, Bull. Soc. Imp. Nat. Moscou, II (2) 1830, 187.
- bicarinatus** Cleonus, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 154.
- bicarinatus** Cleonus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 212.
- bicarinatus** Coelinius, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 156, 1838.
- bicarinatus** Coluber, Max Wied, Reise Brasil. I. 1820, 181.
- bicarinatus** Coluber (Natrix), B. Merrem, Tent. Syst. Amph. 1820, 117.
- bicarinatus** Colymbetes, T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 98.
- bicarinata** Corbula, G. B. Sowerby, I., Proc. Zool. Soc. London, I (1-3) May 1833, 35.
- bicarinatus** Coretus (Hald.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 119.—Planorbis,
- bicarinata** Custa (L.), J. Fleming, Phil. Zool. II. 1822, 274.—Lacerta, 1758. [Say.
- bicarinatum** Cyclostoma, G. B. Sowerby, I., Thes. Conch. I (3) *ante* 23 June 1843, 120.
- bicarinata** Cypriocardia, A. Keyserling, Wiss. Beob. Petschora, 1846, 257.
- bicarinata** Delphax, Herrich-S. in Panzer, Ins. Germ., heft 143, 1836, tab. 21.
- bicarinatum** Dentalium, G. P. Deshayes, Mém. Soc. H. N. Paris, II (2) Ap. 1826, 364.
- bicarinata** Didonta, C. F. Schumacher, Essai Vers test. 1817, 125.
- bicarinata** Ditremania, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 277.
- bicarinatus** Dytiscus, P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 179.
- bicarinatus** Dytiscus, A. Drapiez, Ann. gén. Sc. Phys. (Bruxelles) I. Sept. 1819, 290.
- bicarinata** Emys, T. Bell, Rept. London Clay (Pal. Soc. II.) July 1849, 73.
- bicarinatus** Erodium, J. Sturm, Catal. Ins. Samml. 1826, 139 [*n. n.*].
- bicarinatus** Erodium, W. F. Erichson in M. Wagner, Reisen Algier, III. 1841, 175.
- bicarinatus** Erpetodryas (Wied), Boie in Férussac, Bull. Sci. IX. 1826, 237.—Coluber.
- bicarinata** Euchlanis, M. Perty, Mitth. Nat. Ges. Bern, 1850, 19.
- bicarinata** Eulabis, F. Eschscholtz, Zool. Atlas, III. 1829, 15.
- bicarinata** Flata, J. C. Fabricius, Syst. Rhyng. 1803, 52.
- bicarinatus** Fusus, I. Lea, Contrib. to Geol. 1833, 146.
- bicarinatus** Fusus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 564.
- bicarinata** Gryphaea, DeFrance, Dict. Sci. Nat. XIX. 1821, 535.
- bicarinatus** Hamites, Young & Bird, Geol. Surv. Yorksh. Coast. ed. 2, 1828, 278.
- bicarinata** Helisoma, W. Swainson, Treat. Malacol., May 1840, 337.
- bicarinata** Helix, G. B. Sowerby, I., Zool. Journ. I (1) Mar. 1824, 58.
- bicarinata** Helix (Cochlitoma) (Brug.), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 53.—Bulimus, 1792.
- bicarinatus** Herpetodryas (Wied), J. Wagler, Nat. Syst. Amph. 1830, 180.—Coluber.
- bicarinatum** Heterarthron, J. Gistel, Nat. Thierr. 1848, 190.
- bicarinatus** Holaster, Agassiz, Cat. Ect. Ech. 1840, 1; Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 29.
- bicarinata** Hydrocera, M. Spinola, Ess. mon. Clérites, II. 1844, 43. [Paludina.
- bicarinata** Hydrobia (Desm.), D. Dupuy, H. N. Moll. France (5) May 1851, 576.—
- bicarinatus** Hydroporus (Latr.), J. R. Schellenberg, Helvet. Entom. II. 1806, 186.—Dytiscus.
- bicarinatus** Hydroporus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 14 [*n. n.*].
- bicarinata** Isocardia, F. A. Roemer, Verst. Harzgeb. 1843, 23.
- bicarinata** Libitina, C. F. Schumacher, Essai Vers test. 1817, 169.
- bicarinata** Lingula, S. Kutorga, Geogn. Pal. Dorpat's, ed. 2, 1837, 38.
- bicarinata** Lyonsia (Keys.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 164.—Cypriocardia.
- bicarinata** Maclurite, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I (11) July 1818, 312.
- bicarinata** Margarita, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 49.
- bicarinatus** Matus (Say), C. Aubé in Dejean & Boisduval, Icon. Coléopt. V. 1836, 190.—Colymbetes.
- bicarinata** Melania, Grateloup, Actes Soc. Linn. Bordeaux, XI (55) 1840, 167.

- bi-carinata** Melolontha, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 173, & App. 1817, 82.
- bicarinatus** Micippa, A. White, List Crustacea Coll. B. M. 1847, 9 [*n. n.*].
- bicarinatus** Murex, W. Wood, Suppl. Index Test. 1828, 15 [*n. cf. f.*].
- bicarinata** Natrix, J. B. v. Spix & C. F. P. v. Martius, Reise Brasil. (1) 1823, 164 [*n. n.*].
- bicarinata** Natrix (Wied), J. Wagler in Spix, Serp. Brasil. 1824, 23.—Coluber.
- bicarinatus** Nautilus, G. Montagu, Test. Brit. Suppl. 1808, 86. [1845, 364.]
- bicarinatus** Nautilus, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug.
- bicarinatus** Neusticurus (L.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 64.—Lacerta, 1758.
- bicarinatus** Nothrus, C. L. Koch, Deutsch. Crust., heft 29, 1840, tab. 16.
- bicarinata** Nucula, S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 254.
- bicarinata** Ochtheiphila (Sow.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 17.—Helix.
- bicarinata** Orthocera (Mont.), J. Fleming, Hist. Brit. Anim. 1823, 236.—Nautilus.
- bicarinata** Paludina, C. Des Moulins, Bull. h. n. Soc. Linn. Bordeaux, II (7) 1827, 26.
- bicarinata** Paludina, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 169 [*n. n.*].
- bicarinata** Phasianella, W. Dunker, Zeitschr. f. Malakozool., July 1846, 110.
- bicarinata** Pimelia, F. Klug in Ehrenberg, Sym. Phys., Ins. II (1830), sign. c. [373.]
- bicarinata** Pimelia, F. Gebler, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (24) Ap. 1841,
- bicarinata** Pinna, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 180; Rep. trav. Soc. stat. Marseille, VI. 252.
- bicarinata** Planorbis, Lamarck, Ann. Mus. H. N. (Paris) V (25) Sept. 1804, 36. [p. 5.]
- bicarinatus** Planorbis, T. Say in Nicholson's Encyclop., ed. 3, IV (Conch.), 1819, sign.
- bicarinatus** Planorbis, G. B. Sowerby, II., Gen. Shells (4), 1821.
- bicarinata** Pleurotoma, W. Wood, Suppl. Index Test. 1828, 49.—Murex, 1828.
- bicarinata** Pleurotoma, J. P. Couthouy, Boston Journ. N. H. II (1) 1838, 104.
- bicarinata** Pleurotomaria (J. Sow.), J. De C. Sowerby, Min. Conch. Alph. Index, 1840, 10.—Trochus.
- bicarinata** Pleurotomaria, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 172.
- bicarinata** Pterinea, G. A. Goldfuss, Petref. German. II (5) 1836, 134.
- bicarinata** Pterocera (Desh.), A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 307.—Rostellaria. [1832, 215.]
- bicarinata** Purpura, H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I [2] *post* May
- bicarinata** Quinqueloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 302 [*n. n.*].
- bicarinata** Rostellaria, Deshayes in Leymerie, Mém. Soc. géol. Fr. V. 1842, 14.
- bicarinata** Rostellaria, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 16.
- bicarinata** Salpina, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 65 [*n. n.*]; *ibid.* 1831 (1832), 134.
- bicarinata** Salpina, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (4) 1847, 353.
- bicarinata** Scalaria, G. B. Sowerby, II., Proc. Zool. Soc. London, XII (132) July 1844, 30.
- bicarinata** Silpha, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 95.
- bicarinatum** Solarium, Grateloup, Actes Soc. Linn. Bordeaux, V (27) 1832, 137.
- bicarinata** Spirifera, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 129.
- bicarinata** Spiroloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 298 [*n. n.*].
- bicarinata** Spirorbis, J. C. Chenu, Illustr. conch. I.—Spirorbis, 1843, 2.
- bicarinatus** Stello, P. A. Latreille, s. à Deterville ed. Buffon, Rept. II. 1801, 42.
- bicarinatus** Teius (L.), B. Merrem, Tent. Syst. Amph. 1820, 62.—Lacerta, 1758.
- bicarinata** Theba (Lowe), J. E. Gray, Figs. Moll. Anim. IV. 1850, 115.—? Bulimus, Brug. 1792.
- bicarinata** Thorictis (L.), J. Wagler, Nat. Syst. Amph. 1830, 153.—Lacerta, 1758.
- bicarinatus** Thynnus, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 357.
- bicarinatus** Trichotropis (Sow.), Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829, 374.—Turbo.
- bicarinata** Triloculina, A. d'Orbigny in Sagra, Cuba (Foram.), 1839, 180.
- bicarinatus** Trochus, Lamarck, Ann. Mus. H. N. (Paris) IV (19) Mar. 1804, 50.
- bicarinatus** Trochus, J. Sowerby, Min. Conch. III. 1818, 39.

- bicarinatus** Trochus, S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 312.
- bicarinatus** Trochus, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Moll. etc. 1834, 600.
- bicarinatus** Trochus, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 328.
- bicarinatus** Trochus, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 150. [70.]
- bicarinatus** Turbinites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819],
- bicarinatus** Turbo, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. xii.
- bicarinatus** Turbo, A. Andrezejowski, Bull. Soc. Imp. Nat. Moscou, II (1) 1830, 101.
- bicarinatus** Turbo (Lam.), G. P. Deshayes, Descr. Coq. foss. Paris, II. 1832, 259.—Planorbis.
- bicarinatus** Turbo, S. Woodward, Geol. Norf. 1833, 44. [421.]
- bicarinatus** Turbo, J. E. Portlock (ex Sow. MS), Rept. Geol. Londonderry, Jan. 1843,
- bicarinatus** Turbo, R. A. Philippi, Tertiärverst. n.-w. Deutschl. 1844, 74.
- bicarinata** Turritella, E. Eichwald, Nat. Lithuæn, 1830, 220.
- bicarinata** Turritella, G. G. Pusch, Polens Paleont. (2) 1837, 104.
- bicarinata** Turritella, G. B. Sowerby, I., Q. J. Geol. Soc. London, III. 1847, 421.
- bicarinata** Valvata, I. Lea, P. Amer. Phil. Soc. II (19) Oct. 1841, 83.
- bicarinatus** Vermetus, G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, IX. Vermilia, Lamarck, An. s. vert. V. 1818, 369. [Nov. 1843, 67.]
- bicarinatus** Vipio, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- bicarinatus** Zophosis, J. Sturm, Catal. Ins. Samml. 1826, 207 [n. n.] [438.]
- bicarinata** Zophosis, Latreille in Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 617.
- bicariferus** Trochus, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 531 [n. n.]
- bicarinoïdes** Ammonites, F. A. Quenstedt, Petref. Deutschl. I (Ceph.) (3) 1847, 248.
- bicatenata** Pleurotoma, Lamarck, Ann. Mus. H. N. (Paris) III (15) Jan. 1804, 168.
- bicatenata** Cassidaria (Sow.), S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 538.
- bicatenatus** Cassis, J. Sowerby, Min. Conch. II. 1817, 117. [—Cassis.]
- bicatenatus** Julis, E. T. Bennett, Proc. Comm. Sci. Zool. Soc. London (14) Mar. 1832,
- bicatenata** Lialis, J. E. Gray, Zool. Miscell. (Gray) (3) Ap. 1842, 52. [167.]
- bicatenata** Pleurotomaria, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 72.
- Bicatillus** W. Swainson, Treat. Malacol., May 1840, 354.—G. [cion, L. 1758.]
- bicaudalis** Lactophrys (Bl.), W. Swainson, N. H. Fishes etc. II. July 1839, 324.—Ostra-
- bicaudatus** Apate, T. Say, J. Acad. Nat. Sci. Philad. III. Mar. 1824, 320.
- bi-caudatus** Cryptorhynchus, Ill.; Dejean, Catal. Coléopt. 1821, 85 [n. n.]
- bicaudata** Epeira, H. Nicolet in Gay, Chili, III (Arach.) 1849, 510. [Fourc. 1785.]
- bicaudata** [Isogenus] (Kirby), E. Newman, Entom. Mag. V (2) Jan. 1838, 178.—Perla,
- bicaudata** Lernaepoda, H. Krøyer, Naturhist. Tidsskrift, I. 1837, 275.
- bicaudatus** Murex, S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [1822], 307.
- bicaudatus** Myllorhinus, Dupont in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent.
- bicaudata** Trichoda, F. v. P. Schrank, F. Boica, III (2) 1803, 87. [(2) 1835, 418.]
- bicaudatus** Tyroglyphus, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 262.
- Bicellaria** J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, I. 1823, 155.—Dipt.
- Bicellaria** H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 423.—Polyz.
- bicellata** Exoprosopa, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 67.
- biceps** Flustra, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 646.
- biceps** Mytilus, K. T. Menke, Zeitschr. f. Malakozool., Jan. 1848, 3.
- biceps** Reduvius, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- biceps** Trachelocerca, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834],
- biceps** Trochus, E. Eichwald, Beitr. Kenntn. Russ. Reiches, VIII. 1843, 55. [316.]
- [bicheno→.]
- bichenovii** Amadina (J. & S.), G. R. Gray, Genera of Birds, II. June 1849, 370.—Estrilda.
- bichenovii** Estrelda (V. & H.), J. Gould, Birds of Australia, III (5) 1841, pl. 80.—Fringilla.
- bichenovii** Estrilda (V. & H.), Jardine & Selby, Ill. Orn., sign. D, 1830.—Fringilla.
- bichenovii** Fringilla, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 258.
- bichenowii** Steganopleura (Vig.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 456.—Fringilla.

- bichir Polypterus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 340; [Geoffr. 1802, *vernac.*]
- biciliata Anthophora, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
- biciliatus Lepadogaster, A. Risso, H. N. Europe, III. 1826, 272. [83.]
- biciliatus Nothrus, C. L. Koch, Deutsch. Crust., heft 38, 1844, tab. 2.
- biciliatum Pterocyclos, A. Mousson, Land-Mollusk. Java, 1849, 49.
- bi-cinctana Grapholitha, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) [1843], 508. [1848, 157.]
- bicinctana Penthina, J. M. J. af Tengstrøm, Notiser Sallsk. fauna Fennica Förhandl. I.
- bicinctata Musca, W. Turton, Linnaeus, Syst. Nat. III. 1802, 644.
- bicinctorius Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 278.
- bicinctus Achilius, M. Spinola, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839, 321.
- bicinctus Acecephalus, J. Curtis, Brit. Entom. XIII (155) Nov. 1836, no. 620.
- bicinctus Aegialitis (J. & S.), J. Gould, Syn. Birds of Australia & adj. islands (2) Ap. 1837.—Charadrius. [1798.]
- bicinctus Allantus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 54.—Tenthredo,
- bicincta Altica, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1813), 22.
- bicinctus Amphiprion, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Fische (—) 1830 *vel* 1831, 139.
- bi-cinctus Anthicus, F. Gebler in A. D. Hummel, Essais Entom. I (4) 1824, 49.
- bicincta Anthophora (Fab.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 34.—Centris.
- bicincta Anthrax, C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818, 12.
- bicincta Aphrodes, J. Curtis, Guide Brit. Ins. (7) 1831, 193 [*n. n.*].
- bicincta Ascia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 57 [*n. n.*].
- bicincta Belvosia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 103.
- bicinctus Bothylus, C. E. W. Wiedemann, Aussereurop. Zweifl. Insekt, II. 1830, 641.
- bicinctus Brachysphoenus (Ol.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 381.—Erotylus.
- bicincta Bradybaena (Menke), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 19.— [1847, 13.]
Helix.
- bicinctus Brissus, Valenciennes in Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July
- bicinctus Bucco (Gould), G. R. Gray, Genera of Birds, I. Dec. 1846, 74.—Tamatia.
- bicinctus Bulimus, C. A. Récluz, Rev. Zool. (Soc. Cuv.) VI. Jan. 1843, 4.
- bicincta Bulla, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 355.
- bicincta Buprestis (Dej.), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 89.—Polychroma.
- bicincta Calophaena (Latr.), J. Gistel, Syst. Insect. I (2) 1839, 100.—Cordistes, Dej.
- bicinctus Capito (Gould), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 146.—Tamatia.
- bicincta Centris, J. C. Fabricius, Syst. Piezat. 1804, 358.—Apis, 1793.
- bicincta Cerceris, J. Waltl, Reise Tyrol etc. (2) 1835, 100.
- bicincta Cercopis, T. Say, J. Acad. Nat. Sci. Philad. VI. Ap. 1831, 303.
- bicinctus Cerithium, A. Risso, H. N. Europe, IV. 1826, 156.
- bicinctum Cerithium (Brocchi), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 557.—Murex.
- bicinctus Charadrius, Jardine & Selby, Ill. Orn., sign. 14, pl. 28.
- bicinctus Chironomus, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 41.
- bicinctus Chrysops (Fab.), C. R. W. Wiedemann, Dipt. exot. 1821, 105.—Tabanus.
- bicinctus Chrysotoxum (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 275.—Mulio, 1798.
- bicinctus Cimex, E. F. Germar, Revue Entom. V (4) 1840, 174.
- bicinctus Clerus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 297.
- bicinctus Clerus, M. Spinola, Ess. mon. Clérites, I. 1844, 260.
- bicincta Clythra, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 185.
- bicincta Clythra, C. P. Forsberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 287.
- bicincta Clytra, E. F. Germar, Ins. Spec. novae, I. 1824, 549.
- bicinctus Clytus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 28.
- bicinctus Coluber, J. Hermann, Obs. Zool. 1804, 276.
- bicincta Conops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 365.

- bicinctus** Conus, E. Donovan, Nat. Repository, V. pl. 169 [*i.e.* 170] (Dec. 1826).
bicincta Coptodera, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 65.
bicinctus Cordistes, Dejean in D. & Boisduval, Icon. Coléopt. I. 1829, 65.
bicinctus Cursorius, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. xcix [*n. n.*];
 II. Oct. 1820, 515. [182.—Duvaucelia.]
bicincta Curtocera (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
bicinctum Cyclostoma, G. Fischer, Mus. Démid. III. 1807, 219.
bicinctus Diabasis (Fab.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 207.
 —Tabanus.
bicinctus Diacanthus, J. L. Leconte in Agassiz, Lake Superior, 1850, 228 [*n. n.*].
bicincta Dioctria, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 251.
bicincta Duvaucelia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 1830, 228.
bicinctus Eidopsarus, W. Swainson, N. H. Classif. Birds, II. June 1837, 328.
bicinctus Erotylus, A. G. Olivier, Entom. V. 1807, 472.
bicincta Eucera, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 137.
bicincta Eurymela, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 286.
bicincta Fringilla, J. R. Forster, Anim. mar. Aust. 1844, 405.
bicincta Fringillaria (Forst.), G. R. Gray, Genera of Birds, III. App. 1849, 17.—
bicincta Gonia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 245.
bicincta Gonia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 245. [Fringilla.]
bicinctus Gorytes (Rossi), P. L. Van der Linden, N. Mem. Ac. Roy. Brux. V. 1829, 95.
bicincta Helix, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 127. [—Crabro, 1794.
bicincta Helix, L. Pfeiffer, Symb. Helic. I. 1841, 38.
bicincta Helix, L. Benoit, Farfalletta, 1843; sep. as Ric. Malac. 1843, 9.
bicinctus Helops, D. H. Schneider, Verz. Insectensamml. 1828, 78 [*n. n.*].
bicincta Hiaticula (J. & S.), G. R. Gray, Zool. "Ereb. Terr." (Birds, 1845), 12.—
 Charadrius. [drius.]
bicincta Hiaticula (J. & S.), J. Gould, Birds of Australia, VI (19) 1845, pl. 16.—Chara-
bicinctus Hylax, J. Gistel, Nat. Thierr. 1848, 154; Handb. Naturg. 1850 [1847], 505.
bicincta Ispida, W. Swainson, Birds W. Africa, II (Nat. Libr. XIX.) Sept. 1837, 95.
bicincta Lasius (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 237.—Centris.
bicincta Lebia, F. L. de Laporte, Etudes Entom. (1) 1834, 47.
bicincta Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 440.
bicinctus Lestiphorus (Rossi), Le Peletier de St F., Ann. Soc. Ent. France, I (1) c. Ap.
 1832, 70.—Crabro, 1794.
bicincta Littorina, A. Buvignier, Mém. Soc. Philom. Verdun, II. 1843, 244.
bicincta Lobesia, A. Guénéé, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 208.
bicincta Lydella (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 137.
bicincta Macraspis, H. Burmeister, Handb. Ent. IV (1) 1844, 351. [—Tachina.
bicincta Megilla (Fab.), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 142.—Centris.
bicincta Murchisonia, F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 16.
bicincta Murchisonia, J. Hall, N. H. New York (Pal. I.) 1847, 177.
bicinctus Murex, G. Brocchi, Conch. Subap. 1814, 446.
bicincta Mycetophila, C. Staeger, Naturhist. Tidsskrift, III (2 & 3) 1840, 263.
bicincta Natica, C. A. Récluz, Journ. de Conch. I (4) Dec. 1850, 395.
bicincta Nerinea, H. G. Bronn, N. Jahrb. f. Min. 1836, 562.
bicinctus Odynerus (Fab.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II.
 1841, 644.—Vespa, 1781. [Pterocles.]
bicincta Oenas (Temm.), L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 421.—
bicincta Oliva, *id.* ac bicingulata, 1811; Lamarck, An. s. vert. VII. 1822, 429.
bicincta Parmena, H. C. Kuester, Käfer Europas, XVIII. 1849, 98.
bicinctus Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 158.
bicincta Phyllocharis, Guérin-M. in Dupery, Voy. "Coquille," Zool. II (2) 1 (1838),
bicincta Pleurotoma, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 555. [145.
bicincta Polychroma, Dejean, Cat. Coléopt., ed. 3, 1836, 89.
bicinctus Psarus (F.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 193.—
bicinctus Pterocles, C. J. Temminck, Fig. et Gallin. III. 1815, 247. [Mulio, 1798.]

- bicornis** Pylus, E. Newman, Entomologist (23) Aug. [*i.e.* Sept.] 1842, 364.
- bicornis** Rhaphigaster (Germ.), Herrich-S., Wanzenart. Ins. VIII (1) Sept. 1845, 9.—Cimex.
- bicornis** Rhinophora, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 210.
- bicornis** Selasia, E. Mulsant, Ann. Soc. Agric. Lyon (2) II. 1850, 218.
- bicornis** Senometopia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 112.
- bicornis** Smynthurus, A. Herrich-Schaeffer in Fürnrohr, Fauna Ratisbon. III. 1840, 353.
- bicornis** Solarium, F. Cantraine, Bull. Ac. Roy. Brux. IX (2) 1842, 342.
- bicornis** Sparus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 418.
- bicornis** Sphaeromorphus, E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 117.
- bicornis** Sphinx, [A. H. Haworth], Prod. Lepidopt. Brit. 1802, 6 [*n. n.*].
- bicornis** Staphylinus, Eschscholtz in Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 229. [Polychroma.]
- bicornis** Stigmodera (Dej.), Gory in Laporte & G., H. N. Coléopt. IV. 1840, 131.—
- bicornis** Syntomis, V. Kollar in Hügel, Kaschmir, IV (2) 1844, 460.
- bicornis** Syrphus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 452.—Mulio,
- bicornis** Tabanus, J. C. Fabricius, Syst. Antliat. 1805, 102. [1798.]
- bicornis** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 381.
- bicornis** Tamatia, J. Gould, Proc. Zool. Soc. London, IV (45) Jan. 1837, 80.
- bicornis** Tenthredo (Allantus), Linn.; F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (3) 187, 191.
- bicornis** Terebra, R. B. Hinds, Proc. Zool. Soc. London, XI (130) June 1844, 150.
- bicornis** Tettigonia, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 66.
- bicornis** Tmesisternus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 473.
- bicornis** Treron (Jerd.), E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (*post* May 1846), 851.—Vinago.
- bicornis** Triton, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 614.
- bicornis** Tritonium (Desh.), H. G. Bronn, Index Pal. 1848, 1292.—Triton.
- bicornis** Trochus (Phorcus), R. A. Philippi, Zeitschr. f. Malakozool. (July) 1848 [Feb. 1849], 102.
- bicornis** Turbo (Buv.), A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 8.—Littorina.
- bicornis** Turritella, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 534.
- bicornis** Turritella, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 180.
- bicornis** Uranoscopus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1843), 26.
- bicornis** Vespa, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 277.
- bicornis** Vinago, T. C. Jerdon, Madras Journ. XII (28) July 1840, 13.
- bicornis** Xenodon, H. Schlegel, Essai phys. Serp. 1837, I. 140; II. 95.
- bi-cingendus** Trochus, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 416.
- bicingulata** Anthrax, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 350.
- bicingulatus** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 527.
- bicingulatus** Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 482.
- bicingulatus** Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 297.
- bicingulata** Mantis (Oxypilus), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 86.
- bicingulata** Megalostomis, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 542.
- bicingulatus** Mesoleptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 107.
- bicingulata** Oliva, Lamarck, Ann. Mus. H. N. (Paris) XVI (94) *inter* Jan.—Mar. 1811, 319.
- bicingulata** Pleurotomaria, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 168.
- bicingulata** Plutella, P. C. Zeller, Isis (Oken), 1839, 188.
- bicingulata** Tachina, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1133.
- bicingulatus** Trochus, Lamarck, An. s. vert. VII. 1822, 27.
- bicingulatus** Turbo, G. v. Muenster, Beitr. zur Petref. (4) 1841, 115.
- bicingulata** Turritella, Lamarck, An. s. vert. VII. 1822, 58.
- bi-cingulella** Oecophora, Duponchel in J. B. Godart, H. N. Lépid. France, XI (Noct. 8) [*ante* Nov. 1840], 486.
- bicirrhatus** Gobio, J. Minding, Lehrb. Naturg. Fische, 1832, 126. [1842, 582.]
- bicirrhatus** Opsarus (*sic*), McClelland & Griffith, Calcutta Journ. Nat. Hist. II (8) Jan.

- bicirrata** Scorpaena, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 258.
- bicirrhata** Synanceia (Lac.), H. Cloquet, Dict. Sci. Nat. LI. 1827, 441.—Scorpaena.
- bicirrhis** Silurus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 367.
- bicirrhosum** Ischnosoma, J. B. v. Spix, Pisc. Brasil. 1829, 47, pl. xxv. [soma, 1829]
- bicirrhosum** Osteoglossum, Vandelli in J. B. v. Spix, Pisc. Brasil. 1829, 47.—Ischno-
- biclavatus** Centrotus, J. O. Westwood in Duncan, Nat. Libr. XXIX (Ent. I.) 1840, 286.
- biclavata** Holhymenia (Fab.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829.
- biclavatus** Lygaeus, J. C. Fabricius, Syst. Rhyng. 1803, 208. [197.—Lygaeus.
- biclavata** Pachylis (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 338.—Lygaeus.
- biclavata** Pachylis (Spathophora) (Fab.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 612.—Lygaeus.
- biclavata** Spathophora (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 195.—Lygaeus. [1846, 262.—Centrotus.
- biclavatus** Sphongophorus (Westw.), L. Fairmaire, Ann. Soc. Ent. France [2] IV (2) Oct.
- biclavus** Gallinago, B. H. Hodgson, J. Asiat. Soc. Bengal, VI. 1837, 491.
- bicollaris** Psittacus, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1385.
- bicolon** Cassida, E. F. Germar, Ins. Spec. novae, I. 1824, 542.
- bicolon** Necrophorus, E. Newman, Entom. Mag. V (4) Ap. (i.e. July) 1838, 385.
- bicolon** Ochthebius, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Jan. 1829, 115.
- bicolor** Acanthia, J. Curtis, Guide Brit. Ins. (7) 1831, 196 [n. n.].
- bicolor** Acanthia, J. Curtis, Brit. Entom. XII (137) May 1835, no. 548.
- bicolor** Acanthopleura (Adams), J. E. Gray, Proc. Zool. Soc. London, XV (174) June 30 1847, 67.—Chiton [non comp., ? Bl.].
- bicolor** Acarus, F. v. P. Schrank, F. Boiça, III (1) 1803, 197.
- bicolor** Acarus, I. F. M. de Olfers, De Veg. Anim. 1816, 73.
- bicolor** Achatina, J. C. Jay, Cat. Shells, ed. 3, 1839, 119.
- bicolor** Achatinella (Jay), L. Pfeiffer, Symb. Helic. III. 1846, 58.—Achatina.
- bicolor** Acridium (Opsomala), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 148.
- bicolor** Acrocera, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 227.
- bicolor** Actinia, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I. no. 8, Dec. 1817, 171.
- bicolor** Actinia, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838), 78.
- bicolor** Adrastus, H. Lucas, Explor. Algér. (Artic. II.), 1846, 169.
- bicolor** Aenas, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 271.
- bicolor** Agathis, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 483.
- bicolor** Agelaius, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 535.
- bicolor** Agonosoma, J. O. Westwood (ex Gistl MS) in F. W. Hope, Cat. Hemipt. 1837, 12.
- bicolor** Agrilus, L. Redtenbacher, F. Austr., Käfer, 1849, 287.
- bicolor** Agrion, Schummel, Uebers. Arb. schles. Ges. 1826 (1827), 23 [n. n.].
- bicolor** Agromyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 399.
- bicolor** Agyrtes, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 7.
- bicolor** Alcedo, J. F. Stephens in G. Shaw, Gen. Zool. (Aves), XIII (2) 1826, 103.
- bicolor** Alcippe (Less.), E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844, 385.—Brachypteryx.
- bicolor** Aleiodes (Spin.), C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1838, 116.—Bracon.
- bicolor** Aleochara, J. Westerhauser, Faunus, I (3) 1834, 164.
- bicolor** Allantus (Klug), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 30.—Tenthredo.
- bicolor** Allecula (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 19.—Cistela.
- bicolor** Alysia, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 247.—Bassus, 1812.
- bicolor** Amadina, L. Fraser, Proc. Zool. Soc. London, X (117) Feb. 1843, 145.
- bicolor** Amara, Paykull in Dejean, Catal. Coléopt. 1821, 9 [n. n.].
- bicolor** Amarygmus (Fab.), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 274.—Cnodulon. [(*neunte* 1851), 225.]
- bicolor** Amblochilus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850
- bicolor** Amblyramphus, W. E. Leach, Zool. Miscell. I. 1814, 82.
- bicolor** Ammobates, Le Peletier & Serville, Ency. Méth. X (Ins.), 1825, 17.
- bicolor** Ammocetes, C. A. Le Sueur, Tr. Amer. Phil. Soc., n. s., I. 1818, 386.
- bicolor** Amphicoma, J. Watl, Isis (Oken), 1838, 458.
- bicolor** Amphimaltus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 443.

- bicolor** Analestesa, W. E. Leach, Zool. Journ. I (1) Mar. 1824, 35.
- bicolor** Anas, L. P. Vieillot, N. Dict. H. N., ed. 2, V. 1816, 137.
- bicolor** Anchomenus, Eschscholtz in Dejean, Spec. gén. Coléopt. III. 1828, 126.
- bicolor** Ancylocera (Ol.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 438.—Saperda, 1795.
- bicolor** Androctonus, C. G. Ehrenberg, Sym. Phys., Arach. 1831 (pls. 1828) sign. c.
- bicolor** Androctonus (Prionurus), Hemprich & Ehrenberg, Ges. Nat. Fr. Berlin, Verh. I (6) 1829, 358.
- bicolor** Anguilla, J. M'Clelland, Calcutta Journ. Nat. Hist. V (18) July 1844, 178.
- bicolor** Anguis, A. Risso, H. N. Europe, III. 1826, 89.
- bicolor** Anisoctus, Rafinesque, The Good Book, 1840, 65.
- bicolor** Anisomera, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 292.
- bicolor** Anisomera (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 117.
—Nematocera. [Genyodonta.
- bicolor** Anisorrhina (Burm.), J. O. Westwood, Arcana Entom. (12) Mar. 1843, 186.—
- bicolor** Anisotoma, W. L. E. Schmidt in Germar, Zeitschr. f. d. Entom. III. 1841, 170.
- bicolor** Anomala (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 92.—Melolontha, 1775.
- bicolor** Anoplocnemus (Ol.), H. Burmeister, Handb. Ent., V. 1847, 360.—Lucanus, 1789.
- bicolor** Anoploderma, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. Sept. 1840, 277.
- bicolor** Anthaxia, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 149.
- bicolor** Anthicus, J. C. Fabricius, Syst. Eleuth. I. 1801, 292.
- bicolor** Anthicus, T. Say, Amer. Entom. I. 1824, pl. x.
- bicolor** Anthicus, H. Lucas, Rev. Zool. (Soc. Cuv.) VI. May 1843, 146.
- bicolor** Anthidium, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 399.
- bicolor** Anthomyia, Hoffmannsegg in C. R. W. Wiedemann, Zoologisches Magazin, I (1) 1817, 77.
- bicolor** Anthophagus, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 34.
- bicolor** Anthophilina, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2701.
- bicolor** Anthophora, J. C. Fabricius, Syst. Piezat. 1804, 373.—Apis, 1781.
- bicolor** Anticheira (Herbst), Eschscholtz, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 476.
—Melolontha, ? Fab. 1775.
- bicolor** Aphis, S. S. Haldeman, Proc. Boston Soc. N. H. I (2-3) [1844-5], 168.
- bicolor** Aphodius (Knoch), T. Say, J. Acad. Nat. Sci. Philad. III., Dec. 1823, 212.—
Scarabaeus.
- bicolor** Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 187.
- bicolor** Apis, F. Klug, Ges. Nat. Fr. Berlin, Mag. I. 1807, 264.
- bicolor** Aporocera, W. W. Saunders, Ann. Mag. Nat. Hist. X (62), Sept. 1842, 69.
- bicolor** Aporus, M. Spinola, Ins. Liguriae, II. 1808, 7 & 34.
- bicolor** Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 247.
- bicolor** Aranea, C. Duméril, Dict. Sci. Nat. (ed. 1) II. 1804, 345.
- bicolor** Ardea, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 409.
- bicolor** Arescus (Gray), F. E. Guérin-M., Iconographie, 1844, Ins. 267.—Chelobasis.
- bicolor** Arge, F. v. P. Schrank, F. Boica, II (2) 1802, 229.—Tenthredo, 1776.
- bicolor** Argopus, G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 183.
- bicolor** Argutor, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 30.
- bicolor** Argyroneta, A. Risso, H. N. Europe, V. 1826, 166.
- bicolor** Argyrophis, J. E. Gray (*ex* Hardw. MS), Cat. Lizards Coll. B. M. 1845, 136.
- bicolor** Ariphron, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 266.
- bicolor** Artamia, J. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, 109.
- bicolor** Asilus, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 241.
- bicolor** Astata, T. Say, Western Quart. Reporter, II (1) 1823, 78.
- bicolor** Asterias, Lamarck, An. s. vert. II. 1816, 566.
- bicolor** Athalia, Le Peletier, Mon. Tenthred. 1823, 23.
- bicolor** Athyreus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 103.
- bicolor** Atomaria, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (3) 1846, 390.
- bicolor** Atopa, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (8) Ap. 1845, 221.
- bicolor** Atractodes, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 791.
- bicolor** Attagenus, Dahl; Dejean, Catal. Coléopt. 1821, 46 [*n. n.*].

- bicolor** Attelabus, Cristofori & Jan, Cat. Mus. (IIIa, Coleopt.) 1832, 91 [*n. n.*].
- bicolor** Attus, C. A. Walckenaer, Tab. Aran. 1805, 24.—Aranea, 1802.
- bicolor** Attus, H. Lucas in Webb & Berthelot, Canaries (Arach.) 1840, 28.
- bicolor** Atypus, H. Lucas, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 216.
- bicolor** Aulonium (Herbst), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 277.—
Colydium, 1797.
- bicolor** Baeolophus (L.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 91.—Parus, 1766.
- bicolor** Balistes, G. Shaw, Gen. Zool. (Pisc.) V (2) 1804, 407.
- bicolor** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 121.
- bicolor** Baris, Dejean, Catal. Coléopt. 1821, 99 [*n. n.*].
- bicolor** Bassus, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VI (3) 1812, 207.
- bicolor** Bassus, J. W. Zetterstedt, Ins. Lapp. desc. 1838, 378.
- bicolor** Belyta, L. Jurine, N. Méth. class. Hyménopt. 1807, 311 [*n. et f.*].
- bicolor** Bibio, F. Walker, List Dipt. Coll. B. M. (1) 1848, 121.
- bicolor** Bimia, A. White, Proc. Zool. Soc. London, XVIII (201) Nov. 12, 1850, 13.
- bicolor** Blatta, C. P. Thunberg, K. Vet. Ac. Nya Handl. XXXI (3) 1810, 187.
- bicolor** Blatta, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 183.
- bicolor** Blepharipeza, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 286.
- bicolor** Boletaria, T. Marsham, Coleopt. Brit., Sept. 1802, 141.
- bicolor** Boletobius (Grav.), W. F. Erichson, Gen. Spec. Staph. (1) 1839, 274.—Tachinus.
- bicolor** Bothriocephalus, A. v. Nordmann (*ex* Bartels MS), Mikr. Beitr. wirbellos. Thiere
- bicolor** Botis, W. Swainson, Zool. Illust. (1) II (15) Dec. 1821, pl. 77. [(1) 1832, 99.
- bicolor** Brachinus, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1838, 21. [Rhingia.
- bicolor** Brachyopa (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 262.—
- bicolor** Brachypteryx, R. P. Lesson, Rev. Zool. (Soc. Cuv.) II. May 1839, 138.
- bicolor** Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 368.
- bicolor** Brachytes, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 8.
- bicolor** Bracon, M. Spinola, Ins. Liguriae, II. 1808, 128.
- bicolor** Bracon, J. Curtis, Guide Brit. Ins. (4) 1829-30, 104 [*n. n.*].
- bicolor** Bracon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 412.
- bicolor** Brentthus, J. A. Boisduval in d'Urville, Voy. "Astralabe," Ent. (2) 1835, 312.
- bicolor** Brentthus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 109.
- bicolor** Buccinum, J. K. Megerle, Ges. Nat. Fr. Berlin, Verh. I (4) 1824, 206.
- bicolor** Buceros, T. C. Eytton, Proc. Zool. Soc. London, VII (78) Nov. 1839, 104.
- bicolor** Bulinus, G. B. Sowerby, I., Proc. Zool. Soc. London, II (24) Ap. 1835, 141.
- bicolor** Buprestis, D. H. L. Fournel, Faune de la Moselle, II. 1840, 401.
- bicolor** Buthus, J. Gistel, Nat. Thierr. 1848, 191; Handb. Naturg. 1850 [1847], 626.
- bicolor** Calamospiza (Townsend), C. L. Bonaparte, List Birds Eur. Amer. 1838, 30.—Fringilla.
- bicolor** Caligus (Leach), Lamarck, An. s. vert. V. 1818, 142.—Pandarus.
- bicolor** Calleida, L. Reiche, Rev. Zool. (Soc. Cuv.) V. Sept. 1842, 275.
- bicolor** Calleida, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3) 1844, 462.
- bicolor** Callidium, F. V. Melsheimer, Ins. Pennsylv. 1806, 37 [*n. n.*].
- bicolor** Callimome, F. Walker, Entom. Mag. I (2) Jan. 1833, 130.
- bicolor** Calliphora, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 285.
- bicolor** Callirhipis, F. L. de Laporte, Ann. Soc. Ent. France, III (2) *post* June 1834, 255.
- bicolor** Callitheres, M. Spinola, Ess. mon. Clérites, II. 1844, 127.
- bicolor** Callitula, M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 151.
- bicolor** Calopteron (Fab.), Laporte, Revue Entom. IV (1) 1836, 26.—Lycus, ?Ol. 1790.
- bicolor** Campecopea, H. Rathke, Mém. présentés Ac. Imp. Sci. St Pétersb. III (3 & 4)
Sept. 1837, 391. [pyris, Temm.
- bicolor** Campophaga (M. & S.), G. R. Gray, Genera of Birds, I. June 1846, 283.—Cebile-
- bicolor** Campptodes, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 333.
- bicolor** Campylomyza, Wiedemann in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818,
- bicolor** Cancellaria, R. B. Hinds, Proc. Zool. Soc. London, XI (123) Oct. 1843, 48. [102.
- bicolor** Cantharis, Ziegl.; Dejean, Catal. Coléopt. 1821, 37 [*n. n.*]. [?L. 1767.
- bicolor** Cantharis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 36.—Lampyris,
- bicolor** Canthon, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 69.
- bicolor** Capsus, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 326.

- bicolor** Cardita, Lamarck, An. s. vert. VI (1) 1819, 23.
bicolor Carocolla, Lamarck, An. s. vert. VI (2) 1822, 97.
bicolor Carpalimus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*];
 & Ill. Brit. Ent. (Mand. V.) Jan. 1834, 325 [bicolon]. [1786.
bicolor Carpophaga (Scop.), G. R. Gray, Genera of Birds, III. App. 1849, 23.—Columba,
bicolor Carybdea, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 293.
bicolor Catoxantha (Fab.), Dejean, Catal. Coléopt., ed. 2 (I) Jan. 1833, 75.—Buprestis,
bicolor Cebilephyrus, C. J. Temminck in T. & Laugier, Pls. color. (42) Jan. 1824. [1775.
bicolor Cebrio, J. C. Fabricius, Syst. Eleuth. II. 1801, 14.
bicolor Cecidomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 98.
bicolor Cecidomyia, J. J. Brems, N. D. Allg. Schweiz. Gesellsch. IX. 1847, 54.
bicolor Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 225.
bicolor Centris, Lapeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 163.
bicolor Centropus, R. P. Lesson, Traité Ornith. (2) May 1830, 137.
bicolor Ceratopogon, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 31.
bicolor Cercopithecus, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811 (1815),
bicolor Cercus, J. Sturm, Catal. Ins. Samml. 1826, 113 [*n. n.*]. [88 [*n. n.*].
bicolor Cercus, H. Lucas, Explor. Algér. (Artic. II.) 1846, 215.
bicolor Cerithium, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 5.
bicolor Ceryle (Gm.), F. Boie, Isis (Oken), 1828, 316.—Alcedo, 1788.
bicolor Cetonia, F. de Tigny, s. à Deterville ed. Buffon, Ins. V. 1801, 294.
bicolor Chaetura, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 7.
bicolor Charadrius, C. J. Temminck in T. & Laugier, Pls. color. (89) Feb. 1832.
bicolor Chelidon (Vieill.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 8.—Hirundo.
bicolor Chelifer, A. Risso, H. N. Europe, V. 1826, 158.
bicolor Chelifer, W. E. Leach, Trans. Plymouth Inst. 1830, 163.
bicolor Chelobasis, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 784 &
 143; & pl. 67 [*err. typ. text. vicolor*].
bicolor Chironomus, J. Waltl, Isis (Oken), 1837, 279.
bicolor Chironomus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 813.
bicolor Chironomus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 7.
bicolor Chiton, de Blainville, Dict. Sci. Nat. XXXVI. 1825, 542.
bicolor Chlamys, F. Klug, Entom. Mon. 1824, 156.
bicolor Chlopsis, C. S. Rafinesque-S., Ind. itt. Sic. 1810, 42 & 59.
bicolor Chromatomyia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 805.
bicolor Chrysis, Lapeletier, Ann. Mus. H. N. (Paris) VII (38) Dec. 1805, 127.
bicolor Chrysis, A. G. Dahlbom, Mon. Chrys. Svec. 1829, 10. [1775.
bicolor Chrysochroa (Fab.), Laporte & Gory, H. N. Coléopt. I. 1835-1836, 3.—Buprestis,
bicolor Chrysogaster, J. Macquart, Mém. Soc. R. Sci. Lille, 1827-8, 1829, 193.
bicolor Chrysomela, Germ.; Dejean, Catal. Coléopt. 1821, 122 [*n. n.*].
bicolor Chrysotus, J. Macquart, Rec. Trav. Soc. Sci. Lille, 1826-7, 1827, 1828, 233.
bicolor Cicada, Palisot de B., Ins. Afr. Amér. (—) 1813, 132.
bicolor Cineras, A. Risso, H. N. Europe, IV. 1826, 383.
bicolor Cissopsis, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 417.
bicolor Cistela, T. Marsham, Coleopt. Brit., Sept. 1802, 105.
bicolor Clausilia, L. Pfeiffer, Symb. Helic. III. 1846, 93.
bicolor Cleigastrea, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 387.
bicolor Clypeaster, J. Sturm, Catal. Ins. Samml. 1826, 120 [*n. n.*].
bicolor Clythra, J. C. Fabricius, Syst. Eleuth. II. 1801, 40.
bicolor Clythra, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 46.
bicolor Clythra, F. Weber, Obs. Ent. 1801, 64.
bicolor Cnodulon, J. C. Fabricius, Syst. Eleuth. II. 1801, 14.—Erotylus, 1775.
bicolor Coccinella, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 15.
bicolor Coccinella, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 31.
bicolor Coccothraustes (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 523.—
 Loxia, L. 1758.
bicolor Coenomya (Fab.), Lamarck, An. s. vert. III. 1816, 418.—Sicus, 1798.
bicolor Colaspis, A. G. Olivier, Entom. VI. 1808, 879.

- bicolor** Colaspis (Ol.), Dejean, Catal. Coléopt. 1821, 124.—Eumolpus.
bicolor Colaspis (Sturm), Dejean, Catal. Coléopt. 1821, 124.—Eumolpus, ?Ol.
bicolor Colaspis, E. F. Germar, Ins. Spec. novae, I. 1824, 572.
bicolor Colaspis, Cristofori & Jan, Cat. Mus. (IIIa, Coleopt.) 1832, 79 [*n. n.*].
bicolor Coluber, W. E. Leach; T. E. Bowdich, Miss. Ashanti, 1819, 493.
bicolor Coluber, A. Reuss, Abh. Senckenb. Mus. I (2) 1834, 145.
bicolor Columba, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 345.
bicolor Columbella, L. C. Kiener, Spec. Coquilles (Columbella) 1841, 46.
bicolor Colydium, J. C. Fabricius, Syst. Eleuth. II. 1801, 555.
bicolor Colymbetes, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 70.
bicolor Comatula, S. d. Chiaje, Descr. An. invert. Sicilia, IV. 1841, 65.
bicolor Comptosia, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 418.
bicolor Conirostrum, R. P. Lesson, Echo Monde Savant, XI. 25 July 1844, 158.
bicolor Conura, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 565.
bicolor Coprobis, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) II. Oct. 1839, 299.
bicolor Coraeus, Laporte & Gory, H. N. Coléopt. II. 1839, 17.
bicolor Corallina, Tilesius, Denkschr. K. Ak. Wiss. München, 1813 (1814), 36.
bicolor Cordylura, F. Walker (*ex* Barnston MS), List Dipt. Coll. B. M. (4) 1849, 974.
bicolor Coreus, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 241.
bicolor Corydalina (Towns.), J. J. Audubon, Synopses, 1839, 130.—Fringilla.
bicolor Corydonix, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 297.
bicolor Corynetes, Laporte, Revue Entom. IV (2) 1836, 50.
bicolor Cratopus, W. Jardine, Edinburgh Journ. Nat. Geogr. Sci. III. Feb. 1831, 97.
bicolor Crocisa (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 241.—Melecta.
bicolor Cryptobium (Grav.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 563.—Lathrobium.
bicolor Cryptocephalus, J. F. Eschscholtz, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 466.
bicolor Cryptocerus, F. E. Guérin-M., Iconographie, 1844, Ins. 425.
bicolor Cryptohypnus (Eschsch.), F. E. Germar, Zeitschr. f. d. Entom. V. 1844, 141.—
bicolor Cryptophagus, Dejean, Catal. Coléopt. 1821, 45 [*n. n.*]. [Hypolithus.
bicolor Cryptophagus, J. Sturm, Deutschl. Fauna (Insecten) XVI. 1845, 107.
bicolor Cryptus, H. Lucas, Explor. Algér. (Artic. III.) 1849, 330.
bicolor Cteniopus (Fab.), A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835,
 247.—Cistela, 1794.
bicolor Ctenodactyla, F. L. de Laporte, Magasin de Zool. (2) V. 1843, text to pl. 119.
bicolor Ctenogyna, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 47.
bicolor Culex, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 9. [124.
bicolor Cyclocephala, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840.
bicolor Cyclophylla (Q. & G.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (24)
 Jan. 1837, 187.—Carybdea.
bicolor Cydippe, M. Sars, Beskr. Bergenske Kyst Dyr. 1835, 35.
bicolor Cydnuus (Fab.), C. F. Fallen, Mon. Cimicum Sveciae, 1807, 53.—Cimex, L. 1758.
bicolor Cylloides, Klug in Germar, Zeitschr. f. d. Entom. IV. 1843, 343 [*n. n.*].
bicolor Cymatodera (Say), J. L. Le Conte, Ann. Lyceum N. H. New York, V (1) May
bicolor Cynips, T. W. Harris, Rep. Insects Massach. 1841, 399. [1849, 16.—Tillus.
bicolor Cypraea, J. S. Gaskoin, Proc. Zool. Soc. London, XVI (186) Mar. 13, 1849, 92.
bicolor Cytherea (Gray), S. Hanley, Ill. Cat. Bivalve Shells (1) *ineunte* 1843, 104.—
bicolor Dacelo, P. A. J. Drapiez, Dict. class. Sci. Nat. VII. 1841, 155. [Trigona.
bicolor Dacnis, Boekl.; G. R. Gray, Genera of Birds, I. Jan. 1846, 102.
bicolor Dactylotum, T. de Charpentier, Orthopt. (9) 1843, tab. 52.
bicolor Dacus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 526.
bicolor Dacus, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1071.
bicolor Decticus (Phil.), H. Burmeister, Handb. Ent. II (2) i, 1838, 711.—Locusta.
bicolor Delphinoidea (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. li, f. 50.—Helix,
 ? Adams, 1800.
bicolor Diamma, J. O. Westwood, Proc. Zool. Soc. London, III (28) July 1835, 53.
bicolor Diamma, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 235.
bicolor Diaperis, J. C. Fabricius, Syst. Eleuth. II. 1801, 586.—Scaphidium, 1798.

- bicolor** Diaperis, F. V. Melsheimer, *Ins. Pennsylv.* 1806, 16 [*n. n.*].
- bicolor** Dictyoptera (Ol.), P. A. Latreille in G. Cuvier, *R. Anim.*, ed. 2, IV. 1829, 465.—
- bicolor** Dilophus, C. R. W. Wiedemann, *Dipt. exot.* 1821, 34. [Lycus.]
- bicolor** Diorymerus, A. Chevrolat in F. E. Guérin-M., *Iconographie*, 1844, *Ins.* 162.
- bicolor** Dodecatoma, J. O. Westwood in F. E. Guérin-M., *Spec. et Icon. Anim. artic.* (6)
- bicolor** Dolerus (Pal.), Le Peletier, *Mon. Tenthred.* 1823, 122.—*Tenthredo.* [1849, 1.]
- bicolor** Dolichopus, J. C. Fabricius, *Syst. Antliat.* 1805, 269.—*Musca*, 1798.
- bicolor** Dolichurus, Lepeletier de S. F. (*Roret's Suite à Buffon*), *Hyménopt.* III. 1845, 328.
- bicolor** Dorcatoma, E. F. Germar, *Ins. Spec. novae*, I. 1824, 79.
- bicolor** Drassus, C. W. Hahn, *Die Arachniden*, I (6) Oct. 1833, 123.
- bicolor** Drassus, O. G. Costa, *Cenni Zool. (Ann. zool.)* 1834, 64.
- bicolor** Drillia, J. E. Gray, *Ann. Nat. Hist.* I (1) Mar. 1838, 29.
- bicolor** Dromius, A. Brullé in d'Orbigny, *Amér. Mérid. (Ins.)* 1837, 12.
- bicolor** Dryinus, J. Curtis (*ex Hal. MS*), *Brit. Entom.* V (51) Mar. 1828, no. 206.
- bicolor** Dryocampa, T. W. Harris, *Rep. Insects Massach.* 1841, 293.
- bicolor** Dryoscopus (L.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 361.—*Lanius*, 1771.
- bicolor** Ectrychotes, Herrich-S., *Wanzenart. Ins.* VIII (3) Jan. 1846, 53.
- bicolor** Elater, J. C. Fabricius, *Syst. Eleuth.* II. 1801, 234.
- bicolor** Elater, F. V. Melsheimer, *Ins. Pennsylv.* 1806, 42 [*n. n.*].
- bicolor** Elater, Meg.; Dejean, *Catal. Coléopt.* 1821, 33 [*n. n.*].
- bicolor** Ellescus, Dufts.; Dejean, *Catal. Coléopt.* 1821, 87 [*n. n.*].
- bicolor** Emenadia, F. L. de Laporte in Brullé, *H. N. Anim. artic. (Coléopt.)* II. 1840, 262.
- bicolor** Empis, J. Macquart, *Rec. Trav. Soc. amat. Sci. Lille*, I. 1823, 163.
- bicolor** Encoelocera, H. Loew, *Entom. Zeitung, Stettin*, V (9) Sept. 1844, 321.
- bicolor** Enophium, Laporte, *Revue Entom.* IV (2) 1836, 52.
- bicolor** Enteles, J. O. Westwood, *Arctana Entom.* II (21) Sept. 1844, 144.
- bicolor** Entomovorus, R. P. Lesson, *Rev. Zool. (Soc. Cuv.)* II. July 1839, 197.
- bicolor** Epeira, C. L. Koch, *Die Arachniden*, V (3) Sept. 1838, 57. [82.]
- bicolor** Ephialtes, A. Brullé in Lepeletier (*Roret's Suite à Buffon*), *Hyménopt.* IV. 1846,
- bicolor** Epimecis, A. Brullé in Lepeletier (*Roret's Suite à Buffon*), *Hyménopt.* IV. 1846,
113. [153.]
- bicolor** Erotylus (Brachymerus), F. E. Guérin-M., *Rev. Zool. (Soc. Cuv.)* IV. May 1841,
- bicolor** Estrela (Vieill.), G. R. Gray, *Genera of Birds*, II. June 1849, 369.—*Fringilla.*
- bicolor** Ethon, Laporte & Gory, *H. N. Coléopt.* II. 1840, 3.
- bicolor** Eucera, Lepeletier de S. F. (*Roret's Suite à Buffon*), *Hyménopt.* II. 1841, 127.
- bicolor** Eucnemis, J. E. Gray, *Zool. Miscell. (Gray)* (4) May 1842, 57. [coma.]
- bicolor** Eulasia (Waltl), E. Truqui, *Rev. Zool. (Soc. Cuv.)* X. May 1847, 168.—*Amphi-*
- bicolor** Eulophus, F. Walker, *Mon. Chalcid.* I. 1839, 173.—*Entelus*, 1834.
- bicolor** Eulophus, Boyer de F., *Ann. Sci. Nat.* [2] (*Zool.*) XIII. Mar. 1840, 190.
- bicolor** Eumolpus, A. G. Olivier, *Entom.* VI. 1808, 907.
- bicolor** Euphonia, H. E. Strickland; W. Jardine, *Contrib. Ornith.* III. 1850, 48.
- bicolor** Euplectrus (Swed.), F. Walker, *List Hymenopt. Coll. B. M.* (1) 1846, 67.—*Pteromalus*, 1795.
- bicolor** Euplectus, H. Denny (*ex Kirby MS*), *Mon. Pselaph.* 1825, 17.
- bicolor** Eurydema (Fab.), F. L. de Laporte, *Ess. Hémipt. in Magasin de Zool.* II. 1832,
- bicolor** Eurydema, H. Burmeister, *Gen. Ins.* (1) 1837, no. 1. [61.—*Cimex*, L. 1758.]
- bicolor** Eustrophus (Fab.), Dejean, *Catal. Coléopt.* 1821, 68.—*Mycetophagus.*
- bicolor** Eutelus, F. Walker, *Entom. Mag.* II (4) Oct. 1834, 361. [1845, 390.—*Aporus.*
- bicolor** Evagetes (Spin.), Lepeletier de S. F. (*Roret's Suite à Buffon*), *Hyménopt.* III.
- bicolor** Evania (Brachygaster), J. O. Westwood, *Ann. Mag. Nat. Hist.* VII (Suppl.) Sept.
1841, 536.
- bicolor** Evania (Hyptia), J. O. Westwood, *Tr. Entom. Soc. Lond.* III (4) Jan. 1844, 246.
- bicolor** Exocoetus, Cuvier & Valenc., *H. N. Poiss.* XIX. 1846, 111.
- bicolor** Falciger, Ziegl.; Dejean, *Catal. Coléopt.* 1821, 84 [*n. n.*].
- bicolor** Figites, Boyer de F., *Ann. Sci. Nat.* XXVI (102) June 1832, 185.
- bicolor** Filaria, F. C. H. Creplin, *Obs. de Entozois* (1) 1825, 4.
- bicolor** Filistrata, Latreille, *N. Dict. H. N.*, ed. 2, XI. June 1817, 468. [1830, 101.]
- bicolor** Fischeria, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II.

- bicolor** Fluvicola (Gm.), A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid in Magasin de Zool. VII. 1837, 58.—Musicapa, 1788.
- bicolor** Forficula, G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 42.
- bicolor** Formica, W. E. Leach, Zool. Journ. II (7) Oct. 1825, 289.
- bicolor** Fringilla, L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 174.
- bicolor** Fringilla, J. K. Townsend, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 189.
- bicolor** Fuligula (Vieill.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 208.
- bicolor** Fusus, T. Say, J. Acad. Nat. Sci. Philad. V. Feb. 1826, 215. [—Anas.]
- bicolor** Galleruca, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 29.
- bicolor** Galleruca, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 554.
- bicolor** Garrulax, Müller in J. G. Hartlaub, Syst. Verz. nat. Gesellsch. Mus. [Bremen] (1) Genyodonta, H. Burmeister, Handb. Ent. III. 1842, 238. [1844, 44.]
- bicolor** Geotrupes, J. C. Fabricius, Syst. Eleuth. I. 1801, 9.
- bicolor** Gerarda, J. E. Gray, Cat. Snakes Coll. B. M. 1849, 77.
- bicolor** Geryonia, J. F. Eschscholtz, Syst. Acalephen, 1829, 89.
- bicolor** Gibbium, Dejean, Catal. Coléopt. 1821, 41 [*n. n.*].
- bicolor** Gibbula, A. Risso, H. N. Europe, IV. 1826, 135. [Hirudo, 1800.]
- bicolor** Glossiphonia (Daud.), A. Moquin-T., Mon. Hirudin., ed. 2, c. July 1846, 385.—
- bicolor** Gnoma (Ol.), Dejean, Catal. Coléopt. 1821, 109.—Saperda, 1795.
- bicolor** Gobio, J. McClelland, Asiat. Researches, XIX (2) 1839, 278.
- bicolor** Gonypes, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 191.
- bicolor** Grallina, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 232.
- bicolor** Graucalus (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 165.—Ceblepyris. [bezitt., Zool. (Ins.) 1842, 235.]
- bicolor** Gryllus (Phalangopsis), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. Gymnetron, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 745.
- bicolor** Gymnopleurus, P. A. Latreille in Cailliaud, Voy. Méroé, IV. 1827, 281. [71.]
- bicolor** Gymnopleurus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- bicolor** Gymnopleurus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 72. [Gobio.]
- bicolor** Gymnostomus (McClell.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1030.—
- bicolor** Gyrimus, F. V. Melsheimer, Ins. Pennsylv. 1806, 48 [*n. n.*]; & *var. americanus*,
- bicolor** Gyrimus, Payk.; Dejean, Catal. Coléopt. 1821, 21 [*n. n.*]. [Knoch [*n. n.*].]
- bicolor** Gyrimus, Olivier; Dejean, Catal. Coléopt. 1821, 21 [*n. n.*].
- bicolor** Haematodes, F. L. de Laporte, Etudes Entom. (2) 1835, 113.
- bicolor** Haematopinus, H. Lucas, Ann. Soc. Ent. France [2] V (4) June 1848, 538.
- bicolor** Haltica, G. R. Waterhouse, Tr. Entom. Soc. Lond. II (2) Sept. 1838, 132.
- bicolor** Harpale (Spix), J. A. Wagner in Schreber, Säugth., Suppl. I. 1839, 251.—Midas.
- bicolor** Harpalus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 148.—Carabus, 1775.
- bicolor** Helix, D. Solander, Catal. Portland Mus. 1786, 178 [*n. n.*].
- bicolor** Helix, O. G. Costa, Cat. Test. Sicilie, 1829, pp. cvi & cxii.
- bicolor** Helix, R. T. Lowe, Tr. Cambridge Phil. Soc. IV (1) 1831, 58.
- bicolor** Herpyllus, N. M. Hentz, Boston Journ. N. H. V (4) 1847, 456.
- bicolor** Herse (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 341.—Hirundo.
- bicolor** Heterogaster, F. A. Kolenati, Melet. Entom. (2) Oct. 1845, 88.
- bicolor** Heteromyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 764.
- bicolor** Himatidium, J. Sturm, Catal. Ins. Samml. 1826, 151 [*n. n.*].
- bicolor** Hipposideros (Temm.), J. E. Gray, List Mamm. Coll. B. M. 1843, 23.—Rhino-
- bicolor** Hirundo, L. P. Vieillot, Ois. Amér. sept. I. 1807, 61. [Iophus.]
- bicolor** Hispa, F. V. Melsheimer, Ins. Pennsylv. 1806, 15 [*n. n.*]. [227.]
- bicolor** Hispa (Anoplitis), Oliv.; W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837,
- bicolor** Holocanthus (Bl.), B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 527.—Chaetodon, 1787.
- bicolor** Holocentrus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 568.
- bicolor** Homaeocerus, E. F. Germar, Revue Entom. V (3) 1840, 148.
- bicolor** Homalilus, J. Sturm, Catal. Ins. Samml. 1826, 153 [*n. n.*].
- bicolor** Homalota, O. Heer, Coleopt. Helvet. (2) 1839, 325.
- bicolor** Hydrellia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 376.

- bicolor** Hyla (L.), F. M. Daudin, *Sonnini's Buffon*, Rept. VIII (1803), 40.—Rana, Bodd.
bicolor Hyla, J. B. v. Spix, *Ranar. Brasil*. 1824, 18. [1772.]
bicolor Hylesinus, A. Brullé in Bory de St V., *Exp. Morée (Ins.)* 1832, 250.
bicolor Hylocharis (Gm.), F. Boie, *Isis (Oken)*, 1831, 546.—Trochilus, 1788.
bicolor Hylocharus, F. E. Melsheimer, *Proc. Acad. Nat. Sci. Philad.* II (6) Dec. 1844, 149.
bicolor Hypolithus, J. F. Eschscholtz in Thon, *Entom. Archiv*, II (1) Jan. 1829, 33.
bicolor Hypomelus, A. J. J. Solier, *Mem. R. Acc. Sci. Torino* (2) VI. 1844, 312.
bicolor Hypophlaeus, Dejean, *Catal. Coléopt.* 1821, 67 [*n. n.*].
bicolor Ianthina, C. T. Menke, *Syn. meth. Moll.* 1828, 84.
bicolor Ichneumon, G. Cuvier, *Revue Entom.* I (4) c. Sept. 1833, 157.
bicolor Ichthyæetus, G. R. Gray, *List Birds Coll. B. M. I.* 1844, 12.
bicolor Ichthyiaetus, G. R. Gray, *List Gen. Birds*, ed. 2, 1841, 4.
bicolor Idia, J. Macquart, *Mém. Soc. R. Sci. Lille*, 1842, 1843, 281.
bicolor Ips, F. V. Melsheimer, *Ins. Pennsylv.* 1806, 15 [*n. n.*]. [1791.]
bicolor Ischiopachys (Ol.), Dejean, *Catal. Coléopt.*, ed. 2 (5) *extremo* 1835, 416.—Clytra,
bicolor Isomalus, W. F. Erichson, *Gen. Spec. Staph.* (2) 1840, 839.
bicolor Jacchus (Spix), J. B. Fischer, *Syn. Mamm.* 1829, 67.—Midas.
bicolor Janthina, R. P. Lesson, *Voy. "Coquille," Zool.* II (1) 1831, 365.
bicolor Juida (Gm.), G. R. Gray, *Genera of Birds*, II. Ap. 1846, 327.—Turdus, 1788.
bicolor Julus, Mikan, *Isis (Oken)*, 1834, 742.
bicolor Jurinia, J. Macquart, *Mém. Soc. R. Sci. Lille*, 1842, 1843, 196.
bicolor Kangurus, R. P. Lesson in Férussac, *Bull. Sci.* VIII. 1826, 96 [*n. n.*].
bicolor Labium, A. Brullé in Lepeletier (*Roret's Suite à Buffon*), *Hyménopt.* IV. 1846, 316.
bicolor Labrus, J. G. Schneider, *Bloch, Syst. Ichth.* 1801, 267.
bicolor Laccophilus, F. L. de Laporte, *Etudes Entom.* (2) 1835, 104.
bicolor Lagria, L. Redtenbacher in Hügel, *Kaschmir*, IV (2) 1844, 534.
bicolor Lamia (Sternotomis), J. O. Westwood, *Arcana Entom.* II (20) July 1844, 126.
bicolor Lamprogaster, J. Macquart, *Mém. Soc. R. Sci. Lille*, 1846, 1847, 105.
bicolor Lamprosoma, W. Kirby, *Tr. Linn. Soc. London*, XII (2) 1819, 445. [1788]
bicolor Lamprotornis (Gm.), H. Lichtenstein, *Doublet. Z. M. Berlin*, 1823, 18.—Turdus,
bicolor Lamprotornis, C. J. Temminck in T. & Laugier, *Pls. color.*, *Tabl. méth.*, Jan. 1839,
bicolor Lampyris, J. C. Fabricius, *Syst. Eleuth.* II. 1801, 100. [12.]
bicolor Lampyris, J. A. Boisduval in d'Urville, *Voy. "Astrolabe," Ent.* (2) 1835, 129.
bicolor Languria (Fab.), Dejean, *Catal. Coléopt.* 1821, 129.—Trogosita, 1798.
bicolor Lanarius (L.), G. R. Gray, *Genera of Birds*, III. App. 1849, 14.—Lanius, 1771.
bicolor Laphria, C. R. W. Wiedemann, *Aussereurop. Zweifl. Insekt.* I. 1828, 522.
bicolor Laphria, J. Macquart (*Roret's Suite à Buffon*), *Diptères*, I. 1834, 283.
bicolor Largus, Herrich-S., *Wanzenart. Ins.* VII (1) Dec. 1842, 7.
bicolor Larinus, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc.* VII (2) 1843, 20.
bicolor Larra, J. C. Fabricius, *Syst. Piezat.* 1804, 221.
bicolor Lathrobium, J. L. C. Gravenhorst, *Coleopt. micr.* 1802, 179.
bicolor Lathrobium, Dahl; Dejean, *Catal. Coléopt.* 1821, 24 [*n. n.*].
bicolor Lathrobium, W. F. Erichson, *Gen. Spec. Staph.* (2) 1840, 593.
bicolor Lebia, Dejean, *Spec. gén. Coléopt.* V. 1831, 366. [1758.]
bicolor Legnotus (L.), J. C. Schiodte, *Naturhist. Tidsskrift*, [2] II (5) 1848, 464.—Cimex,
bicolor Leiobunum (Fab.), C. L. Koch, *Die Arachniden*, XVI (3) Oct. 1847, 56.—
bicolor Lema, J. C. Fabricius, *Syst. Eleuth.* I. 1801, 476. [Phalangium, 1793.]
bicolor Leptis, J. C. Fabricius, *Syst. Antliat.* 1805, 71.—Rhagio, 1794.
bicolor Leptocerus, J. Curtis, *Lond. & Edinb. Phil. Mag.*, 3 s., IV (21) Mar. 1834, 214.
bicolor Leptorhina, J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 53 [*n. n.*]; & *Syst. Cat.*
Brit. Ins., Aug. 1829, 243.
bicolor Leptura, F. V. Melsheimer, *Ins. Pennsylv.* 1806, 38 [*n. n.*].
bicolor Leptura, L. Redtenbacher, *Denkschr. k. Ak. Wiss. (Wien)* I. 1850 [1849], 50.
bicolor Lesteva (Fab.), W. F. Erichson, *Käfer Mark Brand.* I (2) 1839, 616.—Staphylinus,
? Gm. 1789.
bicolor Lignegodes (Dej.), C. J. Schoenherr, *Gen. et Sp. Curc.* I (1) 1833, 19.—Ellescus.
bicolor Limnobia, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* I. 1818, 130. [Limnobia.
bicolor Limnophila (Meig.), J. Macquart (*Roret's Suite à Buffon*), *Diptères*, I. 1834, 98.—

- bicolor** Limonia, J. W. Meigen, *Klassif. Zweifl. Insekt.* I (1) 1804, 54.
bicolor Linyphia, H. Nicolet in Gay, *Chili*, III (Arach.) 1849, 524.
bicolor Liogastra, M. Perty, *Del. anim. artic. Brasil.* (3) 1833, 147.
bicolor Lissomus, L. A. A. Chevrolat, *Coléopt. Mex.* (8) Sept. 1835, no. 194.
bicolor Lissomus, Laporte, *Revue Entom.* III (4) 1835, 180.
bicolor Lissonotus, Cristofori & Jan, *Cat. Mus.* (IIIa, Coleopt.) 1832, 69 [*n. n.*].
bicolor Lithophilus, A. Smith, *Ill. Zool. S. Afr.* (Rept.) App. p. 13, 1849.
bicolor Lixus (Panz.), A. G. Olivier, *Entom. V.* 1807, 244.—*Curculio*, 1794.
bicolor Locusta, R. A. Philippi, *Orthopt. Berol.* 1830, 24. [(Ins.) 1842, 186.
bicolor Locusta, W. de Haan in Temminck, *Verh. nat. ges. Ned. overz. bezitt.*, Zool.
bicolor Loxia, S. R. Tickell, *J. Asiat. Soc. Bengal*, II. 1833, 578.
bicolor Loxopyga, J. O. Westwood, *Magasin de Zool.* III. 1833, pl. 72.
bicolor Lucanus, W. W. Saunders, *Tr. Entom. Soc. Lond.* II (3) July 1839, 177.
bicolor Lucanus, *var. delessertii*, F. E. Guérin-M. in Delessert, *Voy. Inde* (2) 1843, 48.
bicolor Lybas (Guér.), T. Lacordaire, *Mon. Erotyl.*, Sept. 1842, 230.—*Erotylus* (Brachy-
bicolor *Lycothyreus*, Dejean, *Ann. Sci. Nat.* XX (79) July 1830, 269 [*n. n.*]. [merus].
bicolor Lyctus, Perroud in A. Comolli, *De coleopt. Novocomi*, 1837, 41.
bicolor Lyda, Herrich-S. in Panzer, *Ins. Germ.*, heft 120, 1833, tab. 14.
bicolor Lygaeus, Herrich-S., *Wanzenart. Ins.* IX (5) Sept. 1850, 195.
bicolor Lyrops, J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 33 [*n. n.*].
bicolor Lytta, C. J. Schoenherr, *Syn. Insect.* I (3) 1817, 23.
bicolor Lytta, J. Gistel, *Nat. Thierr.* 1848, 126.
bicolor Macraspis (Ol.), H. Burmeister, *Handb. Ent.* IV (1) 1844, 358.—*Cetonia*, 1789.
bicolor Macrocentrus, J. Curtis, *Entom. Mag.* I (2) Jan. 1833, 188.
bicolor Macrocera, Lepeletier de S. F. (Roret's Suite à Buffon), *Hyménopt.* II. 1841, 113.
bicolor Macroma, Gory & Percheron, *Mon. Cétoines* (1) 1833, 53; (5) 1834, 149.
bicolor Macronus (Less.), G. R. Gray, *Genera of Birds*, I. Dec. 1846, 210.—*Brachypteryx*.
bicolor Mangelia, L. Reeve, *Conch. Icon.* III.—*Mangelia*, no. 31, June 1846.
bicolor Mastostethus (Klug), T. Lacordaire, *Mém. Soc. R. Sci. Liège*, III (2) Nov. 1845,
 633.—*Megalopus*.
bicolor Medeterus, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* VII. 1838, 159.
bicolor Megachile (Fab.), Lepeletier de S. F. (Roret's Suite à Buffon), *Hyménopt.* II.
bicolor *Megalopus*, F. Klug, *Entom. Mon.* 1824, 76. [1841, 342.—*Anthophora*.
bicolor *Megascelis*, T. Lacordaire, *Mém. Soc. R. Sci. Liège*, III (1) May 1845, 285.
bicolor Mejonosoma, O. G. Costa, *Cenni Zool.* (Ann. zool.) 1834, 87.
bicolor Melecta, J. C. Fabricius, *Syst. Piezat.* 1804, 386. [423.
bicolor *Melipona*, Lepeletier de S. F. (Roret's Suite à Buffon), *Hyménopt.* I. 1836 [1835],
bicolor *Melyris*, J. C. Fabricius, *Syst. Eleuth.* I. 1801, 311. [& 122.
bicolor *Mephites*, J. K. W. Illiger, *Abh. ph.-Kl. K. pr. Ak. Wiss.* 1804–1811 (1815), 110
bicolor *Mephitis*, J. E. Gray, *Mag. Nat. Hist.*, n. s., I. Nov. 1837, 581.
bicolor *Merops*, P. Boddaert, *Tab. Planch. Enl.* 1783, 15. [440.
bicolor *Merops*, F. M. Daudin, *Ann. Mus. H. N. (Paris)* II (12) *inter* Sept. & Nov. 1803,
bicolor *Merops*, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XIV. 1817, 13. [Melecta.
bicolor *Mesocheira* (Fab.), Le Peletier & Serville, *Ency. Méth.* X (Ins.) 1825, 106.—
bicolor *Methoca*, T. Say, *Boston Journ. N. H.* I (3) 1836, 299.
bicolor *Microctonus*, C. Wesmael, *N. Mém. Ac. Roy. Brux.* IX. 1835, 61.
bicolor *Microgaster*, J. Curtis, *Guide Brit. Ins.* (4) 1829–30, 105 [*n. n.*].
bicolor *Microgaster*, C. G. Nees v. E., *Hyménopt. Ichn. aff. I.* 1834, 181.
bicolor *Micropalpus*, J. Macquart, *Mém. Soc. R. Sci. Lille*, 1847 (2) 1848, 204.
bicolor *Microstylum*, J. Macquart, *Mém. Soc. N. Sci. Lille*, 1849, 1850, 366.
bicolor *Micryphantes* (Hahn), C. L. Koch, *Uebers. Arachnidensyst.* I. 1837, 11.—*Theridion*.
bicolor *Midas*, J. v. Spix, *Sim. Vesp. Brasil.* 1824, 30.
bicolor *Midas*, J. O. Westwood, *Arcana Entom.* (4) Nov. 1841, 53.
bicolor *Mimela*, F. W. Hope, *Zool. Miscell.* (Gray) (1) Feb. 1831, 23.
bicolor *Mimesa* (Jur.), W. E. Shuckard, *Foss. Hyménopt.* 1837, 230.—*Psen*.
bicolor *Mingeria*, J. E. Gray, *Proc. Zool. Soc. London*, XV (178) Nov. 1847, 137 [*n. n.*].
bicolor *Miris*, E. F. Germar, *Fauna Ins. Europ.* (5) 1822, 22.
bicolor *Miscophus*, L. Jurine, *N. Méth. class. Hyménopt.* 1807, pl. 11 [*n. et f.*].

- bicolor** Mitra, W. Swainson, Q. Journ. Sci. (R. Inst. Gt Brit.) XVII (33) Ap. 1824, 37.
- bicolor** Mitrella, W. Swainson, Treat. Malacol., May 1840, 321.
- bicolor** Mniotilta, G. R. Gray, Genera of Birds, I. Dec. 1848, 196.
- bicolor** Molobrus (Meig.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 54.—Sciara.
- bicolor** Monas, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 57.
- bicolor** Monas (Eumonas), Ehr.; C. M. Diesing, Syst. Helminth. I. 1850, 23.
- bicolor** Monodonta, Lamarck, An. s. vert. VII. 1822, 31.
- bicolor** Monotoma, Villa & Villa, Coleopt. Europ. 1833, Suppl. 1835, 49.
- bicolor** Mordella, T. Marsham, Coleopt. Brit., Sept. 1802, 490.
- bicolor** Mulinia, J. E. Gray, Mag. Nat. Hist., n. s., I. July 1837, 375.
- bicolor** Murex, S. A. Renier, Tavole [1804] ix.
- bicolor** Murex, A. Risso, H. N. Europe, IV. 1826, 194. [301.]
- bicolor** Murex, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1832),
- bicolor** Murex, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 393.
- bicolor** Musca (Wied.), C. F. Fallen, Mon. Muscidum Sveciae (9) 1825, 91.—Anthomyia.
- bicolor** Musca (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 308.—
Pollenia, ? R.-D.
- bicolor** Muscipeta, W. Swainson, Birds W. Africa, II (Nat. Libr. XIX.) Sept. 1837, 60.
- bicolor** Mutilla, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 57.
- bicolor** Mutilla, H. Lucas, Explor. Algér. (Artic. III.) 1849, 289.
- bicolor** Mycetes, J. E. Gray, Ann. Mag. N. H. XVI. Oct. 1845, 219.
- bicolor** Mycetophila, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 131.
- bicolor** Mycetoporus, F. G. Mäklin, Spec. Fenn. Mycetop. 1847, 10.
- bicolor** Myctis, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 10. [1791.]
- bicolor** Mylabris, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 189.—Meloe,
- bicolor** Myobia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 157.
—Fischeria.
- bicolor** Myocoris, H. Burmeister, Tr. Entom. Soc. Lond. II (2) Sept. 1838, 107.
- bicolor** Myopa, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 147.
- bicolor** Myrmosa, I. v. Baer, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1) 1848, 228.
- bicolor** Nacerdes, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Sept. 1849, 456.
- bicolor** Naesea (*sic*) (Rathké), H. M. Edwards (Roret's Suite à Buffon), Crustacés, III.
- bicolor** Nanina, L. Pfeiffer, Symb. Helic. I. 1841, 36. [1840, 218.—Campeopea.
- bicolor** Narcobatus (Sh.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.—
Raia.
- bicolor** Natica, R. A. Philippi, Zeitschr. f. Malakozool. (Oct.) 1848 [Mar. 1849], 156.
- bicolor** Necrobia (Lap.), M. Spinola, Ess. mon. Clérites, II. 1844, 109.—Corynetes.
- bicolor** Nectarinia, A. Becklemicher, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 378.
- bicolor** Nematocera, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 209.
- bicolor** Nematus, Le Peletier, Mon. Tenthred. 1823, 62.
- bicolor** Neriene, J. Blackwall, Lond. & Edinb. Phil. Mag., 3 s., III (17) Nov. 1833, 344.
- bicolor** Nerita, C. A. Récluz, Proc. Zool. Soc. London, X (118) Feb. 1843, 172.
- bicolor** Nettapus, R. P. Lesson, Echo Monde Savant, XI. 21 July 1844, 127.
- bicolor** Nomada, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 94 [*n. n.*].
- bicolor** Noterus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 446.
- bicolor** Nothrus, C. L. Koch, Deutsch. Crust., heft 38, 1844, tab. 5.
- bicolor** Notiphila, J. Waltl, Isis (Oken), 1837, 281. [Phalaena, 1790.]
- bicolor** Notodon (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. II (4) 1830, 177.—
- bicolor** Notoxus (Fab.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 397.—Anthicus.
- bicolor** Notoxus, T. Say, Amer. Entom. I. 1817, pl. 4.
- bicolor** Obliquaria, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 3.
- bicolor** Ochromyia (Fab.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III.
1848, 608.—Musca, 1798.
- bicolor** Octipos, C. S. Rafinesque, Amer. Monthly Mag. I (6) Oct. 1817, 434.
- bicolor** Ocyptera, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 423.
- bicolor** Ocyptera, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 37.
- bicolor** Oedemera (Fab.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 450.—Necydalis,
1792.

- bicolor** Oedionychis (Ol.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 154.—
Altica; ?Chrysomela, L. [1846, 310.—Gryllus, ?Gm. 1789.
- bicolor** Oedipoda (Charp.), G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII.
- bicolor** Oletera, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 245.
- bicolor** Olibrus (Gyll.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 116.—
Phalacrus, ?Lam.
- bicolor** Oniscus, A. Risso, H. N. Europe, V. 1826, 115.
- bicolor** Onychia (Boyer), A. G. Dahlbom, Onychia...Scand. 1842, 8.—Figites.
- bicolor** Opiptera, C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 162; J. de Phys.
LXXXIX. Aug. 1819, 152.
- bicolor** Opius, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 151.
- bicolor** Opomyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 380.
- bicolor** Oriolus, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 20. [161.
- bicolor** Ornismya, R. P. Lesson, H. N. Oiseaux-Mouches (11-13) *inter* Jan. & Ap. 1830.
- bicolor** Orphnus (Fab.), W. S. Macleay, Horae Entom. I (1) 1819, 119.—Geotrupes.
- bicolor** Orsodacna, Sturm; Dejean, Catal. Coléopt. 1821, 114 [*n. n.*]. [1799 [1802], 281.
- bicolor** Orthorhynchus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV.
- bicolor** Oscinis, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 601.
- bicolor** Osmia, P. A. Latreille, Ency. Méth. VIII (2) (Ins.) 1812, 580.
- bicolor** Osmia (Schr.), F. Smith, The Zoologist, II (11) 1844, 746.—Apis, 1781.
- bicolor** Ostrea, S. Hanley, Proc. Zool. Soc. London, XIII (152) Feb. 1846, 107.
- bicolor** Otidocephalus, Munck in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 206.
- bicolor** Oxybelus, P. S. Schilling, Uebers. Arb. schles. Ges. 1847 (1848), 105.
- bicolor** Pachotelus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 475. [182.
- bicolor** Pachyteria, J. F. S. Parry (*ex* Dej. Cat.), Tr. Entom. Soc. Lond. V (7) Sept. 1849,
- bicolor** Paederus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 58 [*n. n.*].
- bicolor** Paederus, Grav.; Dejean, Catal. Coléopt. 1821, 24 [*n. n.*].
- bicolor** Palaestes, M. Perty, Del. anim. artic. Brasil. (2) 1832, 84.
- bicolor** Palestrida, A. White in J. L. Stokes, Discov. in Australia, I. 1846, 509.
- bicolor** Paludina, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. x.
- bicolor** Pandarus, W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) I (2) 1816, 405.
- bicolor** Pangonia, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 152.
- bicolor** Paragus (F.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 194.—
- bicolor** Paramecosoma, J. Curtis, Entom. Mag. I (2) Jan. 1833, 186. [Mulio, 1798.
- bicolor** Parastasia, J. O. Westwood, Ann. Mag. Nat. Hist. VIII (51) Dec. 1841, 304.
- bicolor** Parnus, J. Curtis, Brit. Entom. II (20) Aug. 1825, no. 80.
- bicolor** Passalus, J. C. Fabricius, Syst. Eleuth. II. 1801, 256. [L. 1766.
- bicolor** Passerina (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 29.—Fringilla,
- bicolor** Pastor, J. Reeves, Zool. Miscell. (Gray) (1) Feb. 1831, 1.
- bicolor** Pectunculus, L. Reeve, Conch. Icon.—Pectunculus, no. 20, Ap. 1843.
- bicolor** Pegomyia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 351.—
Anthomyia, Hoffm. [Hydrus, 1799.
- bicolor** Pelamis (Schn.), F. M. Daudin, Sonnini's Buffon, Rept. VII (1803), 366.—
- bicolor** Pelamys, J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 205.
- bicolor** Pelidonota (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 182.—Melolontha, 1775.
- bicolor** Pentatoma (L.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 243.—Cimex,
1758.
- bicolor** Pentatoma (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 196.—Cimex (?).
- bicolor** Pepsis, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 488.
- bicolor** Perga, W. E. Leach, Zool. Miscell. III. 1817, 116.
- bicolor** Perla, H. Burmeister, Handb. Ent. II (2) ii, 1839, 880.
- bicolor** Perna, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 9.
- bicolor** Petroica, W. Swainson, Zool. Illust. (2) I (9) — 1829, pl. 43.
- bicolor** Petromyzon, G. Shaw, Gen. Zool. (Pisc.) V (2) 1804, 263.
- bicolor** Petronason, W. Swainson, N. H. Fishes etc. II. July 1839, 226.
- bicolor** Pezomachus (Vill.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 902.—
Ichneumon, 1789. [Iridium, 1792.
- bicolor** Phalacrus (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 234.—Sphae-

- bicolor** Phalaena (Bombyx), Gmelin in Linn., Syst. Nat., ed. 13, I (5) 1790, 2423.
- bicolor** Phalangium (Herbst), H. Lucas, H. N. Anim. artic. (Annel. etc.) 1840, 462.—
Opilio, 1798.
- bicolor** Philanthus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 131.
- bicolor** Philonthus (Lap.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 495.—Staphylinus.
- bicolor** Philonthus, Ferrari in L. Redtenbacher, F. Austr., (Käfer), 1849, 710.
- bicolor** Phoca, G. Shaw, Gen. Zool. (Mamm.) I (2) 1800, 254. [1766.]
- bicolor** Phonipara (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 494.—Fringilla,
- bicolor** Phora, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 219.
- bicolor** Photinus (Fab.), Laporte, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 144.—
Lampyris, 1767.
- bicolor** Phractocephalus, L. Agassiz in J. B. v. Spix, Pisc. Brasil. 1829, 23.
- bicolor** Phryganea, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 188. [638.]
- bicolor** Phyllobates, Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841,
- bicolor** Phyllomedusa (Daud.), J. Wagler, Nat. Syst. Amph. 1830, 201.—Hyla.
- bicolor** Phyllostoma, J. A. Wagner in Schreber, Säugth., Suppl. I. 1839, 400.
- bicolor** Phytocoris (Lep. & Serv.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.)
III. 1840, 138.—Miris, ?Germ.
- bicolor** Picus, W. Swainson, Zool. Illust. (1) I (7) Ap. 1821, pl. 38.
- bicolor** Pimelia, W. Turton, Linnaeus, Syst. Nat. II. 1802, 494.
- bicolor** Pimpla, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 98.
- bicolor** Pirarara, J. B. v. Spix, Pisc. Brasil. 1829, 23, pl. vi. [—Scaphidium, 1798.]
- bicolor** Platydema (Fab.), Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 364.
- bicolor** Platypalpus (Meig.), J. Macquart, Ins. dipt. N. France (3) 1827, 98.—Tachydromia.
- bicolor** Platyrhynchos (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 13.—
Muscicapa, ?Gm. 1788.
- bicolor** Platyura, J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, 1823-4, 1826, 105.
- bicolor** Pleurotoma, A. Risso, H. N. Europe, IV. 1826, 214.
- bicolor** Pleurotoma, G. Sowerby, I., Proc. Zool. Soc. London, I (12) Ap. 1834, 135.
- bicolor** Ploceus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 127.
- bicolor** Podura, T. Say, J. Acad. Nat. Sci. Philad. II. Jan. 1821, 13. [232.]
- bicolor** Poecilus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug. 1846,
- bicolor** Pogonocerus, E. Newman, Entom. Mag. V (4) Ap. [i.e. July] 1838, 375.
- bicolor** Pogonus, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1838, 23. [521.]
- bicolor** Polistes, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835],
- bicolor** Pollenia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- bicolor** Polydesmus, T. Cantor, Ann. Mag. N. H. IX. Aug. 1842, 493. [415.]
- bicolor** Polydonta, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 448.
- bicolor** Pompilus, J. C. Fabricius, Syst. Piezat. 1804, 198.—Sphex, 1775.
- bicolor** Ponera, F. E. Guérin-M., Iconographie, 1844, Ins. 424.
- bicolor** Prionodera, Ol.; Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 407.
- bicolor** Proctotrupes, A. H. Haliday, Hymenopt. Brit. (1) 1839, 10.
- bicolor** Prostemma, P. Rambur, F. Ent. Andal. II (4) Jan. 1839, 172.
- bicolor** Psadiroma, C. S. Rafinesque, Specchio Sci. II (12) 1814, 165; J. de Phys.
LXXXIX. Aug. 1819, 154.
- bicolor** Psarocolius (Vieill.), J. Wagler, Syst. Avium, I. 1827, sign. 22, —Agelaius.
- bicolor** Psen, L. Jurine, N. méth. class. Hyménopt. 1807, 137.
- bicolor** Pseudomyrma, F. E. Guérin-M., Iconographie, 1844, Ins. 427.
- bicolor** Psila, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 358.
- bicolor** Psilomyia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 421.—
- bicolor** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 17. [Psila.]
- bicolor** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 24.
- bicolor** Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 39.—Eutelus, 1834-
- bicolor** Pteropexus, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 226.
- bicolor** Pterostichus, Peiroleri; A. Aragona, Coleopt. Ital. 1830, 7.
- bicolor** Ptilinus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (12) Dec. 1845, 308.
- bicolor** Ptinella, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4) 1844,
- bicolor** Pupa, T. Hutton, J. Asiat. Soc. Béngal, III. 1834, 93. [820.]

- bicolor** Purpura, R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. June 1842, 187.
- bicolor** Pylarus, N. M. Hentz, Boston Journ. N. H. IV (2) 1842, 225. [465.]
- bicolor** Pyrellia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- bicolor** Pyrrhocoris, Herrich-S., Wanzenart. Ins. VI (2) Nov. 1840, 27.
- bicolor** Pyrrhotes, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 26.
- bicolor** Pyrrhula, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid in Magasin de Zool. VII. 1837, 86. [1839, 44.—Loxia, 1758.]
- bicolor** Pyrrhula (L.), C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan.
- bicolor** Pytelia, J. G. Hartlaub, Syst. Verz. nat. Samml. Gesellsch. Mus. [Bremen] (1) 1844, 76.
- bicolor** Pythonissa, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 28.—Drassus, 1833.
- bicolor** Raja, G. Shaw, Gen. Zool. (Pisc.) V (2) 1804, 316.
- bicolor** Raia, A. Risso, H. N. Europe, III. 1826, 155.
- bicolor** Rallus, J. Blackwall, Edinburgh Journ. Sci., n. s., VI (1) Jan. 1832, 78.
- bi-color** Rhagium (Ol.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 415.—Stenocorus, 1793.
- bicolor** Rhamphomyia, J. Macquart, Ins. dipt. N. France (3) 1827, 135.
- bicolor** Rhamphomyia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 8.
- bicolor** Rhathymus, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 448.
- bicolor** Rhingia, C. F. Fallen, Syrphici Sveciae (4) 1817 [1812 *errore*], 33.
- bicolor** Rhinolophus, C. J. Temminck, Tijdschr. nat. geschied. physiol. I (1) 1834, 19.
- bicolor** Rhipidura (Sparr.), G. R. Gray, Genera of Birds, I. Aug. 1846, 258.—Muscicapa, 1787. [Ellescus.]
- bicolor** Rhynchaenus (Dej.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 295.—
- bicolor** Rhynchites, F. V. Melsheimer, Ins. Pennsylv. 1806, 31 [*n. n.*].
- bicolor** Rhynchobothrius (Bart.), F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 546.—Bothriocephalus.
- bicolor** Rhynchomyia, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 282.
- bicolor** Rhynchophorus, F. V. Melsheimer, Ins. Pennsylv. 1806, 31 [*n. n.*].
- bicolor** Rhipiphorus, F. V. Melsheimer, Ins. Pennsylv. 1806, 56 [*n. n.*]. [Bracon.]
- bicolor** Rogas (Spin.), Nees v. Esenbeck, N. A. Ac. Caes. Leop. Car. IX. 1818, 307.—
- bicolor** Rutela (Ol.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 152.—Cetonia, 1789.
- bicolor** Rypiticus, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls. 1846) & p. 307 (? 1855).
- bicolor** Sagra, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 55.
- bicolor** Salda, A. Costa, Atti R. Ist. Incoragg. Napoli, VII. 1847, 245.
- bicolor** Salius, J. C. Fabricius, Syst. Piezat. 1804, 124.
- bicolor** Salmacis, L. Agassiz, Mon. Ech. (Anat. Echinus, I.) 1841, p. viii.
- bicolor** Salpingus, J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Oct. 1831, 217.
- bicolor** Saltator (Vieill.), A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 36.—Cissopis.
- bicolor** Salticus (Walck.), Latreille, N. Dict. H. N., ed. 2, XXX. 1819, 100.—Attus.
- bicolor** Saperda, J. O. Westwood, Cab. Orient. Entom. 1847, 60. [1789.]
- bicolor** Saprinus (Payk.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 184.—Hister, ? Ol.
- bicolor** Sapromyza, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 403.
- bicolor** Sargus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 41.
- bicolor** Saxicola, W. H. Sykes, Proc. Comm. Sci. Zool. Soc. London (18) July 1832, 92.
- bicolor** Scaphidema (Fab.), L. Redtenbacher, F. Austr., Käfer, 1849, 591.—Diaperis.
- bicolor** Scaphidium, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 19.
- bicolor** Scaphura, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 215.
- bicolor** Scarabaeus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 2 [*n. n.*].
- bicolor** Scarus, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Fische (15) 1829, 82.
- bicolor** Scatophaga (Meig.), Zetterstedt, Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 178.—Psila.
- bicolor** Scatophaga, F. Walker (*ex* Barnston MS), List Dipt. Coll. B. M. (4) 1849, 982.
- bicolor** Sciarra, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 284.
- bicolor** Scincus, R. Harlan, J. Acad. Nat. Sci. Philad. IV. Mar. 1825, 286.
- bicolor** Sciomyza, F. Walker, Tr. Linn. Soc. London, XVII (3) 1836, 358.

- bicolor** Sciomyza, J. W. Zetterstedt, *Ins. Lapp. descr.* 1838, 739.
- bicolor** Scirus, H. R. Schinz, *Syst. Verz. Säug.* II. 1845, 33.
- bicolor** Scopaeus, F. Baudi in B. & Truqui, *Studi Ent.* I. 1848, 135.
- bicolor** Scorpio (H. & E.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), *Aptères*, III. 1844, 41.—Androct.
- bicolor** Scrapper, Le Peletier & Serville, *Ency. Méth.* X (2) (Ins.) 1828, 404.
- bicolor** Scydmaenus, H. Denny (*ex* Curtis MS), *Mon. Pselaph.* 1825, 68.
- bicolor** Scydmaenus (Fab.), H. R. Schaum, *Symb. Mon. Scyd.* 1841, 18.—Anthicus.
- bicolor** Scydmaenus, V. v. Motschulsky, *Bull. Soc. Imp. Nat. Moscou*, XVIII. 1845 (1)
- bicolor** Scython, Laporte, *Revue Entom.* III (4) 1835, 170. [1845, 49 [*n. n.*].
- bicolor** Seladerma, F. Walker, *Entom. Mag.* II (3) July 1834, 289.
- bicolor** Selonodon (Fab.), P. A. Latreille, *Ann. Soc. Ent. France*, III (1) *post* Mar. 1834, 164.—Cebrio.
- bicolor** Semnopithecus, C. Wesmael, *Bull. Ac. Roy. Brux.* II. 1835, 237.
- bicolor** Senira, J. E. Gray, *Cat. Lizards Coll. B. M.* 1845, 98.
- bicolor** Sepsis, C. R. W. Wiedemann, *Aussereurop. Zweifl. Insekt.* II. 1830, 468.
- bicolor** Siagona, M. de Chaudoir, *Bull. Soc. Imp. Nat. Moscou*, XVI. 1843 (4) 1843, 721.
- bicolor** Silpha, T. Marsham, *Coleopt. Brit.*, Sept. 1802, 122.
- bicolor** Silpha, A. H. Haworth, *Tr. Entom. Soc. Lond.* I (1) 1807, 82.
- bicolor** Singilis, P. Rambur, *F. Ent. Andal.* I (1) 1837, 26.
- bicolor** Sitones, Fahraeus in C. J. Schoenherr, *Gen. et Sp. Curc.* VI (1) 1840, 275.
- bicolor** Smecticus, A. Valenciennes in Du Petit-Thouars, *Voy. "Vénus,"* 307 (? 1855).
- bicolor** Sorex, G. Shaw, *Nat. Misc. pl.* 55, 1791, *Index col.* 1.
- bicolor** Spartocerus, Herrich-S., *Wanzenart. Ins.* VI (5) June 1842, 89.
- bicolor** Sparvius, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, X. 1817, 325.
- bicolor** Sperimestes (Fraser), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 454.—Amadina.
- bicolor** Spermophila (O. & L.), G. R. Gray, *Genera of Birds*, II. Oct. 1844, 386.—Pyrrhula.
- bicolor** Spermophila (L.), P. H. Gosse, *Birds of Jamaica*, 1847, 252.—Fringilla, 1766.
- bicolor** Sphex, A. G. Dahlbom, *Hymenopt. Europaea* (3) 1845, 437.
- bicolor** Sphingurus, J. J. Tschudi, *Fauna Peru (Mamm.)* 1845, 186. [Julus.
- bicolor** Spirocyclistus (Mik.), C. L. Koch, *Krit. Revision Insect. Deutschl.* 1847, 102.—
- bicolor** Sporophila (Laf.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 499.—Pyrrhula.
- bicolor** Spreo, R. P. Lesson, *Traité Orn.* 1831, 407.
- bicolor** Staphylinus, Knoch in F. V. Melsheimer, *Ins. Pennsylv.* 1806, 58 [*n. n.*].
- bicolor** Staphylinus, F. L. de Laporte, *Etudes Entom.* (2) 1835, 115.
- bicolor** Stenecorus, D. H. Schneider, *Verz. Insectensamml.* 1828, 81 [*n. n.*].
- bicolor** Stenochia, F. L. de Laporte in Brullé, *H. N. Anim. artic. (Coléopt.)* II. 1840, 239.
- bicolor** Stenoma, P. C. Zeller, *Isis (Oken)*, 1839, 195.
- bicolor** Stephanus, J. O. Westwood, *Ann. Mag. Nat. Hist.* VII (Suppl.) Sept. 1841, 538.
- bicolor** Stigmodera, Laporte & Gory, *H. N. Coléopt.* II. 1837, 39.
- bicolor** Strongylus, F. L. de Laporte in Brullé, *H. N. Anim. artic. (Coléopt.)* II. 1840, 9.
- bicolor** Sycobius (Vieill.), G. R. Gray, *Genera of Birds*, II. Mar. 1849, 352.—Ploceus.
- bicolor** Sylpha, C. U. v. Salis, *Alpina*, II. 1807, 65.
- bicolor** Sylvia, L. P. Vieillot, *Ois. Amér. sept.* II. 1807, 32.
- bicolor** Symplectes (Vieill.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 439.—Sycobius.
- bicolor** Syngilis, Rambur in J. Sturm, *Catal. Käfer Samml.* 1843, 317.—*v.* Singilis.
- bicolor** Tabanus, C. R. W. Wiedemann, *Dipt. exot.* 1821, 96.
- bicolor** Tabanus, C. P. Thunberg, *N. Acta Soc. Sci. Upsal.* IX. 1827, 55.
- bicolor** Tabanus, J. Macquart, *Mém. Soc. R. Sci. Lille*, 1846, 1847, 37.
- bicolor** Tachina, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* IV. 1824, 354.
- bicolor** Tachina, C. R. W. Wiedemann, *Aussereurop. Zweifl. Insekt.* II. 1830, 282.
- bicolor** Tachinus, J. L. C. Gravenhorst, *Mon. Coleopt. micropt.* 1806, 28.
- bicolor** Tachinus, Dahl; Dejean, *Catal. Coléopt.* 1821, 26 [*n. n.*].
- bicolor** Tachycineta (Vieill.), J. Cabanis, *Mus. Heineanum* (1) 1850 [1851], 48.—Hirundo.
- bicolor** Tachydromia, J. W. Meigen, *Klassif. Zweifl. Insekt.* I (2) 1804, 237.
- bicolor** Tachyporus, A. J. J. Solier in Gay, *Chili*, IV (Col.) 1849, 342.
- bicolor** Tachytes, A. Brullé in Bory de St V., *Exp. Morée (Ins.)* 1832, 373.

- bicolor** Tanaos, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 453.
bicolor Tanypeza, J. Curtis, Guide Brit. Ins. (8) 1831, 232 [*n. n.*].
bicolor Tanypus, B. F. Fries, Mon. Tanyp. Svec. 1823, 17.
bicolor Tapeina, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 546.
bicolor Taphozous, C. J. Temminck, Tijdschr. nat. geschied. physiol. V (1 & 2) 1838, 18.
bicolor Tapirus, J. A. Wagner in Schreber, Säugth. VI. 400 (1835), pl. cccxix A (1834).
bicolor Telephorus (Creutz.), P. A. Latreille, Sonnini's Buffon, Ins. IX (1804), 110.—
 Cantharis, 1797.
bicolor Telephorus, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 146.
bicolor Teliops, C. S. Rafinesque, Amer. Monthly Mag. IV (1) Nov. 1818, 42.
bicolor Tellina, [E. Requier], Cat. Coq. Corse, *extremo* 1848, 19.
bicolor Tenthredo, Palisot de B., Ins. Afr. Amér. (—) 1809, 97.
bicolor Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (3) 1817, 219.
bicolor Terrapene, T. Bell, Zool. Journ. II (8) Jan. [*i.e.* Ap.] 1826, 485.
bicolor Tetragnatha, A. White, Ann. Mag. N. H. VII. Aug. 1841, 475.
bicolor Tetraodon, Durazzo, Atti 2 Riun. Sci. Ital. 1841, 248.
bicolor Tetraonyx, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 596. [224.
bicolor Tetraphyllus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
bicolor Tettigometra, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 84 [*n. n.*].
bicolor Tettigometra, C. J. B. Amyot, Ann. Soc. Ent. France, V (1) 1847, 179.
bicolor Thamnophilus, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 60.
bicolor Thaumantias, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 79.
bicolor Theba, Meg.; H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 14.
bicolor Theridion, C. W. Hahn, Die Arachniden, I (4) Mar. 1833, 91.
bicolor Theridion, A. Brullé in Bory de St V., Exp. Morée (Arach.) 1832, 51.
bicolor Theridion, H. Lucas, Explor. Algér. (Artic. I.) 1846, 268.
bicolor Thomisus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 533.
bicolor Thrips, F. v. P. Schrank, F. Boica, II (1) 1801, 42.
bicolor Thryptocera, J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 312.
bicolor Thryptocera (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 89.
 —Tachina.
bicolor Thyroptera, F. Cantraine, Bull. Ac. Roy. Brux. XII (1) 1845, 492. [—Scincus.
bicolor Tiliqua (Harl.), J. E. Gray in Griffith's Cuvier, Anim. King., Rept. 1830, Syn. 70.
bicolor Tillus, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 174.
bicolor Trachelium, Herrich-S., Wanzenart. Ins. IX (6) Nov. 1851, 274.
bicolor Trachusa (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 251.—Anthophora.
bi-color Trachyderes (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 366.—Cerambyx,
 1787.
bicolor Triarthra (Meig.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 59.—Tachina.
bicolor Trigona, J. E. Gray, The Analyst, VIII (24) July 1838, 305.
bicolor Trigonotoma, F. L. de Laporte, Etudes Entom. (1) 1834, 75.
bicolor Trineura (Meig.), J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2880.—Phora.
bicolor Triplax (Marsh.), L. Gyllenhal, Ins. Suecica, I. 1808, 205.—Silpha?, Gm. 1789.
bicolor Tritoma, F. V. Melsheimer, Ins. Pennsylv. 1806, 13 [*n. n.*].
bicolor Tritomegas (L.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 98.
bicolor Trochus, G. Perry, Conchology, Ap. 1811, pl. 47. [—Cimex, 1758.
bicolor Trochus, A. Risso, H. N. Europe, IV. 1826, 127.
bicolor Trochus (Turbo), R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 345.
bicolor Trochus (Lam.), Catlow & Reeve, Conch. Nomen. 1845, 215.—Monodonta.
bicolor Trombidium, J. F. Hermann, Mém. Aptér. 1804, 25.
bicolor Truxalis, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 266.
bicolor Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 326.
bicolor Turbo (Adams), J. Fleming, Hist. Brit. Anim. 1828, 301.—Helix.
bicolor Turritella, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 47.
bicolor Unio, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 3.
bicolor Velia, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 218.
bicolor Venus, Lamarck, An. s. vert. V. 1818, 603. [1849, 104.
bicolor Vitrina, L. Pfeiffer (*ex* Beck MS), Proc. Zool. Soc. London, XVI (186) Mar. 13,

- bicolor** Volvox, M. Losána, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 13.
- bicolor** Walckenaera, J. Blackwall, Tr. Linn. Soc. London, XVIII (4) 1841, 635.
- bicolor** Xolmis (Gm.), F. Boie, Isis (Oken), 1828, 318.—Muscicapa, 1788.
- bicolor** Xylocoris, Scholz, Uebers. Arb. schles. Ges. 1846 (1847), 116.
- bicolor** Zuphium, T. W. Harris, New England Farmer, VII (15) Oct. 1828, 117.
- bicolora** *v.* **bicolorus** -a -um.
- bicolorator** Bracon, M. Spinola, Ann. Soc. Ent. France [2] I (2) Sept. 1843, 126.
- bicolorata** Arca, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 230.
- bicoloratus** Attelabus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 281.
- bicoloratus** Bulimus, I. Lea, P. Amer. Phil. Soc. I (10) Feb. 1840, 173.
- bicoloratus** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 52 [*n. n.*].
- bicoloratus** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 211.
- bicoloratus** Cerambyx, W. Turton, Linnaeus, Syst. Nat. II. 1802, 328.
- bicoloratus** Cleonymus, M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 149.
—Diplolepis, 1808.
- bicolorata** Diplolepis, M. Spinola, Ins. Liguria, II. 1808, 221.
- bicoloratus** Exetastes, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 421.
- bicolorata** Hylotoma, F. Klug, Ges. Nat. Fr. Berlin, Mag. VI (4) 1814, 296.
- bicolorata** Leptura, W. Turton, Linnaeus, Syst. Nat. II. 1802, 352.
- bicolorata** Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 368.
- bicolorata** Pentatoma, J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837, 58.
- bicoloratus** Platyomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 196.
- bicoloratus** Rhyssomatus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, [10].
- bicolorata** Scorpaena, G. D. Nardo, Isis, XX (6) June 1827, 479.
- bicolorata** Sphex, W. Turton, Linnaeus, Syst. Nat. III. 1802, 493.
- bicoloratus** Thomisus, T. Cantor, Ann. Mag. N. H. IX. Aug. 1842, 491.
- bicolorellus** Dolichopus, J. W. Zetterstedt, Dipt. Scand. II. 1843, 617.
- bicolorella** Yponomeuta, F. Treitschke, Schmett. Europa, IX (1) 1832, 233.
- bicoloria** Apamea (Borkh.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 76.—Phal.
bicolorata? 1794. [*n. et f.*].
- bicoloria** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 5 (Fernaldo judice 1802)
- bicolorinus** Hemiteles, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 862.
- bicoloripes** Schizochelus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I.
Oct. 1850, 89.
- bicoloripes** Stenoscelidea, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 18.
- bicolora** Arctornis (Fab.), E. F. Germar, Syst. Gloss. Prod. 1811, 18.—Bombyx.
- bicolora** Lema, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 532.
- bicolora** Lithòsia, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 211.
- bicolora** Microdonta (Fab.), P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 93.
—Noctua, 1787. [D. & S. 1775.]
- bicolora** Notodonta (Huebn.), F. Ochsenheimer, Schmett. Europa, III. 1810, 73.—Bombyx,
- bicolora** Spatalia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1820], 145.—Bombyx,
- bicommata** Phalaena, F. v. P. Schrank, F. Boica, II (2) 1802, 30. [1775.]
- bicomplicatus** Ventriculites, J. T. Smith, Ann. Mag. N. H. (2) I. Mar. 1848, 219.
- Biconia** W. Swainson, Treat. Malacol., May 1840, 355.—G.
- biconica** Agrotis, V. Kollar in Hügel, Kaschmir, IV (2) 1844, 480.
- biconica** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 120.
- biconica** Mangelia, C. B. Adams, Contr. to conch. (4) Jan. 1850, 65. [203.]
- biconica** Purpura, H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I [2] *post* May 1832,
- biconica** Purpura, H. E. Anton, Verz. Conch. 1839, 89.
- biconstricta** Cellepora, F. v. Hagenow, N. Jahrb. f. Min. 1839, 272.
- bicopuladigiti** Pseudocrimites, R. Garner, N. H. Staffordsh. 1844, 460.
- bicordata** Ananchytes (Leske), Lamarck, An. s. vert. III. 1816, 26.—Spatangites, 1778.
- bicordata** Collyrites (Lam.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837,
212.—Ananchytes.
- bicordatus** Disaster (Goldf.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836),
183.—Spatangus.
- bicordata** Locusta, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 343.

- bicordata** Phylloptera (P. & S.), J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb. 1831, 143.—Locusta. [gites, 1778.]
- bicordatus** Spatangus (Leske), G. A. Goldfuss, Petref. German. I (2) 1829, 151.—Spatan-
- bicornia** Pericera, H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 337.
- bicornia** Pisa (Edw.), L. R. Gibbes, P. Amer. Assoc. 1850 (1850), 170.—Pericera.
- Bicorne** C. Sultz, Diss. ver. intest. 1801.—Verm.
- bicornis** Acanthocinus, J. Sturm, Catal. Ins. Samml. 1826, 87 [n. n.].
- bicornis** Agapanthia (Ol.), J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 37.—Saperda, 1795.
- bicornis** Alauda, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 15 [n. n.].
- bicornis** Amphytrite, S. A. Renier, Tavole [1804] xix.
- bicornis** Anthophora (L.), J. C. Fabricius, Syst. Piezat. 1804, 375.—Apis, 1758.
- bicornis** Apate, F. Weber, Obs. Ent. 1801, 91.
- bicornis** Apate, F. V. Melsheimer, Ins. Pennsylv. 1806, 7 [n. n.].
- bicornis** Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 190.
- bicornis** Arca, H. B. Geinitz, Verst. Kieslingswalda, 1843, 14.
- bicornis** Argus (Wider), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837
- bicornis** Asilus, P. C. Zeller, Isis (Oken), 1840, 56. [[1841], 365.—Theridion.
- bicornis** Bacteria (Stoll), G. R. Gray, Syn. Phasmidae, 1835, 16.—Phasma.
- bicornis** Brachionus, F. v. P. Schrank, F. Boica, III (2) 1803, 135.
- bicornis** Ceragenia (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 33.—Cerambyx.
- bicornis** Cerambyx, J. C. Fabricius, Syst. Eleuth. II. 1801, 274.
- bicornis** Ceratodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 112 (1838) [n. et f.].
- bicornis** Chaetodon, Cuvier, R. Anim. II. 1817, 335.
- bicornis** Cheironectes, R. T. Lowe, Proc. Zool. Soc. London, VII (77) Oct. 1839, 84.
- bicornis** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 790.
- bicornis** Chrysothris, Laporte & Gory, H. N. Coléopt. II. 1835-1836, 14.
- bicornis** Cinetus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37 [n. n.].
- bicornis** Cis, J. Mellié, Ann. Soc. Ent. France [2] VI (4) May 1849, 356.
- bicornis** Coelosis (Fab.), H. Burmeister, Handb. Ent. V. 1847, 215.—Geotrupes, 1798.
- bicornis** Colymbus, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 88.
- bicornis** Copris (Herbst), C. J. Schoenherr, Syn. Insect. I (1) 1806, 57.—Scarab. 1789.
- bicornis** Cymospira (L.), de Blainville, Dict. Sci. Nat. LVII. 1828, 431.—Terebella.
- bicornis** Cysticerus, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 421.
- bicornis** Dianchora, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 183.
- bicornis** Dianulites, E. Eichwald, Zool. Spec. I. 1829, 180. [1837, 235.]
- bicornis** Diaperis (Arrhenoplita), Ol.; W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct.
- bicornis** Elater, J. C. Fabricius, Syst. Eleuth. II. 1801, 226.
- bicornis** Enneathron, J. Mellié, Ann. Soc. Ent. France [2] VI (4) May 1849, 374.
- bicornis** Epeira, C. A. Walckenaer, Tab. Aran. 1805, 57.—Aranea, 1802.
- bicornis** Ephippus, G. Cuvier, R. Anim. II. 1817, 335.—Chaetodon 1817.
- bicornis** Eurypleura (Le P. & S.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 170.—Tessarotoma.
- bicornis** Formica, A. Foerster, Hymenopt. Studien (1) 1850, 41.
- bicornis** Frondicularia, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 32.
- bicornis** Glypta, F. Boie, Entom. Zeitung, Stettin, XI (6) June 1850, 216.
- bicornis** Goliathus, D. H. Schneider, Verz. Insectensamml. 1828, 76 [n. n.].
- bicornis** Gomeza, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 39.
- bicornis** Gonyleptes, P. Gervais in Gay, Chili, IV (Arach.) 1840, 21.
- bicornis** Graptolithus, J. Hall, N. H. New York (Pal. I.) 1847, 268.
- bicornis** Heterorrhina, J. O. Westwood, Arcana Entom. (9) Sept. 1842, 140.
- bicorne** Himatidium (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 151.—Cassida, L. 1763.
- bi-cornis** Imatidium (Fab.), Dejean, Catal. Coléopt. 1821, 115.—Cassida, L. 1763.
- bicornis** Issus, J. C. Fabricius, Syst. Rhyng. 1803, 101.
- bicornis** Lissonota, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 91.
- bicornis** Lophonocerus (Fab.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 421.—Cerambyx.

- bicornis** Lucina, L. Reeve, Conch. Icon. VI.—Lucina, no. 8, May 1850.
- bicornis** Malachus, A. Costa, Ann. Accad. Aspir. Nat. (2) I. 1847, 103. [L. 1758.]
- bicornis** Megachile (Fab.), P. A. Latreille, H. N. Fourmis, etc., May 1802, 435.—Apis.
- bicornis** Megachile (Latr.), Lamarck, An. s. vert. IV. 1817, 68.—Osmia. [culum.]
- bicornis** Miliola (Mont.), J. Fleming, Brewster's Edin. Ency. VII (1) 1813, 86.—Vermi-
- bicornis** Monocerca, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830],
46 [n. n.]; *ibid.* 1831 (1832), 131.
- bicornis** Neritina, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 192.
- bicornis** Onthophagus, B. L.; Dejean, Catal. Coléopt. 1821, 53 [n. n.].
- bicornis** Ophelia, J. C. Savigny, Egypte, I (3) (Ann.) 1822, 38.
- bicornis** Opis (Gein.), A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 2.—Arca.
- bicornis** [Opsiceros] (L.), C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 126.—
Rhinoceros, 1758.
- bicornis** Osmia (L.), G. W. F. Panzer, Krit. Revis. II. 1806, 231.—Apis, 1758.
- bicornis** Oxytelus, A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 615.
- bicornis** Oxytelus, E. F. Germar, Fauna Ins. Europ. (6) [1822-25], 15.
- bicornis** Pasma, M. Houttyn in Stoll, Spoken (Index Phasm. [1813]), 76.
- bicornis** Pasma, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 298.
- bicornis** Phileremos, C. L. Brehm, Isis (Oken), 1842, 504. [1840, 495.—Saperda, 1795.]
- bicornis** Phoebe (Ol.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II.
- bicornis** Pimpla, J. L. C. Gravenhorst, Schles. Ges. vat. Kultur, Beitr. Entom. 1829, 23.
- bicornis** Planaria, L. A. G. Bosc, Hist. Nat. Vers. I. 1802, 257.
- bicornis** Podiceps, C. L. Brehm, Isis, 1830, 1000 [n. n.]; Handb. Nat. Vögel Deutschl.
- bicornis** Podiceps, G. R. Gray, Genera of Birds, III. June 1846, 633. [1831, 961.]
- bicornis** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 489.—Curculio, 1781.
- bicornis** Salpa, A. de Chamisso, De Anim. Verm., I. Salpa, 1819, 20.
- bicornis** Schizocephala (L.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839
[Dec. 1838], 167.—Mantis, 1767.
- bicornis** Serpula (Mont.), T. Pennant, Brit. Zool., ed. 5, IV. 1812, 363.—Vermiculum.
- bicornis** Serpula (Ab.), J. C. Savigny, Egypte, I (3) (Ann.) 1822, 75.—Terebella, Gm.
- bicornis** Silvanus, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (3) 1846, 337. [1790.]
- bicornis** Tauroma (Fab.), F. W. Hope, Ann. Nat. Hist. III. Ap. 1839, 97.—Cassida, L.
- bicornis** Tassaratoma, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 592. [1763.]
- bicorne** Theridion, Wider in Reuss, Abh. Senckenb. Mus. I (3) 1834, 214.
- bicornis** Trachusa (Fab.), L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt. 1801, 164.—
Apis, L. 1758.
- bi-cornis** Trachyderes (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 366.—Cerambyx.
- bicornis** Trichoda, F. v. P. Schrank, F. Boica, III (2) 1803, 94. [culum.]
- bicornis** Triloculina (Mont.), T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 2.—Vermi-
- bicornis** Uloma, J. Sturm, Catal. Ins. Samml. 1826, 205 [n. n.]. [1831, 557.]
- bicornis** Vanellus, C. L. Brehm, Isis, 1830, 987 [n. n.]; Handb. Nat. Vögel Deutschl.
- bicornis** Vermiculum (Jac.), G. Montagu, Test. Brit. II. 1803, 519.—Serpula, 1798.
- bicornis sumatrensis** Rhinoceros, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Mamm.
Syn. 1827, 291.
- Bicornius** C. S. Rafinesque, Analyse, 1815, 151.—Verm.
- bi-cornutus** Aphanisticus, Laporte & Gory, H. N. Coléopt. II. 1840, 2.
- bicornutus** Binoculus, A. Risso, H. N. Crust. 1816, 170. [1813], 65.
- bicornutus** Bostrichus, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II.
- bicornuta** Cerceris, F. E. Guérin-M., Iconographie, 1844, Ins. 443.
- bicornuta** Desmonota, C. H. Boheman, Mon. Cassid. I. 1850, 158.
- bicornutus** Onthophagus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 149.
- bicornuta** Pisa, P. A. Latreille, Ency. Méth. X (Ins.) 1825, 141.
- bicorona** Buccinum, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 118.
- bicorona** Voluta, Lamarck, Ann. Mus. H. N. (Paris) I (6) Ap. 1803, 478.
- bicorona** Volutilithes (Lam.), W. Swainson, Treat. Malacol., May 1840, 121 & 318.—
[Voluta.]
- bicornonatus** Conus, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 120.
- bicornonatus** Pentacrinites, F. v. Hagenow, N. Jahrb. f. Min. 1840, 663.
- bicornonata** Pasma (Acanthodera), J. O. Westwood, Cab. Orient. Entom. 1847, 15.

- bicornatus** Scaphites, F. W. Hoeninghaus, Jahrb. f. Min. 1830, 464 [*n. n.*].
- bicors** Arca, Jonas in R. A. Philippi, Abb. Conch. II (1) 1845, 32.
- bicosta** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 112.
- bicostalis** Crenatula, Lamarck, An. s. vert. VI (1) 1819, 137.
- bicostalis** Purpura, Lamarck, Ency. Méth. (Vers) 1816, pl. 398, Liste p. 2 [*n. et f.*].
- bicostatus** Aganides (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 61.—
Goniatites. [*n. n.*].
- bicostatus** Ammonites, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 2
- bicostatum** Anthophyllum, G. A. Goldfuss, Petref. German. I (1) 1826, 46.
- bicostata** Astarte, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 16.
- bicostata** Avicula, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 83.
- bicostata** Cassida, G. Fischer de W., Cat. Col. Sibir. [1842], 24.
- bicostatus** Chiton, A. d'Orbigny, Amér. Mérid. (Moll.) 1841, 486.
- bicostata** Corbula, P. H. Nyst, Coq. Foss. Anvers, 1835, 3. [681.
- bicostata** Cryptoglossa, A. J. J. Solier, Ann. Soc. Ent. France, V (4) *post* Jan. 1837,
- bicostatus** Cryptorhynchus, J. Sturm, Catal. Ins. Samml. 1826, 127 [*n. n.*].
- bicostatus** Damaeus, C. L. Koch, Deutsch. Crust., heft 2, 1835, tab. 12.
- bicostatum** Ellipsocyathus (Goldf.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 12.—
- bi-costatus** Erodium, Dejean, Catal. Coléopt. 1821, 63 [*n. n.*]. [Anthophyllum.
- bicostatus** Erodium, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 536.
- bicostata** Fistulana, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VI. 1838, 226.
- bicostata** Frondicularia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 242.
- bicostatus** Goniatites, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 246.
- bicostata** Helix, L. Pfeiffer, Symb. Helic. III. 1846, 69. [1848, 65.
- bicostata** Heterorrhina, H. Schaum (*ex* Melly MS), Tr. Entom. Soc. Lond. V (3) Jan.
- bicostata** Monodonta, G. Fischer, Mus. Démid. III. 1807, 217.
- bicostatus** Murex, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 602.
- bicostatus** Orectochilus, C. H. Boheman, Ins. Caffr. I (1) 1848, 261. [337.
- bicostatus** Otiorrhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843,
- bicostatum** Peltarium, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1)
1844, 108.
- bicostata** Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 94.
- bicostata** Quinqueloculina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 195.
- bicostata** Scalaria, J. M'Clelland, Calcutta Journ. Nat. Hist. II (6) July 1841, 243.
- bicostata** Serpula, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 5.
- bicostatus** Turbo, T. Brown, Ill. Foss. Conch. G. B. I. [1843] (17, 18), 73. [298.
- bicostellatum** Cerithium, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847,
- bicostella** Macrochila (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Phalaena,
1761.
- bicostella** Palpula (L.), F. Treitschke, Schmett. Europa, IX (2) 1833, 50.—Tinea, 1761.
- bicostella** Pleurota (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 406.—Phalaena,
1761. [1761.
- bicostellus** Ypsolophus (L.), A. H. Haworth, Lepidopt. Brit. (4) 1828, 540.—Phal. (Tin.)
- bicrenatus** Ammonites, F. v. Hauer, Ceph. Salzkam. Metternich, 1846, 29.
- bicrenata** Scalaria, de Blainville, Dict. Sci. Nat. XLVIII. 1827, 17.
- bicrenatus** Trochus, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1849), 106.
- bicrenulatus** Ammonites, de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 152.
- bicristatus** Ammonites, de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 153.
- bi-cristatus** Chrysolopus, Fab.; Dejean, Catal. Coléopt. 1821, 88 [*n. n.*].
- bicristata** Clausilia, Frivaldsky in E. A. Rossmassler, Icones L. u. S. Moll. Europ. II
(3 & 4) Sept. 1839, 16. [454.
- bicristatus** Conotrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
- bicristatus** Curculio, J. C. Fabricius, Syst. Eleuth. II. 1801, 517. [crocorax.
- bicristatus** Graculus (Pall.), G. R. Gray, Genera of Birds, III. App. 1849, 30.—Phala-
- bicristata** Membracis, L. Fairmaire, Ann. Soc. Ent. France [2] IV (2) Oct. 1846, 256.
- bicristatus** Murex, A. Risso, H. N. Europe, IV. 1826, 192.
- bicristatus** Phalacrocorax, P. S. Pallas, Zoographia, II. 1811, 301.
- bicruciatu8** Hydroporus, E. F. Germar, Fauna Ins. Europ. (20) 1838, 2.

- bicurciata** Hyperaspis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 664.
- bicurciatus** Iphis (Latr.), Laporte, Revue Entom. IV (1) 1836, 8.—Elater "doublecroix," R. An., ed. 2, IV. 454.
- bicurciata** Lema, Schoenherr in C. R. Sahlberg, Peric. Entom. 1823, 54.
- bicurcis** Lygaeus, T. Say, J. Acad. Nat. Sci. Philad. IV. Mar. 1825, 322.
- bicultrata** Euryscopa, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 498.
- bicultratus** Turbo, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 226.
- bicurvatus** Ammonites, H. Michelin, Mém. Soc. géol. France, III (1) 1838, 101.
- bicuspidata** Idotea, R. Owen, Zool. "Blossom," 1839, 92.
- bicuspidatus** Argus (Koch), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 371.—Micyrphantes.
- bicuspidatus** Caligus, A. v. Nordmann, Mikr. Beitr. wirbellos. Thiere (2) 1832, 17.
- bicuspidatus** Colurus, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 44 [*n. n.*]; *ibid.* 1831 (1832), 129.
- bicuspidata** Frondicularia, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 32.
- bicuspidatus** Gonyleptes, C. L. Koch, Die Arachniden, VII (2) *post* July 1839, 39.
- bicuspidatus** Micyrphantes, C. L. Koch, Die Arachniden, IV (6) May 1838, 138.
- bicuspidatum** Nemastosa, C. L. Koch, Die Arachniden, III (4) *post* July 1836, 70.
- bicuspidata** Nucula, A. A. Gould, Boston Journ. N. H. V (2) 1845, 292.
- bicuspidatum** Phalangium, C. L. Koch in Panzer, Ins. Germ., heft 124, 1834, tab. 16.
- bicuspidatum** Phasma (Haplopus), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 128. [1813], 30.
- bicuspidata** Saperda, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II.
- bicuspidata** Sertularia, Lamarck, An. s. vert. II. 1816, 121. [(7 & 8) Jan. 1841, 120.
- bicuspidatus** Spirostreptus, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII
- bicuspis** Agaoccephala, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 560. [1838, 273.
- bicuspis** Amphithoe, J. C. H. Reinhardt in Krøyer, Afhandl. K. Danske Vid. Selsk. VII.
- bicuspis** Anthocoris, Herrich-S., Wanzenart. Ins. IX (5) Sept. 1850, 230.
- bicuspis** Baris, E. F. Germar, Ins. Spec. novae, I. 1824, 211. [*n. et f.*]
- bicuspis** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 9 (Fernaldo judice 1802)
- bicuspis** Catenicella, J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 293. [Baris.
- bicuspis** Centrinus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 737.—
- bicuspis** Cerura (Borkh.), E. F. Germar, Syst. Gloss. Prod. 1811, 44.—Bombyx, 1790.
- bicuspis** Copris, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 18.
- bicuspis** Copris, E. F. Germar, Ins. Spec. novae, I. 1824, 101.
- bicuspis** Dicranura (Borkh.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. III (Noct.) 1837, 125.—Bombyx, 1790. [[Nov. 1844], 79.—Siproptera.
- bicuspis** Dispharagus (Rud.), F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845
- bicuspis** Harpyia (Hueb.), F. Ochsenheimer, Schmett. Europa, III. 1810, 26.—Bombyx, Borkh. 1790. [1790.
- bicuspis** Harpyias (Borkh.), J. Huebner, Verz. bekannt. Schmett. [1820], 148.—Phalaena,
- bicuspis** Lamia, E. F. Germar, Ins. Spec. novae, I. 1824, 475 [*err.* 477].
- bicuspis** Ostracion, J. F. Blumenbach, Abb. nat. Gegen., no. 58, 1802.
- bicuspis** Spiroptera, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 24.
- Bicyrtes** Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 53.—Hym.
- bidactylus** Charadrius, G. R. Gray, Genera of Birds, III. Mar. 1847, 544. [Lituites.
- biddulphii** Hortolus (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 27.—
- biddulphii** Lituites, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 626.
- bidehensis** Curruca, W. Herbert in Blyth, Field Naturalist, I (7) July 1833, 310 & 313.
- bidehensis** Silvia (Curruca), Herbert in White, Selborne, 1833, 130.
- Bidens** G. Fischer, Zoogn., ed. 3, III. 1814, 686.—M.
- Bidens** Spix, Av. Brasil. I. 1824, 14.—A.
- bidens** Alpheus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 353.
- bidens** Amphistoros (Dej.), Gory & Percheron, Mon. Cétaines (1) 1833, 53.—Cetonia.
- bidens** Anoplius, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 455.
- bidens** Anthomyia, Wiedemann in J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826,
- bidens** Antrimpos, G. v. Muenster, Beitr. zur Petref. (2) 1839, 52. [135

- bidens** Arma (L.), C. W. Hahn, Wanzenart. Ins. I (3) Nov. 1832, 92.—Cimex, 1758.
- bidens** Asopus (L.), H. Burmeister, Handb. Ent. II (1) 1835, 379.—Cimex, 1758.
- bidens** Ateuchus, J. C. Fabricius, Syst. Eleuth. I. 1801, 62.
- bidens** Atta (L.), J. C. Fabricius, Syst. Piezat. 1804, 422.—Formica, 1758.
- bidens** Bassus, J. C. Fabricius, Syst. Piezat. 1804, 101.—Ichneumon, 1798.
- bidens** Batonota (Fab.), F. W. Hope, Ann. Nat. Hist. III. Ap. 1839, 98.—Cassida, 1781.
- bidens** Callidium, F. Weber, Obs. Ent. 1801, 90. [195.]
- bidens** Carychium, W. H. Benson (*ex* Hutton MS), Ann. Mag. N. H. (2) IV. Sept. 1849,
- bidens** Cerambyx, J. C. Fabricius, Syst. Eleuth. II. 1801, 271. [(3) 1807, 131.]
- bidens** Cerium [= Cerion, Bolt. 1798], H. F. Link, Besch. Nat. Samml. Univ. Rostock
- bidens** Cetonia, Dejean, Catal. Coléopt. 1821, 61 [*n. n.*].
- bidens** Chondrus, J. Krynicki, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 401.
- bidens** Clausilia (Müll.), J. P. R. Draparnaud, H. N. Moll. France, 1805, 68.—Helix, 1774.
- bidens** Clausilia (L.), W. Turton, Man. L. & F. W. Shells, Nov. 1831, 73.—Turbo, 1758.
- bidens** Clytus, J. C. Fabricius, Syst. Eleuth. II. 1801, 351.
- bidens** Copris, F. Weber, Obs. Ent. 1801, 36.
- bidens** Copris (Ol.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 40.—Scarab. 1789.
- bidens** Crabro, F. v. P. Schrank, F. Boica, II (2) 1802, 335.
- bidens** Crenilabrus (Bl.), H. Cloquet, Dict. Sci. Nat. XI. 1818, 383.—Labrus.
- bidens** Delphinus, G. Shaw, Gen. Zool. (Mamm.) II (2) 1801, 514.
- bidens** Delphinus, Jas. Sowerby, Brit. Miscell. (1) Dec. 1804, 1.
- bidens** Disphragus (Rud.), F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 77.—Spiroptera.
- bidens** Donacia, Gyll.; Dejean, Catal. Coléopt. 1821, 113 [*n. n.*].
- bidens** Donacia, Sturm.; Dejean, Catal. Coléopt. 1821, 113 [*n. n.*].
- bidens** Elaphidion (Fab.), E. Newman, Entomologist (2) Dec. 1840, 25.—Stenocorus, 1787.
- bidens** Elater, J. C. Fabricius, Syst. Eleuth. II. 1801, 227.
- bidens** Falco, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 46; Verz. Säug. Vög. Z. M. Berlin, 1835, 26 [*n. n.*].
- bidens** Fusus, Lamarck, Ency. Méth. (Vers) 1816, pl. 427, Liste p. 6 [*n. et f.*].
- bidens** Gonodonta, C. Geyer in J. Huebner, Beiträge z. Exot. Schmett. IV. 1832, 24.
- bidens** Grapsus (Pachysoma), W. de Haan in Siebold, F. Japon. (Crust. 1835), 60.
- bidens** Gryllus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 235.
- bidens** Gyretes (Ol.), C. Aubé, Spec. gén. Hydroc. 1838, 751.—Gyrinus, 1791.
- bidens** Helix, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 10 [*n. n.*].
- bidens** Helix, Ziegler in Rossmäessler, Icones Iconogr. Moll. I (1) 1835, 65.
- bidens** Helix, J. P. E. F. Stein, Schnecken Berlins, 1850, 44.
- bidens** Himatidion (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 151.—Cassida, 1781.
- bidens** Hydrotaea (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 306. —Anthomyia.
- bidens** Jalla (Fab.), M. Spinola, Ess. Ins. Hémipt. 1837, 335.—Cimex, L. 1758.
- bidens** Labrus (Bloch), J. G. Schneider, Bloch, Syst. Ichth. 1801, 248.—Lutianus, 1790.
- bidens** Labrus, G. D. Nardo, Giorn. di Fisica, etc. (2) VII. 1824, 253.
- bidens** Lucanus, C. P. Thunberg, Mém. Soc. Imp. Nat. Moscou, I. 1806, 197; & ed. 2, 1811 [*i. e.* 1812–13], 165.
- bidens** Melolontha, J. C. Fabricius, Syst. Eleuth. II. 1801, 164.
- bidens** Microdon (Fab.), C. R. W. Wiedemann, Ausereurop. Zweifl. Insekt. II. 1830, 84.
- bidens** Mulio, J. C. Fabricius, Syst. Antliat. 1805, 185. [—Mulio.]
- bidens** Myletes, J. B. v. Spix, Pisc. Brasil. 1829, 75.
- bidens** Myrmica, A. Foerster, Hymenopt. Studien (1) 1850, 50.
- bidens** Palaemon, A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 663.
- bidens** Pentatoma (Fab.), F. de Tigny, s. à Deterville ed. Buffon, Ins. IV. 1801, 294.—Cimex, L. 1758.
- bidens** Petasia (Ziegl.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 21.—Helix.
- bidens** Phyllostoma (Spix), J. B. Fischer, Syn. Mamm. 1829, 127.—Vampyrus.
- bidens** Physeter, J. Sowerby, Tr. Linn. Soc. London, VII. 1804, 310.
- bidens** Picromerus (L.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 84.
- bidens** Ptinus, F. V. Melsheimer, Ins. Pennsylv. 1806, 11 [*n. n.*]. [—Cimex, 1758.]

- bidens** Pupa (Müll.), J. P. R. Draparnaud, Tab. Moll. France, 1801, 61.—Helix, 1774.
- bidens** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 457.—Curculio, 1775.
- bidens** Salius, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 395.
- bidens** Scolia (L.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 523.—Sphex, 1767.
- bidens** Scolopterus (Fab.), A. White, Zool. "Ereb. Terr." (Ins. 1846), 15.—Curculio, 1775.
- bidens** Solen, S. Hanley (*ex* Chemn.), Ill. ed. Lamarck's Shells (1) *extremo* 1842, 16.
- bidens** Sparus (Bl.), G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 467.—Lutianus, 1790.
- bidens** Spiroptera, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 24.
- bidens** Stenocorus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 35 [*n. n.*].
- bidens** Stiretrus (L.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840,
- bidens** Tenebrio, W. Turton, Linnaeus, Syst. Nat. II. 1802, 483. [153.—Cimex, 1758.
- bidens** Terebratula, J. Phillips, Geol. Yorksh. I. 1829, 163 [*n. et f.*].
- bidens** Terebratula, J. De C. Sowerby, Mag. Nat. Hist. III. Mar. 1830, 159 [*n. et f.*].
- bidens** Tomicus (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 12.—Bostrichus, 1792.
- bidens** Tonatia (Spix), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Mamm. Syn. 1827,
- bidens** Trichoda, F. v. P. Schrank, F. Boica, III (2) 1803, 87. [71.—Vampyrus.
- bidens** Trochus, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 790.
- bidens** Vampyrus, J. v. Spix, Sim. Vesp. Brasil. 1824, 65.
- bidens** Volvulus (L.), L. Oken, Lehrb. Nat. III (1) 1815, 313.—Turbo, 1758.
- bidentalis** Dentellaria, Lm.; H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 34.
- bidentalis** Helix, Lamarck, An. s. vert. VI (2) 1822, 79. [1794.
- bidentaria** Geometra (Fab.), A. H. Haworth, Lepidopt. Brit. (2) 1809, 291.—Phalaena,
- bidentaria** Odontopera, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet B (Nov. 1847),
- bidentata** Acteon (Mont.), J. Fleming, Hist. Brit. Anim. 1828, 337.—Voluta. [14.
- bidentata** Anatina (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xi, f. 8.—Mya.
- bidentata** Andrena, F. Smith, The Zoologist, V (6) 1847, 1749.
- bidentatum** Anobium, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 25 [*n. n.*].
- bidentatus** Anthonomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843,
- bidentata** Anthophora, J. C. Fabricius, Syst. Piezat. 1804, 381.—Andrena, 1775. [238.
- bidentata** Asterias, A. J. Retzius, Diss. Sp. Aster. 1805, 33.
- bidentatus** Ateuchus, Dejean, Catal. Coléopt. 1821, 52 [*n. n.*].
- bidentatus** Athyreus, W. S. Macleay, Horae Entom. I (1) 1819, 124. [bratula.
- bidentata** Atrypa (His.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 38.—Tere-
- bidentatum** Aulonium (Fab.), W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 94.—
Colydium. [[1821], 107.
- bidentata** Auricula, Mont.; A. E. Férussac, H. N. g. et p. Moll., Tab. Auricules
- bidentata** Auricula (Say), J. E. Gray, Ann. Phil. XXV. 1825, 415.—Melampus.
- bidentatus** Belus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 303.
- bidentata** Bembex, P. L. Van der Linden, N. Mém. Ac. Roy. Brux. V. 1829, 13.
- bidentatus** Brentus, N. T. Lund, Skr. nat. Selsk. [Copen.] V (2) 1802, 80.
- bi-dentatus** Brentus, Fab.; Dejean, Catal. Coléopt. 1821, 82 [*n. n.*].
- bidentata** Bulla, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 125.
- bidentata** Cantharis, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 169. [1834, 95.
- bidentatus** Catops, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (7) 1822, 95; & Ins. Fenn. I.
- bidentata** Cerceis, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 221.
- bidentata** Cerceris, T. Say, Western Quart. Reporter, II (1) 1823, 80.
- bidentata** Cerceris, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 9.
- bidentatum** Cerithium, DeFrance in Grateloup, Actes Soc. Linn. Bordeaux, V (29) 1832,
- bidentatus** Chalepus, H. Burmeister, Handb. Ent. V. 1847, 81. [271.
- bidentatus** Cis (Marsh.), L. Gyllenhal, Ins. Suecica, I (3) 1813, 383.—Ptinus.
- bidentata** Clivina, Chevrolat in J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 612.
- bidentatus** Colon (Sahlb.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 247.—Catops.
- bidentata** Columbella, C. T. Menke, Moll. N. Holl. 1843, 23.
- bidentatum** Colyidium, J. C. Fabricius, Syst. Eleuth. II. 1801, 556. [41.
- bidentatus** Conotrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845,
- bidentatus** Conovulus (Mont.), J. E. Gray in W. Turton, Man. L. & F. W. Shells, ed. 2,
May 1840, 227.—Voluta.

- bidentatus** Cordulegaster, E. de Selys-Longchamps, Ann. Soc. Ent. France [2] I (2) Sept. Crangon, W. de Haan in Siebold, F. Japon. (Crust. 1849), 183. [1843, 109.
- bidentatus** Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 29 [*n. n.*] [135.
- bidentatum** Deltochilum, H. Burmeister (*ex* Dej. Cat.), Zeitung f. Zool. I (17) Ap. 1848,
- bidentatus** Diodon (Lath.), A. d'Orbigny, Amér. Mérid. (Ois.) 1837, 122.—Falco, 1790.
- bidentatus** Diplodon (Lath.), C. L. Nitzsch, Syst. Pterylogr. 1840, 93.—Falco, 1790.
- bidentatus** Elampus (L.), H. Lucas, Explor. Algér. (Artic. III.) 1849, 310.—Chrysis, 1767.
- bidentatus** Ellimenistes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 176. [*comp.*].
- bidentatus** Elytrodon (Stev.), C. J. Schoenherr, Isis (Oken), 1823, 1145.—Curculio [*non*
- bidentata** Erycina (Mont.), C. A. Récluz, Rev. Zool. (Soc. Cuv.) VII. Sept. 1844, 331. —Mya.
- bidentata** Eschara, H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) VI. July 1836, 42.
- bidentata** Flustra, de Blainville, Dict. Sci. Nat. LX. 1830, 415 [*n. n.*].
- bidentata** Galleruca, C. J. Schoenherr, Syn. Insect. I (2) 1808, 294.
- bidentatus** Geonemus, J. A. Boissduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 361.
- bidentatus** Gymnopleurus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 55.
- bidentatus** Harpagus (Lath.), N. A. Vigers, Zool. Journ. I (3) Oct. 1824, 327.—Falco, 1790. [1826, 35.—Falco, Lath. 1790.
- bidentatus** Harpagus (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2)
- bidentatus** Heliipus, Reiche in F. E. Guérin-M., Iconographie, 1844, Ins. 154.
- bidentata** Helix, W. Turton (*ex* Chemn.), Linnaeus, Syst. Nat. IV. 1802, 524.
- bidentata** Helix, S. Nilsson, Hist. Moll. Suec. 1822 [1823], 14.
- bidentata** Helix, J. E. Gray, Ann. Phil. XXV. June 1825, 410.
- bidentatus** Heterochelus, H. Burmeister, Handb. Ent. IV (1) 1844, 107.
- bidentatus** Hoplismenus (Gm.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 412.—Ichneumon, 1790.
- bidentatus** Hyphydrus, L. Gyllenhal, Ins. Suecica, I. 1808, 525.
- bidentata** Jaminia (Mont.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 269.—Voluta.
- bidentatus** Laimodon (Sh.), G. R. Gray, Gen. Birds, II. Mar. 1846, 428.—Bucco, 1799.
- bidentatus** Latridius, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 10 [*n. n.*].
- bidentatus** Leptus (Fab.), K. Duftschmid, Fauna Austriae, III. 1825, 157.—Dermestes,
- bidentatus** Lixus, E. Donovan, Epit. N. H. Ins. New Holland, 1805. [1792.
- bidentata** Megachile (Panz.), G. A. Walckenaer, Faune Paris. II. 1802, 135.—Apis,
- bidentatus** Melampus, T. Say, J. Acad. Nat. Sci. Philad. II. July 1822, 245. [1798.
- bidentata** Monodonta, DeFrance, Dict. Sci. Nat. XXXII. 1824, 475.
- bidentata** Montacuta (Mont.), W. Turton, Conch. Insul. Brit. 1822, 60.—Mya.
- bidentata** Mordella, T. Say, J. Acad. Nat. Sci. Philad. III. Feb. 1824, 277.
- bidentata** Mya, G. Montagu, Test. Brit. I. 1803, 44.
- bidentata** Mya, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 273 [*n. n.*].
- bidentata** Nesa, W. E. Leach, Dict. Sci. Nat. XII. 1818, 342. [Oniscus, 1800.
- bidentata** Nesaea (Ad.), W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 405.—
- bidentatus** Odontomerus, Chevrolat, J. Sturm, Catal. Käfer Samml. 1843, 203.
- bidentata** Odontopera (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) Ap. 1831, 163. —Phalaena, Clerk, 1759. [623.
- bidentatus** Odynerus, Lapeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
- bidentatus** Onthophagus, A. Drapiez, Ann. gén. Sc. Phys. (Bruxelles) I. Aug. 1819, 134.
- bidentatus** Onthophagus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 143.
- bidentatus** Onthophagus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 149.
- bidentata** Ophiocoma (Retz.), Joh. Mueller & Troschel, Syst. Asterid. 1842, 99.—Asterias,
- bidentatus** [Orca] (Hunt.), J. Wagler, Nat. Syst. Amph. 1830, 34.—Delphinus, ? Bonn. 1789.
- bidentata** Ovatella, A. Bivona Bernardi, Effem. Sci. Lett. Sicilia, II. Ap. 1832, 18.
- bi-dentatus** Passalus, Dejean, Catal. Coléopt. 1821, 62 [*n. n.*].
- bidentata** Pedicellaria, L. Oken, Lehrb. Nat. III (1) 1815, 50.
- bidentatus** Pendulinus, C. P. Thunberg, Ins. Hemelytr. 1825, 6.
- bidentata** Perforatella (Gm.), F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 4.—Helix,
- bidentata** Petricola (Mont.), J. E. Gray, Ann. Phil. XXV. 1825, 136.—Mya. [1790.

- bidentata** Phasma, C. P. Thunberg, *Mém. Ac. Imp. Sci. St Pétersb.* V. 1815, 298.
- bidentata** Phoenicosoma (Sw.), Cabanis, *Mus. Heineanum* (1) 1850 [1851], 24.—Pyrauga.
- bidentatus** Piazurus, Gyllenhal in C. J. Schoenherr, *Gen. et Sp. Curc.* IV (2) 1838, 655.
- bidentatus** Pogonias (Sh.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 145.—Bucco,
- bidentatus** Prionus, E. Donovan, *Epit. N. H. Ins. New Holland*, 1805. [1799.
- bidentata** Proserpina, C. B. Adams, *Contr. to Conch.* (5) Feb. 1850, 81.
- bidentatus** Ptinus (Ol.), T. Marsham, *Coleopt. Brit.*, Sept. 1802, 86.—Anobium, 1790.
- bidentata** Pupa, C. Pfeiffer, *Naturg. deutsch. Land-Moll.* (1) 1821, 59.
- bidentata** Pyrauga, W. Swainson, *Phil. Mag.*, n. s., I (6) June 1827, 438.
- bidentata** Quinqueloculina, A. d'Orbigny in Sagra, *Cuba* (Foram.) 1839, 197.
- bidentatus** Rhigus, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc.* I (2) 1833, 448.
- bidentata** Rissoa, R. A. Philippi, *Arch. f. Naturg.* XI (1) 1845, 64.
- bidentata** Rostellaria, G. P. Deshayes in Lamarck, *H. N. Anim. s. Vert.*, ed. 2, IX.
- bidentata** Saraphia, A. Risso, *H. N. Europe*, IV. 1826, 84. [Nov. 1843, 668.
- bidentatum** Sepidium, Dufour in A. J. J. Solier, *Mem. R. Ac. Sci. Torino* [2] VI. 1844, 227.
- bidentatus** Silvanus (Fab.), J. Sturm, *Catal. Ins. Samml.* 1826, 196.—Dermostes, 1792.
- bidentata** Sphaeroma (Adams), Desmarest in Bosc, *H. N. Crust.* (*Ency. Roret*) 1828, II. 151.—Oniscus, 1800.
- bidentatus** Tanymecus, F. v. Gebler in Ledebour, *Reise Altai*, II. 1830, 151.
- bidentata** Tellimya, T. Brown, *Ill. Conch. G. B.* I., ed. 2, 1844, 107.—Anatina, 1827.
- bidentata** Terebratula, W. Hisinger, *K. Vet. Ac. Handl.* 1826 (2) 1827, 337 & tabl. [*n. et f.*]. [Svecica, 1837, 81.
- bidentata** Terebratula, W. Hisinger, *Anteckn. Physik. Geogn.* IV. 1828, 220; Lethaea
- bidentata** Terebratula, C. H. v. Zieten, *Pétrif. Wurt.* (8) 1832, 59. [Prionus.
- bidentatus** Tragocerus (Don.), Dejean, *Catal. Coléopt.*, ed. 2 (4) Aug. 1835, 319.—
- bidentata** Trochiscus (Gm.), F. Held, *Isis* (Oken), 1837, 915.—Helix, 1790.
- bidentatus** Tryphon, J. F. Stephens, *Ill. Brit. Ent.* (Mand. VII.) Nov. 1835, 253.
- bidentata** Voluta, J. S. Schroeter, *Archiv Zool.* (Wiedemann) IV (1) 1804, 36.
- bidentata** Voluta, G. Montagu, *Test. Brit. Suppl.* 1808, 100.
- bidentata** Vorticella, C. S. Rafinesque, *Specchio d. Sci.* II (9) Sept. 1814, 68.
- bidenticulatus** Ammonites, A. v. Klipstein, *Beitr. geol. östl. Alpen* (1) 1843, 113.
- bidentifera** Helix, J. S. Phillips, *Proc. Acad. Nat. Sci. Philad.* I (3) June 1841, 27.
- bidentis** Pteromalus, J. T. C. Ratzeburg, *Die Ichneum.* II. 1848, 205. [755.
- bidentis** Styliia, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II. 1830,
- bidentorius** Crypturus (F.), Lamarck, *An. s. vert.* IV. 1817, 142.—Ichneumon, 1775.
- bidentulus** Ascogaster, C. Wesmael, *N. Mém. Ac. Roy. Brux.* IX. 1835, 230.
- bidentulus** Capsus, Herrich-S., *Wanzenart. Ins.* VI (6) June 1842, 96.
- bidentulus** Cis, W. G. Rosenhauer, *Beitr. Ins.-Fauu. Europ.* 1847, 58.
- bidentula** Copris, F. Klug, *Insect. Doublet. Z. M. Berlin*, 1829, 4.
- bidentulus** Ectrychotes, E. F. Germar, *Revue Entom.* V (3) 1840, 130.
- bidentulum** Hedycrum, Lepeletier, *Ann. Mus. H. N. (Paris)* VII (38) Dec. 1805, 121.
- bidentulum** Hedychrom, Lepeletier; *varr.* imperiale, bidentulum, viride, aenea, W. E. Shuckard, *Entom. Mag.* IV (2) Oct. 1836, 175.
- bidentulus** Pachymerus, Herrich-S., *Wanzenart. Ins.* VI (2) Nov. 1840, 31.
- bi-dentula** Saperda, Dalman in C. J. Schoenherr, *Syn. Insect.* I (3) 1817, 419; & *App.* 1817, 182.
- Bidiastopora** A. d'Orbigny, *Rev. et Mag. de Zool.* (2) I. Oct. 1849, 502.—Polyz.
- bi-dichotomus** Ammonites, A. de Leymerie, *Mém. Soc. géol. France*, IV (2) 1841, 342 [*n. n.*]; *ibid.* V (1) 1842, 15.
- bido** Falco, T. Horsfield, *Tr. Linn. Soc. London*, XIII (1) 1821, 137.
- bido** Spilornis (Horsf.), E. Blyth, *Ann. Mag. N. H.* XIV. July 1844, 36.—Falco.
- bidorsalis** Aganides (Ph.), A. d'Orbigny, *Prodr. Paléont.* I. 1849 [Jan. 1850], 115.—
- bidorsalis** Goniatites, J. Phillips, *Geol. Yorksh.* II. 1836, 235. [Goniatites.
- bidorsalis** Heterobranchus, I. Geoffroy St H. in Savigny, *Egypte*, I (1) (Suite Poiss. Nil) 1827, 305. [Goniatites.
- bidorsatus** Aganides (Klip.), A. d'Orbigny, *Prodr. Paléont.* I. 1849 [Jan. 1850], 180.—
- bidorsatus** Ammonites, F. A. Roemer, *Verst. Norddeutsch. Kreidegeb.* (2) 1841, 88.
- bidorsata** Avicula, G. v. Muenster, *Beitr. zur Petref.* (4) 1841, 76.

- bidorsatus** Bellerophon (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 8.—
bidorsata Buccania, J. Hall, N. H. New York (Pal. I.) 1847, 186. [Buccania.
bidorsatus Goniatites, A. v. Klipstein, Beitr. geol. östl. Alpen (1) 1843, 140.
bidorsatus Nautilites, E. F. v. Schlotheim, Die Petref. 1820, 82.
bidorsatus Spirifer, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 232.
bidwellii Mitua, F. W. Hope (*ex* Macleay MS), Tr. Entom. Soc. Lond. V (3) Jan. 1848,
bidyana Cernua, T. L. Mitchell, Three Exped. Australia, I. 1838, 95. [56.
biebersteini Carabus, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 110.
biebersteini Platychrus (Ménétr.), F. A. Kolenati, Melet. Entom. (1) Aug. 1845, 26.—
bielanensis Achorutes, Waga, Rev. Zool. (Soc. Cuv.) V. Sept. 1842, 292. [Carabus.
bielzii Carcharodon, J. L. Neugeboren, Arch. Ver. Siebenbürg. Landeskr. IV (2) 1850, 39.
bielzii Clausilia, Parreys, Zeitschr. f. Malakozool. (Aug.) 1848 [Mar. 1849], 121.
bielzii Otorhynchus, Fuss in H. C. Kuester, Käfer Europas, XVI. 1849, 89.
bielziana Frondicularia, J. L. Neugeboren, Verh. siebenb. Ver. Nat. (8) 1850, 121.
bienna Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 195.
Biensis Pucheran, Rev. Zool. (Soc. Cuv.) VIII. Aug. 1845, 278.—A.
biensis Salpa, de Blainville, Dict. Sci. Nat. XLVII. 1827, 123.
bierkandrana Phalaena (Pyralis) (Fab.), W. Turton, Linnaeus, Syst. Nat. III. 1802, 358.
—Pyralis, 1787.
bifaciata *v.* **bifasciatus**.
bifacies Dichelacera, F. Walker, List Dipt. Coll. B. M. (1) 1848, 191.
bifalcata Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 208.
bifariella Ochromolopis, J. Huebner, Verz. bekannt. Schmett. 1826, 408.—Tinea.
bifariella Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 57 (Fernaldo judice 1811–17)
[*n. et f.*].
bifarius Agabus (Kirby), J. L. Leconte in Agassiz, Lake Superior, 1850, 214.—Colymbetes.
bifarius Colymbetes, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 71.
bifaria Lampyrus, T. Say, Boston Journ. N. H. I (2) 1835, 157.
bifaria Taenia, Siebold in Creplin, Arch. f. Naturg. XII (1) 1846, 143.
bifascia Automolis (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 171.—Phalaena
bifascia Schinia, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 14. [bifasciata, 1779.
bifascialis Chaetodon, G. Cuvier, Règne Anim., ed. 2, II. 1829, 190.
bifascialis Linckia, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 285.
bifascialis Pionea, Guénéé in H. Lucas, Explor. Algér. (Artic. III.) 1849, 403.
bifasciana Orthotaenia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—Tortrix.
bifasciana Phalaena, E. Donovan, Brit. Ins. X. 1801, 86.
bifasciana Sericoris (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Aug. 1834, 136.
bifasciana Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 468. [—Tortrix.
bifasciaria Emmelesia, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet B (Nov. 1847),
bifasciator Bracon, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 40. [16.
bifasciator Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 258.
bifasciata Abdera (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. V.) Feb. 1832, 38.—
Mordella.
bifasciatum Acrydium, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 161.
bifasciatus Agathomerus (Klug), T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov.
1845, 687.—Megalopus.
bifasciata Agenia (Fab.), J. Schiodte, Naturhist. Tidsskrift, I. 1837, 323.—Sphecx, 1793.
bifasciatus Agrilus (Gray), Laporte & Gory, H. N. Coléopt. II. 1839, 21.—Buprestis.
bifasciata Alauda, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 27.
bifasciata Aleyrodes, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 67 [*n. n.*].
bifasciatus Allantus, T. Say, Western Quart. Reporter, II (1) 1823, 72. [1792.
bifasciatus Amphiprion (Bloch), J. G. Schneider, Bloch, Syst. Ichth. 1801, 204.—Anthias,
bi-fasciata Anaspis (Marsh.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 90.—Mordella.
bifasciata Anisoplia, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 493.
bifasciatus Anoplus (Fab.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III.
1845, 459.—Pompilius, 1798.
bifasciata Anthicus (Rossi), C. J. Schoenherr, Syn. Insect. I (2) 1808, 59.—Lagria, 1790.
bifasciatus Anthicus, T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 245.

- bifasciatus** Anthicus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 49 [*n. n.*].
- bifasciatus** Anthicus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 259.
- bifasciatus** Anthicus, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843, 304.
- bifasciatus** Anthrax, J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 209.
- bifasciatus** Anthrenus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 155.
- bifasciatus** Antrostomus (Gould), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 61.—*Caprimulgus*.
- bifasciata** Aphrodes (L.), J. Curtis, Guide Brit. Ins. (7) 1831, 193.—*Cicada*, 1758.
- bifasciata** Aphrophora (L.), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 51.—
- bifasciata** Apis, J. F. Eschscholtz, Entomographien, I (1) 1822, 98. [*Cicada*, 1758].
- bifasciatus** Apocrytus, G. R. Waterhouse, Ann. Mag. N. H. IX. June 1842, 307.
- bifasciatus** Apogon, E. Rueppell, Neue Wirbelth. Abyssin. (12) 1838, 86.
- bifasciata** Aquila, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 81 [*n. n.*].
- bifasciata** Aquilla, J. E. Gray, Ill. Indian Zool. I (—) [1830-2] (pl. 17).
- bifasciata** Ascia, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 583.
- bifasciatus** Aspidosaurus (D. & B.), L. Fitzinger, Syst. Rept. 1843, 21.—*Gerrhosaurus*.
- bifasciatus** Aster, T. R. Peale in Wilkes, Expl. Exped. VIII. 1848, 70.
- bifasciatum** Atax, C. L. Koch, Deutsch. Crust., heft 37, 1844, tab. 16.
- bifasciatus** Athous (Gyll.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 33.—*Elater*.
- bifasciatus** Attagenus (Ol.), H. Lucas, Explor. Algér. (Artic. II.) 1846, 239.—*Dermestes*, Rossi, 1794.
- bifasciata** Belvosia (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 214.—*Latreillia*.
- bifasciatus** Brachymerus, A. Smith, Ill. Zool. S. Afr. (Rept.), pl. lxiii, 1847.
- bifasciatus** Bracon, M. Spinola, Ins. Liguriae, II. 1808, 225 [*z. e.* 125].
- bifasciatum** Buccinum, L. W. Dillwyn, Catal. Shells, 1817, 651.
- bifasciatus** Bulimus, R. A. Philippi, Abb. Conch. II (1) 1845, 10.
- bifasciata** Buprestis, F. V. Melsheimer, Ins. Pennsylv. 1806, 46 [*n. n.*].
- bifasciata** Buprestis, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 25.
- bifasciata** Buprestis, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, 358.
- bifasciatus** Cacicus (Spix), G. R. Gray, Genera of Birds, II. Oct. 1844, 342.—*Cassicus*.
- bifasciata** Calandra, Kollar in J. A. Boissduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 445.
- bifasciata** Callidea (Calliphara), A. White, Tr. Entom. Soc. Lond. III (2) Sept. 1842, 85.
- bifasciata** Callimorpha, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1817), 132. [74-]
- bifasciata** Callimorpha, J. O. Westwood in E. Donovan, N. H. Ins. China, ed. 2, 1842,
- bifasciata** Calliphara (Scutellera), A. White, Mag. Nat. Hist., n. s., III. Nov. 1839, 541.
- bifasciata** Calophaena (Ol.), F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 297.—*Carabus*, 1790. [Saxicola.]
- bifasciata** Campicola (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 304.—
- bifasciata** Cancellaria, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 181.
- bifasciatus** Capitonius, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 545.
- bifasciatus** Caprimulgus, J. Gould, Proc. Zool. Soc. London, V (50) Nov. 1837, 22.
- bifasciatus** Capsus, J. C. Fabricius, Syst. Rhyng. 1803, 242.—*Lygaeus*, 1794.
- bifasciata** Carocolla (Burr.), J. E. Gray, Ann. Phil. XXV. 1825, 412.—*Trochus*.
- bifasciata** Carocolla, I. Lea, P. Amer. Phil. Soc. I (10) Feb. 1840, 174.
- bifasciatus** Cassicus, J. B. v. Spix, Avium Brasil. I. 1824, 65.
- bifasciatus** Cepola, Bloch, *var.* torquatus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 243.
- bifasciatus** Ceratoderus (Koll.), J. O. Westwood, Proc. Linn. Soc. London (13) Dec. 1841, 113.—*Pausus*.
- bifasciatus** Ceratophyllus (*sic*), J. Curtis, Guide Brit. Ins. (7) 1831, 201 [*n. n.*].
- bifasciatus** Ceratophyllus (*sic*), J. Curtis, Brit. Entom. IX (104) Aug. 1832, no. 417.
- bifasciata** Cerceris, F. E. Guérin-M., Iconographie, 1844, Ins. 443.
- bifasciata** Cercopis, Guérin-M. in C. Belanger, Voy. Indes Orient. (7) Aug. 1833, 502-

- bifasciata** Ceresa, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 286.
Certhia, G. Shaw, Gen. Zool. (Aves) VIII (1) 1812, 198.
bifasciata Certhilauda (Licht.), J. Gould, Birds of Europe, III. 1837, pl. 168.—Alauda.
bifasciata Cetonia, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 548.
bifasciatus Chaetectetorus (Boh.), C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 384.—Gasterocercus.
bifasciata Chelura, F. W. Hope, Tr. Linn. Soc. London, XVIII (3) 1840, 444.
bifasciatus Chironomus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 29.
bifasciatus Chloriethys, W. Swainson, N. H. Fishes etc. II. July 1839, 232.
bifasciatus Chrysophris (Forsk.), G. Cuvier, R. Anim., ed. 2, II. 1829, 182.—Chaetodon,
bifasciata Chrysops, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 161. [1775.
bifasciata Cicada, J. C. Fabricius, Syst. Rhyng. 1803, 70.
bifasciata Cinips, Boyer de F., Ann. Sci. Nat. XXVI (103) July 1832, 294.
bifasciata Cinyris (Shaw), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 407.—Certhia.
bifasciatus Clerus, F. V. Melsheimer, Ins. Pennsylv. 1806, 33 [n. n.]. [1781.
bifasciatus Clerus (Thunb.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 45.—Anobium,
bifasciata Clythra, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 210.
bifasciata Comptosia, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 418.
bifasciatus Copris, J. C. Fabricius, Syst. Eleuth. I. 1801, 37.—Scarab. 1781.
bifasciata Coptodera, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 394.
bifasciatus Cordistes (Ol.), Dejean, Spec. gén. Coléopt. I. 1825, 181.—Carabus, 1790.
bifasciata Crioceris, J. C. Fabricius, Syst. Eleuth. I. 1801, 459.
bifasciata Crucirostra, C. L. Brehm, Ornith. (3) 1827, 78; Isis (Oken), 1827, 714.
bifasciatum Ctenostoma, Dejean in D. & Boisduval, Icon. Coléopt. I. 1829, 55.
bifasciatum Curculio (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 136.—Rhynch.
bifasciatum Cyclostoma, G. B. Sowerby, I., Thes. Conch. II (11) 1850, 167*. [chaenus.
bifasciata Cythere, T. Say, J. Acad. Nat. Sci. Philad. I (15) Nov. 1818, 439.
bifasciatus Darnis, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 545.
bifasciatus Dasytes, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840,
bifasciata Dexia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 35. [280.
bifasciata Dexia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 270.
bifasciatus Diacanthus, Fuss in H. C. Kuester, Käfer Europas. X. 1847, 38.
bifasciata Diaperis, T. Say, J. Acad. Nat. Sci. Philad. III. Feb. 1824, 268.
bifasciatum Diploprion, Kuhl & v. Hasselt in Cuvier & Valenc., H. N. Poiss. II. 1828,
bifasciatus Dircaea, J. C. Fabricius, Syst. Eleuth. II. 1801, 90.—Notoxus, 1792. [137.
bifasciatus Dromius, Perroud in Dejean, Spec. gén. Coléopt. I. 1825, 237.
bifasciatus Dryinus, T. Say, Contrib. Maclurian Lyceum, I (3) Jan. 1822, 81.
bifasciatus Elater, L. Gyllenhal, Ins. Suecica, I. 1808, 383.
bifasciatus Elater, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 20 [n. n.].
bifasciatum Ellobium (Gm.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807,
 139.—Voluta, 1790.
bifasciata Emmelesia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Phalaena.
bifasciata Emydia (Ramb), J. A. Boisduval, Ic. hist. lépidopt. Europe, II (—) 1834,
 93.—Lithosia. [1840, 280.—Eulophus.
bifasciatus Entedon (Nees), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III.
bifasciata Epilachna (Fab.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 793.—
 Coccinella, 1787.
bifasciatus Erotylus, F. de Tigny, s à Deterville ed. Buffon, Ins. VIII. 1801, 211.
bifasciatus Erotylus, D. H. Schneider, Verz. Insectensamml. 1828, 85 [n. n.].
bifasciatus Erotylus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 84 [n. n.].
bifasciata Eulima, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1842, 216.
bifasciatus Eulophus (Dalm.), C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 156.—
bifasciatus Eumolphus, A. G. Olivier, Entom. VI. 1808, 900. [Entedon.
bifasciata Eurydera, F. W. Hope, Ann. Mag. N. H. X. Oct. 1842, 92.
bifasciatus Eustrophus, T. Say in Keating, Exp. Peter River, II. 1824, 282; & ed.
 London, 1825 (App.), 26.
bifasciatus Fusus, J. Sowerby, Min. Conch. III. 1819, 49. [258.
bifasciatus Gasterocercus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,

- bifasciatus** Gerrhosaurus, Duméril & Bibron (Roret's Suite à Buffon), *Erpét. V. Nov.* 1839, 375.
- bifasciata** Glabella (Lam.), W. Swainson, *Treat. Malacol.*, May 1840, 324.—*Marginella*.
- bifasciata** Halictus, A. Brullé in Bory de St V., *Exp. Morée (Ins.)* 1832, 349.
- bifasciatus** Hallomenus, Knoch in F. V. Melsheimer, *Ins. Pennsylv.* 1806, 11 [*n. n.*] & *var. bivittatus*, F. V. M. [*n. n.*].
- bifasciata** Haltica, D. H. Schneider, *Verz. Insectensamml.* 1828, 84 [*n. n.*]. [1834.
- bifasciata** Haltichella, F. Walker, *List Hymenopt. Coll. B. M.* (1) 1846, 6.—*Hockeria*,
- bifasciata** Helix (Helicigona) (Burrow), A. E. Férussac, *H. N. g. et p. Moll.*, *Tabl. Limaçons*, 1821, 41.—*Trochus*.
- bifasciatus** Helops, J. Sturm, *Catal. Ins. Samml.* 1826, 150 [*n. n.*].
- bifasciata** Hesperia, E. Ménétriés, *N. Mém. Soc. Imp. Nat. Moscou*, I. 1829, 193.
- bifasciatus** Heterocerus, Handschuch in H. C. Kuester, *Käfer Europas*, XVII. 1849, 37.
- bifasciatus** Heterognathodon, P. Bleeker, *Journ. Indian Arch.* II (9) Sept. 1848, 636.
- bifasciata** Hiaticula, Fraser, *Proc. Zool. Soc. Lond.* 1843, 118.
- bifasciata** Hockeria, F. Walker, *Entom. Mag.* II (1) Jan. 1834, 35.
- bifasciatus** Homalilus, J. Sturm, *Catal. Ins. Samml.* 1826, 153 [*n. n.*].
- bifasciatus** Ichneumon, T. Say, *Contrib. Maclurian Lyceum*, I (3) Jan. 1829, 72.
- bifasciata** Isotoma, Bourlet, *Mém. Soc. R. Sci. Lille*, 1839 (1) 1839, 401.
- bifasciatus** Issus, O. G. Costa, *Cenni Zool. (Ann. zool.)* 1834, 84 [*n. n.*]; F. Regno *Nap.*, *Emitt.*, *Issus*, 3 (Jan. 1840).
- bifasciatus** Julis (Bl.), C. Cuvier, *R. Anim.* II. 1817, 262.—*Labrus*, 1791.
- bifasciatus** Lacophilus, J. Sturm, *Catal. Ins. Samml.* 1826, 158 [*n. n.*].
- bifasciata** Lacuna, T. Brown, *Ill. Conch. G. B. I.*, ed. 2, 1844, 9 (*Phasianella*) & *errata*. —*Phasianella*, 1827.
- bifasciatus** Lais, Guérin-M. in Lefebvre, *Voy. Abyssin.* VI. 1849, 304.
- bifasciata** Latreillia (Fab.), J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II. 1830, 104.—*Musca*, 1775.
- bifasciata** Lebia, Roger in Dejean, *Spec. gén. Coléopt.* I. 1825, 266. [56.
- bifasciata** Leja, B. A. Gimmerthal, *Bull. Soc. Imp. Nat. Moscou*, XIX. 1846 (3) 1846,
- bifasciata** Leptura (F.), P. A. Latreille, *Sonnini's Buffon, Ins. XI* (1804), 307.—*Rhagium*, 1775.
- bifasciata** Leucospis, F. Klug, *Ges. Nat. Fr. Berlin, Mag.* VI (1) 1812, 70.
- bifasciata** Limnobia (Fab.), C. R. W. Wiedemann, *Dipt. exot.* 1821, 18.—*Tipula*.
- bifasciata** Lissonota, A. Brullé in Lapeletier (Roret's Suite à Buffon), *Hyménopt.* IV. 1846, 110. [*Mycetophagus*, 1792.
- bifasciatus** Litargus (Fab.), W. F. Erichson, *Nat. Ins. Deutschl.* I. 3 (3) 1846, 416.—
- bifasciata** Lithosia, P. Rambur, *Ann. Soc. Ent. France*, I (3) c. Oct. 1832, 270.
- bifasciata** Lophia, V. v. Mochulski, *Kaefer Russl.*, *post* May 1850, 12.
- bifasciata** Loxia (Brehm), S. Nilsson, *Ill. fig. Skand. Fauna* (3) 1830, pl. 19.—*Cruci-*
- bifasciata** Lycosa, C. L. Koch in Panzer, *Ins. Germ.*, heft 125, 1834, tab. 17. [*rostra*.
- bifasciata** Lycosa (Pardosa), C. L. Koch, *Die Arachniden*, XV (2) July 1847, 34.
- bifasciatus** Malachus, F. W. Hope, *Zool. Miscell. (Gray)* (1) Feb. 1831, 26.
- bifasciata** Mantis (Mantis), W. de Haan in Temminck, *Verh. nat. ges. Ned. overz. bezitt.*, *Zool. (Ins.)* 1842, 78.
- bifasciata** Marginella, Lamarck, *An. s. vert.* VII. 1822, 357.
- bifasciatus** Medeterus, J. Macquart, *Rec. Trav. Soc. Sci. Lille*, 1826–7, 1827, 1828, 260.
- bifasciata** Megacephala, A. Brullé in d'Orbigny, *Amér. Mérid. (Ins.)* 1837, 1.
- bifasciatus** Megaderus, H. Dupont (*ex* Dejean *Cat.*), *Mon. Trachyd.* in *Magasin de Zool.*
- bifasciatus** Megalopus, F. Klug, *Entom. Mon.* 1824, 53. [VI. 1836, pl. 141.
- bifasciata** Megatoma, C. P. Thunberg, *Mém. Ac. Imp. Sci. St Pétersb.* VII. 1820, 372. —*Anobium*, 1781. [Dexia, 1826.
- bifasciata** Melania, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* VII. 1838, 275.—
- bifasciata** Mellinus, J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 34 [*n. n.*].
- bifasciata** Mitra, W. Swainson, *Zool. Illust.* (1) I (6) Mar. 1821, pl. 35.
- bifasciatus** Monocerus, J. L. Le Conte, *Journ. Acad. Nat. Sci. Philad.* I (1) Dec. 1847,
- bifasciatus** Monohammus, J. O. Westwood, *Cab. Orient. Entom.* 1847, 59. [89.
- bifasciata** Mordella, J. C. Fabricius, *Syst. Eleuth.* II. 1801, 124.

- bifasciata** Mordella, T. Marsham, Coleopt. Brit., Sept. 1802, 493.
bifasciata Mordella, F. V. Melsheimer, Ins. Pennsylv. 1806, 56 [*n. n.*].
bifasciata Mullus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 383.
bifasciata Mutilla, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. e. [96].
bifasciata Mycetophila, F. Walker (*ex* Barnston MS), List Dipt. Coll. B. M. (1) 1848,
bifasciata Myrmecophila, Motschulsky in G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 358.
bifasciatum Myrmeleon, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 122.
bifasciata Mystacida (Fourc.), F. J. Pictet, Rech. Phrygan. 1834, 166.—Phryganea, ? Ol. 1791.
bifasciata Natica, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Moll. etc. 1834, 598.
bifasciata Naticaria, W. Swainson, Treat. Malacol., May 1840, 346. [—Certhia.
bifasciata Nectarinia (Shaw), W. Jardine, Nectariniadae (Nat. Libr. XXXVI.) 1843, 174.
bifasciata Nemoraea (Fab.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 104.—Musca, 1775.
bifasciatus Nemotelus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 104.
bifasciata Nesaia, C. L. Koch, Deutsch. Crust., heft 9, 1836, tab. 16.
bifasciata Nomada, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 365.
bifasciatus Notaphus, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) July 1828, 19.
bifasciata Notonecta, F. E. Guérin-M., Iconographie, 1844, Ins. 354.
bifasciata Notozona, Ol.; Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 394.
bifasciata Ocyptera (F.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 195.
bifasciata Odacantha, J. C. Fabricius, Syst. Eleuth. I. 1801, 229. [—Musca, 1775.
bifasciatus Odynerus (L.), M. Spinola, Ins. Liguriae, II. 1808, 184.—Vespa, 1761.
bifasciatus Omadius, Laporte, Revue Entom. IV (2) 1836, 49.
bifasciata Orchesella, H. Nicolet, N. D. Allg. Schweiz. Gesellsch. VI. 1842, 80.
bi-fasciatus Orchestes, Gyll.; Dejean, Catal. Coléopt. 1821, 83 [*n. n.*]. [? Fab. 1777.
bifasciatus Orchestes (Payk.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio,
bifasciata Ortalis, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 430 [*n. n.*].
bifasciatus Orthocentrus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 115.
bifasciatus Otiorynchius, Cristofori & Jan, Cat. Mus. (IIIa, Coleopt.) 1832, 57 [*n. n.*].
bifasciatus Panagaeus, F. L. de Laporte, Etudes Entom. (2) 1835, 155.
bifasciata Pangonia, C. R. W. Wiedemann, Dipt. exot. 1821, 58.
bifasciatus Paragus, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 566.
bifasciatus Pausus, V. Kollar, Ann. Wiener Mus. I [2] 1836, 336.
bifasciatum Pentatoma, Herrich-S., Wanzenart. Ins. III (6) Dec. 1836, 96.
bifasciata Penthotaenia (L.), C. J. B. Amyot, Ann. Soc. Ent. France, V (2) 1847, 206.
bifasciata Perla, F. J. Pictet (*ex* Klug MS), H. N. Ins. Neuropt. Perlides, 1842, 230.
bifasciata Phaeoxantha (Brullé), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850, 7.—Megacephala.
bifasciata Phalaena, F. v. P. Schrank, F. Boica, II (2) 1802, 40.
bifasciata Phalaena, A. H. Haworth, Lepidopt. Brit. (2) 1809, 334.
bifasciata Phasianella, T. Brown, Ill. Conch. G. B. I. 1827, pl. xlvii, f. 44 [*n. et f.*].
bifasciata Pholetaera (L.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 289.—Cicada, 1758.
bifasciatus Phytocoris (Fab.), C. W. Hahn, Wanzenart. Ins. III (1) Aug. 1835, 7.—Lygaeus, 1794. [1848, 102.—Diaperis.
bifasciatus Platydema (Say), S. S. Haldeman, Journ. Acad. Nat. Sci. Philad. I (2) Aug. Platystoma, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 323.
bifasciata Platyura, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 144.
bifasciata Pleureterites, C. S. Rafinesque, Atlantic Journ. (4) 1832, 143.
bifasciata Podura, F. v. P. Schrank, F. Boica, III (1) 1803, 185.
bifasciata Podura, Bourlet, Mém. Soc. R. Agric. Douai, 1841–2 (1843), 115.
bifasciatus Polydesmus, G. Newport, Ann. Mag. N. H. XIII. Ap. 1844, 266.
bifasciatus Polyzonus, E. Newman, Entomologist (15) Jan. 1842, 246.
bifasciatus Pompilius, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 516.
bifasciata Prionopleura, W. W. Saunders (*ex* Hope MS), Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 58.

- bifasciata** Prosopis, L. Jurine, N. Méth. class. Hyménopt. 1807, 220.
- bifasciatus** Psarocolius (Spix), J. Wagler, Syst. Avium, I. 1827, sign. 223.—Cassicus.
- bifasciatus** Pseudocrinites, J. C. Pearce, Proc. Geol. Soc. London, IV. 1843, 160.
- bifasciatus** Psilorhynchus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 105.
- bifasciatus** Psocus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) June 1836, 120. [Cynips, Fourc. 1785.]
- bifasciatus** Pteromalus (Boyer), C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 426.—
- bifasciatus** Pterygophorus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 660. [Cercopis, 1775.]
- bifasciatus** Ptyelus (Fab.), A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 109.—
- bifasciatus** Pulex (Curtis), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 375.—Ceratopsyllus.
- bifasciatus** Pyrodes (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832, 187.—Prionus, 1775.
- bifasciatus** Ramphus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 112.
- bifasciatus** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 454.—Curculio, 1775.
- bifasciatus** Ripiphorus, F. V. Melsheimer, Ins. Pennsylv. 1806, 56 [*n. n.*].
- bifasciatus** Rogas (Spin.), C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 215.—Bracon.
- bifasciatus** Salius (Fab.), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 332.—Rhyn-
- bifasciata** Saperda, F. V. Melsheimer, Ins. Pennsylv. 1806, 36 [*n. n.*]. [chaenus.
- bifasciatus** Saperda (Ol.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 420.—Cerambyx, 1795.
- bifasciata** Saxicola, C. J. Temminck in T. & Laugier, Pls. color. (79) Aug. 1829.
- bifasciatus** Scaeva, J. C. Fabricius, Syst. Antliat. 1805, 248.—Syrphus, 1794.
- bifasciata** Sciophila, T. Say in Keating, Exp. Peter River, II. 1824, 363; & ed. London, 1825 (App.), 92.
- bifasciatus** Scymnus, J. Sturm, Catal. Ins. Samml. 1826, 194 [*n. n.*]. [Thelaira.
- bifasciata** Sericocera (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 238.—
- bifasciatus** Sparus (Bl.), G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 470.—Anthias, 1792.
- bifasciatus** Speo, A. Risso, H. N. Europe, IV. 1826, 236.
- bifasciata** Sphaerophoria, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 462.
- bifasciatus** Sphenophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 885.
- bifasciatus** Stenocorus, F. de Tigny, s. à Deterville ed. Buffon, Ins. VII. 1801, 314.
- bifasciata** Stenura (Müll.), H. C. Kuester, Käfer Europas, IX. 1847, 73.—Leptura, 1776.
- bifasciatum** Stigmatium, F. W. Hope, Tr. Entom. Soc. Lond. II (1) Feb. 1838, 54.
- bifasciatus** Stizus, P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 302.
- bifasciata** Stizus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 178.—Larra, 1798.
- bifasciata** Sylvia, T. Say in Long, Exped. Rocky Mts. I. 1823, 170; & London ed. I. 1823, 334.
- bifasciatus** Tabanus, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 201.
- bifasciata** Tachina (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 305.—Musca, 1775.
- bifasciatus** Tachys, F. V. Melsheimer, Ins. Pennsylv. 1806, 53 [*n. n.*].
- bifasciatus** Tenerus, M. Spinola, Ess. mon. Clérites, I. 1844, 169.
- bifasciata** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (2) 1817, 141.
- bifasciata** Tetracha (Brullé), T. Lacordaire, Mém. Soc. R. Sci. Liège, I (1) 1843 [separata 1842], 102.—Megacephala.
- bifasciata** Tettigonia (L.), F. de Tigny, s. à Deterville ed Buffon, Ins. IV. 1801, 152.—Cicada, 1758. [France, II. 1830, 215.—Dexia.
- bifasciata** Thelaira (Meig.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. [Thinotretis] (Licht.), C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 267.
- bifasciata** Tipula, J. C. Fabricius, Syst. Antliat. 1805, 31. [—Alauda.
- bifasciata** Tornatella (L.), A. F. Schweigger, Handb. Naturges. 1820, 739.—Voluta, Gm. 1790.
- bifasciatus** Tragocerus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838),
- bifasciatus** Trechus, J. Sturm, Catal. Ins. Samml. 1826, 203 [*n. n.*]. [132.
- bifasciatus** Trichius, C. U. v. Salis, Alpina, II. 1807, 64 [*n. n.*].

- bi-fasciatus** Trichius, Jur.; Dejean, Catal. Coléopt. 1821, 61 [*n. n.*].
- bi-fasciatus** Triphyllus (Fab.), Dejean, Catal. Coléopt. 1821, 102.—Ips. 1787.
- bifasciatum** Tritoma, J. C. Fabricius, Syst. Eleuth. II. 1801, 573.
- bifasciatus** Trochus, E. J. Burrow, Elem. Conch. 1815, 188.
- bifasciata** Trupanea, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 214.
- bifasciatus** Tryphon, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 389.
- bifasciatus** Turbo, O. G. Costa, Atti R. Accad. Sci. [Napoli] IV (Zool.) 1839, 192; Corrisp. Zool. I. 1839, 75 [*n. n.*]. [1831, 215.]
- bifasciata** Upupa, C. L. Brehm, Isis, 1828, 1275 [*n. n.*]; Handb. Nat. Vögel Deutschl.
- bifasciata** Xylota, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 219.
- bifasciatus** Xysticus, C. L. Koch, Die Arachniden, IV (3) Oct. 1837, 59.
- bifasciatus** Ypsolophus, A. H. Haworth, Lepidopt. Brit. (4) 1828, 544.
- bifasciata** Zonitis, O. Swartz in C. J. Schoenherr, Syn. Insect. I (2) 1808, 340.
- bi-fasciata** Zonitis, Sch.; Dejean, Catal. Coléopt. 1821, 76 [*n. n.*].
- bifasciata** Zonitis, Koy; J. Sturm, Catal. Ins. Samml. 1826, 206.
- bifasciatus** Zophobas, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 118.
- bifasciculatus** Conotrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 39. [1843, 244.]
- bifasciculatus** Prionomerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2)
- bifasciella** Anacamptis (Fab.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Sept. 1834, 217.—Tinea, 1787.
- bifasciella** Colobaea (Fall.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 762.—Opomyza.
- bifasciellus** Dolichopus, J. W. Zetterstedt, Dipt. Scand. II. 1843, 608.
- bifasciella** Elachista, F. Treitschke, Schmiett. Europa, IX (2) 1833, 182.
- bifasciella** Opomyza, C. F. Fallen, Opomyzides Sveciae, 1820, 12.
- bifasciella** Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 371.
- bifasciellus** Tillus, A. White, Nomen. Coleopt. Coll. B. M. (4) 1849, 49.
- bifasciella** Yponomenta (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Tinea, 1787.
- bifasciosa** Phytometra, A. H. Haworth, Lepidopt. Brit. (2) 1809, 266.
- bifenestra** Chiroscelis, Lamarck, Ann. Mus. H. N. (Paris), III (16) ? Feb. 1804, 262.
- bifenestrata** Cetonia, Chevrolat, Rev. Zool. (Soc. Cuv.) IV. July 1841, 223.
- bifenestratus** Chlaenius, F. Klug in Ehrenberg, Sym. Phys., Ins. III (1832) sign. *d.*
- bifenestrata** Protaetia (Chev.), H. Burmeister, Handb. Ent. III. 1842, 492.—Cetonia.
- bifenestrella** Chiroscelis, J. O. Westwood, Proc. Zool. Soc. London, IX (103) Mar. 1842, [bifer -a -um.] [66.]
- biferus** Aganides (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 58.—Goniatites.
- bifer** Ammonites, F. A. Quenstedt, Floezgeb. Wuerttemb. 1843, 160.
- bifera** Atrypa, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 152.
- bifera** Atrypa (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 93.—Terebratula.
- biferus** Goniatites, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 120.
- bifer** Julis, Lay & Bennett, Zool. "Blossom," 1839, 64.
- bifer** Rhinolophus, H. D. de Blainville, Ostéogr., Vespertilio, 1840, 31.
- bifera** Terebratula, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 84.
- bifibula** Pentatoma, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 148.
- bifidana** Acleris (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Aug. 1834, 163.—Tortrix.
- bifidana** Leptogramma (Haw.), J. Curtis, Guide Brit. Ins. (6) 1831, 173.—Tortrix.
- bifidana** Paramesia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—Tortrix.
- bifidana** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 418.
- bifidaria** Geometra, A. H. Haworth, Lepidopt. Brit. (2) 1809, 291.
- bifidaria** Geometra, A. H. Haworth, Lepidopt. Brit. (2) 1809, 301.
- bifidator** Acanthocinus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 87.—Lamia.
- bifidator** Lamia, J. C. Fabricius, Syst. Eleuth. II. 1801, 286.
- Bifidellus** C. S. Rafinesque, Analyse, 1815, 160.—Prot. [*n. n.*].
- bifidens** Voluta, J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 5.
- bifida** Aelia, A. Costa, Atti R. Ist. Incoragg. Napoli, VII. 1847, 391.
- bifida** Ammonites, F. de Roissy, Sonnini's Buffon, Moll. V (1805), 26.

- bifidus** Analges, Nitzsch in Ersch & Grube, Allg. Ency. I. 1818, 252.
- bifida** Arca, A. E. Reuss, Verst. boehm. Kreid. II. 1846, 10.
- bifidus** Asilus (Fab.), C. R. W. Wiedemann, Dipt. exot. 1821, 190.—Dasypogon.
- bifida** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx 9 (Fernaldo judice 1802) [*n. et f.*]. [Borkh. 1790.]
- bifida** Cerura (Esp.), E. F. Germar, Diss. Bomb. spec. (2) 1812, 44.—Phal. (Bomb.)
- bifidus** Cimex, C. P. Thunberg, Hemip. Capen. II. 1822, 4.
- bifida** Coronula, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 634.
- bifida** Crioceris, A. G. Olivier, Entom. VI. 1808, 737.
- bifida** Cymodocea, W. E. Leach, Dict. Sci. Nat. XII. 1818, 343.
- bifidus** Dasypogon, J. C. Fabricius, Syst. Antliat. 1805, 170.
- bifidum** Diadema, H. G. Bronn, Index Pal. 1848, 418.—Coronula, 1831.
- bifida** Dicranura (Borkh.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. III (Noct.) 1837, 122.—Phal. (Bomb.), 1790.
- bifida** Doris, G. Montagu, Tr. Linn. Soc. London, XI (2) 1815, 198.
- bifida** Edessa, Laporte, Revue Entom. I (1) Mar. 1833, 36.
- bifida** Fusaria, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 114.
- bifidus** Goliathus (Ol.), Lamarck, An. s. vert. IV. 1817, 581.—Cetonia, 1789.
- bifida** Gynacantha, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 213.
- bifida** Harpyia (Borkh.), F. Ochsenheimer, Schmett. Europa, III. 1810, 29.—Phal. (Bomb.), 1790. [(Bomb.), 1790.]
- bifida** Harpyias (Borkh.), J. Huebner, Verz. bekannt. Schmett. [1820], 148.—Phal.
- bifida** Hermaea (Mont.), S. Loven, Ofvers. K. Vet. Ac. Förh. I (3) 1844, 50.—Doris.
- bifidus** Hister, T. Say, J. Acad. Nat. Sci. Philad. V., July 1825, 34.
- bifidus** Hydroporus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 444.
- bifida** Hylotoma, F. Klug, Jahrb. Insectenk. I. 1834, 244. [[*n. n.*].
- bifida** Idmonea, v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 238
- bifidus** Inachus, Marion de Procé, Bull. Sci. Soc. Philom. Paris, 1822 (Sept.), 134.
- bifida** Janthina, Nuttall in J. C. Jay, Cat. Shells, ed. 3, 1839, 68 [*n. n.*].
- bifida** Lema (Ol.), Dejean, Catal. Coléopt. 1821, 114.—Crioceris.
- bifida** Lepisma, C. S. Rafinesque-S., Précis Som. 1814, 27.
- bifida** Medusa, J. G. Dalzell, Rare Anim. Scotland, I. 1847, 110.
- bifidus** Murex, H. G. Bronn, Zschr. Min. 1827, II (1828), 533.
- bifida** Natrinx, H. F. Link, Besch. Nat. Samml. Univ. Rostock (2) 1807, 68.
- bifidus** Onthophagus, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 324.
- bifida** Ophiostoma (Fab.), K. A. Rudolphi, Archiv Zool. (Wiedemann) II (1) 1801, 48. —Ascaris, 1780.
- bifida** Oxisma, C. S. Rafinesque, Journ. de Physique, LXXXVIII., June 1819, 427.
- bifida** Patella, G. Fischer, Mus. Démid. III. 1807, 114.
- bifidus** Pecten, Muenster in G. A. Goldfuss, Petref. German. II (5) 1836, 69.
- bifidus** Pecten, C. T. Menke, Moll. N. Holl. 1843, 35.
- bifida** Pentatoma, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- bifida** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 43.
- bifidus** Planites (Brug.), W. de Haan, Mon. Ammon. 1825, 86.—Ammonites, 1789.
- bifida** Proboscidea (Müll.), Lamarck, Syst. Anim. 1801, 340.—Ascaris, Fab. 1780.
- bifida** Pterygia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 267.
- bifida** Sertularia, A. Risso, H. N. Europe, V. 1826, 312.
- bifidus** Spirifer, F. A. Roemer, Verst. Harzgeb. 1843, 13.
- bifida** Terebratula, DeFrance, Dict. Sci. Nat. LIII. 1828, 154.
- bifida** Tettigonia, T. Say, J. Acad. Nat. Sci. Philad. VI. Ap. 1831, 313.
- bifida** Tritonia, J. Fleming, Phil. Zool. II. 1822, 469 [*n. n.*].
- bifida** Venus, D. Solander, Catal. Portland Mus. 1786, 49 [*n. n.*].
- bifida** Venus, D. Solander, Catal. Portland Mus. 1786, 69 [*n. n.*].
- bifidus** Zelus, J. C. Fabricius, Syst. Rhyng. 1803, 285.—Reduvius, 1787.
- biflamentosus** Monacanthus, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 109.
- bifissuratum** Dentalium, G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 36.
- bifissum** Dentalium, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 190.
- bifissa** Echinus (Scutella), F. S. Voigt in Cuvier, Thierreich, VI. 1843, 49.

- bifissa** Lobophora (Lam.), L. Agassiz, Mon. Ech. II. 1841, 67.—Scutella.
bifissa Scutella, Lamarck, An. s. vert. III. 1816, 10.
biflammulatus Scymnus, T. Victor, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 418.
biflexuosus Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1846, 422.
biflexuosus Hypulus, J. Curtis, Brit. Entom. VI (64) Ap. 1829, no. 255.
biflexa Trypeta, H. Loew in Germar, Zeitschr. f. d. Entom. V. 1844, 403.
bi-floccosus Elater, P. B.; Dejean, Catal. Coléopt. 1821, 32 [*n. n.*].
bifoliatum Centrotus, J. O. Westwood, Proc. Zool. Soc. London, V (59) June 1838, 130.
bifoliatum Phasma (Acanthoderus), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 136. [1833.]
bifoliata Smilia, J. O. Westwood, Magasin de Zool. (2) III. 1841, pl. 83.—Centrotus,
Bifora Latr. 1825 [*nom. fam., non gen. apud Agassiz*].
Bifora L. Agassiz, Nomen. Zool. Index Univ. 1843.—*emend. pro* Biphora, Brug.
bifora Lobophora (Gm.), L. Agassiz, Mon. Ech. II. 1841, 64.—Echinus biforis, 1790.
bifora Scutella (Gm.), Lamarck, An. s. vert. III. 1816, 10.—Echinus biforis, 1790.
bifora Scutella, C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 72.
biforatus Belemnites, E. F. Schlotheim, Taschen. Min. 1813, 70.
biforatus Delthyris (Schl.), J. Hall, N. H. New York (Pal. I.) 1847, 132.—Terebratulites.
biforata Orthis (Schloth.), T. Davidson, Bull. Soc. géol. France (sér. 2) V. 1848, 323.—
biforatus Paclites, Denys de Montfort, Conch. I. 1808, 319. [Terebratulites.
biforata Platystrophia (Schl.), W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 106.
—Terebratulites.
biforatus Terebratulites, E. F. v. Schlotheim, Die Petref. 1820, 265.
biforis Doryphora, E. F. Germar, Ins. Spec. novae, I. 1824, 578.
biforis Eschara, Erman & Herter, Z. Deutsch. geol. Ges. II. 1850, 421.
biforis Herentia (Johnst.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 123.—Lepralia.
biforis Issus, E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 51.
bifore Laganum (Gm.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 161.
—Echinus, 1790.
biforis Lepralia, G. Johnston, Hist. Brit. Zooph., ed. 2, 1847, 314.
biforis Leptura, E. Newman, Entomologist (5) Mar. 1841, 70.
biformis Ammonites, J. De C. Sowerby in De la Beche, Geol. Man. 1831, 319.
biformis Bradybaena, Ziegl.; H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 20.
biformis Caryophyllia, T. A. Catullo, Terr. sed Veneto e Descr. Polipai foss. 1847, 17.
biformis Ceriophora (Roem.), A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 172.
biformis Cidaris, G. v. Muenster, Beitr. zur Petref. (4) 1841, 43. [—Pustulopora.
biformis Pecten, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843, 306.
biformis Pustulopora, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 12.
biformis Spondylus, G. v. Muenster, N. Jahrb. f. Min. 1835, 440.
biformis Turritella, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 418 [*n. et f.*].
bifossa Acmaeodera, A. Chevrolat, Revue Entom. V (1) c. Sept. 1838, 50.
bifossatus Coluber, G. Raddi, Mem. Soc. Ital. Sci. XVIII. 1820, 333.
bifossulatus Acupalpus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 266.
bifossulatus Eustrophus, J. Walth, Isis (Oken), 1839, 221.
bifoveatus Ammophorus, G. R. Waterhouse, Ann. Mag. N. H. XVI. July 1845, 31.
bifoveatus Cerylon, P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 231.
bifoveata Dicerca, J. L. Leconte in Agassiz, Lake Superior, 1850, 227 [*n. n.*].
bi-foveatus Elater, Palisot de B., Ins. Afr. Amér. (—) 1807, 78.
bifoveolatum Agonum (Sahlb.), Dejean, Spec. gén. Coléopt. III. 1828, 142.—Harpalus.
bifoveolata Aleochara (Mann.), C. R. Sahlberg, Diss. Ent. Ins. Fenn. (24) 1831, 374;
& Ins. Fenn. I. 1834, 374.—Bolitochara.
bifoveolatum Apion, J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Oct. 1831, 176.
bifoveolatum Bembidium, P. Rambur, F. Ent. Andal. I (2) Mar. 1838, 140.
bifoveolata Bolitochara, Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5)
Feb. 1831, 493.
bifoveolata Colporhina, J. Curtis, Proc. Linn. Soc. London (21) June 1844, 200.
bifoveolatus Curculio, [L. v. Beck], Beitr. baier. Insektenf. 1817, 24.
bifoveolata Glypta, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 25.

- bifoveolatus** Harpalus, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (17) 1827, 258; & Ins. Fenn. I. 1834, 258.
- bifoveolatus** Harpalus, H. C. Kuester, Käfer Europas, IV. 1846, 25.
- bifoveolatus** Ochthebius, J. Walzl, Reise Tyrol etc. (2) 1835, 66.
- bifoveolatus** Ophion, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
- bi-foveolatus** Stenus, L. Gyllenhal, Ins. Suecica, I (4) 1827, 500. [1846, 138.]
- bifoveolatus** Tenebrio, K. Duftschmid, Fauna Austriae, II. 1812, 304.
- bi-foveolatus** Trachyphlaeus, Sturm; Dejean, Catal. Coléopt. 1821, 96 [*n. n.*].
- bifoveolata** Trichopteryx, A. Allibert, Rev. Zool. (Soc. Cuv.) VII. Feb. 1844, 52.
- bifoveolum** Bembidium, M. Perty, Del. anim. artic. Brasil. (1) 1830, 14.
- bifractella** Gelechia, J. W. Douglas (*ex* Mann. MS), Tr. Entom. Soc. Lond., n. s., I (3) Dec. 1850, 66. [[1842], 292.]
- bifractella** Lita, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)
- bifracticornis** Platygaster, J. W. Zetterstedt, Ins. Lapp. descr. 1836, 417.
- bifrenatus** Bucco, C. G. Ehrenberg, Sym. Phys., Aves (1833), Plate 1828, text 1833.
- bifrenatus** Laimodon (Ehr.), G. R. Gray, Genera of Birds, II. Mar. 1846, 429.—Bucco.
- bifrenatus** Pogonias (Ehr.), C. J. Temminck in T. & Laugier, Pls. color. (34) May 1823.—Bucco.
- bifrons** Amara (Gyllenhal), Dejean, Catal. Coléopt. 1821, 9.—Harpalus.
- bifrons** Ammonites, E. F. Schlotheim, Taschen. Min. 1813, 35.
- bifrons** Ammonites, J. Phillips, Geol. Yorksh. I. 1829, 141 [*n. et f.*].
- bifrons** Aphis, F. Walker, Ann. Mag. N. H. (2) I. June 1848, 444.
- bifrons** Argus (Blackw.), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 510.—Walckenaera. [1848, 567.—Brenthus, 1787.]
- bifrons** Arrhenodes (Fab.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III.
- bifrons** Arspoda, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 236.
- bifrons** Artemon, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 49 [*n. n.*].
- bifrons** Avicula, G. v. Muenster, Beitr. zur Petref. (4) 1841, 77.
- bifrons** Bifrontia (Lam.), G. P. Deshayes, Descr. Coq. foss. Paris, II. 1832, 223.—Solarium.
- bifrons** Branchionereis (Müll.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1818 (Feb.), 83.—Nereis, 1776.
- bifrons** Celia (Dej.), C. Zimmerman, Faunus, I (1) 1832, 28.—Amara.
- bifrons** Centrinus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 739.—Rhynch.
- bifrons** Centris, J. C. Fabricius, Syst. Piezat. 1804, 358. [chaenus.]
- bifrons** Chloroperla, E. Newman, Entom. Mag. V (4) Ap. (*i.e.* July) 1838, 401.
- bifrons** Corbula, A. E. Reuss, Geogn. Skizz. Boehmen, I. 1844, 199.
- bifrons** Cupulospongia (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 288.—Scyphia.
- bifrons** Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 34.
- bifrons** Doryphora, Germ.; J. Sturm, Catal. Ins. Samml. 1826, 133.
- bifrons** Euomphalus, J. Phillips, Geol. Yorksh. II. 1836, 225.
- bifrons** Goliath, Dejean, Catal. Coléopt. 1821, 61 [*n. n.*].
- bifrons** Goliathus (Ol.), Lamarck, Syst. Anim. 1801, 210.—Cetonia, 1789.
- bifrons** Harpalus, L. Gyllenhal, Ins. Suecica, I (2) 1810, 144.
- bifrons** Helix, R. T. Lowe, Tr. Cambridge Phil. Soc. IV (1) 1830 (1833), 46.
- bifrons** Hymenoplia, F. Eschscholtz, Bull. Soc. Imp. Nat. Moscou, II (1) 1830, 65.
- bifrons** Melecta (Fab.), K. Illiger, Mag. f. Insektenk. (Illiger), V. 1806, 99.—Centris.
- bifrons** Nereisyllis (Müll.), de Blainville, Dict. Sci. Nat. LVII. 1828, 473.—Nereis, 1776.
- bifrons** Omalaxis, G. P. Deshayes, Ency. Méth. (Vers) III. 1832, 659.
- bifrons** Ostrea, Lamarck, An. s. vert. VI (1) 1819, 217.
- bifrons** Paramaecium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 44.
- bifrons** Pecten, Lamarck, An. s. vert. VI (1) 1819, 164. [neumon, 1790.]
- bifrons** Phygadeuon (Gm.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 698.—Ich.
- bifrons** Pleurotomaria, A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 154.
- bifrons** Polynice (Fab.), J. C. Savigny, Egypte, I (3) (Ann.) 1822, 46.—Nereis, Müll. 1776.
- bifrons** Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 204.
- bifrons** Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 485.
- bifrons** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 449.

- bifrons** Scarabaeus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 60.
- bifrons** Scyphia, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 299.
- bifrons** Solarium, Lamarck, Ann. Mus. H. N. (Paris) IV (19) Mar. 1804, 55.
- bifrons** Spondylus, Muenster in G. A. Goldfuss, Petref. German. II (5) 1836, 99.
- bifrons** Spondylus, G. B. Sowerby, I., Q. J. Geol. Soc. London, VI. 1850, 53.
- bifrons** Strombus, G. B. Sowerby, I., Q. J. Geol. Soc. London, VI. 1850, 48.
- bifrons** Terebra, R. B. Hinds, Proc. Zool. Soc. London, XI (130) June 1844, 155.
- bifrons** Turritiles, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 606.
- bifrons** Walckenaera, J. Blackwall, Tr. Linn. Soc. London, XVIII (4) 1841, 634.
- Bifrontia** G. P. Deshayes, Descr. Coq. foss. Paris, II. 1832, 221.—G.
- bifstickius** Homo, Anon., Edinb. Journ. Sci. V (1) July 1826, 42.—[*nom. fictum.*]
- bifulcatus** Pheropsophus *v.* bisulcatus.
- bifulguratus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 606, Dec. 1849.
- bifurca** *v.* **bifurcus**.
- bifurcalis** Onthophagus, A. White, Ann. Mag. N. H. XIV. Dec. 1844, 423.
- bifurcatus** Acanthobothrium (Leuck.), P. J. van Beneden, Bull. Ac. Roy. Brux. XVI (1) 1849, 191.—Bothriocephalus.
- bifurcata** Acrosoma, C. W. Hahn, Die Arachniden, II (6) Aug. 1835, 65.
- bifurcata** Ammonites, F. de Roissy, Sonnini's Buffon, Moll. V (1805), 25.
- bifurcatus** Ammonites, E. F. v. Schlotheim, Die Petref. 1820, 73.
- bifurcatus** Ancistrotus, C. L. Koch, Die Arachniden, VII (2) *post* July 1839, 45.
- bifurcatus** Anopheles (L.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 11.—
- bifurcatus** Athyreus, W. S. MacLeay, Horae Entom. I (1) 1819, 124. [Culex, 1758.
- bifurcatus** Belemnites, F. V. Raspail, Ann. Sci. Observ. I (2) Feb. 1829, 314.
- bifurcata** Blaps, A. J. J. Solier in Baudi & Truqui, Studi Ent. I. 1848, 348.
- bifurcatus** Bothriocephalus, F. S. Leuckart, Zool. Bruchst. I. 1819, 30.
- bifurcata** Carocolla (Desh.), Catlow & Reeve, Conch. Nomen. 1845, 138.—Helix.
- bifurcata** Cobites, J. M'Clelland, Calcutta Journ. Nat. Hist. IV (15) Oct. 1843, 400.
- bifurcatum** Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 29.
- bifurcatus** Cynanthus, W. Swainson, Phil. Mag., n. s., I (6) June 1827, 441.
- bifurcata** Dentalina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 56.
- bifurcatus** Dicerus, W. Swainson, N. H. Fishes etc. II. July 1839, 370.
- bifurcatus** Dolichopus, J. Macquart, Rec. Trav. Soc. Sci. Lille, 1826-7, 1827, 1828, 277.
- bifurcata** Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 145.
- bifurcata** Eschara, H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) VI. Dec. 1836, 334.
- bifurcata** Eschara, J. W. Vanleve, P. Amer. Assoc. 1848 (1849), 23 [*n. n.*].
- bifurcata** Flustra, Desmarest & Lesueur, Bull. Sci. Soc. Philom. Paris, 1814 (Sept.), 53.
- bifurcata** Harmodites (Lonsd.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 50.—Syringopora.
- bifurcata** Helix, G. P. Deshayes, Rev. Zool. (Soc. Cuv.) Feb. 1838, 19.
- bifurcata** Lepas, J. S. Schroeter, Archiv Zool. (Wiedemann) II (1) 1801, 92.
- bifurcata** Leptaena (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 90.—
- bifurcata** Limnobia, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 836. [Strophomena.
- bifurcata** Marginulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 258 [*n. n.*].
- bifurcata** Mellisuga (Sw.), G. R. Gray, Genera of Birds, I. Dec. 1848, 113.—Cynanthus.
- bifurcatus** Mytilus, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 241.
- bifurcata** Nerinea, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 84. [304.
- bifurcata** Oikopleura, Quoy & Gaimard in d'Urville, Voy. "Astralabe," Zool. IV. 1833,
- bifurcatum** Onchobothrium (Leuck.), de Blainville, Dict. Sci. Nat. LVII. 1828, 597.—Bothriocephalus.
- bifurcatus** Oniticellus, W. Erichson, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 235.
- bifurcatum** Pentastomum, C. M. Diesing, Syst. Helminth. I. 1850, 615.
- bifurcata** Phalaena, J. Sepp, Surinaam. Vlinders (4) 1830, 33.
- bifurcata** Pimelia, Cristofori in Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 157.
- bifurcata** Plectana (Hahn), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 (1841), 195.—Acrosoma.
- bifurcata** Polypora (Fisch.), A. Keyserling, Wiss. Beob. Petschora, 1846, 189.—Retepora.

- bifurcatus** Psalurus, W. Swainson, N. H. Classif. Birds, I. Oct. 1836, 103.
bifurcatus Psalurus, W. Swainson, N. H. Classif. Birds, II. June 1837, 339.
bifurcata Ptygmatis (Orb.), D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 108.—
 Nerinaea. [Cimex, 1789.]
bifurcata Pygolampis (Gm.), E. F. Germar, Fauna Ins. Europ. (8) [1822-25], 22.—
bifurcata Retepora, G. Fischer v. W., Oryct. Moscou, 1830, sign. *e*².
bifurcatus Scapites, Hartmann in C. H. v. Zieten, Pétrif. Wurt. (3) 1831, 22.
bifurcata Strophomena, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 266.
bifurcata Syringopora, W. Lonsdale in R. I. Murchison, Silurian System, Jan. 1839, 685.
bifurcata Uvigerina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 53.
bifurcus Asilus, H. Loew, Linnaea Entom. III. Ap. 1848, 452.
bifurca Hylotoma, F. Klug, Jahrb. Insectenk. I. 1834, 244.
bifurca Mutilla, F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 313.
bifurcus Strongylus, Creplin, Arch. f. Naturg. XV (1) 1849, 54.
bifurcus Strongylus (Cercopithecii) (*sic*), F. Creplin, Mag. ges. Thierheilk. XVI. 1850, 480.
bigaradia Chloritis, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 29 [*n. n.*].
bigata Doryphora, E. F. Germar, Ins. Spec. novae, I. 1824, 578.
bigatus Eumolpus, E. F. Germar, Ins. Spec. novae, I. 1824, 563.
bigatus Monocrepidius, E. F. Germar, Zeitschr. f. d. Entom. I (2) 1839, 224.
bigatus Pachycoris, E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 102.
bigbyensis Unio, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 30.
Bigea G. D. Nardo, Sin. mod. spec. Lag. Veneto, 1847, 8.—Cr. [*n. n.*].
bigella Ephestia, P. C. Zeller, Isis (Oken), 1848, 596.
bigella Myeloides, P. C. Zeller, Isis (Oken), 1839, 176 [*n. n.*].
bigemellus Hylaeus, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 58 [*n. n.*].
bi-geminata Coccinella, J. W. Randall, Boston Journ. N. H. II (1) 1838, 32.
bigeminatus Elater, J. W. Randall, Boston Journ. N. H. II (1) 1838, 37.
bigemina Cicindela, F. Klug, Jahrb. Insectenk. I. 1834, 30.
bigeminus Cryptocephalus, Ill.; J. Sturm, Catal. Ins. Samml. 1826, 126.
bigemina Turritella, R. Kner, Naturw. Abhandl. (Haidinger) III (2) 1850, 14.
bigemmis Ceriopora, A. Keyserling, Wiss. Beob. Petschora, 1846, 185.
bigener Saprinus, J. Le Conte, Proc. Boston Soc. N. H. I (—) 1844, 187; Boston Journ.
 N. H. V (1) 1845, 77.
Bigenerina A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 261.—Rh.
bigeneris Hispa, E. Newman, Mag. Nat. Hist., n. s., IV. July 1840, 367.
Bigenulina *err. pro* Bigenerina, A. d'Orbigny, Tabl. méth. Céph. [sep. from Ann. Sci.
 Nat. VII (27) Mar. 1826, with additional matter] 1826, 149.
bigerrensis Unio, Millet, Magasin de Zool. (2) V. 1843, pl. 64.
bigibbera Mesosa, E. Newman, Entomologist (20) June 1842, 323.
bigibber Rhynchaenus, A. G. Olivier, Entom. V. 1807, 201.
bigibbosa Clausilia, J. Charpentier, Zeitschr. f. Malakozool., Sept. 1847, 143. [243-
bigibbosus Prionomerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843,
bigibbosa Salpa, Quoy & Gaimard, Ann. Sci. Nat. VI (21) Sept. 1825, 38.
bigibbosa Salpa, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 505.
bigibbus Chironectes, H. Cloquet, Dict. Sci. Nat. VIII. 1817, 599.
bigibbus Kyphosus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 114.
bigibbus Spatangus (Micraster), E. Beyrich, Arch. f. Min. XXII. 1848, 100.
biglobatus Brachycerus (Sparrm.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 432.—
 Curculio, 1785.
biglobulosa Terebratula, G. Fischer v. W., Progr. Séance Publ. Soc. Imp. Nat. Moscou,
 1809, 30.
biglumis Rogas (Pambolus), A. H. Haliday, Entom. Mag. IV (1) July 1836, 50.
biglumis Zethus, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 135.
bignoniana Mactra, A. d'Orbigny in Hommaire de Hell, Steppes Mer Caspienne, III.
 1845, 482.
Bigonicheta C. Rondani, N. Ann. Sci. Nat. [2] III. 1845 [Feb.], 34.—Dipt.
bigoria Desmogramma, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 157.
bigoriensis Granaria (Mich.), F. Held, Isis (Oken), 1837, 918.—Pupa.

- bigoriensis** Pupa, Michaud in E. A. Rossmassler, *Icones L. u. S. Moll. Europ.* I (5 & 6) July 1837, 14.
- bigorrensis** Asida, A. J. J. Solier, *Ann. Soc. Ent. France*, V (3) *post Aug.* 1836, 430.
- bigotii** Helophilus, J. Macquart, *Mém. Soc. N. Sci. Lille*, 1849, 1850, 445.
- bigotii** Pomacera, J. Macquart, *Mém. Soc. R. Sci. Lille*, 1846, 1847, 65.
- bigrammica** Paris, E. F. Germar, *Ins. Spec. novae*, I. 1824, 208. [—Baris.
- bigrammicus** Centrinus (Germ.), C. J. Schoenherr, *Gen. et Sp. Curc.* III (2) 1836, 748.
- bigranata** Pupa, E. A. Rossmassler, *Icones L. u. S. Moll. Europ.* II (3 & 4) Sept 1839,
- bigranularis** Echinus, Lamarck, *An. s. vert.* III. 1816, 50. [27.
- bigranulosa** Murchisonia, Archiac & Verneuil, *Bull. Soc. géol. France*, XII. 1841, 159 [*n. n.*].
- bigsbiana** Chrysomela, W. Kirby in J. Richardson, *F. Bor.-Amer.* (4) Oct. 1837, 212.
- bigsbii** Actinoceras, H. G. Bronn, *Lethaea Geogn.* I (2) 1835, 98.
- bigsbii** Actinoceras, C. Stokes, *Proc. Geol. Soc. London*, II. 1838, 689 [*n. n.*].
- bigsbii** Cryptolithus, J. Green, *Monogr. Trilob. N. Amer.* [Oct.] 1832, 76.
- bigsbii** Huronia, C. Stokes, *Tr. Geol. Soc. London* [2] I. 1824, expl. of pl. xxviii.
- bigsbii** Legitimus, W. Kirby, *Zool. Journ.* III (10) July [*i.e.* Sept.] 1827, 156.—Trichius, 1827. [43.—Huronia.
- bigsbii** Orthoceratites (Stokes), F. A. Quenstedt, *Petref. Deutschl.* I (Ceph.) (1) 1845,
- bigsbii** Trichius, W. Kirby, *Zool. Journ.* III (10) July [*i.e.* Sept.] 1827, 155.
- bigsbii** Trinucleus, R. I. Murchison, *Silurian System*, Jan. 1839, 661.
- biguetiana** Helix (Helicella), A. E. Férussac, *H. N. g. et p. Moll.*, *Tabl. Limaçons*, 1821, 46.—[*n. n.*]
- biguetina** Cimbex, Le Peletier de St F., *Ann. Soc. Ent. France*, II (4) *c.* Mar. 1834, 455.
- biguetina** Leucospis, L. Jurine, *N. Méth. class. Hyménopt.* 1807, 307.
- bigugosa** *v.* *bijugosa*.
- biguttator** Bracon, J. Curtis, *Guide Brit. Ins.* (4) 1829-30, 104 [*n. n.*]. [Thunb. *est.*
- biguttator** Ichneumon, W. Turton, *Linnaeus, Syst. Nat.* III. 1802, 450.—**biguttatus**,
- biguttatus** Acanthogenius (Gory), L. Reiche, *Ann. Soc. Ent. France*, XI (4) Oct. 1843, 335.—Helluo.
- biguttatus** Agabus (Ol.), C. Aubé in Dejean & Boisduval, *Icon. Coléopt.* V. 1836-38, 166.—Dytiscus, 1795.
- biguttatus** Agrilus (Fab.), Solier, *Ann. Soc. Ent. France*, II (2) *c.* July 1833, 305.—Buprestis, 1777.
- biguttata** Aleochara, Dahl in O. Heer, *Coleopt. Helvet.* (2) 1839, 315.
- biguttatus** Alophus, F. Gebler, *N. Mém. Soc. Imp. Nat. Moscou*, II. 1832, 63.
- biguttata** Anapsis (Marsh.), J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 19.—Mordella.
- biguttatum** Anomalon, J. L. C. Gravenhorst, *Ichneum. Europ.* III. 1829, 642.
- biguttata** Anoplodera, E. Mulsant, *H. N. Coléopt. France (Longic.)* Oct. 1839, 285.
- biguttata** Anthia, F. A. Bonelli, *Mém. Ac. Sci. Turin*, 1811-12 (1813), 452.
- biguttatus** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., *Spec. et Icon. Anim. artic.* (8) 1849, 119.—[“*Mon. Anth.*” *poster. edit.*]
- biguttata** Anthrax, J. Macquart (Roret’s Suite à Buffon), *Diptères*, I. 1834, 409.
- biguttatus** Apoderus (Fab.), C. J. Schoenherr, *Gen. et Sp. Curc.* I (1) 1833, 194.—Attelabus. [1830, 488.
- biguttata** Aricia, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II.
- biguttatus** Attelabus, J. C. Fabricius, *Syst. Eleuth.* II. 1801, 418.
- biguttatus** Bassus, J. L. C. Gravenhorst, *Ichneum. Europ.* III. 1829, 332.
- biguttatus** Bembidion (Fab.), P. A. Latreille, *Sonnini’s Buffon, Ins.* III (1802), 82.—Carabus, 1779.
- biguttatum** Bembidium (Ill.), L. Gyllenhal, *Ins. Suecica*, I (2) 1810, 28.—Elaphrus, 1798.
- biguttatum** Bembidium (Fab.), H. Lucas, *Explor. Algér. (Artic. II.)* 1846, 85.—Carabus, 1779. [38.—Blatta.
- biguttatus** Blaberus (Thunb.), J. G. Audinet-S., *Ann. Sci. Nat.* XXII (85) Jan. 1831,
- biguttata** Blatta, C. P. Thunberg, *Mém. Ac. Imp. Sci. St Pétersb.* X. 1826, 276.
- biguttatus** Bolitobius, J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 22 [*n. n.*]; & Ill. *Brit. Ent. (Mand. V.)* May 1832, 175.
- biguttatus** Brachinus, C. P. Thunberg, *N. Acta Soc. Sci. Upsal.* IX. 1827, 25. [808.
- biguttata** Brachinus, M. de Chaudoir, *Bull. Soc. Imp. Nat. Moscou*, XV. 1842 (4) 1842,

- biguttatus** Bruchus, J. C. Fabricius, Syst. Eleuth. II. 1801, 402.
biguttatus Bruchus, E. Blanchard in Jacquemont, Voy. Inde, IV. 1844, 27.
biguttatus Bythoscopus (Fab.), H. Burmeister, Hand. Ent. II (1) 1835, 109.—Jassus.
biguttata Callichroma, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 94 [*n. n.*].
biguttatus Carabus, C. P. Thunberg, Nov. Ins. spec. (5) 1789, 76.
biguttatus Carabus, G. Cuvier, Revue Entom. I (4) c. Sept. 1833, 151.
biguttatus Cardiophorus (F.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.—Elater, ? Ol. 1790.
biguttatus Carpophilus, F. Klug in Germar, Zeitschr. f. d. Entom. IV. 1843, 258 [*n. n.*].
biguttatus Centrotus, J. C. Fabricius, Syst. Rhyng. 1803, 21.
biguttatus Cerambyx (Lissonotus), Dalman in C. J. Schoenherr, Syn. Insect. I (3) 1817, 364; & App. 1817, 159.
biguttata Cetonia, Gory & Percheron, Mon. Cétoines (11) Ap. 1836, 274.
biguttatus Ceuthorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 158.
biguttatus Ceuthorhynchus, L. Redtenbacher, F. Austr., Käfer, 1849, 383.
biguttata Chalcis, M. Spinola, Ins. Liguriae, II. 1808, 231.
biguttata Cicada, C. F. Fallen, K. Vet. Ac. Nya Handl. XXVII (1) 1806, 27.
biguttata Cicindela, Dejean, Spec. gén. Coléopt. I. 1825, 29.
biguttata Cicindela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 28.
biguttata Clythra, P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 359.
bi-guttatus Colymbetes (Ol.), Dejean, Catal. Coléopt. 1821, 19.—Dytiscus, 1795.
biguttatus Coptocercus (Don.), F. W. Hope, Proc. Zool. Soc. London, VIII (88 & 89) Jan. 1841, 51.—Stenocorus.
biguttata Corydia, H. Burmeister, Handb. Ent. II (2) i, 1838, 491.
biguttatus Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 478.
biguttatus Cucuius, Knoch in F. v. Melsheimer, Ins. Pennsylv. 1806, 41 [*n. n.*].
biguttatus Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 31 [*n. n.*].
biguttatus Cydnus (L.), C. F. Fallen, Mon. Cimicum Sveciae, 1807, 53.—Cimex, 1758.
biguttata Cypha, A. Matthews, Entom. Mag. V (2) Jan. 1838, 198. [malus, 1795.
biguttata Decatoma (Sved.), F. Walker, Entom. Mag. I (1) Sept. 1832, 26.—Ptero-
biguttata Emys, T. Say, J. Acad. Nat. Sci. Philad. IV. Jan. 1825, 205 & 212.
biguttatus Endomychus, T. Say, J. Acad. Nat. Sci. Philad. IV. Aug. 1824, 96.
biguttata Euphoria (G. & P.), Klug in H. Burmeister, Handb. Ent. III. 1842, 384.—
 Cetonia. [1832, 61.—Cimex? 1775.
biguttata Eurydema (Fab.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II.
biguttata Eurytoma (Sved.), C. H. Boheman, K. Vet. Ac. Handl. 1835 (1836), 227.—
 Pteromalus, 1795.
biguttatus Gompocerus (Charp.), J. G. Audinet-S., Ann. Sci. Nat. XXII (87) Mar.
biguttatus Gryllus, T. v. Charpentier, Horae Ent. 1825, 166. [1831, 290.—Gryllus.
biguttata Gymnetis, Gory & Percheron, Mon. Cétoines (2) 1834, 73; (14) 1836, 374.
biguttata Haltica (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 318.—Galleruca,
biguttatus Helluo, Gory, Magasin de Zool. II. 1832, pl. 6. [1792.
biguttatus Hellus, J. C. Fabricius, Syst. Piezat. 1804, 247.—Scolia, 1787.
biguttata Heterorhina, J. O. Westwood, Arcana Entom. (9) Sept. 1842, 141.
biguttatus Hister, C. Steven, Mém. Soc. Imp. Nat. Moscou, I. 1806, 159; & ed. 2, 1811
 [*i.e.* 1812-13], 121.
biguttatus Homoeocerus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 22.
biguttatus Jassus, J. C. Fabricius, Syst. Rhyng. 1803, 87.—Cicada, 1781.
biguttatus Kytorrhynus (Fab.), G. Fischer, Mém. Soc. Imp. Nat. Moscou, II [*post Nov.*]
 1809, 303.—Bruchus.
biguttatus Laccophilus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 69.
biguttatus Laemophloeus (Say), J. L. Leconte in Agassiz, Lake Superior, 1850, 223.—
 Cucuius, Kn.
biguttata Lampyris, J. Sturm, Catal. Ins. Samml. 1826, 159 [*n. n.*].
biguttatus Larinus, J. Sturm, Catal. Ins. Samml. 1826, 160 [*n. n.*].
biguttata Lebia, J. R. Schellenberg, Helvet. Entom. II. 1806, 30.
bi-guttata Leja, Fab.; Dejean, Catal. Coléopt. 1821, 17 [*n. n.*].

- biguttata** Libellula, E. Donovan, Brit. Ins. XIII. 1808, 35.
biguttatus Lissonotus (Dalm.), J. Sturm, Catal. Ins. Samml. 1826, 163.—Cerambyx.
biguttatus Lygaeus, C. P. Thunberg, Hemip. Capen. IV. 1822, 4.
biguttatum Lymexylon (Serropalpus), J. R. Schellenberg, Entom. Beytr. (1) 1802, 10.
biguttatus Malthinus (L.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 74.—Cantharis, 1758.
biguttatus Manopus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
biguttata Mantis, G. Fischer, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 322. [147.
biguttata Melolontha, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 136.
biguttata Monachoda, H. Burmeister, Handb. Ent. II (2) i, 1838, 514.
biguttata Mordella, T. Marsham, Coleopt. Brit., Sept. 1802, 492.
bi-guttata Mordella, Dejean, Catal. Coléopt. 1821, 73 [*n. n.*]. [264.
biguttata Mordella, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
biguttata Mylabris, F. Gebler, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (24) Ap. 1841,
biguttata Nitidula, F. V. Melsheimer, Ins. Pennsylv. 1806, 18 [*n. n.*]. [374.
biguttatus Nothiophilus (Fab.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 79.
—Elaphrus, 1779.
biguttatus Pachybrachius, J. Curtis, Guide Brit. Ins. (7) 1831, 199 [*n. n.*].
biguttatus Paederus, F. de Tigny, s. à Deterville ed. Buffon, Ins. VII. 1801, 100.
biguttata Pentatoma (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 196.—
Cimex, 1758.
biguttatus Peryphus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 9.
biguttatus Petalocheirus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
biguttatus Philanthus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 132.
biguttatus Philochthus (Ill.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) July 1828, 8.—
Elaphrus, 1798. [corus.
biguttata Phoracantha (Don.), E. Newman, Ann. Nat. Hist. V. Mar. 1840, 19.—Steno-
Phosphuga, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 28 [*n. n.*].
biguttata Phryganea, F. J. Pictet, Rech. Phrygan. 1834, 144.
biguttata Pipiza, J. Curtis, Brit. Entom. XIV (167) Nov. 1837, no. 669.
biguttatus Platymeris (Fab.), F. L. de Laporte, Ess. Hemipt. in Magasin de Zool. II.
1832, 80.—Reduvius, 1775.
biguttatus Polistes, A. H. Haliday, Tr. Linn. Soc. London, XVII (3) 1836, 323.
biguttata Popilia (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 187.—Trichius, 1794.
biguttata Popillia (Wied.), E. Newman, Tr. Entom. Soc. Lond. III (1) Jan. 1842, 44.
—Melolontha.
biguttatus Portunus, A. Risso, H. N. Crust. 1816, 31.
biguttata Rhyacophila, F. J. Pictet, Rech. Phrygan. 1834, 188.
biguttatus Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 442.—Curculio, 1775.
bi-guttatus Rutela (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 155.—Trichius, 1794.
biguttata Saperda, W. Redtenbacher, Quaed. gen. et sp. Col. 1842, 26.
biguttatus Saprinus (Stev.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 176.—Hister.
biguttata Sapromyza, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 345.
biguttata Sapyga (Fab.), P. L. Van der Linden, N. Mém. Ac. Roy. Brux. IV. 1827,
304.—Scolia, 1787.
biguttata Scolia, F. Klug in Weber & Mohr, Beitr. Nat. I. 1805, 34.
biguttata Scolia, P. L. Van der Linden, N. Mém. Ac. Roy. Brux. IV. 1827, 301.
biguttatus Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 991.
biguttatus Serranus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 507.
biguttata Smiera (Spin.), F. Walker, Entom. Mag. II (1) Jan. 1834, 25.—Chalcis.
bi-guttatus Staphylinus, Dahl; Dejean, Catal. Coléopt. 1821, 22 [*n. n.*].
biguttatus Stenocorus, E. Donovan, Epit. N. H. Ins. New Holland, 1805.
biguttatus Stenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 602.—Staphylinus, 1793;
L. 1758.
biguttatus Tabanus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 623.
biguttata Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 320.
biguttatus Tanyrhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843,
biguttatus Telephorus, J. Curtis, Tr. Linn. Soc. London, XVIII (2) 1839, 202. [413.
biguttata Tentredo, T. Hartig, Adelf. Deutschl. I. 1837, 313.

- biguttatus** Tetragonoderus (Thunb.), Dejean, Spec. gén. Coléopt. IV. 1829, 496.—
Carabus, 1789. [Jassus.]
- biguttata** Tettigonia (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 326.—
- biguttata** Thamnotettix (Fall.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 293.—Cicada.
- biguttata** Triplax (Knoch), T. Say, J. Acad. Nat. Sci. Philad. IV. Aug. 1824, 89.—
Tritoma.
- biguttatum** Tritoma, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 13 [n. n.]
- biguttatus** Tritomegas (L.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843,
98.—Cimex, 1758.
- biguttatus** Tropopsis, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 182.
- biguttellus** Bruchus, C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 11.
- biguttella** Lita, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)
[1842], 285.
- biguttorius** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 254.
- bi-guttulatus** Cryptocephalus, F. Gebler, Bull. Soc. Imp. Nat. Moscou, 1841 (4) 1841, 618.
- biguttulum** Acridium (L.), F. de Tigny, s. à Deterville ed. Buffon, Ins. V. 1801, 115.—
Gryllus, 1758.
- biguttula** Acutalis, L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847, 498.
- biguttulus** Cryptocephalus, E. Suffrian, Linnaea Entom. III. Ap. 1848, 24.
- biguttulus** Dolicaon (B. & L.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 578.—
- biguttulus** Dyticus, E. F. Germar, Ins. Spec. novae, I. 1824, 29. [Lathrobium.]
- biguttulus** Gomphocerus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1828, 25.—Gryllus,
1758.
- biguttula** Homalota, F. A. Kolenati, Melet. Entom. (3) Jan. 1846, 8.
- biguttula** Ichthyodes, E. Newman, Entomologist (20) June 1842, 321.
- biguttulus** Ilybius (Germ.), C. Aubé, Spec. gén. Hydroc. 1838, 276.—Dytiscus.
- biguttulus** Laius, W. F. Erichson, Entomographien, 1840, 64.
- bi-guttulum** Lathrobium, Megerle; Dejean, Catal. Coléopt. 1821, 24 [n. n.]
- biguttulus** Lathrobium, T. Lacordaire, F. Ent. Paris, I. 1835, 425.
- biguttula** Lesteva, J. L. Leconte in Agassiz, Lake Superior, 1850, 220 [n. n.]
- biguttula** Locusta (L.), J. F. Stephens, Ill. Brit. Ent. (Mand. VI.) May 1835, 26.—
Gryllus, 1758.
- biguttulus** Malthinus (Payk.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 74.—Cantharis.
- biguttulus** Mesoleptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 89.
- biguttula** Mordella, J. L. Leconte in Agassiz, Lake Superior, 1850, 231 [n. n.]
- biguttula** Oedipoda (L.), J. G. Audinet-S., Ann. Sci. Nat. XXII (87) Mar. 1831, 289.
—Gryllus, 1758.
- biguttula** Pipiza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 616.
- bihamata** Anthophora, G. W. F. Panzer, Ins. Germ., heft 106, 1806-9, tab. 19.
- bihamatus** Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 414.
- bihamata** Chrysis, M. Spinola, Ann. Soc. Ent. France, VII (4) post Jan. 1839, 450.
- bihamatus** Hydaticus, C. Aubé, Spec. gén. Hydroc. 1838, 174. [313.]
- bihamata** Mordella, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (12) Dec. 1845,
- bi-hamata** Pausus (L.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 19.—Hispa, 1767.
- bihamatus** Tassarocerus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) June 1838, 106.
- bihastatus** Passalus, A. Percheron, Mon. Passalus in Magasin de Zool. (2) VI. 1844,
pl. 135. [259.]
- bi-hastatus** Rhinolophus, E. Geoffroy, Ann. Mus. H. N. (Paris) XX (118) post Aug. 1813,
- biimpressus** Aganides (Buch), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 58.—
- biimpressa** Aleochara, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 352. [Goniatites.]
- bi-impressus** Bagous, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 78.
- biimpressum** Bembidium, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2)
1843, 217.
- biimpressa** Colobogaster, A. Chevrolat, Revue Entom. V (2) c. Sept. 1838, 74.
- biimpressa** Donacia, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (7) Feb.
1847, 159. [K. pr. Ak. Wiss. 1838 (1840) [1839], 153.]
- bi-impressus** Goniatites, L. v. Buch, Ber. Verh. k. pr. Ak. Wiss. 1838, 33; Abh. ph.-Kl.
- biimpressus** Lixus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 4.

- biimpressa** Lycosa, H. Lucas, Explor. Algér. (Artic. I.) 1846, 107.
- bi-impressus** Ophion, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 148. [100.]
- bi-impressa** Scaptia, S. S. Haldeman, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848,
- biimpressus** Tenebrio, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1813), 17. [1849, 129.]
- bijubatus** Anthicus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3)
- bijubata** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 87, Ap. 1843.
- bijugatus** Spirifer, L. v. Buch, Abh. ph.-Kl. K. pr. Ak. Wiss. 1836 (1838) [1837], 34.
- bigugosa** Spirifer, F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 36.
- bijugum** Monostoma, F. Miescher, Beschr. Monost. bijugum, 1838; Ber. nat. Ges. Basel, V. 1840-42 (1843), 184.
- bilabiatus** Bulinus, Broderip & G. B. Sowerby, I., Zool. Journ. V (17) Feb. 1830, 49.
- bilabiatum** Choanopoma (Orb.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 52.—Cyclostoma. [1829, 189.]
- bilabiata** Clausilia, G. H. Schubert & J. A. Wagner in Mart. & Chem., Conch. XII.
- bilabiata** Cyclostoma, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1842, 258.
- bilabiatum** Cyclostoma, G. B. Sowerby, I., Thes. Conch. I (3) *ante* 23 June 1843, 110.
- bilabiata** Helix, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847,
- bilabiata** Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 216. [85.]
- bilabiatus** Pachyotus (Sow.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 56.—
- bilabiatum** Phyllostoma, J. Natterer, Arch. f. Naturg. IX (1) 1843, 366. [Cyclostoma.]
- bilabiata** Physaloptera, F. C. H. Creplin, N. Obs. de Entozois, 1829, 7.
- bilabiatus** Pterocyclos (G. B. Sow.), W. H. Benson, Zool. Journ. V (20) 1832-34 [*post* Ap. 1835], 462.—Cyclostoma. [[Nov. 1844], 97.—Physaloptera.]
- bilabiata** Spiroptera (Crepl.), F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845
- bilabiata** Truncatella, L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 253.
- bilabilis** Saperda, E. Newman, The Zoologist, VIII. 1850, App. p. cxx.
- bilabre** Cyclostoma, C. T. Menke, Moll. N. Holl. 1843, 8.
- bilaciniata** Cellepora, F. v. Hagenow, N. Jahrb. f. Min. 1839, 278.
- bilaeus** Cryptohypnus, F. E. Germar, Zeitschr. f. d. Entom. V. 1844, 145.
- bilamellatus** Clausilia (Strobilus), H. E. Anton, Verz. Conch. 1839, 46. [157.]
- bilamellata** Helix, G. B. Sowerby, I., in C. R. Darwin, Geol. Obs. "Beagle," II. 1844,
- bilamellata** Helix, L. Pfeiffer, Zeitschr. f. Malakozool., June 1845, 84. [434.]
- bilamellata** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.-Oct. 1814,
- bilamellatus** Tornatellina (Ant.), L. Pfeiffer, Mon. Helic. II. 1848, 393.—Clausilia.
- bilamillata** Turbinella, A. Risso, H. N. Europe, IV. 1826, 212. [71.]
- bilanceolatus** Goniattes, G. & F. Sandberger, Verstein. Rhein. Schicht. Nassau (2) 1850,
- bilateralis** Lepitrix (Thunb.), H. Burmeister, Handb. Ent. IV (1) 1844, 39.—Trichius.
- bilateralis** Trichius, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 446.
- biligata** Clythra, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 198.
- bilimekii** Anophthalmus, F. J. Schmidt in J. Sturm, Deutschl. Fauna (Insecten) XIX. 1847, 114.
- bilinea** Caradrina (Hueb.), F. Ochseneimer, Schmett. Europa, IV. 1816, 80.—Noctua.
- bilinea** Grammesia (Hueb.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) May 1829, 152.—
- bilinea** Homonoea, E. Newman, Entomologist (20) June 1842, 320. [Noctua.]
- bilinea** Meristis, J. Huebner, Verz. bekannt. Schmett. [1822], 240. [[*n. et f.*].]
- bilinea** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 45 (Fernaldo iudice 1802)
- bilinearisa** Campptogramma, H. Doubleday, Syn. List Brit. Lepid., Sheet C (Nov. 1849), 18.
- bilinearifora** Scutella, C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 72.
- bilinearisa** Planaria, C. Darwin, Ann. Mag. N. H. XIV. Oct. 1844, 245.
- bilinearisa** Polycelis (Darw.), C. M. Diesing, Syst. Helminth. I. 1850, 194.—Planaria.
- bilinearisa** Stomodon, S. L. Mitchell, Rept. Fishes N. York, Jan. 1814, 7.
- bilineatella** Apista, P. C. Zeller, Linnaea Entom. IV. Dec. 1849, 272.
- bilineator** Ichneumon, E. Donovan, Brit. Ins. XIV. 1810, 31.
- bilineata** Achatinella, L. Reeve, Conch. Icon. VI.—Achatinella, no. 22, Ap. 1850.
- bilineatus** Achirus (Bl.), B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 659.—Pleuronectes, 1787.

- bilineatus** Achoreutes, A. Herrich-Schaeffer in Fürnrohr, Fauna Ratisbon. III. 1840, 358.
- bilineata** Acidalia (L.), F. Treitschke, Schmett. Europa, V (2) 1825, 440.—Phalaena,
- bilineata** Akis, J. Sturm, Catal. Ins. Samml. 1826, 89. [1758.]
- bilineata** Aleochara, L. Gyllenhal, Ins. Suecica, I (2) 1810, 436.
- bilineata** Anisocelis (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 333.—Lygaeus.
- bilineatus** Anthribus, E. F. Germar, Ann. Wetterau. Ges. Nat. IV (1) 1818, 119.
- bilineata** Aphrophora, T. Say, J. Acad. Nat. Sci. Philad. VI. Ap. 1831, 304.
- bilineata** Aranea, C. A. Walckenaer, Faune Paris, II. 1802, 229.
- bilineata** Aranea, C. Duméril, Dict. Sci. Nat. (ed. 1) II. 1804, 340.
- bilineata** Ardea, Cuvier in R. P. Lesson, Traité Ornith. (8) June 1831, 574.
- bilineatus** Attus, C. A. Walckenaer, Faune Française (11 & 12) Aptères, 1824, 42.
- bilineata** Auletris (Daud.), J. Wagler, Nat. Syst. Amph. 1830, 201.—Hyla.
- bilineata** Baetes, T. Say in Keating, Exp. Peter River, II. 1824, 303 & ed. London,
- bilineatus** Bagrus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 434. [1825 (App.), 44.]
- bilineatus** Baridius, Crisofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 93 [*n. n.*].
- bilineata** Bibio, J. C. Fabricius, Syst. Antliat. 1805, 66.—Mydas, 1794.
- bilineatus** Bombyx, A. H. Haworth, Lepidopt. Brit. (1) 1803, 130.
- bilineatus** Bothrops (Wied), J. Wagler, Nat. Syst. Amph. 1830, 174.—Cophias.
- bilineatus** Brachinus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 25.—Carabus,
- bilineatus** Brachinus, F. L. de Laporte, Etudes Entom. (1) 1834, 59. [1784.]
- bilineatus** Brachysphoenus (Dup.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 365.—
[Erotylus. Bulinus.]
- bilineatus** Buliminus (Sow.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 71.—
- bilineatus** Bulinus, G. B. Sowerby, I., Proc. Zool. Soc. London, I (1-3) May 1833, 37.
- bilineata** Buprestis, F. Weber, Obs. Ent. 1801, 74. [1813], 60.
- bilineata** Buprestis, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II.
- bilineata** Buprestis, T. Say, Ann. Lyceum N. H. New York, I (9) June 1825, 250.
- bilineata** Calamita (Daud.), B. Merrem, Tent. Syst. Amph. 1820, 171.—Hyla.
- bilineata** Campptogramma (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) June 1831, 264.—Phalaena, 1758.
- bilineata** Cantharis, F. V. Melsheimer, Ins. Pennsylv. 1806, 42 [*n. n.*].
- bilineata** Cantharis, T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 182.
- bilineata** Cantharis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 36.
- bilineatus** Capsus, C. F. Fallen, Mon. Camicum Sveciae, 1807, 102. [34-]
- bilineatus** Cardiorhinus, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829,
- bilineatus** Cardiorhinus (Fab.), E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 97.—
[Elater, Web.]
- bilineata** Cardita, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847, 297.
- bilineata** Cardita, M. Tuomey, Rep. Geol. S. Carolina, 1848, 153 [*n. n.*].
- bilineatus** Carpalimus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 24
[*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Jan. 1834, 324. [1790.]
- bilineata** Cassis (Mont.), J. Fleming, Hist. Brit. Anim. 1828, 339.—Buccinum, ? Gm.
- bilineatus** Catasarcus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 813.
- bilineatus** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 192.
- bilineata** Cercaria, S. S. Haldeman, Mon. Limniades (Suppl. to no. 1) 1840, 3 [*teste*
- bilineatus** Cerebratulus, S. A. Renier, Tavole [1804] xxi. [Stiles & H.].
- bilineatum** Cerithium, M. Hoernes, Verz. Fossil-Reste Wien, 1848, 21 [*n. n.*].
- bilineatus** Coluber, P. A. Latreille, s. à Deterville ed. Buffon, Rept. IV. 1801, 110.
- bilineatus** Coluber (Schn.), F. M. Daudin, Sonnini's Buffon, Rept. VII (1803), 165.—
[Elaps.]
- bilineatus** Coluber (Hurria) (Daud.), B. Merrem, Tent. Syst. Amph. 1820, 92.—Hurria.
- bilineatus** Coluber (Natrix), Lacep.; B. Merrem, Tent. Syst. Amph. 1820, 106.
- bilineatus** Conocephalus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Péterb. V. 1815, 275.
- bilineatus** Cophias, Max Wied, Reise Brasil. II. 1821, 339.
- bilineata** Cordylura, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 340.
- bilineatus** Coronella (Merr.), F. Boie, Isis (Oken), 1827, 525.—Coluber (Natrix).
- bilineatus** Cosmesus, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 33.

- bilineatus** Craspedocephalus (Wied), L. J. Fitzinger, Isis (Oken), 1826, 884.—Cophias.
bilineatus Craspedocephalus (Schl.), J. E. Gray, Cat. Snakes Coll. B. M. 1849, 7.—
 Trigonocephalus.
- bilineata** Crioceris, E. F. Germar, Ins. Spec. novae, I. 1824, 527.
bilineatus Cryptocephalus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 372.—
 Chrysomela, L. 1767.
- bilineatus** Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 468. [316.
bilineata Culicivora, C. L. Bonaparte (*ex* Cabanis MS), Consp. gen. Avium, I. 1850,
bilineatus Curculio (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 127.—
 Rhynchaenus.
- bilineatus** Cydnus, T. Say, J. Acad. Nat. Sci. Philad. IV. Mar. 1825, 315.
bilineatus Diactor (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843,
 218.—Lygaeus.
- bilineatus** Diplodactylus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 149.
bilineata Diporiphora, J. E. Gray, Zool. Miscell. (Gray) (3) Ap. 1842, 54.
bi-lineata Dircaea, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 152 [*n. n.*].
bilineata Donacia, F. V. Melsheimer, Ins. Pennsylv. 1806, 39 [*n. n.*].
bi-lineatum Dorcadion, Ill.; Dejean, Catal. Coléopt. 1821, 108 [*n. n.*].
bilineatum Dorcadion, E. F. Germar, Fauna Ins. Europ. (21) 1839, 17.—Lamia.
bi-lineatus Dytiscus, Payk.; Dejean, Catal. Coléopt. 1821, 18 [*n. n.*].
bilineatus Elaps, J. G. Schneider, Hist. Amph. II. 1801, 299.
bilineatus Elater, F. Weber, Obs. Ent. 1801, 76.
bilineata Emberiza, J. Cassin, Proc. Acad. Nat. Sci. Philad. V (5) Oct. 1850, 104.
bilineata Empis, J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 230.
bilineatus Enyalus (*sic*), Duméril & Bibron (Roret's Suite à Buffon), Erpét. IV. Oct.
bilineata Epeira, T. Cantor, Ann. Mag. N. H. IX. Aug. 1842, 492. [1837, 234.
bilineatus Epictia (Schl.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 140.—Typhlops.
bi-lineatus Erotylus, P. A. J. Duponchel, Mém. Mus. H. N. (Paris) XII [2] Sept. 1825,
bilineatus Eucephalus (Schleg.), L. Fitzinger, Syst. Rept. 1843, 24.—Typhlops. [166.
bilineata Eulima, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 52.
bilineatus Exetastes, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 415.
bilineata Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 400. [[*n. n.*].
bilineatus Fusus, M. Hoernes (*ex* Partsch MS), Verz. Fossil-Reste Wien, 1848, 19
bilineatus Fusus, Pictet & Roux, Mém. Soc. Phys. H. N. Genève, XII (1) 1849, 136.
bilineata Galleruca, J. Sturm, Catal. Ins. Samml. 1826, 142 [*n. n.*].
bilineata Galleruca, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 220.
bilineata Haltica, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 3.
bilineata Haltica, J. Sturm, Catal. Ins. Samml. 1826, 146 [*n. n.*].
bilineata Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (153) Feb. 1846, 128.
bilineatus Helophilus, J. Curtis in Ross, App. 2 Voy. 1835, p. lxxviii.
bilineatus Herpyllus, N. M. Hentz, Boston Journ. N. H. V (4) 1847, 456.
bilineata Histrionella (Hald.), C. M. Diesing, Syst. Helminth. I. 1850, 300.—Cercaria.
bi-lineata Hoplia (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 158.—Melolontha.
bilineata Hurria, F. M. Daudin, Sonnini's Buffon, Rept. V (1803), 284.
bilineatus Hydaticus (Deg.), C. Aubé, Spec. gén. Hydroc. 1838, 212.—Dytiscus, 1774.
bilineatus Hydroporus, J. Sturm, Deutschl. Fauna (Insecten) IX. 1835, 68.
bilineatus Hydrous, W. S. Macleay, Annulosa Javanica, 1855, 36.
bilineata Hyla, F. M. Daudin, H. N. Rainettes, 1802, 17.
bilineatus Hypselonotus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 21.
bilineatus Hypsibatus, L. Fitzinger, Syst. Rept. 1843, 57.
bilineata Hypsibina, J. E. Gray, Zool. Miscell. (Gray) (4) May 1842, 66.
bilineata Iguana, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 427.
bilineata Inciliaria, W. H. Benson, Ann. Mag. Nat. Hist. IX. 1842, 486.
bilineatus Julus, C. L. Koch, Deutsch. Crust., heft 22, 1838, tab. 6.
bilineata Lacerta, F. M. Daudin, Sonnini's Buffon, Rept. III (1802), 152.
bilineata Lamia (Dorcadion) (Meg.), E. F. Germar, Ins. Spec. novae, I. 1824, 485.
bilineata Larentia (L.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1)
 (Noct. 5, pt. 1) 1831, 381.—Phalaena (Geometra), 1758.

- bilineata** Larentina (Huebner.), A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 287.
—Geometra, 1796. [413.—Crioceris.
- bilineata** Lema (Germ.), T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845.
- bilineatus** Lepemius, C. S. Rafinesque, Atlantic Journ. (1) 1832, 22 [n. n.]. [490.
- bilineata** Leptocera, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- bilineatus** Leptocerus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 28.—Phryganea,
1758. [Cat. Brit. Ins., Aug. 1829, 333.
- bilineatus** Lipeurus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 64 [n. n.]; & Syst.
- bilineata** Lissonota, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 41.
- bilineatus** Lygaeus, J. C. Fabricius, Syst. Rhyng. 1803, 213.
- bilineata** Lytta, J. Sturm, Catal. Ins. Samml. 1826, 166 [n. n.].
- bilineata** Macroma, L. Buquet, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 207.
- bilineata** Meckelia (Ren. *non* Bl.), C. M. Diesing, Syst. Helminth. I. 1850, 264.—
Cerebratulus.
- bilineata** Megalaema, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4) 1850, 109.
- bilineata** Meloe, Génée in Aragona, Coleopt. Ital. 1830, 20.
- bilineata** Melolontha, J. C. Fabricius, Syst. Eleuth. II. 1801, 178.
- bilineata** Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 358. [1846, 216.
- bilineatus** Mesostenus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
- bilineata** Milesia, F. Walker, List Dipt. Coll. B. M. (3) 1849, 566.
- bilineata** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 294, Mar. 1845.
- bilineata** Mocoa, J. E. Gray, Ann. Mag. N. H. XVIII. Dec. 1846, 430.
- bilineata** Muraena, E. Rueppell, Neue Wirbelth. Abyssin. (12) 1838, 84. [157.
- bilineata** Murchisonia, d'Archiac & de Verneuil, Bull. Soc. géol. France, XII. 1841,
- bilineata** Murchisonia (Goldf.), J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 102.
- bilineata** Muscipapa, R. P. Lesson, Rev. Zool. (Soc. Cuv.) Ap. 1839, 104. [—Turritella.
- bilineata** Mutilla, F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 307.
- bilineata** Mystacida (L.), F. J. Pictet, Rech. Phrygan. 1834, 167.—Phryganea, 1758.
- bilineatus** Nemertes (Ch.), A. S. Ørsted, Plattwürm. 1844, 91.—Cerebratulus, Ren.
- bilineatus** Nereis, G. Johnston, Ann. Nat. Hist. III. July 1839, 295.
- bilineatus** Oniscus, H. Nicolet in Gay, Chili (Crust.) 1849, 269.
- bilineatus** Ophion, T. Say, Contrib. Maclurian Lyceum I (3) Jan. 1829, 75.
- bilineata** Ophyessa, J. E. Gray, Zool. "Blossom," 1839, 94.
- bilineata** Opomyza, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 556.
- bilineatum** Orthoceras, J. Hall, N. H. New York (Pal. I.) 1847, 35.
- bilineatum** Orthoceras, J. Hall, N. H. New York (Pal. I.) 1847, 199; & *var. a*, p. 200.
- bilineatus** Pendulinus, C. P. Thunberg, Ins. Hemelytr. 1825, 4.
- bilineatus** Percus (Dej.), H. C. Kuester, Käfer Europas, V. 1846, 47.—Feronia.
- bilineatus** Philanthus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 278.
- bilineatus** Philonthus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 503.
- bilineatus** Philopterus (Steph.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
Aptères, III. 1844, 355.—Lipeurus.
- bilineata** Phycita, J. Curtis, Ann. Mag. N. H. (2) V. Feb. 1850, 114.
- bilineata** Phyllococe, G. Johnston, Ann. Nat. Hist. IV. Dec. 1839, 227. [98.
- bilineata** Pimpla, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- bilineatum** Platyarthron, F. E. Guérin-M., Iconographie, 1844, Ins. 230. [1758.
- bilineata** Plerocymia (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 330.—Phalaena,
- bilineata** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 225, Oct. 1845.
- bilineata** Pleurotomaria (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 195.
- bilineata** Polia, S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 126. [—Turbo.
- bilineatus** Polydesmus, H. Lucas, H. N. Anim. artic. (Annel. etc.) 1840, 523.
- bilineatum** Pristipoma, Cuvier & Valenc., H. N. Poiss. V. 1830, 271.
- bilineatus** Pseudochamaeleo, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 428.
- bilineatus** Pteroplatus, L. Buquet, Rev. Zool. (Soc. Cuv.) IV. June 1841, 207; Ann.
Soc. Ent. France, X (2) July 1841, 154.
- bilineatus** Purpurigenus, E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 34.
- bilineata** Rana, G. Shaw, Gen. Zool. (Amph.) III (1) 1802, 136. [Empis, 1804.
- bilineata** Rhamphomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 56.—

- bilineatus** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 442.—Curculio, 1781.
bilineata Saxicava, T. A. Conrad, Foss. Med. Tert. U. S. (1) Jan. 1838, 18.
bilineata Scaeva, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 375.
bilineata Sciarra, C. Staeger, Naturhist. Tidsskrift, III (2 & 3) 1840, 282.
bilineatus Scincus, F. M. Daudin, Sonnini's Buffon, Rept. IV (1802), 256.
bilineatus Sciurus, Geoffroy, N. Dict. H. N., ed. 2, X. 1817, 106.
bilineata Scolopendra, De Haan in Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. VII (11) Mar. 1840, 155.
bilineatus Scolopsides (Bl.), G. Cuvier, R. Anim., ed. 2, II. 1829, 178.—Anthias, 1793.
bilineata Sepia, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1832), 66.
bilineata Sialis, T. Say, Western Quart. Reporter, II (2) 1823, 165.
bilineatus Sibynes, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 319.
bilineatus Siphonenteron (Renier), G. Meneghini in Renier, Oss. post. Zool. Adriat. 1847, 64.—Cerebratulus.
bilineatus Sminthurus, Bourlet, Ann. Soc. Ent. France, X (4) Jan. 1842, p. xli.
bilineatum Solarium, I. Lea, Contrib. to Geol. 1833, 119.
bilineata Spelerpes (Green), S. F. Baird, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 287.—Salamandra bislineata.
bilineatus Spindalis, Jardine & Selby, Ill. Orn. pl. 9, n. s., 1836.
bilineatum Stenostoma (Schleg.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. VI. Nov. 1844, 331.—Typhlops.
bilineata Stratiomys, J. C. Fabricius, Syst. Antliat. 1805, 79.
bilineatus Strephon (Daud.), G. A. Goldfuss, Handb. Zool. II. 1820, 151.—Hurria.
bilineata Symphynota, W. H. Benson, J. Asiat. Soc. Bengal, IV. 1835, 452.
bilineatus Tanypus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 17.
bilineatus Telephorus (Say), J. L. Leconte in Agassiz, Lake Superior, 1850, 229.—
bilineata Tetrix, T. W. Harris, Rep. Insects Massach. 1841, 151. [Cantharis.
bilineata Thereva (Fab.), C. R. W. Wiedemann, Dipt. exot. 1821, 110.—Bibio, 1775.
bilineatus Thomisus, C. A. Walckenaer, Tab. Aran. 1805, 34.—Aranea, 1802.
bilineatus Thynnus, E. Rueppell, Neue Wirbelth. Abyssin. (6) 1836, 39. [1839.
bilineatus Thysanodactylus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 194.—Ophyessa,
bi-lineatus Trachyderes (Ol.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 366.—Cerambyx,
bilineata Trigona, T. Say, Boston Journ. N. H. I (4) 1837, 414. [1795.
bilineatus Trigonocephalus (Wied), H. R. Schinz in Cuvier, Thierreich, II. 1822, 143.—Cophias.
bilineatus Trigonocephalus, H. Schlegel, Essai phys. Serp. 1837, I. 189; II. 540.
bilineatus Trogophloeus, W. F. Erichson, Käfer Mark Brand. I (2) 1839, 600.
bilineatus Truxalis, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 268.
bilineatus Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 179.
bilineatus Turbo, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 159.
bilineata Turritella, Goldfuss in v. Dechen in De la Beche, Handb. Geogn. 1832, 533.
bilineata Turritella, J. Hall in Fremont, Exped. Rocky Mts. etc. [U. S. Senate, 1845,
bilineatus Typhlops, H. Schlegel, Abb. Amph. (2) 1839, 36. [no. 166], 309.
bilineata Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., IV (1) 1831, 98.
bilineatus Unio, I. Lea, Syn. Naiades, 1836, 38.—Symphynota, 1835.
bilineatus Upeneus, Cuvier & Valenc., H. N. Poiss. VII. 1831, 525. [33.
bilineatus Urocryptus, C. J. Temminck, Tijdschr. nat. geschied. physiol. V (1 & 2) 1838,
bilineata Valvularia, G. A. Goldfuss, Handb. Zool. (1) 1820, 72.
bilineatus Varanus, B. Merrem, Tent. Syst. Amph. 1820, 60.
bilineatum Xiphidium, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 249.
bilineata Zonitis, T. Say, J. Acad. Nat. Sci. Philad. I., no. 2, June 1817, 22.
bilineella Anthomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 694.
bilineipunctatus Pterostichus, Pieroleri; J. Sturm, Catal. Ins. Samml. 1826, 188.
bilineolatum Anthidium, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 141.
bilineolata Barybaena, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 97.
bilineolata Brachygastra, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 126.
bilineolata Phaneroptera, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 419.

- bilineolatus** Reduvius, Palisot de B., *Ins. Afr. Amér.* (—) 1806, 14.
- bilinguis** Jodamia, Defrance, *Dict. Sci. Nat.* XXIV. 1822, 230. [Cucullus, 1798.]
- biliosus** Conus (Bolt.), H. F. Link, *Beschr. Nat. Samml. Univ. Rostock* (2) 1807, 100.—
- biliratum** Buccinum, L. Reeve, *Conch. Icon.* III.—Buccinum, no. 71, Dec. 1846.
- biliratus** Turbo, T. A. Conrad, *J. Acad. Nat. Sci. Philad.* III (11) Oct. 1847, 298.
- bilis** Chrysochroa, Gory in Laporte & G., *H. N. Coléopt.* IV. 1840, 59. [1790.]
- bilis** Distoma (Braun), J. G. H. Zeder, *Anleit. Eingeweidewürm.* 1803, 214.—Planaria,
- biliturana** Phalaena, E. Donovan, *Brit. Ins.* XI. 1806, 32.
- biliturata** Coccinella, T. Marsham, *Coleopt. Brit.*, Sept. 1802, 166.
- bi-liturata** Cyclocephala, Sch.; Dejean, *Catal. Coléopt.* 1821, 57 [*n. n.*].
- bi-liturata** Melolontha, Gyllenhal in C. J. Schoenherr, *Syn. Insect.* I (3) 1817, 189; &
- bilituratus** Scarabaeus, T. Marsham, *Coleopt. Brit.*, Sept. 1802, 15. [App. 1817, 105.]
- bilix** Buccinum, T. A. Conrad, *Proc. Acad. Nat. Sci. Philad.* I (31) Oct. 1843, 308.
- bilix** Pleurotomaria, T. A. Conrad, *J. Acad. Nat. Sci. Philad.* VIII. *post* Ap. 1842, 271.
- bilix** Sigaretus; T. A. Conrad, *Amer. J. Sci.* XXIII (2) Jan. 1833, 344.
- bilix** Triphoris [Ino], R. B. Hinds, *Ann. Mag. N. H.* XI. Jan. 1843, 17.
- bilix** Turbo (Con.), A. d'Orbigny, *Prodr. Paléont.* I. 1849 [Jan. 1850], 4.—Pleurotomaria.
- Billaea** J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II. 1830, 328.—
- billardieri** *v.* **labillardierei**. [Dipt.]
- billbergi** Anthomyza, J. W. Zetterstedt, *Ins. Lapp. descr.* 1838, 678.
- billbergi** Aricia, J. W. Zetterstedt, *Dipt. Scand.* IV. 1845, 1528.—Anthomyza, 1838.
- billbergii** Athyreus, G. R. Gray in Griffith's Cuvier, *Anim. Kingd.*, *Ins.* I. 1832 [508] pl. 40.
- billbergii** Bolboceras, G. R. Gray in Griffith's Cuvier, *Anim. Kingd.*, *Ins.* I. 1832, 508.
- billbergi** Carabus, C. G. Mannerheim in A. D. Hummel, *Essais Entom.* I (6) 1827, 25.
- billbergii** Colobodes, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc.* IV (1) 1837, 466.
- billbergi** Dices, Sch.; Dejean, *Catal. Coléopt.* 1821, 74 [*n. n.*].
- billbergi** Mylabris, C. J. Schoenherr, *Syn. Insect.* I (3) 1817, App. 1817, 33
- billiet** Carabus, G. Mortillet, *Bull. Soc. H. N. Savoie*, I. 1850, 211.
- billis** Fasciola, L. A. G. Bosc, *Hist. Nat. Vers.* I. 1802, 269.
- billoti** Cleothera, E. Mulsant, *Ann. Soc. Agric. Lyon* [2] II. 1850, 619.
- bilobata** Aleochara, T. Say, *Tr. Amer. Phil. Soc.*, n. s., VI (2) 1839, 156.
- bilobata** Amphistegina, A. d'Orbigny, *Ann. Sci. Nat.* VII (27) Mar. 1826, 304 [*n. n.*].
- bilobata** Aurata (Lac.), P. A. J. Drapiez, *Dict. class. Sci. Nat.* III. 1838, 404.—Sparus.
- bilobata** Aurelia, E. Forbes, 13 Rept. *Brit. Assoc.* (Cork, 1843) 1844, 281 [*n. n.*].
- bilobatus** Bellerophon, J. De C. Sowerby in R. I. Murchison, *Silurian System*, Jan. 1839,
- bilobatus** Bellerophon, E. Emmons, *N. H. New York (Geol. 2 dist.)* 1842, 392. [643.]
- bilobatus** Bellerophon, J. Hall, *N. H. New York (Pal. I.)* 1847, 184; & *varr. acutus*,
corrugatus, 185.
- bilobata** Beroe, J. G. Dalyell, *Rare Anim. Scotland*, II. 1848, 254.
- bilobata** Chrysophrys (Lac.), Cuvier & Valenc., *H. N. Poiss.* VI. 1830, 125.—Sparus.
- bilobata** Clymenia, G. v. Muenster, *Beitr. zur Petref.* (1) 1839, 11.
- bilobata** Convallarina, Bory de St V., *Ency. Méth. (Zooph.)* 1824, 207.
- bilobata** Cristellaria, A. d'Orbigny, *Ann. Sci. Nat.* VII (27) Mar. 1826, 292.
- bilobatus** Cyrtolites (Sow.), A. d'Orbigny, *Prodr. Paléont.* I. 1849 [Jan. 1850], 9.—
- bilobata** Cythere, G. v. Muenster, *Jahrb. f. Min.* 1830, 65. [Bellerophon.]
- bilobatus** Daurada (Lac.), J. Stark, *Elem. Nat. Hist.* I. 1828, 452.—Sparus.
- bilobata** Delthyris, T. A. Conrad [2 An. Rep. N. Y. Geol. Surv.], *Assembl.* no. 200,
- bilobatus** Elater, T. Say, *Tr. Amer. Phil. Soc.*, n. s., VI (2) 1839, 174. [1838, 118.]
- bilobatus** Eryon, G. v. Muenster, *Beitr. zur Petref.* (2) 1839, 11.
- bilobata** Flustrella, C. G. Ehrenberg, *Ber. Verh. k. pr. Ak. Wiss.* 1844, 81. [[*n. n.*].]
- bilobata** Galeolaria, Lesueur in H. D. de Blainville, *Dict. Sci. Nat.* LX. 1830, 127
- bilobata** Globigerina, A. d'Orbigny, *Foram. foss. Vienne*, Sept. 1846, 164.
- bilobata** Gryphaea, J. De C. Sowerby, *Min. Conch.*, *Alph. Index*, 1840, 4.
- bilobata** Leptaena (Sow.), A. d'Orbigny, *Prodr. Paléont.* I. 1849 [Jan. 1850], 15.—
- bilobatus** Limax, A. E. Férussac, *H. N. g. et p. Moll.* II (1) 1819, 74. [Orthis.]
- bilobata** Modiola, G. v. Muenster, *Beitr. zur Petref.* (3) 1840, 57.
- bilobata** Montlivaltia (Mich.), Edwards & Haime, *Ann. Sci. Nat.* [3] (Zool.) X. Nov.
1848, 259.—Turbinolia.

- bilobatus** Mytilus (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 82.—
bilobatus Nautilus, J. Sowerby, Min. Conch. III. 1819, 89. [Modiola.]
bilobata Orthos, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 640.
bilobata Pamera, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
bilobata Perismilia (Mich.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 6.—Turbinolia.
bilobatium Phyllium, G. R. Gray, The Zoologist, I (4) 1843, 120.
bilobata Planaria, E. Rueppell & Leuckart in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Wirbellose Thiere (—) 1830 *vel* 1831, 12.
bilobata Promenites, C. S. Rafinesque, Atlantic Journ. (2) 1832, 72 [n. n.].
bilobatus Scolex, Della Chiaje, Bull. Sci. Nat. V (16) 1829, 53 [teste Stiles & H.].
bilobatus Sparus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 45.
bilobata Terebratula, de Blainville, Dict. Sci. Nat. LIII. 1828, 137.
bilobata Terebratula, DeFrance, Dict. Sci. Nat. LIII. 1828, 166.
bilobata Turbinolia, H. Michelin, Icon. Zoophyt. (24-27) 1847, 269.
bilobidens Cavia, Lund, Ann. Sci. Nat. [2] (Zool.) XII. Oct. 1839, 208 [n. n.].
bilobidens Cerodon, Lund, Ann. Sci. Nat. [2] (Zool.) XIII. May 1840, 313.—Cavia, 1839.
bilobina Noctua, [A. H. Haworth], Prod. Lepidopt. Brit. 1802, 18 [n. n.]. [comp.]
Bilobites P. L. S. Mueller in Linnaeus, Syst. Nat. VI. 1775, 325 [teste Scudder, *sed non*]
Bilobites De Kay, Ann. Lyc. N. York, I. 1824, 45.—*inc. sedis*.
Bilobites Rafinesque; Goldfuss, N. Jahrb. f. Min. 1843, 566.—Cr.
bilobites Aurata (Lac.), H. Cloquet, Dict. Sci. Nat. XII. 1818, 552.—Sparus bilobatus?
bilobus Blepsias, Cuvier & Valenc., H. N. Poiss. IV. 1829, 379.
bilobus Charadrius, J. G. Wagler, Isis (Oken), 1829, 649.
bilobus Clerus, M. Spinola, Ess. mon. Clérites, I. 1844, 240.
biloba Coelosis (L.), H. Burmeister, Handb. Ent. V. 1847, 217.—Scarabaeus, 1767.
biloba Convallarina, Bory de St V., Dict. Class. H. N. IV. 1823, 412.
biloba Corvina, Cuvier & Valenc., H. N. Poiss. V. 1830, 112.
bilobus Cychrus, T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 73.
bilobium Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 38.
biloba Dicaelosis (L.), W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 106.—
biloba Diphyes, M. Sars, Fauna litt. Norveg. (1) 1846, 45. [Anomia, 1758.]
bilobum Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 114.
biloba Epioblasma, C. S. Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 2.
bilobus Gerres, Cuvier & Valenc., H. N. Poiss. VI. 1830, 466.
biloba Haltica, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 91.
biloba Hornera, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 43.
bilobus Hydrochoreutes, C. L. Koch, Deutsch. Crust., heft 11, 1837, tab. 13.
biloba Maja (Herbst), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 258.
bilobus Mastostethus, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 619.
biloba Melicerta, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 126.
biloba [Muscicapa], H. Lichtenstein, Zool. Mus. Univ. Berlin, 1816, 38 [n. n.].
biloba Muscicapa, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 52.
bilobus Nettarehinus (OL.), C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 31.—
 Rhynchaenus.
biloba Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 209.—bilobina, 1802.
biloba Nucula, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 37.
biloba Ornithomyia, L. Dufour, Ann. Sci. Nat. X (39) Mar. 1827, 243. [1758.]
biloba Orthos (L.), T. Davidson, Bull. Soc. géol. France (sér. 2) V. 1848, 321.—Anomia,
bilobus Pentodon, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3)
 1849, 110.
bilobus Peropus (C. & V.), Lay & Bennett, Zool. "Blossom," 1839, 59.—Blepsias.
bilobus Petascelis, V. Signoret, Rev. et Mag. de Zool. (2) I. July 1849, 376.
biloba Plataspis (Aphanopneuma), J. O. Westwood, Ann. Mag. Nat. Hist. XIX (123)
 Jan. 1847, 66. [(Haust. III.) Feb. 1830, 104.]
biloba Plusia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 42 [n. n.]; & Ill. Brit. Ent.
biloba Polyptothecia, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 9
bilobus Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 195. [[n. et f.].]
biloba Pteronarcys, E. Newman, Entom. Mag. V (2) Jan. 1838, 176.

- bilobus** Rhynchaenus, A. G. Olivier, Entom. V. 1807, 178.
- biloba** Saperda, J. C. Fabricius, Syst. Eleuth. II. 1801, 324.
- bilobus** Sarciphorus (Gm.), H. E. Strickland, Proc. Zool. Soc. London, IX (99) Oct. 1841, 33.—Charadrius, 1788.
- bilobus** Scolex, C. A. Rudolphi, Entoz. II (2) 1810, 5.
- biloba** Selandria, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 126 [*n. n.*]; & III. Brit. Ent. (Mand. VII.) Aug. 1835, 54.
- bilobus** Selius, H. Krøyer, Naturhist. Tidsskrift, I. 1837, 476.
- bilobus** Sphaeroderus (Say), Dejean, Spec. gén. Coléopt. II. 1826, 16.—Cychrus.
- biloba** Spirifer (L.), J. Morris, Cat. Brit. Foss. 1843, 127.—Anomia, 1758.
- biloba** Spirifer, T. Brown, Ill. Foss. Conch. G. B. I. (22, 23) 1844, 113.
- biloba** Stentorina, Bory de St V., Ency. Méth. (Zoo-ph.) 1827, 699.
- biloba** Terebratula, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 229.
- bilobus** Trichius, C. P. Thunberg, Mémoires. Ac. Imp. Sci. St Pétersb. VI. 1818, 446.
- biloba** Trichoda, F. v. P. Schrank, F. Boica, III (2) 1803, 92.
- biloba** Unio, C. S. Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 2. [drius, 1788.
- bilobus** Vanellus (Gm.), T. C. Jerdon, Madras Journ. XII (29) Oct. 1840, 213.—Chara-
- bilobus** Zelus, T. Say, N. sp. N. Amer. Ins. Louisiana, Jan. 1832, 12.
- bilocularis** Dorcadida, A. White, Zool. "Ereb. Terr." (Ins. 1846), 22. [Mytilus, 1758.
- bilocularis** Septifer (L.), C. A. Récluz, Rev. Zool. (Soc. Cuv.) XI. Sept. 1848, 278.—
- bilocularis** Tichogonia (L.), A. F. A. Wiegmann, Arch. f. Naturg. III (1) 1837, 48.—
Mytilus, 1758.
- Biloculina** A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 297.—Rh.
- bilopha** Alauda, C. J. Temminck in T. & Laugier, Pls. color. (41) Dec. 1823.
- bilophus** Carbo, Cuvier in F. L. P. Gervais in Dict. pittoresque H. N. II. 1835, 318; N. Dict. class. H. N., ed. 2, VIII. Aug. 1844, 399. [1826, 252.—Trochilus.
- bilopha** Mellisuga (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1)
- bilopha** Otocoris (Temm.), G. R. Gray, Genera of Birds, II. Nov. 1844, 382.—Alauda.
- bilophus** Trochilus, C. J. Temminck in T. & Laugier, Pls. color. (3) Ap. 1822.
- bilsteinensis** Avicula (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 84.—
Pterinea.
- bilsteinense** Conocardium (Roem.), H. G. Bronn, Index Pal. 1848, 324.—Pterinea.
- bilsteinensis** Pterinea, C. F. Roemer, Rheinische Uebergangsgeb. 1844, 77.
- bilturio** Cobitis, F. Hamilton, Fish. Ganges, 1822, 358.
- bilucernarius** Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 997. [Tortrix.
- bilunana** Anticlea (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Aug. 1834, 116.—
- bilunana** Eupoecilia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—Tortrix.
- bilunana** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 436.
- bilunaris** Cryptorhynchus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 132.
- bilunaris** Trichocerca (Müll.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 150.—
Trichoda bilunis, 1786. [bezitt., Zool. (Ins.) 1842, 51.
- bilunata** Blatta (Nauphoeta), W. de Haan in Temminck, Verh. nat. ges. Ned. overz.
- bilunatus** Chlaenius, F. E. Guérin-M. in Delessert, Voy. Inde (2) 1843, 36.
- bilunata** Megacephala, F. Klug, Jahrb. Insectenk. I. 1834, 6.
- bilunatus** Pompilus, J. Curtis, Tr. Linn. Soc. London, XVII (3) 1836, 326.
- bilunata** Scutellera, A. Lefebvre, Mémoires. Soc. Linn. Paris, VI. 1827, 102. [135.
- bilunatus** Tetragonoderus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833].
- bilunula** Leia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 65.
- bilunulata** Acidalia, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 960.
- bilunulata** Arthemis, J. E. Gray, The Analyst, VIII (24) July 1838, 309.
- bilunulata** Aurata, A. Risso, H. N. Europe, III. 1826, 358.
- bilunulata** Carpocoris, F. A. Kolenati, Melet. Entom. (4) May 1846, 51.
- bi-lunulata** Coccinella, Dejean, Catal. Coléopt. 1821, 131 [*n. n.*] [(2) 1835, 594.
- bilunulata** Coccinella, Dejean in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent.
- bilunulatus** Cossyphus, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 121.
- bilunulata** Cytherea (Gray), Catlow & Reeve, Conch. Nomen. 1845, 37.—Arthemis.
- bilunulatus** Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 331.
- bilunulatus** Labrus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 454.

- bilunulatus** Orcus (Boisd.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 407.—Coccinella.
- bilunulatus** Scymnus, Dahl, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 417.
- bimacula** Anthrax, F. Walker, List Dipt. Coll. B. M. (2) 1849, 254.
- bimacula** Cetonia, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 85.
- bimacula** Chironomus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 15. [—Cetonia.
- bimacula** Coryphe (Wied.), W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 31.
- bimacula** Coryphocera (Wied.), H. Burmeister, Handb. Ent. III. 1842, 222.—Cetonia.
- bimacula** Heterorhina, J. O. Westwood, Arcana Entom. (9) Sept. 1842, 139.
- bimacula** Ocyptera, F. Walker, List Dipt. Coll. B. M. (4) 1849, 694.
- bimacula** Trichocera, F. Walker, List Dipt. Coll. B. M. (1) 1848, 84.
- bimaculana** Paedisca, F. Schlaeger, Ber. lepidopt. Tauschver. [Jena] for 1847, 232.
- bimaculana** Phalaena, E. Donovan, Brit. Ins. XIII. 1808, 55.
- bimaculana** Tortrix, E. Donovan, Epit. N. H. Ins. New Holland, 1805.
- bimaculator** Bracon, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 123. [258.
- bimaculator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822,
- bimaculatorius** Ichneumon, G. W. F. Panzer, Ins. Germ., heft 80, 1801, tab. 8.
- bimaculatus** Acanthocinus, J. Sturm, Catal. Ins. Samml. 1826, 87 [n. n.]. [582.
- bimaculatus** Acocephalus, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843,
- bimaculatum** Acridium (Gm.), J. W. Zetterstedt, Orthopt. Svec. 1821, 114.—Gryllus, Deg. 1773.
- bimaculata** Actinia, A. E. Grube, Actin....Adriat. 1840, 4.
- bimaculata** Agromyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 172.
- bimaculata** Alauda, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 37.
- bimaculata** Aleochara, J. L. C. Gravenhorst, Coleopt. micr. 1802, 187.
- bimaculata** Aleochara, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 59 [n. n.].
- bimaculata** Aleochara, T. Say, J. Acad. Nat. Sci. Philad. III. Oct. 1823, 157.
- bimaculata** Aleochara, J. F. Stephens (ex Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [n. n.]; & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 158.
- bimaculatus** Allantus, B. A. Gimmerthal, Bull. Soc. Imp. Nat. Moscou, IX. 1836, 431.
- bimaculata** Altica, F. V. Melsheimer, Ins. Pennsylv. 1806, 22 [n. n.].
- bimaculatus** Alysson, G. W. F. Panzer, Krit. Revis. II. 1806, 170.—Sphex, 1798.
- bimaculata** Ameiva, L. J. Fitzinger, Neue Classif. Rept. 1826, 51 [n. n.].
- bimaculatus** Ammodramus, W. Swainson, Phil. Mag., n. s., I (6) June 1827, 435.
- bimaculata** Amphicomma, L. Redtenbacher, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 48. [June 1838, 130.
- bimaculatus** Anacolus, E. Ménétriés, Bull. Sci. Ac. Imp. Sci. St Pétersb. IV (9 & 10) 1790.
- bimaculata** Anas, Bonaparte, Comp. List, 1838, 57 (in syn. sp. 414).
- bi-maculata** Anaspis (Rossi), C. J. Schoenherr, Syn. Insect. I (3) 1817, 90.—Mordella,
- bimaculata** Anaspis, A. Drapiez, Ann. gén. Sc. Phys. (Bruxelles) I. Sept. 1819, 292.
- bimaculata** Andrena (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 66.—Melitta. [Scarab. 1778.
- bimaculata** Anisorrhina (Geer), J. O. Westwood, Arcana Entom. (8) July 1842, 126.—
- bimaculatus** Anisotelus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 26.
- bimaculatus** Anolis (Sparr.), F. M. Daudin, Sonnini's Buffon, Rept. IV (1802), 55.—Lacerta, 1784.
- bimaculata** Anolius (Sparr.), G. Cuvier, R. Anim. II. 1817, 43.—Lacerta, 1784.
- bimaculata** Anomala, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [ineunte 1851], 188.
- bimaculata** Anthaxia, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 298.
- bimaculata** Anthia, B. P. Perroud, Mélang. Entom. (1) 1846, 14; Ann. Soc. Linn. Lyon (1845-6) 1847, 38.
- bimaculatus** Anthicus (Ill.), C. J. Schoenherr, Syn. Insect. I (2) 1806, 57.—Notoxus.
- bi-maculatus** Anthicus, Dahl; Dejean, Catal. Coléopt. 1821, 72 [n. n.].
- bimaculata** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 160.
- bimaculata** Anthophora (Latr.), Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 798.—Saropoda. [II. 1841, 36.—Melitta.
- bimaculata** Anthophora (Kirby), Lapeletier de S. F. (Roret's Suite à Buffon), Hyménopt.

- bimaculata** Anthrax, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 403.
- bi-maculatus** Antophagus, Dahl; Dejean, Catal. Coléopt. 1821, 26 [*n. n.*].
- bi-maculatus** Aptinus, Fab.; Dejean, Catal. Coléopt. 1821, 3 [*n. n.*]. [? Fab. 1775.
- bimaculata** Bapta (Vill.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Phalaena,
- bimaculata** Barymorpha, F. E. Guérin-M. in Delessert, Voy. Inde (2) 1843, 41.
- bimaculatus** Blepharidopterus (Hoffm.), F. A. Kolenati, Melet. Entom. (2) Oct. 1845, 108.—Capsus. [Brit. Ent. (Mand. V.) May 1832, 174.
- bimaculatus** Bolitobius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Ill.
- bimaculata** Bolitophila, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 854.
- bimaculata** Bolitophila, Schummel, Uebers. Arb. schles. Ges. 1846 (1847), 166.
- bimaculatus** Bombyx, A. H. Haworth, Lepidopt. Brit. (1) 1803, 121. [Apaté, 1792.
- bimaculata** Bostriachus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 225.—
- bimaculatus** Brachinus (Fab.), F. Weber, Obs. Ent. 1801, 22.—Carabus, 1792.
- bimaculatus** Brachypalpus, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 524.—Xylota, 1829.
- bimaculatus** Brachypus (Horsf.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 263.—Turdus. [Erotylus.
- bimaculatus** Brachysphoenus (Germ.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 358.—
- bimaculatus** Calomys, G. R. Waterhouse, Arch. f. Naturg. VI (1) 1840, 180.—Mus, 1837.
- bimaculatus** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 505.
- bimaculatus** Caprimulgus, T. R. Peale in Wilkes, Expl. Exped. VIII. 1848, 170.
- bimaculatus** Capsus, J. C. Fabricius, Syst. Rhyng. 1803, 243.
- bimaculatus** Capsus, Hoffmannsegg in Herrich-S., Wanzenart. Ins. VI (3) May 1841, 48.
- bimaculatus** Carabus, J. C. Fabricius, Syst. Ent. 1775, 243.
- bimaculatus** Caranx, Hyrtl, Sitz. k. Ak. Wiss. (Wien) II (5) May 1849, 333.
- bimaculatus** Carpophilus (F. V. Melsh.), F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (5) Oct. 1844, 105.—Nitidula.
- bimaculata** Casnonia, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 498.
- bimaculata** Casnonia, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 18.
- bimaculata** Castalia (L.), Laporte & Gory, H. N. Coléopt. II. 1838, 2.—Buprestis, 1758.
- bimaculata** Centris, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 168.
- bimaculatus** Ceratopogon, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 52 [*n. n.*].
- bimaculatus** Cercidocerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) [1845, 231.
- bimaculata** Cercopis, F. v. P. Schrank, F. Boica, II (1) 1801, 55. [1845, 231.
- bimaculatus** Cercus, J. Sturm, Catal. Ins. Samml. 1826, 113 [*n. n.*].
- bimaculatum** Cercyon, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 152.
- bimaculatus** Chalcielus, M. Spinola, Ess. mon. Clérites, I. 1844, 281.
- bimaculata** Chalcis, J. C. Fabricius, Syst. Piezat. 1804, 166.—Ichneumon, 1793.
- bimaculatus** Characinus (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 270.—Salmo, 1758. [1829, 461.—Cantharis, 1781.
- bimaculatus** Chauliognathus (Fab.), N. M. Hentz, Tr. Amer. Phil. Soc., n. s., III (4)
- bimaculatus** Cheilinus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 96.
- bimaculatus** Chlaenius, Dejean, Spec. gén. Coléopt. II. 1826, 301.
- bimaculatus** Chrysops, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 201.
- bimaculatus** Chrysopsis, C. Duméril, Dict. Sci. Nat. IX. 1817, 169.
- bimaculata** Cichla (Bl.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 338.—Perca, 1792.
- bimaculata** Clangula, C. T. Wood, Orn. Guide, 1835, 209. [1844, 823.
- bimaculatus** Claviger, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4)
- bimaculatus** Cleonymus (Fab.), C. G. Nees v. E., Hyménopt. Ichn. aff. II. 1834, 85.—
- bimaculatus** Cleopus, J. Sturm, Catal. Ins. Samml. 1826, 119 [*n. n.*]. [Ichn. 1793.
- bimaculatus** Cleronomus (Klug), A. White, Nomen. Coleopt. Coll. B. M. (4) 1849, 7.—Tillus.
- bimaculatus** Clerus, F. Klug, Abb. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 282.
- bi-maculata** Clivina, F. A. Bonelli, Mém. Ac. Sci. Turin, 1811–12 (1813), 482. [1781.
- bi-maculatus** Clythra (Rossi), Dejean, Catal. Coléopt. 1821, 126.—Cryptoccephalus, Fab.
- bi-maculatus** Clytus, Billberg in C. J. Schoenherr, Syn. Insect. I (3) 1817, 461; & App.
- bimaculata** Coccinella, T. Marsham, Coleopt. Brit., Sept. 1802, 166. [1817, 194.

- bimaculatus** Colastus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 239.
- bimaculatus** Coluber, P. A. Latreille, s. à Deterville ed. Buffon, Rept. IV. 1801, 111.
- bimaculatus** Coluber, F. M. Daudin, Sonnini's Buffon, Rept. VI (1803), 236.
- bimaculatus** Coluber (Natrix), Lacep.; B. Merrem, Tent. Syst. Amph. 1820, 129.
- bimaculata** Corixa, F. E. Guérin-M., Iconographie, 1844, Ins. 354.
- bimaculata** Crassiseta, H. Loew, Dipterologische Beiträge, I. 1845, 49.
- bimaculata** Crecca, C. T. Wood, Orn. Guide, 1835, 207.
- bimaculatus** Crepidogaster, C. H. Boheman, Ins. Caffr. I (1) 1848, 69. [somela, 1788.
- bimaculata** Crioceris (Hornst.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 277.—Chry-
- bimaculata** Criorhina (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 116.—Brachypalpus. [post Mar. 1835, 788.
- bimaculatus** Crossocerus, Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III (4)
- bimaculatus** Cryptohypnus (Fab.), E. F. Germar, Zeitschr. f. d. Entom. V. 1844, 149.—Elater, Rossi, 1790.
- bimaculatus** Cryptophagus (Panz.), L. Gyllenhal, Ins. Suecica, I. 1808, 172.—Dermestes,
- bimaculatus** Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 634. [1798.
- bimaculatus** Ctenonotus (Sparm.), L. Fitzinger, Syst. Rept. 1843, 64.—Lacerta, 1784.
- bimaculata** Ctenophora (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 263.—Tipula, L. 1761.
- bimaculatus** Cucujus, G. Paykull, K. Vet. Ac. Nya Handl. XXII (2) 1801, 121.
- bimaculatus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 266.
- bimaculata** Curtonevra, J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 149.
- bimaculatus** Cybister, C. Aubé, Spec. gén. Hydroc. 1838, 84.
- bimaculatus** Cyclopterus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 199.
- bimaculata** Cylindra, Andersch in K. Duftschmid, Fauna Austriae, III. 1825, 88.
- bimaculata** Cypris, H. Nicolet in Gay, Chili (Crust.) 1849, 294.
- bimaculatus** Dactyloa (Merr.), J. Wagler, Nat. Syst. Amph. 1830, 148.—Anolis, Daud.
- bimaculata** Dalophis, C. S. Rafinesque-S., Car. n. gen. 1810, 69.
- bimaculatus** Dendryphantus, C. L. Koch, Die Arachniden, XIII (3) Feb. 1846, 91.
- bimaculatus** Diaphorus, J. Macquart, Rec. Trav. Soc. Sci. Lille, 1826-7, 1827, 1828, 234.
- bimaculata** Dictenidia (L.), A. Brullé, Ann. Soc. Ent. France, II (3) c. Oct. 1833, 399.—Tipula, 1761.
- bimaculatus** Dilobopterus, V. Signoret, Rev. et Mag. de Zool. (2) II. May 1850, 286.
- bimaculatus** Discognathus (M'Clell.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1027.—Gonorhynchus. [33.—Elater, Rossi, 1790.
- bimaculatus** Drasterius (F.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829,
- bi-maculatus** Dromius, B. L. in Dejean, Catal. Coléopt. 1821, 3 [n. n.].
- bimaculatus** Elater, F. V. Melsheimer, Ins. Pennsylv. 1806, 43 [n. n.].
- bimaculatus** Elater (Dresterius), A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 141.
- bimaculatus** Eligmodontia (Wat.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 133.—Mus. [II. 1840, 261.—Ripiphorus, 1792.
- bimaculata** Emenadia (Fab.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.)
- bimaculatus** Empectus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 82.
- bimaculatum** Enoplium, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (12) Dec. 1845, 307. [Rhynchaenus.
- bimaculatus** Eriirhinus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 284.—
- bimaculatus** Erodorus (Latr.), C. A. Walckenaer, Faune Paris, II. 1802, 47.—Procto-
- bi-maculatus** Erotylus, Dejean, Catal. Coléopt. 1821, 128 [n. n.]. [trupes.
- bimaculatus** Erotylus, E. F. Germar, Ins. spec. novae, I. 1824, 612. [41.
- bimaculatus** Erotylus, P. A. J. Duponchel, Mém. Mus. H. N. (Paris) XII [1] June 1825,
- bimaculata** Etheostoma (Hald.), D. H. Storer, Mem. Amer. Acad., n. s., II. 1846, 272.—Percina.
- bimaculatus** Eumolpus, J. Sturm, Catal. Ins. Samml. 1826, 140 [n. n.].
- bimaculata** Forficula, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 165.
- bimaculatus** Gamasus, C. L. Koch, Deutsch. Crust., heft 25, 1839, tab. 21.
- bimaculata** Gambula, C. v. Heyden, Isis (Oken), 1826, 609.
- bimaculatus** Gobiesox (Penn.), H. Cloquet, Dict. Sci. Nat. XIX. 1821, 145.—Cyclopterus, Donnd. 1798.

- bimaculatus** Gobius, C. G. Ehrenberg in Cuvier & Valenc., H. N. Poiss. XII. 1837, 108.
bimaculata Gonias, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 25.
bimaculata Gonias, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 428 [*n. n.*].
bimaculatus Gonorrhynchus, J. McClelland, Asiat. Researches, XIX (2) 1839, 281.
bimaculatus Gryllus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 239.
bimaculatus [Haematornis] (Horsf.), W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*z. z.* Feb. 1832], 485.—Turdus.
bimaculatus Halichores, E. Rueppell, Neue Wirbelth. Abyssin. (4) 1835, 17.
bimaculata Halticoptera, M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811,
bimaculatus Hedybius, W. F. Erichson, Entomographien, 1840, 94. [148 [*n. n.*].
bimaculatus Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843,
 107. [chus.
bimaculatus Heliomanes (Say), E. Newman, Entomologist (2) Dec. 1840, 20.—Molor-
bimaculatus Helluo, Dejean, Spec. gén. Coléopt. V. 1831, 402. [—Membracis, 1794.
bimaculata Hemiptycha (Fab.), E. F. Germar, Revue Entom. I (4) c. Sept. 1833, 177.
bimaculata Hemiptycha, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 315.
bimaculata Heptatoma, J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 156.
bimaculata Hermetia, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 228.
bimaculatus Hesperomys (Waterh.), J. A. Wagner in Schreber, Säugth., Suppl. III.
 1843, 526.—Mus.
bimaculatus Heterochelus, H. Burmeister (*ex Dej.* Cat.), Handb. Ent. IV (1) 1844, 103.
bimaculata Hexatoma, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 83.—
 Heptatoma, 1804.
bimaculatus Holocentrus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 319.
bimaculata Hydrotaea (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II.
 1835, 307.—Anthomyia.
bimaculata Iguana, P. A. Latreille, Deterville ed. Buffon, Rept. I. 1801, 273.
bimaculata Ips, L.; J. Sturm, Catal. Ins. Samml. 1826, 158.
bimaculata Iresia, F. Klug, Jahrb. Insektenk. I. 1834, 9.
bimaculatus Ixodes, H. Denny, Ann. Mag. N. H. XII. Nov. 1843, 312.
bimaculatus Ixos (Horsf.), Vigors & Horsfield in S. Raffles, Mem. T. S. Raffles, 1830,
 661.—Turdus.
bimaculatus Julis (Rüpp.), Cuvier & Valenc., H. N. Poiss. XIII. 1839, 491.—Halichores.
bimaculatus Laemophloeus (Payk.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2)
 1845, 319.—Cucujus.
bimaculata Lamia (Ol.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 278.—Saperda,
bimaculata Lamia, F. V. Melsheimer, Ins. Pennsylv. 1806, 35 [*n. n.*]. [1795.
bimaculata Lampyrus, J. Sturm, Catal. Ins. Samml. 1826, 159 [*n. n.*]. [Turdus.
bimaculatus Lanius (Horsf.), R. P. Lesson, Cent. Zool. (13-16) *ante* May 1832, 219.—
bimaculata Lasius (Panz.), L. Jurine, N. Méth. class. Hyménopt. 1807, 237.—Apis, 1798.
bimaculata Lebia, Steven in G. Fischer v. W., Entom. Imp. Russ. III. *post* Nov. 1828,
bimaculata Lebiasina, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 531. [102.
bimaculata Leia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 256.—Myceto-
bimaculatus Lepadogaster, J. Fleming, Hist. Brit. Anim. 1828, 190. [phila, 1804.
bimaculatus Leptocerus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 28.—Phry-
bimaculata Leptura, T. Marsham, Coleopt. Brit., Sept. 1802, 343. [ganea, 1758.
bi-maculatus Lepyrus, Fab.; Dejean, Catal. Coléopt. 1821, 88 [*n. n.*].
bimaculata Libella (Charp.), E. De Selys-L., Bull. Ac. Roy. Brux. VII (1) 1840, 35;
 Mon. Libell. Europ. 1840, 29 & 59.—Libellula.
bimaculata Libellula, T. v. Charpentier, Horae Ent. 1825, 43.
bimaculata Libellula, J. Desjardins, Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, p. iv.
bimaculatus Limnephilus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 28 [*n. n.*].
bimaculata Limnobia, T. E. Schummel, Schles. Ges. vat. Kultur, Beitr. Entom. 1829,
 179.
bimaculatus Liparus (Fab.), A. G. Olivier, Entom. V. 1807, 292.—Curculio, 1787.
bimaculatus Lissomus, Laporte, Revue Entom. III (4) 1835, 180.
bimaculatus Listroderes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842,
 187.

- bimaculatus** Lixus, H. Lucas, Explor. Algér. (Artic. II.) 1849, 441.
bimaculata Lucina (L.), F. Schlueter, Kurzg. syst. Verz. 1838, 35.—Venus [*non*]
bimaculatus Lygaeus, J. V. Zetterstedt, K. Vet. Ac. Handl. 1819 (1) 1819, 73. [*comp.*].
bimaculata Lystra, J. C. Fabricius, Syst. Rhyng. 1803, 60.
bimaculata Lytta, F. Klug, N. A. Ac. Caes. Leop. Car. XII (2) 1825, 448.
bimaculata Machilis, H. Lucas, Rev. Zool. (Soc. Cuv.) IX. July 1845, 252.
bimaculata Macrocera, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 528.
bimaculata Mantis, H. Burmeister, Handb. Ent. II (2) i, 1838, 537. [1798].
bimaculata Megilla (Panz.), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 136.—Apis,
bimaculata Melanocorypha (Ménétr.), C. L. Bonaparte, List Birds Eur. Amer. 1838,
 37.—Alauda.
bimaculata Melanophora, C. L. Koch, Uebers. Arachnidensyst. I. 1837, 17.
bimaculata Melitta, W. Kirby, Mon. Apum Angl. II. 1802, 115.
bimaculata Melolontha, W. W. Saunders, Tr. Entom. Soc. Lond. II (3) July 1839, 176.
bimaculatus Molorchus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 39 [*n. n.*].
bimaculatus Molorchus, Knoch; T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 428.
bimaculata Mordella, F. V. Melsheimer, Ins. Pennsylv. 1806, 56 [*n. n.*].
bimaculatus Mus, G. R. Waterhouse, Proc. Zool. Soc. London, V (50) Nov. 1837, 18.—
 Mus (Calomys), 21. [de Zool. VII. 1837, 48].
bimaculata Muscipeta, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin
bimaculata Mutilla, L. Jurine, N. Méth. class. Hyménopt. 1807, 268 [*n. et f.*].
bimaculata Mycetochares, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1)
 1844, 197.
bimaculatus Mycetophagus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 14 [*n. n.*].
bimaculatus Mycetophagus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (5) Oct.
 1844, 114.
bimaculata Mycetophila, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 92.
bimaculata Mycetophila (Fab.), C. Staeger, Naturhist. Tidsskrift, III (2 & 3) 1840, 240.
 —Sciara.
bimaculatus Myiobius (O. & L.), G. R. Gray, Gen. Birds, I. May 1847, 249.—Muscipeta.
bi-maculata Mylabris, Ol.; Dejean, Catal. Coléopt. 1821, 74 [*n. n.*].
bimaculata Mylabris, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834), sign. *δ*.
bimaculatus Necrophorus, A. H. Haworth, Tr. Entom. Soc. Lond. I (1) 1807, 82.
bimaculatum Nematoma (Fab.), C. L. Koch, Die Arachniden, III (4) *post* July 1836, 71.
 —Phalangium, 1775.
bimaculata Nemognatha, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (3) June
bimaculata Nitidula, F. V. Melsheimer, Ins. Pennsylv. 1806, 17 [*n. n.*]. [1846, 54].
bimaculata Nitidula (L.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 147.—Silpha, 1767.
bimaculata Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 242.—Bombyx, 1803.
bimaculata Nomada, P. S. Schilling, Uebers. Arb. schles. Ges. 1848 (1849), 103.
bimaculatus Notaris (Fab.), E. F. Germar, Mag. Entom. (Germar) II. 1817, 340.—
 Curculio, 1787.
bimaculatus Notoxus, Illiger, Mag. f. Insektenk. (Illiger) I (1 & 2) 1801, 80.
bimaculata Novacula (Rüpp.), Cuvier & Valenc., H. N. Poiss. XIV. 1839, 74.—Xyrichthys.
bimaculatus Ochthedromus (Kirby), J. L. Le Conte, Ann. Lyceum N. H. New York,
 IV (10 & 11) July 1847, 466.—Peryphus.
bimaculatus Olibrus, H. C. Kuester, Käfer Europas, XIII. 1848, 26.
bimaculatus Omalilus, M. Z. Patti, Atti Acc. Gioenia (2) II. 1845(-6), 34.
bi-maculatum Omalium, Dahl; Dejean, Catal. Coléopt. 1821, 26 [*n. n.*].
bimaculata Omaloplia, Hope in [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris,
 Coléopt. I. Oct. 1850, 78.
bimaculatus Onthophagus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 144.
bimaculata Opomyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 108.
bi-maculatus Orchestes, Dejean, Catal. Coléopt. 1821, 82 [*n. n.*]. [(1838), 80].
bimaculatus Oryctomorphus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1
bimaculata Pachyta, E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 240.
bimaculata Pachyta, E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 243.
bimaculatus Pagurus, W. de Haan in Siebold, F. Japon. (Crust. 1849), 210.

- bimaculatus** Paragus, C. R. W. Wiedemann, Anal. Entom. 1824, 33.
bimaculatus Paragus, J. Walzl, Reise Tyrol etc. (2) 1835, 115.
bimaculata Paropsis, A. G. Olivier, Entom. V. 1807, 600.
bimaculata Patella, G. Montagu, Test. Brit. II. 1803, 482.
bimaculatus Peirates, J. G. Audinet-S., Ann. Sci. Nat. XXIII (90) June 1831, 218.
bimaculata Pelilota, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 122. [1845, 319].
- bimaculatus** Pelopaeus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III.
bimaculata Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 35.
bimaculata Percina, S. S. Haldeman, Proc. Boston Soc. N. H. I (2-3) 1844-5, 157.
bimaculatus Perilitus, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 45.
bimaculatus Peryphus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 52.
bimaculatum Phalangoptyon, J. Wagler, Isis (Oken), 1833, 896.
bi-maculata Phalera, Latr.; Dejean, Catal. Coléopt. 1821, 68 [*n. n.*]. [VI. 1802, 15].
bimaculatum Phasma, A. A. H. Lichtenstein, Comm. Phasma, 1796 (*teste* Tr. Linn. Soc.
bimaculata Phasma, M. Houttyn in Stoll, Spoken (Index Phasm. [1813], 76.
bimaculata Phasma (Ol.), J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 58.—
 Mantis, ? Man. 1792.
- bimaculatus** Philonthus (Grav.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23.—Staph.
bimaculatus Philopotamus, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 318 [*n. n.*].
bimaculatus Phloiophilus, J. F. Stephens, Ill. Brit. Ent. (Mand. III.) June 1830, 82.
bimaculatus Phyllostocus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 170.
bimaculatus Phytocoris, P. Rambur, F. Ent. Andal. II (4) Jan. 1839, 160.
bimaculatus Piabucus (L.), H. Cloquet, Dict. Sci. Nat. XL. 1826, 164.—Salmo, 1758.
bimaculata Pipiza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 246.
bimaculatus Pissodes, J. Sturm, Catal. Ins. Samml. 1826, 184 [*n. n.*].
bimaculatus Planetes, W. S. Macleay, Annulosa Javanica, 1825, 29.
bimaculatus Pogonocherus, J. Sturm, Catal. Ins. Samml. 1826, 186 [*n. n.*].
bimaculatus Portunus (Herbst), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 217.
bimaculata Prioptera (Thunb.), C. H. Boheman, Mon. Cassid. I. 1850, 53.—Cassida, 1789. [209.—Erodorus.
- bimaculata** Proctotrupes (Walk.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825,
bimaculata Psicroptera, P. F. Wahlberg, K. Vet. Ac. Handl. 1838 (1839), 20.
bimaculata Pteromalus (Spin.), C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 96.—
bimaculatus Pterotarsus, Laporte, Revue Entom. III (4) 1835, 174. [Halticoptera.
bimaculatus Pterotarsus, S. S. Saunders, Tr. Entom. Soc. Lond. I (3) Jan. 1837, 150.
bimaculatus Ptinus, F. V. Melsheimer, Ins. Pennsylv. 1806, 11 [*n. n.*].
bimaculatus Ptinus, F. V. Melsheimer; F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (12) Dec. 1845, 308.
- bimaculata** Purpura, J. H. Jonas, Zeitschr. f. Malakozool., Nov. 1845, 171.
bimaculatus Pycnonotus (Horsf.), G. R. Gray, Gen. Birds, I. Oct. 1847, 237.—Turdus.
bimaculata Querquedula, Bonaparte, Cat. Met. Ucc. Europ. 1842, 71.
bimaculatus Rhombospilus, C. J. B. Amyot, Ann. Soc. Ent. France, IV (1) 1846, 83.
bimaculatus Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 442.—Curculio, 1787.
bimaculatus Rhystrachelus, C. H. Boheman, Ins. Caffr. I (1) 1848, 135.
bimaculata Rutela, J. Sturm, Catal. Ins. Samml. 1826, 191 [*n. n.*].
bimaculatus Salpingus, L. Gyllenhal, Ins. Suecica, I (2) 1810, 644.
bimaculata Saropoda (Panz.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 35.—Apis,
bimaculatus Sayris, C. S. Rafinesque-S., Car. n. gen. 1810, 62. [1798].
bimaculata Sciaira, J. C. Fabricius, Syst. Antliat. 1805, 59. [lopsis.
bimaculatus Scolopsides (Ruepp.), Cuvier & Valenc., H. N. Poiss. V. 1830, 341.—Sco-
bimaculatus Scolopsis, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.)
 Fische (10) 1828, 8.
- bimaculatus** Scymnus, T. Victor, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 416.
bimaculatus Selatosomus (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 269.—Elater, Rossi, 1790.
- bimaculata** Serica, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 24.
bimaculatus Serrosalmo, J. Minding, Lehrb. Naturg. Fische, 1832, 120.

- bimaculata** Silpha, T. Marsham, Coleopt. Brit., Sept. 1802, 126.
bimaculatus Sirex, E. Donovan, Brit. Ins. XIII. 1808, 15.
bimaculata Sitona, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 196.
bimaculatus Spartocerus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 7.
bimaculatus Sphagebranchus (Raf.), A. Risso, H. N. Europe, III. 1826, 195.—Dalophis.
bimaculatus Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 38.
bimaculatus Staphylinus, T. Marsham, Coleopt. Brit., Sept. 1802, 525.
bimaculatus Staphylinus, F. V. Melsheimer, Ins. Pennsylv. 1806, 57 [*n. n.*].
bimaculatus Stenus, L. Gyllenhal, Ins. Suecica, I (2) 1810, 466.
bimaculatus Stilius, C. H. Boheman, Ins. Caffr. I (1) 1848, 287.
bimaculata Stratiomys, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 106.
bimaculatus Stripsypher, Gory & Percheron, Mon. Cétinoies (3) 1834, 97.
bimaculatus Sunius, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 641.
bimaculatus Tabanus, J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, 1825, 1826, 484.
bimaculatus Tabanus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 57 [*n. n.*].
bimaculata Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 195.
bi-maculatus Tachinus, Knoch; Dejean, Catal. Coléopt. 1821, 26 [*n. n.*].
bi-maculatus Tachyporus, Grav.; Dejean, Catal. Coléopt. 1821, errata [*n. n.*].
bimaculatus Tenerus, Laporte, Revue Entom. IV (1) 1836, 44.
bimaculata Tetanocera, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 321. [89.—Salmò, L. 1758.
bimaculatus Tetragonopterus (Bloch), Müller & Troschel, Arch. f. Naturg. X (1) 1844,
bimaculatum Tetraonyx (Klug), Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 596.—Lytta.
bimaculata Tetrix, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 599.
bimaculatus Tetrix (L.), G. Fischer, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 389.—Gryllus, Deg. 1773.
bimaculatus Tetrodon, J. Richardson, Zool. "Sulphur," 1845, 119.
bimaculatus Tetrodon, Bennett, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 199.
bimaculata Thelia (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 541.—Membracis, 1794.
bimaculatus Tillus, E. Donovan, Brit. Ins. XII. 1807, 50.
bimaculatus Tillus, F. Klug, Abh. K. pr. Ak. Wiss. (Berlin) 1840 [1842], 282.
bimaculatus Trichius, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 111.
bimaculata Trogosita, F. V. Melsheimer, Ins. Pennsylv. 1806, 55 [*n. n.*] & *var. fasciata*, Knoch [*n. n.*]. [Philad. II (5) Oct. 1844, 110.
bimaculata Trogosita, F. V. Melsheimer; F. E. Melsheimer, Proc. Acad. Nat. Sci. Tryponaeus, W. F. Erichson, Jahrb. Insectenk. I. 1834, 201.
bimaculatus Turdus, T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 147.
bimaculatus Tylonotus, S. S. Haldeman, Tr. Amer. Phil. Soc., n. s., X (1) Nov. 1847, 38.
bimaculatus Tylonotus, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (2) Nov. 1850, 23.
bimaculata Vespa, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 264.
bimaculatus Xiphophorus, J. J. Heckel, Sitz. k. Ak. Wiss. (Wien) I. 1848, 297.
bimaculatus Xiphosurus (Merr.), L. J. Fitzinger, Neue Classif. Rept. 1826, 48.—Anolis, Xylota, J. Macquart, Mém. Soc. R. Sci. Lille, 1827-8, 1829, 282. [Daud.
bimaculatus Xylotoles, A. White, Zool. "Ereb. Terr." (Ins. 1846), 22.
bimaculatus Xyrichthys, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Fische (12) 1829, 43.
bimaculatus Zonitis (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 188.—Apalus, Zophium, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 28. [1775.
bimaculatum Zophium, C. H. Boheman, Ins. Caffr. I (1) 1848, 31.
bimaculella Adela, J. E. Fischer v. R., Abbild. Schmett. (14) 1840, 193.
bimaculella Elachista, Haworth in H. T. Stainton, Syst. Cat. Brit. Tin., Mar. 1846, 24.
bimaculella Glyphipteryx (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834, 272.—Tinea; ? Elachista.
bimaculella Oecophora (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Tinea; Tinea, F. v. P. Schrank, F. Boica, II (2) 1802, 116. [? Elachista.
bimaculella Tinea, A. H. Haworth, Lepidopt. Brit. (4) 1828, 574.

- bimaculicollis** Cantharis, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 434.
- bimaculosus** Exochomus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 488.
- bimaculosa** Lycaena, E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 53 [*n. n.*].
- bimaculosa** Meganephria (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 206.—
Phalaena, 1767. [1767.]
- bimaculosa** Miselia (L.), F. Ochsenheimer, Schmett. Europ., IV. 1816, 73.—Phalaena,
- bimaculosus** Mycetophagus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 14 [*n. n.*].
- bimaculosa** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 7 (Fernaldo judice 1802) [*n. et f.*].
- bimaculosa** Polia (Esp.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 42.—Noctua, L.
- bimaculosus** Stenus, J. F. Stephens, Man. Brit. Coleopt. 1839, 409. [1767.]
- bimaculosa** Tipula, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 54 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 248.
- bimaensis** Nanina, A. Mousson, Land-Mollusk. Java, 1849, 111.
- bimanculata** Halticoptera *v.* bimaculata.
- bimanensis** Atherina, P. Bleeker, Journ. Indian Arch. II (9) Sept. 1848, 637.
- Bimanus** M. Oppel, Ordn. Rept. 1811, 45.—R.
- bimarginata** Altica, T. Say, J. Acad. Nat. Sci. Philad. IV. Aug. 1824, 85.
- bimarginata** Armida, A. Risso, H. N. Europe, V. 1826, 109.
- bimarginata** Auricula, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1824, 70.
- bimarginatum** Cardium, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 39.
- bimarginatum** Cerithium (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 250.—Turritella. [toma.]
- bimarginata** Clavatulula (Lam.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 73.—Pleuro-
- bimarginatus** Dytiscus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 442.
- bimarginata** Escharites, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 17.
- bimarginatus** Fusus, C. Giebel, N. Jahrb. f. Min. 1847, 823.
- bimarginatus** Hybodus, Plieninger in H. v. Meyer & Plien., Beitr. Pal. Württ. 1844, 114.
- bimarginatus** Iulus, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 193.
- bimarginatus** Lygaeus, Herrich-S., Wanzenart. Ins. VIII (6) Oct. 1847, 105.
- bimarginata** Pleurotoma, Lamarck, An. s. vert. VII. 1822, 93. [Auricula.]
- bimarginata** Turbonilla (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 301.—
- bimarginata** Turritella, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 105.
- Bimia** A. White, Proc. Zool. Soc. London, XVIII (201) Nov. 12, 1850, 13.—Col.
- biminana** Hypermezia, A. Guénéé, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 173.
- bi-monilifera** Paludina, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 58. [1776.]
- bimorpha** Oceania (Fab.), J. F. Eschscholtz, Syst. Acalephen, 1829, 99.—Medusa, Müll.
- bimucronatus** Arges (Murch.), Goldfuss, N. Jahrb. f. Min. 1843, 544.—Paradoxides.
- bimucronata** Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 88, Dec. 1846.
- bimucronata** Cellepora, A. H. Hassall, Ann. Mag. N. H. VII. July 1841, 367.
- bimucronatus** Cheirurus (Portl.), F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 44.—Paradoxides, Murch.
- bimucronata** Cobitis, J. M'Clelland, Asiat. Researches, XIX (2) 1839, 304.
- bimucronata** Eschara, J. P. C. Moll, Esch. Zooph. 1803, 65 & no. xv; Die Seerinde, 1803, 72. [II (2) 1840, 377.—Scarabaeus, 1781.]
- bimucronatus** Euchirus (Pall.), Burmeister & Schaum in Germar, Zeitschr. f. d. Entom.
- bimucronatus** Paradoxides, R. I. Murchison, Silurian System, Jan. 1839, 658.
- bimucronatus** Propomacrus (Pall.), H. Burmeister, Handb. Ent. III. 1842, 703.—Scara-
- bimuricata** Cypris, C. L. Koch, Deutsch. Crust., heft 11, 1837, tab. 2. [baeus, 1781.]
- bina v. binus -a -um.**
- binaevalis** Nephopterix, J. Huebner, Verz. bekannt. Schmett. 1826, 370.—Tinea binae-
- binaevatus** Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 975. [vella.]
- binaevella** Lotria (Hueb.), A. Guénéé, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 321.—Tinea.
- binaevella** Phycis (Hueb.), Zincken, Mag. Entom. (Germar) III. 1818, 156.—Tinea.
- binaevella** Phycita (Germ.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834, 303.—Tinea, Huebn.

- binaevella** Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 57 (Fernaldo judice 1811-17)
- binaevius** Pteromalus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 190. [*n. et f.*]
- Binarea** A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 470.—Hym.
- binaria** Acutalis, L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847, 497.
- binarius** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 276.
- binatus** Coluber, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 105.
- binderella** Coleophora, Anon., Ber. lepidopt. Tauschver. [Jena], for 1850, 68 [*n. n.*].
- binderella** Ornix, V. Kollar, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien)
- bindus** Equula, Cuvier & Valenc., H. N. Poiss. X. 1835, 78. [II. 1832, 99.]
- binella** Elachista, P. C. Zeller, Isis (Oken), 1839, 213.
- binervius** Belemnites, F. V. Raspail, Ann. Sci. Observ. I (2) Feb. 1829, 304.
- Binghami** (*sic*) T. Brown, Ill. Conch. G. B. I. 1827, pl. xxxi, f. 17.—L.
- binghami** Corbula (Turt.), S. Hanley, Ill. Cat. Bivalve Shells (1) *ineunte* 1843, 47.—Spenia.
- binghami** Mya (Turt.), J. E. Gray, Ann. Phil. XXV. 1825, 135.—Spenia.
- binghami** Pyramis, T. Brown, Ill. Conch. G. B. I. 1827, pl. 1, f. 29 [*n. et f.*].
- binghami** Rissoa, T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 10.—Pyramis, 1827.
- binghami** Spenia, Turton in T. Brown, Ill. Conch. G. B. I. 1827, pl. xiv, f. 22 [*n. et f.*].
- binghami** Sphaena, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 344.
- binghami** Sphenia, W. Turton, Conch. Insul. Brit. 1822, pp. xxxiii & 36.
- [bingleyi]
- bingleyi** Acrida, J. Curtis (*ex* Dale MS), Brit. Entom. II (20) Aug. 1825, no. 82.
- bingleyi** Decticus (Curt.), J. F. Stephens, Ill. Brit. Ent. (Mand. VI.) Ap. 1835, 17.—Acrida.
- binimbatus** Pteromalus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 191.
- binneyanum** Choanopoma (Ad.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 52.—Cyclostoma.
- binneyanum** Cyclostoma, Adams, Zeitschr. f. Malakozool., Mar. 1846, 47.
- binneyana** Cyllindrella, R. A. Philippi, Abb. Conch. II (2) 1845, 49.
- binneyana** Helix, L. Pfeiffer, Zeitschr. f. Malakozool., Jan. 1847, 13.
- binneyi** Avicula, T. Brown, Trans. Manchester Geol. Soc. I. 1841, 65.
- binneyi** Hoplopygus, J. L. R. Agassiz, Poiss. Foss. II (2) 178 (1844).
- binneyi** Tragos, W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 13.
- binneyi** Unio, I. Lea, P. Amer. Phil. Soc. IV (33) Aug. 1845, 165. [Meyer, 1793.]
- binny** Barbus (Forsk.), H. Cloquet, Dict. Sci. Nat. (ed. 2) IV (Suppl.) 1816, 9.—Cyprinus,
- binoculata** Hyla, J. E. Gray in G. Grey, Journ. 2 Exp. Austral. II. 1841, 447.
- binoculata** Iguana, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 427.
- Binoculus** P. A. Latreille [*non* Geoff.] in Sonnini's Buffon (Ins.) IV. 1802, 119.—Cr.
- binoculus** Dictyocha, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 79.
- binoculus** Drepanepteryx, E. Newman, Entom. Mag. V (4) Ap. [*z. e.* July] 1838, 400.
- binodis** Cerceris, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 117.
- binodis** Copris, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 407.
- binode** Distoma (Müll.), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 215.—Fasciola,
- binodis** Eumenes, J. C. Fabricius, Syst. Piezat. 1804, 287.—Vespa, 1798. [1776.]
- binodis** Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 478.
- binodis** Platyomida, A. White, Zool. "Ereb. Terr." (Ins. 1846), 14.
- binodis** Spongia, C. G. Ehrenberg, N. Jahrb. f. Min. 1841, 732 [*n. n.*].
- binodis** Spongolithis (Ehr.), H. G. Bronn, Index Pal. 1848, 1194.—Spongia.
- binodosus** Ammonites, G. Fischer v. W., Oryct. Moscou, 1830, sign. *a*².
- binodosus** Ammonites (Ceratites), F. v. Hauer, Denkschr. k. Ak. Wiss. (Wien) II. 1851 [1850], 114.
- binodosum** Cerithium, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 79.
- binodosa** Chemnitzia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],
- binodosa** Clymenia, G. v. Muenster, Beitr. zur Petref. (1) 1839, 9. [185.—Turritella.]
- binodosus** Goniatites, G. v. Muenster, Die Planuliten, 1832, 31.
- binodosa** Murchisonia, Archiac & Verneuil, Bull. Soc. géol. France, XII. 1841, 159 [*n. n.*].
- binodosa** Pleurotomaria, G. v. Muenster, Beitr. zur Petref. (4) 1841, 111.
- binodosa** Pleurotomaria, F. A. Roemer, Verst. Harzgeb. 1843, 28.
- binodosus** Scaphites, F. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 90.
- binodosus** Trochus, G. v. Muenster, Beitr. zur Petref. (4) 1841, 107.

- binodosa** Turritella, G. v. Muenster, Beitr. zur Petref. (4) 1841, 120.
- binodulosus** Trochus, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 151.
- binodulosus** Turbo (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 193.—
Trochus. [Culio, 1795.]
- binodulus** Bagous (Herbst), E. F. Germar, Mag. Entom. (Germar) II. 1817, 340.—Cur-
- binodulus** Chlaenius, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3)
Nov. 1844, 231. [156.]
- binodulus** Elater (Hypolithus), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833].
- binodulus** Epiphylax, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 204.
- binodulus** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 52.
- binodula** Rhagonycha, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (2) 1846,
512. [1795.]
- bi-nodulus** Rhynchaenus (Herbst), L. Gyllenhal, Ins. Suecica, I (3) 1813, 84.—Curculio,
- binoei** Halmaturus, J. Gould, Proc. Zool. Soc. London, X (112) Nov. 1842, 58.
- binoei** Heteronota, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 174.
- binominis** Cryptocephalus, E. Newman, Entomologist (5) Mar. 1841, 78.
- binonaria** Mesocena, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 78.
- binotapennella** Ornix, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)
- binotatella** Porrectaria, P. C. Zeller, Linnaea Entom. IV. Dec. 1849, 224. [[1842], 295.]
- binotator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 268.
- binotatum** Acridium (L.), J. W. Zetterstedt, Orthopt. Svec. 1821, 119.—Gryllus, 1789.
- binotatus** Agabus, Gené, C. Aubé, Spec. gén. Hydroc. 1838, 337.
- binotatus** Agrilus, Gory in Laporte & G. (*ex Dej.*), H. N. Coléopt. IV. 1841, 236.
- bi-notata** Altica, Ill.; Dejean, Catal. Coléopt. 1821, 119 [*n. n.*].
- binotatus** Anchonoderus, L. Reiche, Rev. Zool. (Soc. Cuv.) VI. Feb. 1843, 39. [1787.]
- binotatus** Anisodactylus (Fab.), Dejean, Spec. gén. Coléopt. IV. 1829, 140.—Carabus,
- binotata** Anomala (Schoen.), H. Burmeister, Handb. Ent. IV (1) 1844, 262.—Melolontha.
- binotata** Anthaxia, A. Chevrolat, Revue Entom. V (2) c. Sept. 1838, 75.
- binotata** Anthia, B. P. Perroud, Mélang. Entom. (1) 1846, 11; Ann. Soc. Linn. Lyon
(1845-46) 1847, 35.
- binotatus** Anthicus, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 136.
- binotata** Anthomyza, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1672.
- binotata** Anthophora, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 127 [*n. n.*].
- binotata** Anthrax, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II.
1820, 165.
- binotata** Anthrax, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 241.
- bi-notatus** Antophagus, Dejean, Catal. Coléopt. 1821, 26 [*n. n.*]. [38.]
- binotata** Antophora, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
- binotatus** Apalus, J. C. Megerle, Bemerk. zu Illiger's Zusätzen zu Fabricii Syst. Eleuth.
1812, 18.
- binotatus** Aphodius, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 401.
- binotatus** Attelabus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 316.
- binotatus** Badister, G. Fischer v. W., Entom. Imp. Russ. III. *post* Nov. 1828, 299.
- binotatus** Bagous, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13 [*n. n.*]; & Ill. Brit.
Ent. (Mand. IV.) Mar. 1831, 48.
- binotatus** Barbus, Kuhl & v. Hasselt in Cuvier & Valenc., H. N. Poiss. XVI. 1842, 168.
- binotata** Baris, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 7.
- binotatum** Bembicidium, V. v. Mochulski, Kaefer Russl., *post* May 1850, 16.
- binotatus** Boletobius, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844,
- binotatus** Brachinus, B. Zubkov, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 314. [33-]
- binotatus** Brachyrhinus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 178.—
- binotatus** Bruchus, J. Sturm, Catal. Ins. Samml. 1826, 103 [*n. n.*]. [Curculio, 1792.]
- bi-notata** Buprestis, Dejean, Catal. Coléopt. 1821, 30 [*n. n.*].
- binotatus** Calicurgus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845;
- bi-notata** Cantharis, Dejean, Catal. Coléopt. 1821, 37 [*n. n.*]. [402-]
- binotatus** Caprimulgus, Temminck in C. L. Bonaparte, Consp. gen. Avium, I. 1850, 60.
- binotatus** Capsus (Fab.), Herrich-S., Wanzenart. Ins. III (5) July 1836, 77.—Lygaeus,
1794.

- bi-notatus** Celetes (Klug), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 22.—Curculio, Fab. 1792.
- binotatus** Celetes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 635.
- binotatus** Centronotus, C. S. Rafinesque-S., Car. n. gen. 1810, 43.
- binotatus** Ceratopogon, C. Staeger, Naturhist. Tidsskrift, II (6) 1839, 596.
- binotatum** Cercyon, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 137.
- binotata** Cetonia, Gory & P., Mon. Cétoines (10) Ap. 1836, 250.
- binotatus** Chironomus (*sic*), C. R. W. Wiedemann, Zoologisches Magazin, I (1) 1817, 65.
- binotatus** Chlaenius, Dejean, Spec. gén. Coléopt. II. 1826, 302.
- binotatus** Chrysolampus (Boyer), C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 427.—
- binotatus** Cimex, J. C. Fabricius, Syst. Rhyng. 1803, 165.—Coreus, 1794. [Cynips.
- binotata** Cistela, T. Say in Keating, Exp. Peter River, II. 1824, 285, & ed. London, 1825 (App.), 29. [Mar. 1836, 15.
- binotata** Clausilia, Ziegler in E. A. Rossmassler, Icones L. ii. S. Moll. Europ. I (3)
- binotata** Coccinella, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 19 [*n. n.*]; & *var.* albifrons, F. V. M.
- binotata** Coccinella, T. Say, Journ. Ac. Nat. Sci. Philad. V. Dec. 1826, 302.
- binotata** Coccinella, J. Sturm, Catal. Ins. Samml. 1826, 121 [*n. n.*].
- binotatus** Coius, J. E. Gray, Ill. Indian Zool. II [1832-3] (pl. 89).
- binotatus** Colymbetes, T. W. Harris, New England Farmer, VII (21) Dec. 1828, 164.
- binotatus** Colymbetes (Mann.), C. Aubé, Spec. gén. Hydroc. 1838, 247.—Rantus.
- binotatus** Conurus (Grav.), W. F. Erichson, Gen. Spec. Staph. (1) 1839, 224.—Tachy-
- binotatus** Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 129. [porus.
- binotatus** Crabro (Blepharipus) (Le P.), A. G. Dahlbom, Hymenopt. Europaea (2) 1844, 344.—Crossocerus.
- binotatus** Cremaastus, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 740.
- binotatus** Crossocerus, Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 771.
- binotatus** Cryptorhynchus, D. H. Schneider, Verz. Insectensamml. 1828, 79 [*n. n.*].
- binotatus** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1)
- bi-notatus** Cucujus, Dejean, Catal. Coléopt. 1821, 103 [*n. n.*]. [1844, 332.
- binotatus** Cybister, J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 28.
- binotatus** Cybister, C. H. Boheman, Ins. Caffr. I (1) 1848, 234.
- binotata** Cymindis, G. Fischer v. W., Entom. Imp. Russ. I (Ent. Ruthen.) *post* May
- binotatus** Cymus, E. F. Germar, Revue Entom. V (3) 1840, 138. [1822, 121.
- binotata** Cinips, Boyer de F., Ann. Sci. Nat. XXVI (103) July 1832, 289.
- binotatus** Dasytes, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 422.
- binotata** Daulis (Say), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 322.—Coccinella.
- binotata** Dichelacera, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 117.
- binotatus** Distagonum (Fab.), C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 139. ? Cimex, Gm. 1789.
- binotata** Dolichotoma, C. H. Boheman, Mon. Cassid. I. 1850, 197.
- binotatus** Dolomedes, C. L. Koch, Die Arachniden, XIV (4) Ap. 1847, 121. [143.
- binotata** Empusa, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
- binotata** Epicharis, M. Spinola in G. Osculati, Esplor. Reg. Equat. 1850, 201 [*n. n.*].
- binotatus** Eulophus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 42. [pterus.
- binotatus** Eurydera (Klug), Laporte & Gory, H. N. Coléopt. I. 1835-6, 8.—Thyreo-
- binotata** Euryscopa, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 501.
- binotatus** Eysarcoris, C. W. Hahn, Wanzenart. Ins. II (6) Mar. 1835, 130.
- binotata** Galleruca, Megerle in K. Duftschmid, Fauna Austriae, III. 1825, 222.
- binotata** Glycyphana (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 347.—Cetonia.
- binotatus** Gryllus, T. v. Charpentier, Horae Ent. 1825, 158.
- binotata** Haltica, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 124.
- binotatus** Harpalus (F.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 358.—Carabus, 1787.
- bi-notatus** Heilipus, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 163 [*n. n.*].
- binotatus** Heterochelus (Thunb.), H. Burmeister, Handb. Ent. IV (1) 1844, 116.—Trichius.
- binotatus** Heterothops (Grav.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23.—Staph.

- binotata** Heza (Le P. & S.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 375.—Reduvius.
- bi-notatus** Hister, Dejean, Catal. Coléopt. 1821, 47 [*n. n.*].
- binotatus** Hister, W. F. Erichson, Jahrb. Insectenk. I. 1834, 144. [679.]
- binotatum** Holocentrum, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835),
- binotatus** Hydrophorus, C. F. Fallen, Mon. Dolichop. Sveciae (1) 1823, 3.
- binotatus** Hypsonotus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 163.
- binotatus** Iassus, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 358 [*n. n.*].
- binotatus** Ichneumon, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 132 [*n. n.*]; & Ill. Brit. Ent. (Mand. VII.) Sept. 1835, 147.
- binotata** Iresia, F. Klug, Jahrb. Insectenk. I. 1834, 8.
- binotata** Lebia, L. Buquet, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 679.
- binotata** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 456.
- binotata** Leptura, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 162.
- bi-notata** Leptura, Dejean, Catal. Coléopt. 1821, 113 [*n. n.*]; Rev. Entom. III (6) 1836,
- bi-notatus** Lepyrus, Gyll; Dejean, Catal. Coléopt. 1821, 88 [*n. n.*]. [306.]
- binotatus** Lepyrus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 162.—Curculio, 1792.
- binotata** Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 36.
- binotatus** Limnophilus, J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser., IV (20) Feb. 1834,
- binotata** Limnobia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 29. [122.]
- binotata** Limnobia, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 834.
- binotatus** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 71.
- binotata** Macrocera, T. Say, Boston Journ. N. H. I (4) 1837, 404.
- binotatus** Madarus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 108.
- binotatus** Mastostethus (Klug), T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 656.—Megalopus.
- binotata** Megachile, F. E. Guérin-M., Iconographie, 1844, Ins. 450.
- binotatus** Megalopus, F. Klug, Entom. Mon. 1824, 74. [1817, 106.]
- binotata** Melolontha, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 191; & App.
- binotata** Membracis, T. Say in Keating, Exp. Peter River, II. 1824, 301, & ed. London, 1825 (App.), 42. [1794.]
- binotatus** Miris (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 223.—Lygaeus,
- binotatus** Monocerus, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (4) 1847, 488.
- binotata** Nandinia (Reinw.), J. E. Gray, List Mamm. Coll. B. M. 1843, 54.—Viverra, Gray, 1830. [artic. (4) 1849, 20.—Anthicus.]
- binotatus** Notoxus (Gebler), F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim.
- bi-notata** Oregostoma, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 178 [*n. n.*].
- binotata** Oxycheila, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, 264.
- binotatus** Paederus, T. Say, J. Acad. Nat. Sci. Philad. III. Oct. 1823, 154.
- binotata** Pangonia, P. A. Latreille, Ency. Méth. VIII (2), (Ins.) [1812], 703.
- binotatus** Paradoxurus (Reinw.), J. E. Gray, Proc. Comm. Sci. Zool. Soc. London (17) Ju. 1832, 68.—Viverra, Gray, 1830. [1830.]
- binotata** Paradoxurus (Gray), C. J. Temminck, Mon. Mamm. II. 1841, 336.—Viverra,
- binotata** Parastasia, J. O. Westwood, Ann. Mag. Nat. Hist. VIII (51) Dec. 1841, 304.
- binotata** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 34.
- binotata** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 230.
- binotatus** Philonthus (Grav.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 506.—Staphy-
- binotatus** Phygadeuon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 721. [linus.]
- binotatus** Phytocoris (Fab.), C. F. Fallen, Hemipt. Sveciae, 1829, 78.—Lygaeus, 1794.
- binotata** Pipiza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 616.
- binotata** Plectris, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
- binotatus** Plochonius, Dejean, Spec. gén. Coléopt. I. 1825, 252. [1850, 127.]
- binotatus** Pompilus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 33 [*n. n.*].
- binotatus** Prochilodus, W. Jardine in Schomburgk, Fishes Brit. Guiana, I (Nat. Libr. XXXII.) 1841, 260.
- binotatus** Psocus, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 323.
- binotatum** Pyraconema, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 450.
- binotata** Rana, J. B. v. Spix, Ranar. Brasil. 1824, 7.

- binotatus** Rantus, Dejean, Cat. Coléopt., ed. 3, 1836, 62.
- binotatus** Reduvius, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 277.
- binotatus** Rhagigaster, J. O. Westwood, Arcana Entom. II (19) May 1844, 105.
- binotatus** Rhipiphorus, G. Fischer, Bull. Soc. Imp. Nat. Moscou, IV, 1832, 427.
- bi-notatus** Rhynchaenus (Fab.), L. Gyllenhal, Ins. Suecica, I (3) 1813, 165.—Curculio, 1792.
- binotata** Sapromyza, J. Macquart (Roret's Suite à Buffon), Diptères, II, 1835, 399.
- binotata** Scolia, J. C. Fabricius, Syst. Piezat. 1804, 244.
- binotata** Scutellera, Say in Keating, Narr. Exped. St Peter's River, II, 1824, 298, & ed. London, 1825, App. p. 39 (rinotata).
- bi-notatus** Scymnus, Meg.; Dejean, Catal. Coléopt. 1821, 132 [*n. n.*].
- binotata** Seriola, Cuvier & Valenc., H. N. Poiss. IX, 1833, 215. [462.]
- binotata** Solieria, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VI (4) May 1845.
- binotata** Spilogaster, J. Macquart (Roret's Suite à Buffon), Diptères, II, 1835, 295.
- binotatus** Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 28.
- binotatus** Stenus, S. I. Ljungh, Arch. syst. Naturges. I (1) 1804, 66.
- binotatus** Stenus, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 229.
- binotata** Strangalia, E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 258.
- binotatus** Sunius (Say), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 645.—Paederus.
- bi-notatus** Tachinus, Knoch; Dejean, Catal. Coléopt. 1821, 26 [*n. n.*].
- binotatus** Tachyporus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 132.
- binotatus** Tachys, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 53 [*n. n.*].
- binotatus** Tachys, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) July 1828, 5.
- binotatus** Tanypus (Wied.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. I, 1818, 65.—Chironomus.
- binotata** Tectocoris, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 15.
- binotata** Thereva, H. Loew, Dipterologische Beiträge, II, 1847, 24.
- binotatus** Thyropterus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 125.
- binotatus** Trichius, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI, 1818, 448.
- binotata** Vespa, J. C. Fabricius, Syst. Piezat. 1804, 266.
- binotata** Viverra, J. E. Gray, Spec. Zool. 1830, 9. [[1842], 256.]
- binotella** Palpula, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)
- binotellus** Ypsolophus, J. E. Fischer v. R., Abbild. Schmett. (20) 1843, 301.
- binotopsis** Julis (Halichoeres), P. Bleeker, Verh. Batav. Genootsch. XXII, 1849 (Ichth.
- binotopterus** Apistus, P. Bleeker, Nat. Tijd. Ned. Indie, I (1) 1850, 26. [fauna Bali], 7.
- Binovoluta** Schlueter, 1838; *err.* Marschalli *pro* Binovoluta, *q.v.*
- binturong** Arctictis (Raffl.), J. B. Fischer, Syn. Mamm. 1829, 157.—Viverra.
- binturong** Viverra, T. S. Raffles, Tr. Linn. Soc. London, XIII (1) 1821, 253.
- binubeculatus** Pteromalus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 191.
- binumerica** Lithosia, A. Drapiez, Ann. gén. Sc. Phys. (Bruxelles) I, July 1819, 55.
- binus** Ammonites, J. Sowerby, Min. Conch. I, 1815, 208.
- bina** Anthomyia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II, 1830, 426.
- binus** Attus, N. M. Hentz, Boston Journ. N. H. V (3) 1846, 352.
- bina** Cetonia, Gory & Percheron, Revue Entom. III (3) 1835, 125.
- binus** Elater, T. Say, Tr. Amer. Phil. Soc., n. s., VI (2) 1839, 177.
- bina** Liostraca (G. & P.), H. Burmeister, Handb. Ent. III, 1842, 589.—Cetonia.
- bina** Petraia (Lonsd.), J. Morris, Cat. Brit. Foss. 1843, 42.—Turbinolopsis.
- bina** Streptolasma (Lonsd.), A. d'Orbigny, Prodr. Paléont. I, 1849 [Jan. 1850], 47.—Turbinolopsis.
- bina** Turbinolopsis, W. Lonsdale in R. I. Murchison, Silurian System, Jan. 1839, 692.
- Binovoluta** F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 24.—G.
- biocellata** Anthomyza, J. W. Zetterstedt, Dipt. Scand. IV, 1845, 1724.
- biocellatus** Blennechis, Cuvier & Valenc., H. N. Poiss. XI, 1836, 289.
- biocellatus** Chaetodon, Cuvier & Valenc., H. N. Poiss. VII, 1831, 62.
- biocellatus** Chironectes, G. Cuvier, Mém. Mus. H. N. (Paris) III [4-6] Oct. 1817, 427.
- biocellata** Coccinella, F. v. Gebler in Ledebour, Reise Altai, II, 1830, 223.
- biocellatus** Glyphisodon, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 389.
- biocellatus** Gobius, Cuvier & Valenc., H. N. Poiss. XII, 1837, 73.

- biocellatus** Pomacentrus, E. Rueppell, Neue Wirbelth. Abyssin. (12) 1838, 127.
- bioctonaria** Mesocena, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 78.
- biocularis** Raia, I. Geoffroy St H. in Savigny, Egypte, I (1) (Poiss. Mer Rouge), 1827, 338.
- bioculata** Amphiope (Des M.), L. Agassiz [Cat. Ect. Ech. 1840]; Mon. Ech. II. 1841, 73.—Scutella. [1758.]
- bioculatus** Baetis (L.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 137.—Ephemera,
- bioculata** Buprestis (Lampetis), Oliv.; J. C. F. Klug in Erman, Reise Erde, Atlas, 1835,
- bioculata** Cantharis, Norw.; J. Sturm, Catal. Ins. Samml. 1826, 109. [29.]
- bioculata** Cephalothrix, A. S. Oersted, Naturhist. Tidsskrift, IV (6) 1843, 573.
- bioculata** Cephalothrix, C. M. Diesing, Syst. Helminth. I. 1850, 246.
- bioculata** Clepsine (Müll.), J. C. Savigny, Egypte, I (3) (Ann.) 1822, 119.—Hirudo,
- bioculata** Coccinella, T. Say, J. Acad. Nat. Sci. Philad. IV. Aug. 1824, 94. [1774.]
- bioculatus** Cryptocephalus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 14.
- bioculata** Ephemera, C. A. Walckenaer, Faune Paris, II. 1802, 9.
- bioculata** Erpobdella (Müll.), Lamarck, An. s. vert. V. 1818, 296.—Hirudo, 1774.
- bioculata** Galeruca, A. G. Olivier, Entom. VI. 1808, 663.—Crioceris, 1781.
- bi-oculata** Galleruca, Fab.; Dejean, Catal. Coléopt. 1821, 118 [n. n.].
- bioculata** Glossiphonia (Müll.), A. Moquin-T., Mon. Hirudin., ed. 2, c. July 1846, 366.
—Hirudo, 1774.
- bioculata** Glossobdella (L.), de Blainville, Dict. Sci. Nat. LVII. 1828, 565.—?Hirudo,
Müll. 1774.
- bioculata** Gynandrophthalma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 289.
- bioculatus** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 49.
- bioculatus** Helluo, L. Oken, Lehrb. Nat. III (1) 1815, 368.
- bioculata** Hippurites, Lamarck, Syst. Anim. 1801, 104.
- bioculata** Hyla, J. E. Gray, Ann. Mag. N. H. VII. Ap. 1841, 90.
- bioculatus** Iulus, Gervais & Goudot, Ann. Soc. Ent. France (2) II. 1844, p. xxix.
- bioculata** Latipalpis (Ol.), Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 289.—
- bioculata** Mantis, H. Burmeister, Handb. Ent. II (2) 1, 1838, 537. [Buprestis, 1790.]
- bioculata** Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 305.
- bioculata** Nemertes, A. S. Oersted, Naturhist. Tidsskrift, IV (6) 1843, 577.
- bioculatum** Pelecotoma, W. E. Shuckard, Entom. Mag. V (5) Oct. 1838, 512.
- bioculata** Phasma, H. Houttyn in Stoll, Spoken (Index Phasm. [1813]), 77.
- bioculatum** Phyllium, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 191.
- bioculata** Planaria, G. Johnston, Zool. Journ. IV (13) July 1828, 56.
- bioculata** Polistes, J. C. Fabricius, Syst. Piezat. 1804, 278.
- bioculata** Scutella, C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 72 & 78.
- bioculatus** Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 960.
- bioculata** Sphaerulites, C. Des Moulins, Bull. H. N. Soc. Linn. Bordeaux, I (5) 1827,
262; ed. 2, 1830, 115. [Buffon], Aptères, IV. 1847, 200.—Iulus.
- bioculatus** Stemmiulus (Gerv. & G.), F. L. P. Gervais in Walckenaer (Roret's Suite à
- bioculatum** Tetrastemma, A. S. Oersted, Naturhist. Tidsskrift, IV (6) 1843, 576.
- Bioderus** V. v. Mochulski, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2) 1848, 487; Kaefer
Russl., *post* May 1850, 23.—Col.
- Biophloeus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 315.—Col.
- Biopholius** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Biapholius, Leach.
- Biophorus** Temminck & Schlegel in Siebold, F. Japon. (Aves, 1850), 135.—A.
- Biorhiza** J. O. Westwood, Introd. class. Insect. II. 1840, Syn. 56.—Hym.
- biornata** Cucullia, G. Fischer, Bull. Soc. Imp. Nat. Moscou, 1840 (1) 1840, 83.
- bipaginatius** Acrossus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 277.
- bipalmulata** Tereido, Lamarck, Syst. Anim. 1801, 129.
- bipalmulata** Tereido, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 207.
- bipapilla** Mantis, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 188.
- Bipapillaria** Lamarck, An. s. vert. III. 1816, 127.—Tun.
- bipartitus** Ammonites, C. H. v. Zieten, Pétrif. Wurt. (3) 1831, 18.
- bipartita** Anatina, A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 14.
- bipartita** Andrena, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 87.
- bipartita** Andrena, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 246.

- bipartita** Anomia, G. Brocchi, Conch. Subap. 1814, 469.
bipartita Apamea, Herrich-S., Syst. Bearb. Schmett. Europ. II (—) 1850-1, 285.
bipartita Arca, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 102.
bipartita Arianta, Fér.; H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 41.
bipartitus Asilus, Macquart in H. Lucas, Explor. Algér. (Artic. III.) 1849, 442.
bipartita Astarte, J. De C. Sowerby, Min. Conch. VI. 1826, 38.
bipartita Astarte, R. A. Philippi, Abb. Conch. II (2) 1845, 60.—Lucina, 1836.
bipartitus Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 121.
bipartitus Belemnites (Bl.), G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 128.—
Pseudobelus.
bipartitus Belemnites, F. Hartmann, Syst. Uebers. Verst. Württ. 1830, 16.
bipartita Brachyacantha, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 521.
bipartitus Braco, C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1838, 51.
bipartitus Calicurgus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845,
bipartitum Cardium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 242. [406.
bipartitus Ceratites, Gaillardot in H. G. Bronn, Lethaea Geogn. I (2) 1835, 179.
bipartitum Clisiophyllum, F. M'Coy, Ann. Mag. N. H. (2) III. Jan. 1849, 2.
bipartita Crania, Muenster in G. A. Goldfuss, Petref. German. II (7) 1840, 296.
bipartita Cucullaea, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 425.
bipartita Cypricardia, L. G. de Koninck, Descr. Anim. foss. (2) [Dec. 1841], 94.
bipartita Dictyocha, C. G. Ehrenberg, Ber. Ver. k. pr. Ak. Wiss. 1844, 79.
bipartitus Eriphus, L. Buquet in F. E. Guérin-M., Iconographie, 1844, Ins. 226.
bipartitus Gyges, C. G. Ehrenberg, Sym. Phys., Phyt. 1831 (pls. 1828) sign. *α*.—? Plantae.
bipartitus Gymnetron, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 751.
bipartita Helix (*ex Fér.*), W. Wood, Suppl. Index Test. 1828, 23 [*n. et f.*].
bipartita Hippobosca, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 432.
bipartita Hispa, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1, (1838), 141.
bipartitus Ischnochelus, H. Burmeister, Handb. Ent. IV (1) 1844, 130.
bipartita Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 443.
bipartitus Limnephilus, J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser., IV (20) Feb. 1834,
bipartita Lucina, Defrance, Dict. Sci. Nat. XXVII. 1823, 276. [124.
bipartita Lucina, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 32.
bipartitus Megalodon, C. F. Roemer, Rheinische Uebergangsgeb. 1844, 78.
bipartita Melipona, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836
[1835]. 432.
bipartita Melolontha, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 60.
bipartitus Merodon, F. Walker, List Dipt. Coll. B. M. (3) 1849, 599.
bipartitus Mesostenus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
bipartita Modiola, J. Sowerby, Min. Conch. III. 1818, 17. [1846, 220.
bipartitus Mytilus (Sow.), G. A. Goldfuss, Petref. German. II (6) 1832, 176.—Modiola.
bipartitus Nematus, Le Peletier, Mon. Tenthred. 1823, 69.
bipartita Nitidula, P. Trost, Kleiner Beitr. Entom. 1801, 18.
bipartita Oedemera, Schrank; J. Sturm, Catal. Ins. Samml. 1826, 175.
bipartita Oligocera, Buq.; Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 382.
bipartita Ozodera, L. Buquet, Rev. Zool. (Soc. Cuv.) III. Ap. 1840, 111. [88.
bipartita Pimpla, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
bipartitus Pompilus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845,
439. [166.
bipartita Psammobia, R. A. Philippi, Zeitschr. f. Malakozool. (Nov.) 1848 [Mar. 1849],
bipartitus Psectrapus, A. J. J. Solier, Baudi & Truqui, Studi Ent. I. 1848, 215.
bipartitus Pseudobelus, H. D. de Blainville, Mém. Bélem. 1827, 113.
bipartitum Rhabdium, H. Loew, Entom. Zeitung, Stettin, XI (4) Ap. 1850, 114.
bipartita Salpa, Bory de St V., Voy. îles atriq. I. 1804, 135.
bipartita Serpula, A. E. Reuss, Verst. boehm. Kreide. I. 1845, 19.
bipartitus Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 158.
bipartita Tachina, J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 267.
bipartita Tellina, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 85.
bipartitus Temnaspis, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 718.

- bipartita** Tenthredo, Le Peletier, Mon. Tenthred. 1823, 104.
- bipartita** Terebra, G. B. Sowerby, I., Q. J. Geol. Soc. London, VI. 1850, 47.
- bipartita** Terebratula, G. v. Muenster, Beitr. zur Petref. (4) 1841, 60.
- bipartita** Tragopa, L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847, 487.
- bipartita** Trigonina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 240.
- bipartita** Triloculina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 275.
- bipartitus** Turbo, C. Rouillier, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1) 1848, 270.
- Bipedius** C. S. Rafinesque, Analyse, 1815, 76.—R. [*n. n.*].
- bipennata** Teredo, W. Turton, Conch. Dict. 1819, 184.
- bipennifer** Dromius, C. C. Babington, Tr. Entom. Soc. Lond. I (2) Oct. 1835, 86.
- bipennis** Nematoptera (Ill.), J. O. Westwood, Proc. Zool. Soc. London, IX (97) Sept. 1841, 10 —Panorpa.
- bipennis** Pachyodon, T. Brown, Ann. Mag. N. H. XII. Dec. 1843, 391.
- bipennis** Panorpa, Illiger in E. F. Germar, Fauna Ins. Europ. (1) 1812, 16.
- bipennis** Unio, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 177.—Pachyodon, 1843.
- bipertita** Turritella, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (33) Dec. 1843, 326.
- Bipes** B. G. E. de Lacepède, Quad. Ovip. etc. I. 1788, Syn. Méth.—R.
- bipes** Anguisaurus, G. v. Muenster, N. Jahrb. f. Min. 1839, 677.
- bipes** Chamaesaurus, J. G. Schneider, Hist. Amph. II. 1801, 213.
- bipes** Dipus, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-11 (1815), 77.
- bipes** Leptocerus, E. F. Germar, Ins. Spec. novae, I. 1824, 426.
- bipes** Mysis (Fab.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 133.—Cancer, 1780.
- bipes** Mystacodella, Bory de St V., Dict. Class. H. N. XI. Feb. 1827, 410.
- bipes** Naupactus (Germ.), J. Sturm, Catal. Ins. Samml. 1826, 172.—Leptocerus.
- bipes** Nebalia (Fab.), H. Krøyer, Afhandl. K. Danske Vid. Selsk. VII. 1838, 319.—Cancer, 1780.
- bipes** Scelotes (L.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 123.—Anguis, 1758.
- bipes** Zygis (L.), J. Wagler, Nat. Syst. Amph. 1830, 160.—Anguis, 1758.
- Biphyllocera** A. White in G. Grey, Journ. 2 Exp. Austral. II. 1841, 461.—Col.
- Biphyllus** Dejean, Catal. Coléopt. 1821, 102 [*n. n.*]; Stephens, Nom. Brit. Ins., Aug. 1829, 8.—Col.
- bipilis** Notaspis, J. F. Hermann, Mém. Aptér. 1804, 95.
- bipilis** Oriбата (Herm.), A. G. Olivier, Ency. Méth. VIII (2) (Ins.) 1812, 534.—Notaspis.
- Bipinnaria** M. Sars, Beskr. Bergenske Kyst Dyr, 1835, 37.—Coel.
- bipinnata** Glauconome, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 21.
- bipinnata** Ichthyorachis (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 101.—Glauconome.
- bipinnatus** Murex, L. Reeve, Conch. Icon. III.—Murex, no. 6, Ap. 1845.
- bipinnata** Plumularia, Lamarck, An. s. vert. II. 1816, 126.
- bipinnulatus** Elagatis, F. D. Bennett, Nar. Whaling Voy. II. 1840, 283.
- bipinnulata** Seriola, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 363. [294.
- biplagiatum** Anobium, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1846,
- biplagiatus** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (8) 1849, 111 ["Mon. Anth." *poster. edit.*].
- biplagiatus** Axinopalpus (Dej.), J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug. 1846, 190.—Dromius.
- biplagiatum** Bembidium, Dejean, Spec. gén. Coléopt. V. 1831, 47.
- biplagiatus** Brachysphoenus (Guér.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 374.—Erotylus (Morphoides).
- biplagiatus** Bruchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 96.
- biplagiatus** Centrogathus, A. White, Nomen. Coleopt. Coll. B. M. (1) 1847, 46 [*n. n.*].
- biplagiata** Coccinella, O. Swartz in C. J. Schoenherr, Syn. Insect. I (2) 1808, 196.
- biplagiatus** Dibelonetes, R. F. Sahlberg, Acta Soc. Sci. Fennicae, II (3) 1846, 792.
- biplagiata** Dolichotoma (Guér.), C. H. Boheman, Mon. Cassid. I. 1850, 193.—Oxyno-
- biplagiatus** Dromius, Dejean, Spec. gén. Coléopt. I. 1825, 243. [dera.
- biplagiatus** Elater (Ectinus), J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 31.
- biplagiatus** Erotylus (Morphoides), F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. Ap. 1842,
- biplagiatus** Galissus, L. Buquet, Rev. Zool. (Soc. Cuv.) III. May 1840, 142. [119-
- biplagiatus** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 78

- biplagiatus** Heilipus, F. E. Guérin-M., Iconographie, 1844, Ins. 153.
biplagiatus Heilipus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 203.
biplagiatus Helluo (Acanthogenius), C. H. Boheman, Ins. Caffr. I (1) 1848, 66.
biplagiatus Hister, J. Le Conte (*ex* Dej. Cat.), Boston Journ. N. H. V (1) 1845, 55.
biplagiata Ips, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 14.
biplagiata Lema, T. Lachordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 447.
biplagiata Lemnia (Schoenh.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 383.—
 Coccinella.
biplagiatus Madarus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 637.
biplagiata Oxyneroda, F. E. Guérin-M., Iconographie, 1844, Ins. 290.
biplagiatus Pachyrhynchus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. July 1841, 216.
biplagiatus Staphylinus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 31.
Biplex G. Perry, Conchology, Ap. 1811, pl. 4.—G.
biplex Ammonites, J. Sowerby, Min. Conch. III. 1821, 168.
biplex Bulla, A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 568.
biplicatus Actaeon (Bors.), H. G. Bronn, Index Pal. 1848, 10.—Auricula.
biplicatus Actaeon (Mell.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 301.—Torna-
biplicatus Ammonites, G. A. Mantell, Foss. South Downs, May 1822, 91. [tella.
biplicata Anomia, G. Brocchi, Conch. Subap. 1814, 469.
biplicata Anomia, C. G. Giebel, De Geogn. Hercyn. 1848, 26 [*n. n.*].
biplicata Auricula, S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [? 1822], 347.
biplicata Auricula, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (9) 1828, 164.
biplicata Auricula, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 91.
biplicata Auricularia, S. Borson, Cat. Coll. Min. Mus. [Turin], 1830, 628 [*n. n.*].
biplicatus Axinus, R. A. Philippi, Zeitschr. f. Malakozool., June 1845, 91.
biplicatum Buccinum, A. Risso, H. N. Europe, IV. 1826, 163.
biplicata Bulla, H. C. Lea, Proc. Boston Soc. N. H. I (—) 1844, 204; Boston Journ.
 N. H. V (2) 1845, 286.
biplicata Bulla, A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 593.
biplicata Cardiola, G. v. Muenster, Beitr. zur Petref. (3) 1840, 69.
biplicata Clausilia, C. Pfeiffer, Naturg. deutsch. land-Moll. (1) 1821, 61.
biplicata Clausilia (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xli, f. 13.—Turbo.
biplicatus Conovulus (Desh.), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 106 —
biplicata Cyprius, C. L. Koch, Deutsch. Crust., heft 21, 1838, tab. 16. [Auricula.
biplicata Cythere (Cythereis), W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 63.
biplicata Fasciolaria, DeFrance, Dict. Sci. Nat. XVI. 1820, 198.
biplicata Fasciolaria, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 184.
biplicatus Fusus, Lamarck, Ann. Mus. H. N. (Paris) II (11) Aug. 1803, 388.
biplicatus Gyrolepis, G. v. Muenster, Beitr. zur Petref. (4) 1841, 140.
biplicatus Hamites, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 93.
biplicata Helix, G. B. Sowerby, I., in C. R. Darwin, Geol. Obs. "Beagle," II. 1844,
biplicata Marginella, A. Risso, H. N. Europe, IV. 1826, 232. [158.
biplicata Marginella, I. Lea, Contrib. to Geol. 1833, 201.
biplicata Mitra, A. Risso, H. N. Europe, IV. 1826, 242.
biplicata Mitra, R. A. Philippi, N. Jahrb. f. Min. 1845, 450 [*n. n.*]; Palaeontographica,
 I (2) Mar. 1847, 77.
biplicata Odostomia, J. Fleming, Brewster's Edin. Ency. VII (1) 1813, 77.
biplicata Oliva, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. xxxiii.
biplicata Oliva, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 466.
biplicata Olivella, W. Swainson, Treat. Malacol., May 1840, 133 & 322.
biplicata Olivilla, W. Swainson, Treat. Malacol., May 1840, 82.
biplicata Pholadomya, H. B. Geinitz, Char. Schicht. säch.-böhm. Kreidegeb. (3) 1842,
biplicata Ptychina, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 15. [75.
biplicata Pupa, A. G. L. Michaud, Compl. Moll. Draparnaud, 1831, 62.
biplicata Serpula, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 216.
biplicata Tellina, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* Sept. 1834, 152.
biplicata Terebratula, J. Sowerby, Min. Conch. I. 1815, 201.
biplicata Terebratula (Br.), H. G. Bronn, Syst. urw. Konch. 1824, 52.—Anomia.

- biplicata ferruginosa** Terebratula, J. Marcou, Mém. Soc. géol. France (2) III (1) 1848, 77 [*n. n.*].
- biplicata** Tornatella (Bors.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 577.—Auricula.
- biplicata** Tornatella, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 98.
- biplicatus** Triforis, M. Rouault, Mém. Soc. géol. France (2) III (2) 1850, 480.
- biplicatus** Turbo, G. Montagu, Test. Brit. II. 1803, 361. [*comp.*].
- biplicata** Turritella (L.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 561.—Turbo [*non*].
- biplicata** Volvaria, A. Risso, H. N. Europe, IV. 1826, 233. [—Marginella.
- biplicata** Volvaria (Risso), H. D. de Blainville, Faune Française (23) Malac. 1829, 233.
- biplicifera** Cancellaria, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (3) June 1841, 31.
- biporcatus** Crocodilus, G. Cuvier, Ann. Mus. H. N. (Paris) X (55-56) Sept. 1807, 48.
- biporcata** Dactyloa, A. F. A. Wiegmann, Herpet. Mex. 1834, 47.
- biporcatus** Dendrodus, R. Owen, Micros. Journ. I. 1841, 5; Odontogr. (1841), 171.
- biporcatus** Lamnodus (Ow.), J. L. R. Agassiz, Poiss. Foss. I. Tableau (1844), xxxiv [*n. n.*]; Poiss. F. V. G. R., 84 (1845).—Dendrodus.
- bipulvillatus** Iulus, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 189.
- bipuncta** *v.* **bipunctus -a -um**. [5, pt. 2] 1832, 167.
- bipunctalis** Nymphula, Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2) (Noct. bipunctana Melia, J. Curtis (*ex* Haw. MS), Brit. Entom. V (50) Feb. 1828, no. 201.
- bipunctana** Sericoris (Fab.), F. Treitschke, Schmett. Europa, VIII. 1830, 154.—Phalaena, 1794. [(1) (Noct. 5, pt. 1) 1830, 186.—Geometra, 1775.
- bi-punctaria** Eubolia (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII
- bipunctaria** Eusebia (D. & S.), P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 249.—Geometra, 1775. [Geometra, 1775.
- bipunctaria** Larentia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 441.—
- bipunctatellus** Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 221.
- bipunctator** Ichneumon, F. v. P. Schrank, F. Boica, II (2) 1802, 279.
- bipunctata** Acheta (L.), Lamarck, Syst. Anim. 1801, 247.—Gryllus, 1758.
- bipunctata** Acmaeodera (Ol.), Laporte & Gory, H. N. Coléopt. I. 1835-6, 13.—Buprestis, 1790. [nella, 1758.
- bipunctata** Adalia (L.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 58.—Coccid-Adonia (L.), O. G. Costa, Fauna Regno Napoli, Coleott. Coccin., 19 (Sept. 1849).—Coccinella, 1758.
- bipunctatum** Adorium, J. C. Fabricius, Syst. Eleuth. I. 1801, 409.—Chrysomela, 1781.
- bipunctatus** Aedionychis, L. A. A. Chevrolat, Coléopt. Mex. (3) Nov. 1834, no. 83.
- bipunctatus** Agabus (Fab.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 163.—Dytiscus, 1787. [626.
- bipunctata** Agapophyta, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835,
- bipunctata** Aglenita, M. Spinola, Tav. sin. Hem. 1850, *ex* Mem. Soc. Ital. Sci. XXV (1) 1852, 174.
- bipunctatum** Agonum, J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 184. [1830, 377.
- bipunctata** Agria, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- bipunctatus** Alburnus (L.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1036.—Cypri- nus, Bl. 1782.
- bipunctata** Aleochara (Ol.), J. L. C. Gravenhorst, Coleopt. micr. 1802, 93.—Staphylinus,
- bipunctatus** Ammonites, E. F. v. Schlotheim, Die Petref. 1820, 74. [1795.
- bipunctatus** Amphicrossus, J. L. Leconte in Agassiz, Lake Superior, 1850, 223.
- bipunctata** Anaspis, J. Sturm, Catal. Ins. Samml. 1826, 91 [*n. n.*].
- bipunctatus** Anchomenus, Sturm in Dejean, Catal. Coléopt. 1821, 10 [*n. n.*].
- bipunctata** Anisoplia, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 493.
- bipunctata** Anomala, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 180.
- bipunctatus** Anthicus, J. C. Fabricius, Syst. Eleuth. I. 1801, 291.—Notoxus, 1792.
- bi-punctatus** Anthicus, Ziegl.; Dejean, Catal. Coléopt. 1821, 72 [*n. n.*].
- bipunctata** Anthrax, J. C. Fabricius, Syst. Antliat. 1805, 118.
- bipunctatus** Apalus, J. C. Megerle, Bemerk. zu Illiger's Zusätzen zu Fabricii Syst. Eleuth.
- bi-punctatus** Apalus, Ziegl.; Dejean, Catal. Coléopt. 1821, 76 [*n. n.*]. [1812, 18.

- bipunctatus** Apalus, E. F. Germar, Fauna Ins. Europ. (14) [1829-31], 6.
bipunctatus Arrhenodes, H. Gory, Rev. Zool. (Soc. Cuv.) II. Nov. 1839, 328.
bipunctata Ascia, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 250 [*n. n.*].
bipunctatus Aspius (L.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 38.
 —Cyprinus, Bl. 1782.
bipunctatus Attus, H. Nicolet in Gay, Chili, III (Arach.) 1849, 374.
bi-punctata Audinetella, M. Spinola, Tav. sin. Hem. 1850, *ex* Mem. Soc. Ital. Sci. XXV (1) 1852, 127. [1786].
bipunctata Bacillaria (Müll.), Bory de St V., Ency. Méth. (Zooph.) 1824, 136.—Vibrio,
bipunctatum Bembidion (F.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 224.—Carabus, L. 1767.
bipunctatum Bembidium (Ill.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 16.—Elaphrus, 1798.
bi-punctatum Bembidium, Dufts.; Dejean, Catal. Coléopt. 1821, 16 [*n. n.*].
bipunctatum Bembidium, Fab., *v.* glaciale; A. & G. Villa in Cattaneo, Notiz. Nat. Lombard. 1844, 423 [*n. n.*].
bipunctata Blaps, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 165.
bipunctata Blaps, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 43 [*n. n.*].
bipunctata Calandra, J. Sturm, Catal. Ins. Samml. 1826, 106 [*n. n.*].
bipunctatus Calicurgus (Fab.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 401.—Pompilus, 1798.
bipunctata Callichroma, J. Sturm, Catal. Ins. Samml. 1826, 107 [*n. n.*].
bipunctatum Callidium, B. Zubkov, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 336.
bipunctatus Capsus (Fab.), Herrich-S., Wanzenart. Ins. III (5) July 1836, 79.—Lygaeus, 1794. [(2) 1840, 290.—Elater, 1798].
bipunctatus Cardiophorus (Fab.), W. F. Erichson in Germar, Zeitschr. f. d. Entom. II
bipunctata Cellepora, G. A. Goldfuss, Petref. German. I (1) 1826, 27.
bipunctata Centrotus, J. C. Fabricius, Syst. Rhyng. 1803, 19.—Membracis, 1775.
bipunctatus Ceratites, G. v. Muenster, Beitr. zur Petref. (4) 1841, 131.
bipunctatus Ceratopogon (Gm.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 74.—Tipula, L. 1767. [851].
bipunctatus Cercidocerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838,
bipunctata Ceropales, T. Say in Keating, Exp. Peter River, II. 1824, 334; & ed. London, 1825 (App.), 69.
bipunctata Cetonia, Gory & Percheron, Mon. Cétoines (1) 1833, 57; (7) 1834, 201.
bipunctata Chasmodia, W. S. Macleay, Horae Entom. I (1) 1819, 156.
bipunctata Chemnitzia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 184.—Turritella.
bipunctatus Chiton, G. Fischer, Mus. Démid. III. 1807, 111.
bipunctatus Chiton, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (18) July
bipunctata Chrysopa, H. Burmeister, Handb. Ent. II (2) ii, 1839, 982. [1832, 104].
bipunctata Cicada, J. C. Fabricius, Syst. Rhyng. 1803, 78.
bipunctata Cicindela, W. Turton, Linnaeus, Syst. Nat. II. 1802, 397.
bipunctata Cleonis, B. Zubkov, Bull. Soc. Imp. Nat. Moscou, I (6) 1829, 164.
bipunctatus Cleonus, C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 102.
bipunctata Clythra, C. P. Forsberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 277. [40].
bipunctata Clythra, C. G. Mannerheim in A. D. Hummel, Essais Entom. I (4) 1824,
bipunctatus Collops (Say), W. F. Erichson, Entomographien, 1840, 55.—Malachius.
bipunctatus Coluber, P. A. Latreille, s. à Deterville ed. Buffon, Rept. IV. 1801, 85.
bipunctatus Coluber, T. Cantor, Proc. Zool. Soc. London, VII (75) July 1839, 52.
bipunctatum Colydium, T. Say, J. Acad. Nat. Sci. Philad. III. Ap. 1824, 325.
bi-punctatus Colymbetes (Fab.), Dejean, Catal. Coléopt. 1821, 19.—Dytiscus, 1787.
bipunctata Conops, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 168.
bipunctatus Conurus (Grav.), W. F. Erichson, Gen. Spec. Staph. (1) 1839, 230.—Tachy-
bipunctatus Coreus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 23. [porus].
bipunctata Corticaria (Fab.), T. Marsham, Coleopt. Brit., Sept. 1802, 108.—Notoxus,
bipunctatus Cosmetus, M. Perty, Del. anim. artic. Brasil. (3) 1833, 203. [1792].
bipunctatus Cossonus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 204.
bipunctatus Crabro, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 443.

- bipunctatus** Crabro (Lep.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 363.—*Dasyproctus*.
- bipunctata** Crypta (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 8.—*Anthicus*.
- bipunctatus** *Cryptocephalus* (L.), H. Lucas, Explor. Algér. (Artic. II.) 1849, 528.—*Chrysomela*, 1758.
- bipunctatus** Culex, J. B. Robineau-D., Mém. Soc. H. N. Paris, III (3) Oct. 1827, 405.
- bipunctatus** Cyrtus, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 15.
- bi-punctata** Dapsa, Ziegl.; Dejean, Catal. Coléopt. 1821, 132 [*n. n.*].
- bipunctata** Darnis, H. Burmeister, Revue Entom. IV (4) 1836, 171.
- bipunctatus** *Dasyproctus*, Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 802.
- bipunctatus** Dentex, C. G. Ehrenberg in Cuvier & Valenc., H. N. Poiss. VI. 1830, 247.
- bi-punctata** Diaperis, Meg.; Dejean, Catal. Coléopt. 1821, 68 [*n. n.*].
- bipunctatus** Dices, J. Gistel, Nat. Thierr. 1848, 190; Handb. Naturg. 1850 [1847], 623.
- bipunctata** Diploxys, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 138.
- bipunctata** *Discopora* (Goldf.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 253.—*Cellepora*.
- bipunctatus** *Dispilodes*, C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 148.
- bipunctatus** *Dolichopus*, Wiedemann in Lehmann, Obs. Zool. Faun. Hamburg, 1822, 41.
- bipunctatus** *Dolichopus*, Max Wied, N. A. Ac. Caes. Leop. Car. XII (1) 1824, 243.
- bipunctatus** *Dolichopus*, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 186.
- bipunctata** *Dryops* (Ill.), Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 8; & App. 1817, 9.
- bipunctatus** *Dyschirius*, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 31.
- bipunctatus** *Ectinoderus* (Serv. & Amy.), J. O. Westwood, Tr. Entom. Soc. Lond. IV (2) Nov. 1845, 121.—*Pristhevarma*.
- bi-punctatus** *Ellescus* (Fab.), Dejean, Catal. Coléopt. 1821, 87.—*Rhynchaenus*.
- bipunctatus** *Ellescus* (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 14.—*Curculio*,
- bi-punctatus** Engis, Dejean, Catal. Coléopt. 1821, 44 [*n. n.*]. [1758.]
- bipunctata** *Entephria* (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 332.—*Geometra bipunctaria*, 1775.
- bipunctatus** *Eryphus*, M. Perty, Del. anim. artic. Brasil. (2) 1832, 91.
- bipunctata** Eschara, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 66.
- bipunctata** Eschara, J. W. Vancleve, P. Amer. Assoc. 1848 (1849), 23 [*n. n.*].
- bipunctata** *Eucharia* (L.), C. L. Koch in Panzer, Ins. Germ., heft 134, 1835, tab. 10.—
- bipunctatus** *Eumorphus*, M. Perty, Obs. Coleopt. Ind. 1831, p. xxxvii. [Aranea, 1758.]
- bi-punctatus** *Eustrophus*, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 151 [*n. n.*].
- bipunctatus** *Eysarcoris* (Fab.), C. W. Hahn, Wanzenart. Ins. II (3) May 1834, 68.—
- bipunctata** *Galeruca*, A. G. Olivier, Entom. VI. 1808, 627. [Cimex, 1781.]
- bipunctata** *Geomyza*, C. F. Fallen, Geomyzides Sveciae, 1823, 3.
- bipunctata** *Glauconome*, F. v. Hagenow, N. Jahrb. f. Min. 1839, 293.
- bipunctata** *Gnidia* (Perty), C. L. Koch, Die Arachniden, VII (5) *post* July 1839, 95.—
- bipunctatus** *Gobius*, W. Yarrell, Hist. Brit. Fishes, I. 1836, 255. [Cosmetus.]
- bipunctatus** *Gonocerus*, Herrich-S., Wanzenart. Ins. VI (1) Sept. 1840, 9.
- bipunctatus** *Gorytes*, Say in Keating, Narr. Exped. St Peter's River, II. 1824, 338; & ed. London, 1825 (App.), 72.
- bipunctata** *Harengula*, Cuvier & Valenc., H. N. Poiss. XX. 1847, 298.
- bipunctatus** *Heilipus*, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 34.
- bipunctata** *Heleodromia*, A. H. Haliday, Entom. Mag. I (2) Jan. 1833, 159.
- bipunctata** *Helina*, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 493.
- bipunctata** *Hemerodromia* (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII.
- bipunctatus** *Hister*, G. Paykull, Mon. Hister. 1811, 27. [1838, 93.—*Hydrodromia*.
- bipunctatus** *Hister*, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 26 [*n. n.*].
- bipunctatus** *Hydrobius* (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 132.—*Hydrophilus*, 1775.
- bipunctata** *Hydrodromia* (Hal.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 658.—*Heleodromia*.

- bipunctatus** Hydrophilus, C. A. Walckenaer, Faune Paris, I. 1802, 65.
bipunctatus Hydrophorus (Lehm.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 700.—
bipunctata Hyla, J. B. v. Spix, Ranar. Brasil. 1824, 12. [Dolichopus.
bipunctata Hylophila, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65 [*n. n.*]; & Syst. [calio, 1758.
 Cat. Brit. Ins., Aug. 1829, 344.
- bipunctata** Hypera (L.), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 338.—Cur-
bipunctatus Ichneumon, G. Cuvier, Revue Entom. I (5) c. Nov. 1833, 203.
bipunctata Idalia (L.), E. Mulsant, H. N. Coléopt. France (Sécurip.) Sept. 1846, 51.—
bipunctata Ips, F. V. Melsheimer, Ins. Pennsylv. 1806, 15 [*n. n.*]. [Coccinella, 1758.
bipunctatus Ixodes, A. Risso, H. N. Europe, V. 1826, 183.
bipunctata Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 215.
bipunctata Labidomyia (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 52.—Tipula,
 1767. [1848, 63.—Clythra.
- bipunctata** Labidostomis (Mannerh.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May
bipunctatus Lachnophorus, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 245.
bi-punctata Lamia, Dalman in C. J. Schoenherr, Syn. Insect. I (3) 1817, 391; & App.
 1817, 167.
- bipunctata** Lamia, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 94 [*n. n.*].
bipunctata Lamia (Agaphantia) (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II.
 1837, 59.—Cerambyx, 1773.
- bi-punctatum** Lathrobium, Dahl; Dejean, Catal. Coléopt. 1821, 24 [*n. n.*].
bipunctata Lebia, L. A. A. Chevrolat, Coléopt. Mex. (6) June 1835, no. 133. [1792.
bipunctatus Leptus (Fab.), K. Duftschmid, Fauna Austriae, III. 1825, 159.—Dermestes,
bipunctatus Lestiphorus (Say), A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 157.—
 Gorytes.
- bipunctatus** Leuciscus (Bl.), G. Cuvier, R. Anim. II. 1817, 195.—Cyprinus, 1782.
bipunctatus Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 259.
bipunctatus Lemnophilus, J. Curtis, Guide Brit. Ins. (5) 1830, 135 [*n. n.*]; Lond. &
 Edinb. Phil. Mag., 3rd ser., IV (20) Feb. 1834, 123.
- bipunctata** Lomechusa (Ol.), Lamarck, An. s. vert. IV. 1817, 489.—Staphylinus, 1795.
bipunctatus Malachius, T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 185.
bipunctatus Malachius, C. C. Babington, Mag. Nat. Hist. V. May 1832, 329.
bipunctata Marginaria (Goldf.), F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1)
 1840, 13.—Cellepora. [1845, 641.—Megalopus.
- bipunctatus** Mastostethus (Klug), T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov.
bipunctatus Medeterus, Wiedemann in J. W. Meigen, Syst. Besch. hr. Zweifl. Insekt. IV.
bipunctatus Megalopus, F. Klug, Entom. Mon. 1824, 78. [1824, 63.—Dolichopus.
bipunctatus Megastigmus (Swed.), J. W. Dalman, K. Vet. Ac. Handl. 1820 (1) 1820,
 178.—Pteromalus, 1795.
- bipunctatus** Megophthalmus, J. Curtis, Guide Brit. Ins. (7) 1831, 193 [*n. n.*]; Entom.
 Mag. I (2) Jan. 1833, 194. [1849, 475.
- bipunctata** Melanoglena, E. v. Eichwald, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (2)
bipunctata Melecta, Lapeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
 446. [[1835], 427.
- bipunctata** Melipona, Lapeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836
bipunctata Membranipora (Goldf.), de Blainville, Dict. Sci. Nat. LX. 1830, 412.—
 Cellepora.
- bipunctata** Meromyza, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62 [*n. n.*].
bipunctatus Mesoleptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 54.
bipunctatus Miris (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 222.—Lygaeus,
bipunctatus Monochamus, J. Sturm, Catal. Ins. Samml. 1826, 171 [*n. n.*]. [1794.
bipunctata Mordella, C. U. v. Salis, Alpina, II. 1807, 68 [*n. n.*].
bi-punctata Mordella, Dejean, Catal. Coléopt. 1821, 73 [*n. n.*].
bipunctata Mutilla, Lapeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845,
bipunctata Mylabris, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 94. [642.
bipunctata Mylabris, G. J. Billberg, Mon. Mylabrid. [1813], 31.
bipunctata Nais, S. d. Chiaje, Mem. An. s. vert. Napoli, II (—) 1827, 427.
bipunctatus Nematelus, H. Loew, Linnaea Entom. I. Feb. 1846, 451.

- bipunctatus** Neuroterus, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 339.
- bipunctata** Nitidula, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 210.
- bi-punctata** Nitidula, Dejean, Catal. Coléopt. 1821, 44 [*n. n.*].
- bipunctata** Nitidula, O. Heer, Coleopt. Helvet. (3) 1841, 398.
- bipunctata** Nomada, J. C. Fabricius, Syst. Piezat. 1804, 392.
- bipunctatus** Nothus, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 385.
- bi-punctatus** Nothus, Ill.; Dejean, Catal. Coléopt. 1821, 76 [*n. n.*].
- bipunctatus** Oecanthus (Geer), J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb. 1831, 135.—Gryllus, 1773.
- bipunctata** Oides (Fab.), F. Weber, Obs. Ent. 1801, 26.—Chrysomela, 1781.
- bipunctata** Oides (Fab.), F. Weber, Obs. Ent. 1801, 53.—Chrysomela, 1781.
- bipunctata** Opomyza (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 110.—Geomyza.
- bipunctata** Oscinis, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 601.
- bipunctatus** Pachycoris, Sturm in Herrich-S., Wanzenart. Ins. IV (5) Sept. 1838, 87.
- bipunctata** Parastasia, J. O. Westwood, Ann. Mag. Nat. Hist. VIII (51) Dec. 1841, 304.
- bipunctata** Pelecina (Fab.), K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 300.—
- bipunctatus** Pendulinus, C. P. Thunberg, Ins. Hemelytr. 1825, 6. [Cantharis, 1775.
- bipunctata** Pentatoma (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 195.—
- bipunctata** Perla, J. Curtis, Guide Brit. Ins. (5) 1830, 134 [*n. n.*]. [Cimex, 1781.
- bipunctata** Perla, F. J. Pictet, Ann. Sci. Nat. XXVIII (109) Jan. 1833, 55.
- bipunctata** Phytocoris (Fab.), J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 486.—Lygaeus,
- bipunctatum** Pinnotheres, H. Nicolet in Gay, Chili (Crust.) 1849, 155. [1794.
- bipunctata** Piophilala (Fall.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 773.—Geomyza.
- bipunctata** Platycoris, Guérin-M. in Duperry, Voy. "Coquille." Zool. II (2) 1, 1838, 170.
- bipunctata** Polyopsia (Zub.), E. F. Germar, Fauna Ins. Europ. (23) 1843, 15.—Saperda.
- bipunctata** Popillia (Fab.), Dejean, Catal. Coléopt. 1821, 60.—Trichius, 1787.
- bipunctata** Pristhevarma, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843,
- bipunctata** Proposia, J. C. Fabricius, Syst. Piezat. 1804, 295.—Mellinus, 1798. [355.
- bipunctata** Protaetia (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 489.—Cetonia.
- bipunctatus** Psammoechus (Fab.), Boudier, Ann. Soc. Ent. France, III (2) *post* June 1834, 370.—Anthicus.
- bipunctatus** Pselaphus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 86 [*n. n.*].
- bipunctata** Psilodera (Wied.), W. F. Erichson, Entomographien, 1840, 145.—Cyrtus.
- bipunctatus** Psocus, P. A. Latreille, Bull. Soc. Philom. [Paris], 1803, 85'.
- bipunctatus** Psocus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27.—Hemerobius,
- bipunctatus** Purpuricenus, Villa & Villa, Coleopt. Europ. 1833, 36. [1761.
- bipunctatus** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 452.
- bipunctata** Rhytis, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 296.—Alyselm. 1800.
- bipunctatus** Ripiphorus, J. C. Fabricius, Syst. Eleuth. II. 1801, 120.
- bi-punctata** Rutela (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 154.—Trichius, 1787.
- bipunctata** Sagitta, Quoy & Gaimard, Ann. Sci. Nat. X (39) Mar. 1827, 232.
- bipunctata** Saperda, F. V. Melsheimer, Ins. Pennsylv. 1806, 36 [*n. n.*].
- bipunctata** Saperda, B. Zubkov, Bull. Soc. Imp. Nat. Moscou, I (6) 1829, 167.
- bipunctata** Sapromyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 378.
- bipunctata** Sarcophaga (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 280.—Agria, R.-D.
- bipunctatus** Sargus, O. G. Costa, Atti R. Accad. Sci. [Napoli], V (2) 1844, 88.
- bipunctata** Scatophaga, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 395.
- bipunctata** Scinax (Spix), J. Wagler, Nat. Syst. Amph. 1830, 201.—Hyla.
- bipunctata** Scolia, F. Klug in Weber & Mohr, Beitr. Nat. I. 1805, 36.
- bipunctata** Smiliorachis, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 290.
- bipunctatus** Stagonomus, C. J. B. Amyot, Ann. Soc. Ent. France, III (4) 1846, 444.
- bipunctatus** Stenus, S. I. Ljungh, Arch. Syst. Naturges. I (1) 1804, 68.
- bipunctatus** Stenus, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 291; & Ill. Brit. Ent. (Mand. V.) Dec. 1833, 302.
- bipunctatus** Stenus, W. F. Erichson, Käfer Mark Brand. I (2) 1839, 530.
- bipunctatus** Sunius, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 645.

- bipunctatus** Synergus, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 347.
bipunctatus Tachyporus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 133.
bipunctatus Tachypus (L.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) July 1828, 28.—Carabus, 1767.
- bipunctatus** Telephorus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 23 [*n. n.*].
bipunctata Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (3) 1817, 215.
bipunctatum Tetraonyx, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 596.
bipunctatum Tetric (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 284.—Acrydium, 1775.
- bipunctata** Tettix (L.), F. X. Fieber, Entom. Monogr. 1844, 133.—Gryllus, 1758.
bipunctatus Tettix (Batrachidea) (Serv.), G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 351.—Tetric, Latr.
- bipunctata** Thereva, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 121.
bipunctatus Tillus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 33 [*n. n.*].
bipunctata Tiphia, M. Perty, Del. anim. artic. Brasil. (3) 1833, 139.
bipunctata Tortrix, A. H. Haworth, Tr. Entom. Soc. Lond. I (3) 1812, 337.
bipunctatus Torymus (Swed.), C. H. Boheman, K. Vet. Ac. Handl. 1833 (1834), 331.—Pteromalus, 1795.
- bipunctatus** Trochus, G. v. Muenster, Beitr. zur Petref. (4) 1841, 107.
bipunctatum Trombidium, I. F. M. de Olfers, De Veg. Anim. 1816, 77.
bipunctatus Tropidonotus, H. Schlegel, Essai phys. Serp. 1837, I. 168; II. 320.
bipunctata Turritella, G. v. Muenster, Beitr. zur Petref. (4) 1841, 119.
bipunctata Ulidia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 505.
bipunctatum Volvox, C. S. Rafinesque-S., Précis Som. 1814, 35.
bipunctellus Chironomus, J. W. Zetterstedt, Dipt. Scand. IX. 1850, 3545.
bipunctella Elachista, F. Treitschke, Schmett. Europa, IX (2) 1833, 181.
bipunctella Incurvaria, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) Jan. 1844, 514.
- bipunctella** Ornix, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 77 [*n. n.*].
bipunctella Sapromyza, J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2341.
bipunctella Tinea, A. H. Haworth, Prod. Lepidopt. Brit. 1809, 35 [*n. n.*].
bipunctidactylus Pterophorus (Vill.), G. Samouille, Entom. Comp., June 1819, 487.—Phalaena, Scop. 1763.
- bipunctipennis** Deltocephalus, C. H. Boheman, Ofvers. K. Vet. Ac. Förh. II (6) 1845, 156.
bipunctorius Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 281.
bipunctorius Ichneumon, J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Sept. 1835, 154.
bipunctosa Depressaria, J. Curtis, Guide Brit. Ins. (6) 1831, 181 [*n. n.*].
bipunctulatus Stenus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*]; *bipunctatus postea*.
- bipunctulus** Allantus (Klug), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 30.—Tenthredo.
bipunctulus Lygaeus, Herrich-S., Wanzenart. Ins. IX (5) Sept. 1850, 195.
bipunctulus Naucoris, Herrich-S., Wanzenart. Ins. IX (1) Oct. 1849, 39.
bipunctula Nomada, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 95 [*n. n.*].
bipunctula Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (3) 1817, 185.
bipunctus -a -um. [1823-7] [*n. et f.*].
- bipuncta** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 68 (Fernaldo judice
bipuncta Cymatophora (Borkh.), F. Treitschke, Schmett. Europa, V (1) 1825, 92.—Phal. (Noctua) 1792.
- bipuncta** Musca, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 417.
bipuncta Tentyria, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 336.
bipuncta Tethea (Borkh.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 65.—Phal. (Noctua) 1792.
- bipustulatus** Agabus (L.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 156.—Dytiscus,
bipustulata Altica (Fab.), A. G. Olivier, Entom. VI. 1808, 723.—Crioceris. [1767].
bipustulatum Anisotoma, A. Ahrens, N. Schr. Nat. Ges. Halle, II (2) 1812, 18.
bi-pustulatus Aphodius, Dejean, Catal. Coléopt. 1821, 55 [*n. n.*].
bipustulatus Ateuchus, J. C. Fabricius, Syst. Eleuth. I. 1801, 62.—Scarab. 1775. [1775].
bipustulatus Badister (Fab.), J. R. Schellenberg, Helvet. Entom. II. 1806, 92.—Carabus,

- bipustulatum** Bembidium, L. Redtenbacher, F. Austr., Käfer, 1849, 113.
- bipustulata** Blatta, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. X. 1826, 279.
- bipustulatus** Bostrichus, J. C. Fabricius, Syst. Eleuth. II. 1801, 385.
- bipustulatus** Brachinus, Quensel in C. J. Schoenherr, Syn. Insect. I (1) 1806, 231.
- bi-pustulatus** Brachinus, Steven in Dejean, Catal. Coléopt. 1821, 3 [*n. n.*].
- bipustulatus** Brachinus, Steven in G. Fischer v. W., Entom. Imp. Russ. III. *post* Nov. [1828, 108.
- bipustulatus** Bruchus, J. C. Fabricius, Syst. Eleuth. II. 1801, 398.
- bipustulata** Buprestis (Dej.), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 83.—Strigoptera. [1843, 258.—Ips.
- bipustulatus** Carpophilus (Heer), W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV.
- bipustulata** Castalia (Dum.), Laporte & Gory, H. N. Coléopt. II. 1838, 3.—Buprestis.
- bipustulatus** Catheretes (Fab.), L. Gyllenhal, Ins. Suecica, I. 1808, 248.—Dermestes, 1798. [[separata 1842], 98.—Cicindela.
- bipustulata** Centrocheila (Latr.), T. Lacordaire, Mém. Soc. R. Sci. Liége, I (1) 1843
- bipustulatus** Ceratistes (Fab.), G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844, 37.—Malachius, 1775.
- bi-pustulatus** Cercus (Fab.), Dejean, Catal. Coléopt. 1821, 44.—Dermestes, 1798.
- bipustulatus** Cerylon, P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 230.
- bipustulatus** Chilocorus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 18.—Coccinella, 1758.
- bipustulatus** Chlaenius, F. Klug in Ehrenberg, Sym. Phys., Ins. III (1832), sign. *d*.
- bipustulatus** Chlaenius, C. H. Boheman, Ins. Caffr. I (1) 1848, 138. [1809, 228.
- bipustulata** Cicindela, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.)
- bipustulata** Cistela, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 25 [*n. n.*].
- bi-pustulata** Clivina (Fab.), Dejean, Catal. Coléopt. 1821, 4.—Scarites, 1798.
- bipustulata** Clythra, J. C. Fabricius, Syst. Eleuth. II. 1801, 40.
- bipustulata** Coccinella, F. V. Melsheimer, Ins. Pennsylv. 1806, 19 [*n. n.*].
- bipustulatus** Colymbetes (L.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 84.—Dytiscus, 1767.
- bipustulatus** Conurus (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22.—Oxyporus.
- bipustulatus** Conurus (Grav.), W. F. Erichson, Gen. Spec. Staph. (1) 1839, 223.—
- bipustulata** Crioceris, J. C. Fabricius, Syst. Eleuth. I. 1801, 464. [Tachyporus.
- bipustulatus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 278. [1781.
- bipustulata** Dasytes (F.), P. A. Latreille, Sonnini's Buffon, Ins. IX (1804), 129.—Hispa,
- bipustulata** Diaperis, Dejean, Catal. Coléopt. 1821, 68 [*n. n.*]; Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 337.
- bipustulatus** Distrigus, A. Brullé, H. N. Ins. IV (2) (Col.) *exeunte* 1834, 338.
- bipustulatus** Divales (Fab.), Laporte, Revue Entom. IV (1) 1836, 31.—Hispa, 1781.
- bipustulata** Engis (Fab.), L. Gyllenhal, Ins. Suecica, I. 1808, 203.—Ips, 1787.
- bipustulatus** Haltica (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 308.—Crioceris.
- bipustulata** Haltica (Thunb.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 311.—Chryso-mela, 1784.
- bipustulatum** Himatidium (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 151.—Cassida, 1763.
- bipustulatus** Hydrobius (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 133.—Hydrophilus.
- bipustulatus** Hydrophilus, T. Marsham, Coleopt. Brit., Sept. 1802, 406.
- bipustulatus** Iassus, J. C. Fabricius, Syst. Rhyng. 1803, 88.—Cicada, 1794.
- bipustulatus** Ips, Kunze in O. Heer, Coleopt. Helvet. (3) 1841, 416.
- bipustulatus** Licinus (Fabr.), Lamarck, An. s. vert. IV. 1817, 514.—Carabus, 1775.
- bipustulatus** Limonius (L.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 33.—Elater, 1767.
- bipustulata** Lytta, J. C. Fabricius, Syst. Eleuth. II. 1801, 78.
- bipustulatus** Malachius, J. Sturm, Catal. Ins. Samml. 1826, 167 [*n. n.*].
- bipustulatus** Mecorhopalus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 348. [1763.
- bipustulata** Mesomphalia (Fab.), C. H. Boheman, Mon. Cassid. I. 1850, 303.—Cassida,
- bipustulata** Mycetochares (Ill.), H. C. Kuester, Käfer Europas, XXI. 1850, 94.—Cistela, 1794.
- bipustulatus** Mycetophagus, J. C. Fabricius, Syst. Eleuth. II. 1801, 566.

- bipustulatus** Mycetophagus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (5) Oct. 1844, 114. [1794.]
- bi-pustulata** Mycetophila (Ill.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 544.—Cistela,
- bipustulatus** Necticus (L.), F. W. Hope, Coleopt. Manual, II. 1838, 131.—Dytiscus,
- bi-pustulata** Oenas, C. J. Schoenherr, Syn. Insect. I (3) 1817, 29. [1767.]
- bipustulatum** Omalium, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 176.
- bipustulatus** Oodes, Dejean, Spec. gén. Coléopt. V. 1831, 678.
- bipustulata** Oxycheila (Latr.), Dejean & Boisduval, Icon. Coléopt. I. 1829, 8.—Cicin-
- bipustulatus** Oxyporus, F. V. Melsheimer, Ins. Pennsylv. 1806, 58 [*n. n.*]. [dela.]
- bipustulatus** Panagaeus (F.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 292.—
Carabus, 1775. [Trombidium.]
- bipustulatus** Penthaleus (Herm.), C. L. Koch, Deutsch. Crust., heft 18, 1838, tab. 7.—
- bipustulatus** Philonthus (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23.—Staph.,
? L. 1761. [1844, 121.—Coccinella, L. 1758.]
- bipustulata** Platynaspis (Fab.), L. Redtenbacher in Germar, Zeitschr. f. d. Entom. V.
- bipustulatus** Platyonichus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834,
437.
- bipustulatus** Prosternon (Fab.), P. A. Latreille, Ann. Soc. Ent. France, III (1) *post* Mar.
1834, 152.—Elater, ? L. 1767.
- bi-pustulatus** Rhizophagus, Dejean, Catal. Coléopt. 1821, 103 [*n. n.*]. [1792.]
- bipustulatus** Rhizophagus (Fab.), L. Gyllenhal, Ins. Suecica, I (4) 1827, 640.—Lyctus,
- bipustulatus** Scarites, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 53 [*n. n.*].
- bipustulatus** Scymnus, T. Victor, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 417.
- bipustulatus** Stenus (L.), S. I. Ljungh, Arch. Syst. Naturges. I (1) 1804, 63.—Staphy-
- bipustulata** Strigoptera, Dejean, Cat. Coléopt., ed. 2 (1) 1833, 78. [Linus, 1761.]
- bipustulatus** Tachinus (Fab.), J. L. C. Gravenhorst, Coleopt. micr. 1802, 135.—Oxy-
porus, 1792.
- bipustulatus** Tachyporus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 132.
- bi-pustulatus** Tachyporus, Gyll.; Dejean, Catal. Coléopt. 1821, 27 [*n. n.*].
- bipustulatus** Tenebrio, W. Turton, Linnaeus, Syst. Nat. II. 1802, 483. [Iassus.]
- bipustulata** Tettigonia (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 327.—
- bipustulatus** Thanasimus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 24 [*n. n.*].
- bipustulatus** Thyreocoris, E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 30.
- bipustulata** Triplax (Fab.), A. G. Olivier, Entom. V. 1807, 493.—Tritoma, 1775.
- bipustulata** Trogositia, J. C. Fabricius, Syst. Eleuth. I. 1801, 152.
- bipustulatum** Trombidium, J. F. Hermann, Mém. Aptér. 1804, 40.
- bipustulatus** Trypanaeus (Fab.), F. Eschscholtz, Zool. Atlas, I. 1829, 13.—Bostrichus.
- bipustulatus** Vertagus, C. H. Boheman, Ins. Caffr. I (1) 1848, 130.
- biquadrata** Euphia, F. Walker (*ex* Barnston MS), List Dipt. Coll. B. M. (4) 1849, 963.
- biquadriguttata** Coccinella, Dejean, Catal. Coléopt. 1821, 131 [*n. n.*].
- bira** Mazama, C. S. Rafinesque, Amer. Monthly Mag. I (5) Sept. 1817, 362.
- biradiatum** Cardium, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 105.
- biradiatus** Chiton, G. B. Sowerby, I., Proc. Zool. Soc. London, XI (126) Dec. 1843, 102.
- biradiata** Corbula, G. B. Sowerby, I., Proc. Zool. Soc. London, I (1-3) May 1833, 35.
- biradiata** Cytherea, G. B. Sowerby, Zool. "Blossom," 1839, 151.
- biradiata** Donax, W. Wood, Suppl. Index Test. 1828, 5 [*n. et f.*].
- biradiata** Fissurella, G. B. Sowerby, I. (*ex* Fremby MS), Proc. Zool. Soc. London, II
(23) Mar. 1835, 124.
- biradiata** Modiola, S. Hanley, Ill. Cat. Bivalve Shells (3) *extremo* 1843, 235.
- biradiata** Psammobia, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 10.
- biradiata** Sanguinolaria (Wood), S. Hanley, Ill. Cat. Bivalve Shells (1) *ineunte* 1843, 56.
- biradiata** Solen, W. Wood, General Conch. 1815, 135. [—Solen.]
- biradiata** Venus, A. Risso, H. N. Europe, IV. 1826, 357.
- Biradiolites** A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 230.—L.
- biramossus** Acanthochaetes (Q. & G.), J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843,
246.—Chiton.
- biramossus** Chiton, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 378.
- biramossa** Hylotoma, F. Klug, Jahrb. Insectenk. I. 1834, 242.

- birchi** Ammonites, J. Sowerby, Min. Conch. III. 1820, 121.
- birchii** Papilio, E. L. Layard, Journ. Ceylon Br. R. Asiat. Soc. II (4) 1848, 56; ed. 2.
- birchi** Planites (Sow.), W. de Haan, Mon. Ammon. 1825, 82.—Ammonites. [1887, 56.
- bircki** Cerithium, H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 140.
- birdella** Lepidocera, J. Curtis, Brit. Entom. VIII (86) Feb. 1831, no. 344.
- birdi** Ammonites, M. Simpson, Mon. Amm. 1843, 49.
- birdii** Astacus, W. Bean, Mag. Nat. Hist., n. s., III. Feb. 1839, 58 [*n. n.*].
- biremis** Anuraea, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 144.
- Biretepora** A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Oct. 1849, 501.—Polyz.
- birghami** Sphaena, de Blainville, Dict. Sci. Nat. XXXII. 1824, 344.
- Birgus** W. E. Leach, Tr. Linn. Soc. London, XI (2) 1815, 337.—Cr.
- birivia** Agrotis (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 67.—Noctua, 1775.
- birivia** Mantis, M. Houttyn in Stoll, Spoken (Index Phasm. [1813]), 77.
- birivia** Rhyacia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 210.—Noctua, 1775.
- birivia** Spaelotis (Huebner), Boisduval, Gen. Index Europ. Lépid. 1840, 107.—Noctua, 1793.
- birmanica** Cytherea, R. A. Philippi, Abb. Conch. III (3) 1848, 74.
- birmanica** Pholas, R. A. Philippi, Abb. Conch. III (5) 1849, 51.
- birmanica** Tellina, R. A. Philippi, Abb. Conch. III (5) 1849, 55.
- birmanica** Vitrina, R. A. Philippi, Zeitschr. f. Malakozool., May 1847, 65.
- birmannus** Bagrus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 419.
- bironi** *v.* byroni.
- Birostra** W. Swainson, Treat. Malacol., May 1840, 325.—G.
- birostratus** Hemiaster, L. A. Sorignet, Oursins foss. Eure, Ap. 1850, 57.
- birostrata** Leda (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 129.—Nucula.
- birostrata** Monopleura, P. Matheron, Catal. méth. foss. B. du Rhône, 1847, 107; Rep-trav. Soc. stat. Marseille, VI. 179.
- birostrata** Nucula, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 68.
- birostratus** Prionotus, J. Richardson, Zool. "Sulphur," 1845, 81.
- birostrata** Salpa, F. J. F. Meyen, N. A. Ac. Caes. Leop. Car. XVI (1) 1832, 412.
- Birostrina** J. De C. Sowerby (*ex* Deluc MS), Min. Conch. III (53) Oct. 1821, 183.—L.
- Birostris** O. Fabricius, Fortegnelse, 1823, 70.—Gast. undefined but evidently Ovula. The following *n. n.* are appended :—ovum; verrucosa. [Bulla, 1767.
- birostre** Cyphoma (L.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (2) 1807, 86.—
- birostris** Miliolites, Lamarck, Ann. Mus. H. N. (Paris) V (29) Jan. 1805, 353.
- birostris** Ovula, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. V. 1801, 70.
- birostris** Ovula (L.), Lamarck, Ann. Mus. H. N. (Paris) XVI (92) *post* Oct. 1810, 113.—Bulla, 1767.
- birostre** Ovulum (Lam.), G. B. Sowerby, I. in Brod. & Sow., Spec. Conch. I (1) 1830, 9.—
- birostris** Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 112. [Ovula.
- birostris** Quinqueloculina (Lam.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 301.
- birostris** Terebratula, Lamarck, An. s. vert. VI (1) 1819, 250. [—Miliolites.
- Birostrites** Lamarck, An. s. vert. VI (1) 1819, 235.
- Birostrum** Desmoulins, Bull. H. N. Soc. Linn. Bordeaux, I (5) 1827, 285.—[Rudistidae.]
- biru** Alcyon, T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 172.
- biru** Alcyon, H. Boie, N. Staatsburg. Mag. (Schleswik) I (2) 1832, 472 [*n. n.*].
- birugata** Lingula, S. Kutorga, Verh. Russ.-Kais. min. Ges. St P. 1845-6 (1846), 119.
- bisaculeata** Rotalia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 273.
- Bisalpis** C. S. Rafinesque, Analyse, 1815, 135.—Verm. [*n. n.*].
- bisaltis** Lamprotatus, F. Walker, Ann. Mag. N. H. X. Dec. 1842, 272.
- bisaltide** Apatura (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 35.—Papilio, 1777.
- bisaltide** Kallima (Cr.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. IF (1850), 325.—Papilio, 1777.
- bisaltide** Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 370.—Papilio.
- bisarre** Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 353. [Cr. 1777—
- bisbiguttatus** Carabus, J. C. Fabricius, Syst. Eleuth. I. 1801, 186.
- bis-biguttatum** Phasma, H. Burmeister, Handb. Ent. II (2) i, 1838, 586.
- bisbimaculatus** Cyclomorpha, T. Lacordaire, Mon. Erotyl., Sept. 1842, 265.
- bis-bimaculatus** Elater, C. J. Schoenherr, Syn. Insect. I (3) 1817, 313.

- bis-bimaculatus** Xylophilus, C. Hampe, Entom. Zeitung, Stettin, XI (10) Oct. 1850, 356.
- bis-binotata** Aricia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 489.
- bisbipustulatus** Cryptocephalus, J. Sturm, Catal. Ins. Samml. 1826, 126 [*n. n.*].
- bisbipustulatus** Platynaspis (Fab.), L. Redtenbacher, Disp. gen. et sp. Col. Pseudotrim. 1843, 15.—Coccinella, 1792.
- bis bi-pustulatus** Scymnus (Fab.), Dejean, Catal. Coléopt. 1821, 132.—Coccinella, 1792.
- bisbisignatus** Scymnus, L. Redtenbacher, Disp. gen. et spec. Col. Pseudotrim. 1843, 19.
- bisbisignatus** Sphenophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 908.
- Bisbos** *err. pro* Bibos, B. H. Hodgson, Calcutta Journ. Nat. Hist. II (6) July 1841, 217.
- biscapus** Cothonaspis, T. Harting in Germar, Zeitschr. f. d. Entom. 2 (1.) 1840, 201.
- biscatenaria** Pleurotoma, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* Sept. 1834, 140. [1834-41] [*n. et f.*].
- bischoffaria** Geometra, J. Huebner, Europ. Schmett., Tab. Geom., 112 (Fernaldo judice
- bischoffii** Carabus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (4) 1848, 450.
- bischoffii** Polia, Herrich-S., Syst. Bearb. Schmett. Europ. II (—) 1850-1, 265.
- bischoffi** Pleurotomaria, G. A. Goldfuss, Petref. German. III (8) 1844, 65.
- biscocta** Artemis, L. Reeve, Conch. Icon. VI.—Artemis, no. 55, Mar. 1850.
- biscruciatius** Syrphus, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 426 [*n. n.*].
- bisculptus** Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 251.
- biscutata** Atta, J. C. Fabricius, Syst. Piezat. 1804, 422.—Formica, 1775.
- biscutatus** Crocodilus, G. Cuvier, Ann. Mus. H. N. (Paris) X (55-56) Sept. 1807, 53.
- biscutatus** Pimelodus, I. Geoffroy St H. in Savigny, Egypte, I (1) (Suite Poiss. Nil) 1827, Cardium, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 144. [301.
- bisectum** Elater, T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 173. [724.
- bisecta** Venus, T. A. Conrad in J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct. 1849,
- biselata** Phalaena, Hufn. 1767; in Index Anim. I. p. 132.—Later authors quote this as
- biserialis** Actinia, E. Forbes, Ann. Nat. Hist. V. May 1840, 182. [setata.
- biseriale** Cerithium, Grateloup, Actes Soc. Linn. Bordeaux, V (29) 1832, 281.
- biseriale** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 351.
- biseriale** Chrysodon, L. Oken, Lehrb. Nat. III (1) 1815, 377.
- biserialis** Exorista, J. Macquart, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850, 379.
- biserialis** Littorina (Ph.), L. G. de Koninck, Descr. Anim. foss. (10) *extremo* 1843, 458.—
- biserialis** Perischodomus, F. M'Coy, Ann. Mag. N. H. (2) III. Ap. 1849, 254. [Turbo.
- biserialis** Phorocera, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 89. [238.
- biserialis** Purpura, H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I [2] *post* May 1832,
- biserialis** Pycnodus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 496 [*n. n.*]; Poiss. Foss.
- biserialis** Turbo, J. Phillips, Geol. Yorksh. II. 1836, 226. [II (2) 199 (1844).
- biseriata** Amathia, C. F. F. Krauss, B. z. K. Zooph. Süd-See, 1837, 23.
- biseriatus** Boletobius, C. G. Mannerheim, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (2)
- biseriatus** Carabus, M. de Chaudoir, Enum. Carab. 1846, 87. [1846, 508.
- biseriatus** Coscinopora (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 283.—
- biseriata** Hornera, R. A. Philippi, Tertiärverst. n.-w. Deutschl. 1844, 36. [Siphonia.
- biseriata** Idmonea, R. A. Philippi, Tertiärverst. n.-w. Deutschl. 1844, 67.
- biseriata** Lithocharis, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 617.
- biseriata** Litorina, H. Lichtenstein, Verz. Samml. Neuholländ. 1837, 7 [*n. n.*].
- biseriata** Metopia, J. Macquart, Ann. Soc. Ent. France [2] VIII (4) c. Jan. 1851, 440.
- biseriatus** Nirmus, J. G. Children in Back, Narr. Arctic Exped. 1836, 538.
- biseriatum** Rhapsium, H. Loew, Entom. Zeitung, Stettin, XI (4) Ap. 1850, 123.
- biseriatus** Salarias, Cuvier & Valenc., H. N. Poiss. XI. 1836, 316.
- biseriatus** Sapromyza, H. Loew, Dipterologische Beiträge, III. 1847, 29.
- biseriata** Siphonia, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 172.
- biserratus** Notidamus (*sic*), G. v. Muenster, Beitr. zur Petref. (5) 1842, 66.
- biserrata** Pleurotomaria, J. Phillips, Geol. Yorksh. II. 1836, 228.
- biserratus** Trochus (Ph.), L. G. de Koninck, Descr. Anim. foss. (10) *extremo* 1843, 449.—
Pleurotomaria. [tomaria.
- biserratus** Turbo (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 122.—Pleuro-

- biserrirostris** Claeoderes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 526.
- bisertum** Cerithium, G. v. Muenster, Beitr. zur Petref. (4) 1841, 122.
- biserta** Rissoa (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 183.—Turbo.
- bisertus** Trochus, J. Phillips, Geol. Yorksh. I. 1829, 157 [*n. et f.*].
- bisertus** Trochus, G. v. Muenster, Beitr. zur Petref. (4) 1841, 107.
- bisertus** Turbo, G. v. Muenster, Beitr. zur Petref. (4) 1841, 116.
- biseta** Buprestis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 50.
- biseta** Terebella, Lamarck, Syst. Anim. 1801, 324.
- bisetaria** Dosithea (Hufn.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1830, 53.—Phalaena biselata, 1767. [biselata, 1767.]
- bisetata** Idaea (Hufn.), F. Treitschke, Schmett. Europa, VI (2) 1828, 287.—Phalaena
- bisetata** Ptychopoda (Hufn.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) July 1831, 307.
—Phalaena biselata, 1767. [(Dec. 1832), 522.]
- bisetis** Nymphicus, J. G. Wagler (*ex* Forst. MS), Abh. K. bayer. Ak. Wiss. I. 1829—30
- bisexlobata** Chelonibia (Bl.), O. G. Costa, Fauna Regno Napoli, Cirrop. 14 (*post* 1840).
—Coronula. [15.—Coronula.]
- bisexlobata** Columellina (Bl.), A. Bivona Bernardi, Effem. Sci. Lett. Sicilia, II. Ap. 1832,
- bisexlobata** Coronula, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 379.
- bishopi** Alosa, Müller & Troschel in R. H. Schomburgk, Hist. Barbados, 1847, 675.
- bishopi** Gobius, Müller & Troschel in R. H. Schomburgk, Hist. Barbados, 1847, 672.
- bisicata** Plectana, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 192.
- bisigillatus** Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 365.
- bisigillatus** Omaseus, T. W. Harris, New England Farmer, VII (16) Nov. 1828, 123.
- bisignatus** Acanthocinus, J. Sturm, Catal. Ins. Samml. 1826, 87 [*n. n.*].
- bisignatus** Acanthogenius, L. Reiche, Ann. Soc. Ent. France, XI (4) Oct. 1843, 335.
- bisignatum** Acridium (Charp.), O. G. Costa, Fauna Regno Napoli, Ortott. 33 (*ad* 1836).
- bisignatus** Acupalpus, C. H. Boheman, Ins. Caffr. I (1) 1848, 224. [—Gryllus.]
- bisignata** Aleochara, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 357.
- bisignatus** Anthonomus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836,
- bisignatus** Anthribus, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 94. [344.]
- bisignatus** Aphodius, W. F. Erichson (De Haan MS), Nat. Ins. Deutschl. I. 3 (6) 1848, 801 [*n. n.*].
- bisignata** Asida, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 43 [*n. n.*].
- bisignatum** Bembidion (Dej.), Audinet-S., Faune Française (1 & 2) Coleopt. 1821, 82.—
Tachys.
- bisignatum** Bembidium (Peryphus), E. Ménétrés, Cat. Rais. Zool. Caucase, 1832, 137.
- bisignatus** Brachinus, J. Sturm, Catal. Ins. Samml. 1826, 102 [*n. n.*].
- bisignatus** Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 335.
- bisignatus** Braco, C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1838, 56.
- bisignatum** Callidium (Clytus), E. F. Germar, Ins. Spec. novae, I. 1824, 516.
- bisignatus** Camptodes, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 341.
- bisignatus** Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840,
- bisignatus** Ceratopus, C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 121. [327.]
- bisignata** Cetonia, J. Sturm, Catal. Ins. Samml. 1826, 113 [*n. n.*].
- bisignatus** Chlaenius, Dejean, Spec. gén. Coléopt. II. 1826, 303.
- bisignatus** Clerus, M. Spinola (*ex* Dej. Cat.), Ess. mon. Clérites, I. 1844, 272.
- bisignata** Clivina, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 620.
- bisignata** Clythra, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5)
- bisignata** Coccinella, G. Fischer de W., Cat. Col. Sibir. [1842], 27. [Mar. 1835, 444.]
- bisignatus** Coccoderus, L. Buquet, Rev. Zool. (Soc. Cuv.) III. Oct. 1840, 294.
- bisignatus** Colymbetes, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 13 [*n. n.*].
- bisignatus** Cryptocephalus, E. F. Germar, Ins. Spec. novae, I. 1824, 559.
- bisignatus** Cryptorhynchus, T. Say, Descr. N. Amer. Curcul., July 1831, 19.
- bisignatus** Curculio, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 28 [*n. n.*].
- bisignatus** Cybister (Sahlb.), C. Aubé, Spec. gén. Hydroc. 1838, 88.—Trochalus.
- bisignata** Cymindis, Dejean, Spec. gén. Coléopt. V. 1831, 322. [—Cymindis.]
- bisignata** Cymindoidea (Dej.), Laporte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 390
- bisignata** Delphax, O. G. Costa, Cenni Zool. (Ann. Zool.) 1834, 84 [*n. n.*].

- bi-signatus** Elater, Dejean, Catal. Coléopt. 1821, 34 [*n. n.*].
- bisignata** Ecyra, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850
[*ineunte* 1851], 154.
- bisignata** Epuraea, J. Sturm, Deutschl. Fauna (Insecten), XV. 1844, 80.
- bisignatus** Eriphus (Germ.), J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar.
1834, 89.—Callidium.
- bisignatus** Erotylus (Morphoides), F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. Ap. 1841.
- bisignatus** Eustrophus, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 151 [*n. n.*]. [118.]
- bisignata** Galleruca, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 219.
- bisignata** Gematis, J. Sturm, Catal. Ins. Samml. 1826, 143 [*n. n.*].
- bisignatus** Gryllus, T. v. Charpentier, Horae Ent. 1825, 133.
- bisignatus** Gymnetron, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 754.
- bi-signatus** Heilipus, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 163 [*n. n.*].
- bisignatus** Heterochelus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I
Oct. 1850, 65. [1817, 69.]
- bi-signata** Hoplia, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 162; & App.
- bisignatus** Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 410.
- bisignata** Lampyris, J. Sturm, Catal. Ins. Samml. 1826, 159 [*n. n.*].
- bisignata** Leptura, A. Brullé in Bory de St V., Exp. Morée (Ins.), 1832, 264.
- bisignata** Leptura, E. Ménétrés, Cat. Rais. Zool. Caucase, 1832, 232.
- bi-signata** Leptura, Dejean in F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V.
[1837, 313.]
- bisignatus** Lissomus, Reiche, Rev. Zool. (Soc. Cuv.) Jan. 1838, 14. [1837, 313.]
- bisignatus** Loemophloeus, F. E. Guérin-M., Iconographie, 1844, Ins. 205.
- bisignata** Masicera (Meig.), J. Macquart, Ann. Soc. Ent. France [2] VIII (4) *c.* Jan.
1851, 483.—Tachina.
- bisignatus** Megistopus, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 411.
- bisignata** Meigenia (Meig.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst.
France, II. 1830, 200.—Tachina.
- bisignata** Melolontha, A. Drapiez, Ann. gén. Sc. Phys. (Bruxelles) V. Sept. 1820, 324.
- bisignata** Mordella, Ziegler in L. Redtenbacher, F. Austr., Käfer, 1849, 613.
- bisignata** Nomada, T. Say in Keating, Exp. Peter River, II. 1824, 354; & ed. London,
1825 (App.), 84. [[Dec. 1838], 738.—Gryllus.]
- bisignata** Oedipoda (Charp.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839.
- bi-signatus** Omias, Dahl; Dejean, Catal. Coléopt. 1821, 96 [*n. n.*].
- bisignata** Oxycheila, F. E. Guérin-M., Dict. pittoresque H. N. VI. 1838, 572; N. Dict.
class. H. N., ed. 2, XXXI. 1846, 34.
- bisignatus** Pachybrachys, L. Redtenbacher, F. Austr., Käfer, 1849, 563.
- bisignatus** Peritelus, Dahl; E. F. Germar, Ins. Spec. novae, I. 1824, 410.
- bisignatus** Phalacrus, E. Ménétrés, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2=Sci.
Nat. VI.) (4) Nov. 1849, 271.
- bi-signata** Phaleria, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 150 [*n. n.*].
- bisignatus** Philonthus, C. H. Boheman, Ins. Caffr. I (1) 1848, 282. [15.]
- bisignata** Phyllobrotica, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (3) 1848, [15.]
- bisignata** Platynaspis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 946.
- bisignatus** Platylomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 190.
- bisignatus** Ptochus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 488.—
- bisignatus** Saprinus, W. F. Erichson, Jahrb. Insectenk. I. 1834, 177. [Peritelus.]
- bisignatus** Scymnus, C. H. Boheman, Ofvers. K. Vet. Ac. Förh. VII (3) 1850, 76.
- bisignatus** Sunius, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 642.
- bisignata** Tachina, Wiedemann in J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824,
- bisignatus** Tachys, Dejean, Catal. Coléopt. 1821, 16 [*n. n.*]. [322.]
- bi-signata** Thereva, O. G. Costa, Atti R. Accad. Sci. [Napoli] V (2) 1844, 85.
- bisignatus** Trochilus, Sahlberg in Dejean, Catal. Coléopt., ed. 3, 1836, 60.
- bisignatus** Tropideres, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 213.
- bisinuata** Anas, J. Hermann, Obs. Zool. 1804, 143.
- bisinuatus** Cryptodon, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 247 [*n. n.*].
- bisinuata** Nerita, A. Buvignier in Sauvage & B., Stat. min. géol. Ardennes, 1842, 535.
- bisinuata** Neritoma, J. Morris, Q. J. Geol. Soc. London, V. 1849, 334.

- bisinuata** Terebratula, Lamarck, An. s. vert. VI (1) 1819, 252.
- bisinuosa** Gyrophyllia (Mich.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 8.—Meandrina.
- bisinuosa** Meandrina, H. Michelin, Icon. Zoophyt. (5) 1842, 55.
- bisinuosa** Symphyllia (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May
- Bisiphites** de Montfort, 1808 [err. Scudderi *pro* Bisiphytes]. [1849, 257.—Meandrina.
- bisiphites** Nautilites, E. F. v. Schlotheim, Die Petref. 1820, 84.
- bisiphites** Nautilus, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 184.
- bisiphites** Siphonaria, H. Michelin, Magasin de Zool. I. 1831, 5.
- bisiphonatum** Andoceras (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 4.—Orthoceras.
- bisiphonatum** Orthoceras, J. De C. Sowerby in Murchison, Silur. Syst., Jan. 1839, 642.
- Bisiphytes** Denys de Montfort, Conch. I. 1808, 54.—Ceph.
- biskreensis** Adesmia, H. Lucas, Rev. Zool. (Soc. Cuv.) VII. July 1844, 264.
- bislineata** Salamandra, J. Green, J. Acad. Nat. Sci. Philad. I (12) Aug. 1818, 352.
- Bisneus** *err. pro* Brisnaeus, Leach; G. B. Sowerby, II., Conch. Man. 1839, 14.
- Bisnius** W. E. Leach in J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23.—Col.
- bis-octo-notata** Vibidia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 204.
- Bison** C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. Syn. 1827, 373.—M.
- bison** Bubas (L.), E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 77.—Scarabaeus, 1767.
- bison** Cladognathus (Fab.), H. Burmeister, Handb. Ent. V. 1847, 373.—Lucanus, Ol. 1789.
- bison** Cratosomus, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 166.
- bison** Lepisosteus, J. E. De Kay, N. H. New York (Fish) 1842, 271.
- bison** Mecynotarsus (Ol.), F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (4) 1849, 3.—Notoxus [“Mon. Anth.” *poster. edit.*].
- bison** Notoxus, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 394.
- bison** Onitis, J. C. Fabricius, Syst. Eleuth. I. 1801, 28.—Scarab. L. 1767.
- bison** Pentatoma, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 54.
- bisontella** Ochsenheimeria, F. Lienig, Isis (Oken), 1846, 274.
- Bisonus** B. H. Hodgson, Journ. Asiat. Soc. Bengal, IV (45) Sept. 1835, 525.—M.
- bispecularis** Cercopis, A. White, Ann. Mag. N. H. XIV. Dec. 1844, 426.
- bispecularis** Garrulus, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (1) Jan. 1831, 7.
- bispecularis** Raia, E. T. Bennett, Proc. Comm. Sci. Zool. Soc. London (12) Dec. 1831, 7.
- bisperforatus** Echinodiscus, J. Parkinson, Org. Rem. III. 1811, 25. [148.
- bisperforata** Lobophora (Park.), Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 136.—Echinodiscus.
- bispilotus** Anisotelus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 26.
- bispilota** Chrysis (Pyria), F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) V. May 1842, 145.
- bispilota** Sitona, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 27.
- bispina** Gynacantha, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 211.
- bispina** Joppa, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 284.
- bispina** Smiliorachis, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 290.
- bispina** *v. et* bispinus.
- bispinator** Limia, J. C. Fabricius, Syst. Eleuth. II. 1801, 292. [254.
- bispinatorius** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822,
- bispinatus** Ancyloceras, Baugier & Sauzé, Mém. Soc. Stat. Deux-Sèvres, VII. 1843, 136.
- bispinatus** Scymnus, Quoy & Gaimard, Voy. “Uranie” (Zool.) 1824, 197.
- bispinifer** Mydas, J. O. Westwood, Tr. Entom. Soc. Lond. V (4) June 1848, 88.
- bispinis** Batrachus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 45.
- bispinis** Callionymus (Schn.), J. R. Forster, Anim. mar. Aust. 1844, 360.—Batrachus.
- bispinis** Harpagifer (Schn.), J. Richardson, Zool. “Ereb. Terr.” (Fish, 1844), 11.—Batrachus.
- bispinosus** Acidaspis, F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 45.
- bispinosum** Acrydium, J. W. Dalman, K. Vet. Ac. Handl. 1818 (1) 1818, 77.
- bispinosus** Ammonites, C. H. v. Zieten, Pétrif. Wurt. (3) 1831, 22.
- bispinosum** Amorposoma, Laporte & Gory, H. N. Coléopt. II. 1839, 3.
- bi-spinosa** Apate, Ol.; Dejean, Catal. Coléopt. 1821, 101 [n. n.].
- bispinosus** Apocyrus, G. R. Waterhouse, Ann. Mag. N. H. XI. Ap. 1843, 253.

- bispinosa** Aporhina, d'Urville in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 310.
- bispinosa** Arcania, W. de Haan in Siebold, F. Japon. (Crust. 1841), 135.
- bispinosa** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1428.
- bispinosa** Asteria, A. G. Otto, Consp. anim. (1) 1821, 17.
- bispinosa** Asterias, A. W. Otto, N. A. Ac. Caes. Leop. Car. XI (2) 1823, 285.
- bispinosus** Astropecten (Otto), Joh. Mueller & Troschel, Syst. Asterid. 1842, 69.—Asteria.
- bispinosus** Attelabus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 204.
- bispinosa** Brachiella, A. v. Nordmann, Mikr. Beitr. wirbellos. Thiere (2) 1832, 94.
- bispinosa** Buprestis, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 103.
- bispinosa** Calliceras, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 280.
- bispinosus** Cancer (Galene), Herbst; W. de Haan in Siebold, F. Japon. (Crust. 1835), 49.
- bispinosum** Cardium, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 223.
- bispinosa** Cercaria, C. S. Rafinesque, Specchio d. Sci. II (9) Sept. 1814, 68.
- bispinosum** Cerithium, G. G. Pusch, Polens Palaeont. (2) 1837, 148.
- bispinosa** Chalcis, J. C. Fabricius, Syst. Piezat. 1804, 166.
- bispinosa** Chelys (Daud.), H. Cloquet, Dict. Sci. Nat. VIII. 1817, 392.—Testudo.
- bispinosa** Cidaris, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 272.
- bispinosa** Cidarites, Lamarck, An. s. vert. III. 1816, 57.
- bispinosa** Colletes, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 42 [n. n.].
- bispinosus** Crangon (Westw.), T. Bell, Brit. Stalk-eyed Crust. (6) [1846-51], 268.—Pontophilus.
- bispinosus** Cratosomus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 27.
- bispinosus** Curculio, F. Weber, Obs. Ent. 1801, 94.
- bispinosus** Cyclopterus, G. Shaw, Gen. Zool. (Pisc.) V (2) 1804, 396.
- bispinosa** Cypris, H. Lucas, Explor. Algér. (Artic. I.) 1846, 82.
- bispinosus** Dactylopterus, W. Swainson, N. H. Fishes etc. II. July 1839, 417.
- bispinosa** Daphnia (Deg.), Herrich-S. in Panzer, Ins. Germ., heft 141, 1836, tab. 1.—Monoculus, 1778.
- bispinosa** Desmonota, C. H. Boheman, Mon. Cassid. I. 1850, 154. [—Lepralia.
- bispinosa** Discopora (Johnst.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 126.
- bispinosa** Dynamene, J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 294.
- bispinosa** Galeruca (Fab.), A. G. Olivier, Entom. VI. 1808, 648.—Cricocaris, 1798.
- bispinosa** Goneplax, W. E. Leach, Tr. Linn. Soc. London, XI (2) 1815, 323.
- bispinosa** Gonoplax, W. E. Leach, Malac. podophth. Brit., text to pl. xiii (8) Mar. 1816.
- bispinosus** Gorgus (Gyll.), F. E. Guérin-M., Iconographie, 1844, Ins. 162.—Cratosomus.
- bispinosa** Halticella (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 36.—Chalcis.
- bispinosa** Haltichella (Fab.), M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 148.—Chalcis.
- bispinosus** Heterogomphus, H. Burmeister, Handb. Ent. V. 1847, 227.
- bispinosa** Hockeria (Fab.), F. Walker, Entom. Mag. II (I) Jan. 1834, 35.—Chalcis.
- bispinosa** Hoplionota, C. H. Boheman, Mon. Cassid. I. 1850, 22. [254.—Sargus.
- bispinosa** Hoplistes (Wied.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834,
- bispinosa** Lepralia, G. Johnston, Hist. Brit. Zooph., ed. 2, 1847, 326.
- bispinosa** Leucosia (Herbst), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 238.
- bispinosus** Malachius, J. Curtis, Brit. Entom. IV (42) June 1827, no. 167.
- bispinosus** Mecopus (Fab.), C. J. Schoenherr, Isis (Oken), 1825, 586.—Rhynchaenus.
- bispinosus** Mecopus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 556.
- bispinosus** Mecopus, Munk in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 686.
- bispinosus** Mugil, S. Bowdich in T. E. Bowdich, Excur. Madeira, 1825, 236.
- bispinosus** Murex, J. De C. Sowerby, Min. Conch. V. 1823, 15.
- bispinosus** Myliobatis, D. H. Storer, Proc. Boston Soc. N. H. I. 1844 (1843), 53.
- bispinosa** Nomia, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 348.
- bispinosa** Notacanthina (Fab.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 442.—Scatophaga.
- bispinosus** Nothrus, C. L. Koch, Deutsch. Crust., heft 29, 1839, tab. 24.
- bispinosa** Ocyпода, Lamarck, Syst. Anim. 1801, 150.
- bispinosa** Odontopleura, H. F. Emmerich, Naturg. Trilobiten, 1844, 17.

- bispinosa** Odynerus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
bispinosa Ophiurella, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 28. [622.
bispinosus Otolithus, Cuvier & Valenc., H. N. Poiss. V. 1830, 65.
bispinosus Piazurus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 654.
bispinosus Pilumnus (Fab.), P. A. Latreille, Ency. Méth. X (Ins.) 1825, 124.—Cancer,
bispinosa Pisitoe, C. S. Rafinesque-S., Précis Som. 1814, 25. [Hbst. 1783.
bispinosa Ploiaria, J. O. Westwood, Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 65.
bispinosus Podops (Fab.), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 65.—Cimex,
bispinosa Ponera, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Oct. 1841, 324. [1798.
bispinosus Pontophilus, J. O. Westwood, Mag. Nat. Hist. VIII. May 1835, 271.
bispinosa Priocera, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 284.
bispinosa Pyrula, R. A. Philippi, Abb. Conch. I (4) 1844, 94.
bispinosus Raia, D. H. Storer, Boston Journ. N. H. IV (2) 1842, 188.
bispinosus Rhyngaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 475.—Curculio, 1801.
bispinosa Rostellaria, J. Phillips, Geol. Yorksh. I. 1829, 135 & 141 [*n. et f.*].
bispinosus Sargus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 32.
bispinosa Scatophaga, J. C. Fabricius, Syst. Antliat. 1805, 210.
bispinosa Sicyonia, W. de Haan in Siebold, F. Japon. (Crust. 1849), 195.
bispinosum Sinoxylon (Ol.), J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 349.
 —Bostrichus, 1790.
- bispinosa** Somileptes, W. Swainson, N. H. Fishes etc. II. July 1839, 311.
bispinosa Sphex, G. C. Reich, Mag. Thierreichs (3) 1795, 131.
bispinosus Stenocorus, J. Sturm, Catal. Ins. Samml. 1826, 199 [*n. n.*].
bispinosa Testudo, F. M. Daudin, Sonnini's Buffon, Rept. II (1802), 94. [Testudo.
bispinosa Testudo (Matamata) (Daud.), B. Merrem, Tent. Syst. Amph. 1820, 22.—
bispinosa Tetanocera (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II.
 1830, 586.—Scatophaga.
- bispinosa** Tettix, J. W. Dalman, Anal. Entom. 1823, 86.—Acrydium, 1818.
bispinosa Tetyra, J. C. Fabricius, Syst. Rhyng. 1803, 138.—Cimex, 1798.
bispinosa Zanthopsis, F. M'Coy, Ann. Mag. N. H. (2) IV. Sept. 1849, 164.
bispinosus Zelus, J. C. Fabricius, Syst. Rhyng. 1803, 287.
- Bispinus** C. J. B. Amyot, Ann. Soc. Ent. France, III (4) 1846, 455.—Hem.
bispinus Acanthosoma (Wolf), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II.
 1832, 62.—Cimex, Panz. 1795.
- bispinus** Anthribus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 183.
bispinus Ateuchus, E. F. Germar, Ins. Spec. novae, I. 1824, 97.
bi-spinus Bostrichus, Meg.; Dejean, Catal. Coléopt. 1821, 101 [*n. n.*].
bispinus Bostrichus, K. Duftschmid, Fauna Austriae, III. 1825, 92.
bispinus Cyphus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 150.
bispinus Elytrodon (Sturm), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 639.—
 Gastrodus.
- bispinus** Eirrhinus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 62 [*n. n.*].
bispinus Gastrodus, Ziegl.; J. Sturm, Catal. Ins. Samml. 1826, 143.
bispinus Leptochirus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 827.
bispinus Metapodius, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 15.
bispinus Physomerus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 9.
bispinus Synergus, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 347.
v. et bispina.
- bispiralis** Protula (Sav.), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 337.—Serpula.
bispiralis Serpula, J. C. Savigny, Egypte, I (3) (Ann.) 1822, 75 [Sabelle, Cuv. 1829, *vernac.*].
bispiralis Spiramella, de Blainville, Dict. Sci. Nat. LVII. 1828, 432.
bisquadrinaculata Haltica, J. Sturm, Catal. Ins. Samml. 1826, 146 [*n. n.*].
bis-quadrripunctata Clythra, L. A. A. Chevrolat, Coléopt. Mex. (5) Jan. 1835, no. 121.
bisquadrripunctata Coccinella, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (2) 1808,
 186. [V. May 1848, 260.—Clythra.
- bis-quadrripunctata** Gynandrophtalma (Chev.), T. Lacordaire, Mém. Soc. R. Sci. Liège,
bis-quadri-pustulata Coccinella, A. H. Haworth, Tr. Entom. Soc. Lond. I (3) 1812,
bisquamosus Pecten, Potiez & Michaud, Gal. Moll. Douai, II. 1844, 75. [290.

- bis-quatuor-guttata** Dysis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 419.
- bis-quatuorpustulata** Cleothera, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 634.
- bisquinquepunctatus** Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 318.
- bis-quinque-pustulata** Cleothera, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 610.
- bisquinquepustulata** Coccinella, J. C. Fabricius, Syst. Eleuth. I. 1801, 384.
- bisquinquestriatus** Hister, Megerle, Mag. Entom. (Germa) I (1) 1813, 121.
- bissa** Caretta, E. Rueppell, Neue Wirbelth. Abyssin. (3) 1835, 4.
- bissectum** Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 25.
- bissellata** Coelophora, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 400.
- bisselliella** Tinea, A. D. Hummel, Essais Entom. I (3) 1823, 13.
- bis-septem-guttata** Calvia (Schall.), E. Mulsant, H. N. Coléopt. France (Sécurip.) Sept. 1846, 144.—Coccinella, 1783.
- bis-septem-punctata** Coccinella, J. Sturm, Catal. Ins. Samml. 1826, 122 [n. n.].
- bis-sex-notata** Leis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 269.
- bissexpunctata** Coccinella, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1813), 37.
- bissexpunctata** Galleruca, Esch.; J. Sturm, Catal. Ins. Samml. 1826, 142.
- bissexstriatus** Hister, J. C. Fabricius, Syst. Eleuth. I. 1801, 84.
- bisstigmata** Microgaster, T. Say, Boston Journ. N. H. I (3) 1836, 264.
- "Bissomia"** T. Say, Journ. Ac. Nat. Sci. Philad. I. 1818, 452." [Byssomya est.]
- Bissomyia** Cuv.—teste Agassiz, Nom. Zool. (Moll. 1845), 11.—[non comp. v. Byssomya].
- bistella** Anthrax, F. Walker, The Zoologist, VIII. 1850, App. p. xcvi.
- bistictella** Elachista, J. M. J. af Tengstrøm, Notiser Sallsk. fauna Fennica Förhandl. I. 1839, 449. [1848, 149.]
- bistigma** Cybebus, C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 449.
- bistigma** Gloma, J. Curtis, Guide Brit. Ins. (7) 1831, 214 [n. n.].
- bistigma** Heleodromia, J. Curtis, Brit. Entom. XI (128) Aug. 1834, no. 513.
- bistigma** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 84.
- bistigmosa** Psyllobora, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 168.
- Bistoma** *err. pro* Distoma, Reich, N. Schrift. Berlin Ges. Nat. Freunde, III. 1801, 371.
- Biston** W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 134.—Lep.
- bistortae** Empis, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 29.
- bistria** Myopa, F. Walker, List Dipt. Coll. B. M. (3) 1849, 679.
- bistrialis** Agriphila, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 38.
- bistrialis** Nanina, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 2, & "sp. nov." 4.
- bistrialis** Nautilus, J. Phillips, Geol. Yorksh. II. 1836, 232. [Ireland, 1844, 20.]
- bistrialis** Nautilus (Tennocheilus), Phil.; F. M'Coy in Griffith, Syn. Carb. Lst. foss.
- bistriangularis** Lygaeus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- bistriana** Peronea (Haw.), J. Curtis, Brit. Entom. I (4) Ap. 1824, no. 16; & ed. 2, *ibid.*
- bistriana** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 399. [1835-9, 8.]
- bistriaris** Parallelia, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 15.
- bistriaria** Nemoria, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 25.
- bistriata** Agrodroma, W. Swainson, Anim. in Menag., Dec. 1837, 316.
- bistriatum** Anobium, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 172.
- bistriatus** Anthus (Sw.), G. R. Gray, Genera of Birds, I. Jan. 1847, 206.—Agrodroma.
- bistriatus** Batrisus, J. Le Conte, Boston Journ. N. H. VI (1) 1850, 101.
- bistriatum** Bembidium, J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 152.
- bistriatum** Bembidium (Dufts.), H. Lucas, Explor. Algér. (Artic. II.) 1846, 78.—Elaphrus.
- bi-striatus** Brentus, Dejean, Catal. Coléopt. 1821, 82 [n. n.].
- bistriatus** Bruchus, J. C. Fabricius, Syst. Eleuth. II. 1801, 402.
- bistriatum** Buccinum, Lamarck, Ann. Mus. H. N. (Paris) II (2) Ju. 1803, 165.
- bistriatus** Charadrius, J. G. Wagler, Isis (Oken), 1829, 648.
- bistriatus** Chiton, W. Wood, General Conch. 1815, 7.
- bistriata** Chlorops, F. Walker (*ex* Barnston MS), List Dipt. Coll. B. M. (4) 1849, 1119.
- bistriatus** Colymbetes (Bergstr.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 152.—
- bistriatus** Cyclops, C. L. Koch, Deutsch. Crust., heft 21, 1838, tab. 7. [Dytiscus, 1778]
- bistriatus** Cyclostoma, T. Brown, Ill. Conch. G. B. I. 1827, pl. xli, fig. 29 [n. et f.].
- bistriatus** Dytiscus, Bergstraesser, Nom. Ins. I. 1778, 42.
- bistriatus** Elaphrus, Megerle in K. Duftschmid, Fauna Austriae, II. 1812, 205.

- bistriatus** Euprepis, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 115.—Tiliqua, 1830.
bistriata Galleruca, J. Sturm, Catal. Ins. Samml. 1826, 142 [*n. n.*]. [Passandra
bistriatum Hectarthrum (Lap.), E. Newman, Ann. Nat. Hist. II. Feb. 1839, 394.—
bistriata Hilara, J. W. Zetterstedt, Dipt. Scand. I. 1842, 340.
bistriata Isothrix, J. Natterer, Arch. f. Naturg. XI (1) 1845, 146.
bistriatus Kytorhynus (Fab.), G. Fischer, Mém. Soc. Imp. Nat. Moscou, II [*post Nov.*]
 1809, 303.—Bruchus.
bistriata Lacerta, H. R. Schinz, Nat. Abb. Rept. (—) 1834, 100.
bistriata Marpissa, C. L. Koch, Die Arachniden, XIII (2) Jan. 1846, 72.
bistriata Mygale, C. L. Koch, Die Arachniden, V (1) May 1838, 16.
bistriata Nassa, F. W. Heninghaus, Jahrb. f. Min. 1831, 145 [*n. n.*].
bistriata (*sic*) Nassa, A. Andrzejowski, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 439.
bistriatus Nothrus, C. L. Koch, Deutsch. Crust., heft 29, 1839, tab. 21.
bistriatus Oedionemus (Wagl.), G. R. Gray, Genera of Birds, III. May 1844, 535.—
bistriatus Paromalus, W. F. Erichson, Jahrb. Insectenk. I. 1834, 171. [Charadrius.
bistriatum Passandra, F. L. de Laporte, H. N. Anim. art. (Col. II.) 1840, 384.
bistriatus Pecten, Defrance, Dict. Sci. Nat. XXXVIII. 1825, 266.
bistriatum Phalangium, J. R. Schellenberg, Entom. Beytr. (1) 1802, 13.
bistriatus Philonthus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 502.
bistriatus Piazzurus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 662.
bi-striata Pileopsis, Grateloup, Actes Soc. Linn. Bordeaux, VIII (47) 1836, 283.
bistriatum Plagiostoma, K. F. Kloeden, Verst. Mark Brandenburg, 1834, 194.
bistriata Pleurotoma, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1834, 444.
bistriata Pleurotomaria (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],
 70.—Schizostoma.
bistriatus Poabius, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 183.
bistriata Polistes, J. C. Fabricius, Syst. Piezat. 1804, 281.
bistriata Pullastra, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 440.
bistriata Schizostoma, G. v. Muenster, Beitr. zur Petref. (3) 1840, 86.
bistriatus Scincus, J. B. v. Spix, Lacert. Brasil. 1825, 23. [1798.
bistriatus Serrocerus (Payk.), K. Duftschmid, Fauna Austriae, III. 1825, 47.—Dorcatoma,
bistriatum Solarium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1832, 215.
bistriata Terebra, Grateloup, Actes Soc. Linn. Bordeaux, VI (37) 1834, 284.
bistriata Terebratula, Defrance, Dict. Sci. Nat. LIII. 1828, 162.
bistriatus Tiliqua, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 70.
bistriata Tragopa, Klug in H. Burmeister, Revue Entom. IV (5) 1836, 188.
bistriata Trechona, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 75.—Mygale, 1838.
bi-striatus Trechus, Dufts.; Dejean, Catal. Coléopt. 1821, 16 [*n. n.*].
bistriatus Trichius, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 436.
bistriatus Trochus, G. v. Muenster, Beitr. zur Petref. (4) 1841, 108.
bistriata Turritella, Grateloup, Actes Soc. Linn. Bordeaux, V (27) 1832, 167.
bistriga Phycis, A. H. Haworth, Lepidopt. Brit. (3) 1811, 496.
bistriga Phycita (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 50.—Phycis.
bistriga Trichius, E. Newman, Entom. Mag. V (2) Jan. 1838, 170.
bistrigalis Camptylchila, J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Feb. 1834, 22.
bistrigana Argyrolepia, J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Sept. 1834, 177.—
 Orthotaenia, 1829.
bistrigana Orthotaenia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47 [*n. n.*].
bistrigaria Larentia, Boisduval, Gen. Index Europ. Lepid. 1840, 205.
bistrigata Acidalia, F. Treitschke, Schmett. Europa, VI (2) 1828, 59.
bistrigata Crithagra, W. Swainson, Anim. in Menag., Dec. 1837, 318.
bistrigatus Cynophis, J. E. Gray, Ann. Mag. N. H. (2) IV. Oct. 1849, 246.
bistrigata Helomyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 52.
bistrigatum Mesostomum (Fab.), C. M. Diesing, Syst. Helminth. I. 1850, 223.—Planaria.
bistrigatus Monoculus, L. Jurine, Hist. Monocles, 1820, 177.
bistrigata Motacilla, T. S. Raffles, Tr. Linn. Soc. London, XIII (2) 1822, 312.
bistrigatus Mycotretus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 188.
bistrigatus Myrmeleon, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 391.

- bis-strigatus** Odynerus, M. Spinola, Ins. Liguriae, II. 1808, 180.
bistrigata Ortholitha, J. Huebner, Verz. bekannt. Schmett. 1826, 338.
bistrigata Parmula, L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847, 491.
bistrigata Phalaena, A. H. Haworth, Lepidopt. Brit. (2) 1809, 361.
bistrigata Planaria, O. Fabricius, Afhandl. K. Danske Vid. Selsk. II. 1826, 33.
bistrigata Pticnodis, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 21.
bistrigella Lampronia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 51.—Tinea.
bistrigellus Madarus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 109.
bi-strigella Phycis, Duponchel in J. B. Godart, H. N. Lépid. France, X (Noct. 7) 1836,
bistrigella Tinea, A. H. Haworth, Lepidopt. Brit. (4) 1828, 573. [172.
bistrigicollis Sciobius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 202.
bistrigirostris Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1)
bistrigosa Buprestis, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 88. [1837, 53.
bistrigosa Megilla, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 140 [n. n].
bis-triguttata Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 719.
bistriguttata Haltica, J. Sturm, Catal. Ins. Samml. 1826, 146 [n. n].
bistriguttatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 174.
bis-triguttatus Miris (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 224.—
 Lygaeus, 1794.
bistrimacula Colpa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845,
bistrimaculata Coptocephala, H. C. Kuester, Käfer Europas, XV. 1848, 100. [546.
bis-tri-maculata Haltica, J. Sturm, Catal. Ins. Samml. 1826, 146 [n. n].
bistrinotata Clythra, C. J. Schoenherr, Syn. Insect. I (2) 1808, 348.
bis-tri-notatum Himatidium, J. Sturm, Catal. Ins. Samml. 1826, 151 [n. n].
bistriolatus Dytiscus, K. Duftschmid, Fauna Austriae, I. 1805, 285.
bi-striolatus Halipus, Dufts.; Dejean, Catal. Coléopt. 1821, 20 [n. n].
bistripunctatus Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 314.
bis-tri-punctata Cassida, Sturm; Dejean, Catal. Coléopt. 1821, 116 [n. n].
bis-tri-punctatus Cryptocephalus, Creutz.; Dejean, Catal. Coléopt. 1821, 127 [n. n].
bistripunctatus Cryptocephalus, Creutz.; E. F. Germar, Ins. Spec. novae, I. 1824, 557.
bistripunctatus Cryptocephalus, T. v. Charpentier, Horae Ent. 1825, 237.
bistripunctatus Habrodactylus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 311.
bistripustulata Brachyacantha (Fab.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850,
bistripustulata Coccinella, J. C. Fabricius, Syst. Eleuth. I. 1801, 383. [529.—Coccinella.
bis-trisignata Daulis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 330.
bis-trispinus Bodianus, S. L. Mitchill, Amer. Monthly Mag. II (4) Feb. 1818, 247.
bistriverrucata Coccinella, A. H. Haworth, Tr. Entom. Soc. Lond. I (3) 1812, 287.
bisuffarcinatus Terebratula (Sch.), H. G. Bronn, Zschr. Min. 1829, I. 77.—Terebratulites.
bisuffarcinatus Terebratulites, E. F. v. Schlotheim, Die Petref. 1820, 279.
bisulca v. **bisulcus** -a -um. [Goniatites.
bisulcatus Aganides (Keys.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 61.—
bisulcata Ammonites, F. de Roissy, Sonnini's Buffon, Moll. V (1805), 25.
bisulcata Arca, Lamarck, An. s. vert. VI (1) 1819, 45. [Brentus, ?Lund.
bisulcatus Arrhenodes (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 331.—
bisulcata Atrypa (Emm.), J. Hall, N. H. New York (Pal. I.) 1847, 139.—Orthis.
bisulcata Atyoida, J. W. Randall, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1840, 140.
bisulcatus Belemnites, H. D. de Blainville, Mém. Bélem. 1827, 79.
bisulcatus Belemnites, F. Hartmann, Syst. Uebers. Verst. Würt. 1830, 16 [n. n].
bisulcatus Bellerophon, F. A. Roemer, Verst. Harzgeb. 1843, 32.
bisulcatus Brachyrhinus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 181.—
 Curculio, 1781.
bisulcatus Brentus, N. T. Lund, Skr. nat. Selsk. [Copen.] V (2) 1802, 67.
bisulcata Buprestis, Laporte & Gory, H. N. Coléopt. I. 1837, 19.
bisulcata Caryophyllia, T. A. Catullo, Terr. sed. Veneto e Descr. Polipai foss. 1847, 19.
bisulcata Cassis, G. H. Schubert & J. A. Wagner in Mart. & Chem., Conch. XII. 1829, 68.
bisulcatus Chelonus, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 154, 1838, tab. 9 a.
bisulcata Clymenia, G. v. Muenster, Beitr. zur Petref. (3) 1840, 93.
bisulcatus Conus, Bellardi & Michelotti, Mem. R. Acc. Sci. Torino [2] III. 1841, 154.

- bisulcatum** Cyclostoma, C. H. v. Zieten, Pétrif. Wurt. (5) 1832, 40.
- bisulcata** Cypricardites, T. A. Conrad [5 A. Rep. N. Y. Geol. Surv.], Assembl. no. 150, 1841, 52.—Pterinea, 1838.
- bisulcatus** Gamasus, C. L. Koch, Deutsch. Crust., heft 26, 1839, tab. 20. [657.]
- bisulcatus** Georissus, V. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843,
- bisulcatus** Goniatites, A. v. Keyserling, Verh. Russ.-Kais. min. Ges. St P. 1844 (1844)
- bisulcata** Gryphaea, A. Risso, H. N. Europe, IV. 1826, 291. [[1845], 235.]
- bisulcatus** Holaster, A. Grasso, Bull. Soc. stat. Isère, IV. 1846 (May 1848), 346.
- bisulcatus** Homalonotus, A. Sedgwick, Q. J. Geol. Soc. London, III. 1847, 149 [n. n.].
- bisulcata** Homalota, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 117.
- bisulcatus** Hygrotus, J. Curtis, Ann. Nat. Hist. V. June 1840, 276.
- bisulcata** Imisia, S. A. Renier, Tavole [1804] vii [n. n.]. [452.]
- bisulcata** Leia, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3) 1844,
- bisulcata** Lima, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 273 [n. n.].
- bisulcatus** Loborhynchus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 164.—Curculio, 1781.
- bisulcata** Metallina (Chaud.), V. v. Mochulski, Kaefer Russl., *post* May 1850, 14.—Leia.
- bisulcatus** Molytes, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 59 [n. n.].
- bisulcatus** Murex, H. E. Anton, Verz. Conch. 1839, 82.
- bisulcatus** Nautilus, F. v. Hauer, Ber. Mitth. Fr. Nat. Wien, I. 1847, 175 [n. n.].
- bisulcata** Nerinea, d'Archiac, Mém. Soc. géol. France, II (2) 1837, 190.
- bisulcata** Nucula, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 170.
- bisulcatus** Olenus, J. Phillips, Mem. Geol. Surv. Gt Britain, II (1) 1848, 346.
- bisulcata** Olfersia, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 111.
- bisulcata** Orthis, E. Emmons, N. H. New York (Geol. 2 dist.) 1842, 396.
- bisulcatus** Otiorhynchus (Fab.), E. F. Germar, Ins. Spec. novae, I. 1824, 346.—Curculio.
- bisulcatus** [Otomys], F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm. IV (71) Oct. 1829, Otomys namaquois, 2. [156.]
- bi-sulcatus** Pachygaster, Fab.; Dejean, Catal. Coléopt. 1821, 91 [n. n.]. [156.]
- bisulcata** Parapholas, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. IV (7) Feb. 1849,
- bifulcatus** (*sic*) Pheropsophus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 708.
- bisulcatus** Planites (Brug.), W. de Haan, Mon. Ammon. 1825, 91.—Ammonites, 1789.
- bisulcatus** Pristis, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 94 (1836); III. 382* (1843).
- bisulcata** Pterinea, T. A. Conrad [2 An. Rep. N. Y. Geol. Surv.], Assembl. no. 200,
- bisulcatum** Solarium, A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 66. [1838, 116.]
- bisulcatus** Spirifer, J. De C. Sowerby, Min. Conch. V. 1825, 152.
- bisulcatus** Staphylinus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 314.
- bisulcatus** Stenus, J. L. Leconte in Agassiz, Lake Superior, 1850, 220 [n. n.].
- bisulcata** Terebratula (Sow.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VII. Jan. 1836, 370.—Spirifer. [1833.]
- bisulcatus** Testacellus, A. Risso, H. N. Europe, IV. 1826, 58. [1833.]
- bisulcatus** Trachelizus, C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 491.—Arrhenodes,
- bisulcatus** Trechus, E. A. Nicolai, Diss. Coleopt. Halensis, 1822, 26. [—Clymenia.]
- bisulcata** Trocholites (Münst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 56.
- bisulcatus** Turbo, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 223.
- bisulcata** Turritella, S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [? 1822], 345.
- bisulcata** Turritella, A. Risso, H. N. Europe, IV. 1826, 111.
- bisulcata** Turritella, H. E. Anton, Verz. Conch. 1839, 61. [[1843], 331.]
- bisulcella** Lita, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)
- bisulcis** Bracon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 349. [bisulcus -a -um.]
- bisulca** Belyta, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 339. [—Locusta.]
- bisulca** Exocephala (P. & S.), J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb. 1831, 160.
- bisulca** Locusta, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 342.
- bisulca** Rissoa, A. Buvignier, Mém. Soc. Philom. Verdun, II. 1843, 240.
- bisulca** Turritella, S. Borson, Cat. Coll. Min. Mus. [Turin] 1830, 627 [n. n.].
- bisus** Auxis (Raf.), G. Cuvier, R. Anim., ed. 2, II. 1829, 199.—Scomber.
- bisus** Scomber, C. S. Rafinesque-S., Car. n. gen. 1810, 45.

- bisuturalis** Turritella, T. Say, J. Acad. Nat. Sci. Philad. II. July 1822, 244.
- bitaenaria** Geometra, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Aug. 1841, 258.
- bitaeniatus** Bulimus, P. H. Nyst, Bull. Ac. Roy. Brux. XII (2) 1845, 153.
- bitaeniatus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 268.
- bitaeniata** Diacope, Cuvier & Valenc., H. N. Poiss. VI. 1830, 536.
- bitaeniata** Lebia, L. A. A. Chevrolat, Coléopt. Mex. (2) Mar. 1834, no. 14.
- bi-taeniata** Lema, L. A. A. Chevrolat, Coléopt. Mex. (1) Oct. 1833, no. 80.
- bitaeniata** Megascelis, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 279.
- bitaeniata** Melania, T. A. Conrad, New F. W. Shells U. S. 1834, 52.
- bitaeniata** Muisca, M. Spinola, Ess. mon. Clérites, II. 1844, 148.
- bitaeniata** Mutilla, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 91.
- bitaeniatus** Scaphidomorpha, T. Lacordaire, Mon. Erotyl., Sept. 1842, 486.
- bitaeniatus** Stenogaster, L. A. A. Chevrolat, Coléopt. Mex. (6) Jun. 1835, no. 136.
- bitaeniatus** Upeneus, E. T. Bennett, Proc. Comm. Sci. Zool. Soc. London (5) May 1831, [59].
- bitentaculata** Carybdea, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 295.
- bitentaculata** Dianaea, Quoy & Gaimard, Ann. Sci. Nat. X (38) Feb. 1827, 184.
- bitentaculata** Hydraspis, J. E. Gray, Syn. Rept. 1831, 42.
- bitentaculatus** Janella (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 112.—Limax.
- bitentaculatus** Limax, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1832), 148. [(24) Jan. 1837, 186.—Carybdea.
- bitentaculata** Octochila (Q. & G.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I
- bitentaculata** Saphenia (Q. & G.), J. F. Eschscholtz, Syst. Acalephen, 1829, 93.—
- biternaria** Dictyocha, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 201. [Dianaea.
- bithalamia** Caryophyllia, T. A. Catullo, Terr. sed. Veneto e Descr. Polipai foss. 1847, 17.
- Bithiana** *err. pro* Bithinia, T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 135.—G.
- Bithinia** J. E. Gray, London Med. Reposit. 1821, 239.—G. = Bithynia, Leach.
- bithynella** Acrobasis, P. C. Zeller, Isis (Oken), 1848, 611.
- Bithynia** W. E. Leach in Abel, Narr. Journ. China, 1818, 362.—G.
- Bithys** J. Huebner, Verz. bekannt. Schmett. 1818, 75.—Lep.
- bithys** Delias, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 20.
- bithys** Euterpe (Huebner), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 410.—
- Bithytes** *err.* Agassiz *pro* Bythites, Reinh. [Delias.
- Bitia** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 42.—R. [*n. n.*].
- Bitia** J. E. Gray, Zool. Miscell. (Gray) (4) May 1842, 64.—R.
- bitias** Brangas (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 80.—Papilio, 1777.
- bitias** Papilio, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 39.
- bitinctus** Cryptus (Gm.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 576.—Ich-
- Bitis** J. E. Gray, Cat. Snakes Coll. B. M. 1849, 25.—R. [neumon, 1790.
- bitoma** Terebratula, G. Fischer v. W., Progr. Séance Publ. Soc. Imp. Nat. Moscou, 1809,
- Bitomus** Denys de Montfort, Conch. II. 1810, 226.—G. [33.
- bitorquatium** Cerithium, R. A. Philippi, Tertiärverst. Wilhelmshöhe, 1841, 23.
- bitorquatus** Charadrius, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 71.
- bitorquatus** Charadrius, R. P. Lesson, Dict. Sci. Nat. XLII. 1826, 27.
- bitorquata** Columba, C. J. Temminck in Knip, Les Pigeons, II (—) 1811, 86.
- bitorquatus** Macrotrarsius, Jerdon, J. Asiat. Soc. Bengal, XVII (1) 1848 (Ap.), 254.
- bitorquatus** Oligodon (Reinw.), F. Boie, Féussac, Bull. Sci. IX. 1826, 236; Isis (Oken), 1827, 519.—Coluber. [Psittacus.
- bitorquatus** Palaeornis (Kuhl), N. A. Vigors, Zool. Journ. II (5) April 1825, 51.—
- bitorquata** Peristera (Temm.), F. Boie, Isis (Oken), 1828, 327.—Columba. [119.
- bitorquata** Pleurotomaria, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VIII. 1849,
- bitorquatus** Psittacus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 201.
- bitorquatus** Psittacus, H. Kuhl, N. A. Ac. Caes. Leop. Car. X (1) 1820, 92.
- bitorquatus** Pteroglossus, N. A. Vigors, Zool. Journ. II (8) Jan. [*z. e.* Ap.] 1826, 481.
- bitorquata** Synallaxis, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 24.

- bitorquata** Tamatia, W. Swainson, Anim. in Menag., Dec. 1837, 327.
- bitorquatus** Turtur (Temm.), G. R. Gray, List Birds Coll. B. M. III. 1844, 12.—Columba.
- bitorquatus** Turtur (Temm.); G. R. Gray, Genera of Birds, II. Sept. 1844, 472.—
- bitorquata** Zygaena, E. Ménétrié, Cat. Rais. Zool. Caucase, 1832, 259. [Columba.
- bitrubicella** Palpula (Germ.), F. Treitschke, Schmett. Europa, IX (2) 1833, 53.—Tinea.
- bitrubicella** Tinea, E. F. Germar, Reise Dalm. 1817, 279.
- bitriangularis** Coccinella, T. Say in Keating, Exp. Peter River, II. 1824, 296; & ed. London, 1825 (App.), 38. [1849, 725.
- bitruncata** Tellina, T. A. Conrad in J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct.
- Bittacomorpha** J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser., VI (34) Ap. 1835,
- Bittacus** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 295. [281.—Dipt.
- Bittium** W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270.—G.
- bitubercularis** Murex, W. Wood, Index Test. 1818, 121.
- bitubercularis** Purpura, Lamarck, An. s. vert. VII. 1822, 237.
- bitubercularis** Ranella, Lamarck, Ency. Méth. (Vers) 1816, pl. 412, Liste p. 4 [n. et f.].
- bituberculare** Tritonium (Lam.), L. Pfeiffer, Rev. Zool. (Soc. Cuv.) VI. May 1843, 136.
- bituberculata** Aranea, C. A. Walckenaer, Faune Paris, II. 1802, 191. [—Ranella.
- bituberculatus** Argus (Wider), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 363.—Theridion.
- bituberculatus** Ateuchus, J. C. Fabricius, Syst. Eleuth. I. 1801, 65.
- bituberculata** Atta (Latr.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835], 175.—Formica, Fab. 1798. [294.
- bituberculatus** Bastactes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842,
- bituberculatus** Bradybatus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 63 [n. n.].
- bituberculatus** Calandra, J. C. Fabricius, Syst. Eleuth. II. 1801, 438.—Curculio, 1781.
- bituberculata** Campeopea, A. Risso, H. N. Europe, V. 1826, 126.
- bituberculatum** Chennium, P. A. Latreille, Gen. Crust. Ins. III. 1807, 77.
- bituberculata** Copris (Fab.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 56.—Ateuchus.
- bituberculata** Copris (Ol.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 42.—Scarab. 1789.
- bituberculatus** Copris, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 34 [n. n.].
- bituberculatus** Cryptophagus, J. F. Stephens (ex Kirby MS), Nom. Brit. Ins., Aug. 1829, 8 [n. n.]; & Ill. Brit. Ent. (Mand. III.) June 1830, 74.
- bituberculatum** Cyclostoma, G. B. Sowerby, I., Thes. Conch. II (11) 1850, 164*.
- bituberculata** Cypridina, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 77.
- bituberculata** Cypris, O. G. Costa, Fauna Regno Napoli, Crost. Cypris, 11 (Sept. 1847).
- bituberculata** Cythere, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 165.
- bituberculatus** Dryophthorus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 1090.—Calandra.
- bituberculata** Epeira, C. A. Walckenaer, Tab. Aran. 1805, 58.—Aranea, 1802.
- bituberculatus** Epialtus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 345.
- bituberculatus** Erihrinus (Zett.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 295.—Rhynchaenus. [173.—Rhynchaenus.
- bituberculatus** Erihrinus (Sahlb.), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843,
- bituberculata** Galedanta, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 136. [1833, 488.
- bituberculatus** Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2)
- bituberculatum** Ibidion, J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 105.
- bituberculatus** Lepyrus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 60 [n. n.].
- bituberculata** Limnobia, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 76.
- bituberculatus** Malachius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 11 [n. n.]; & Ill. Brit. Ent. (Mand. III.) Dec. 1830, 313.
- bituberculatus** Meligethes, A. Foerster, Verh. nat. Ver. pr. Rheinh. VI. 1849, 8.
- bi-tuberculatus** Naupactus, Dejean, Catal. Coléopt. 1821, 95 [n. n.].
- bituberculatus** Ochodaues, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 111.
- bituberculata** Oplocephala (Ol.), Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 348.—Diaperis, 1791.
- bituberculatus** Ostracion, J. G. Schneider, Bloch, Syst. Ichth. 1801, 501.

- bituberculatum** Phasma (Haplopus), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 128.
- bituberculata** Planaria, E. Rueppell & Leuckart in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Wirbellose Thiere (—) 1830 or 1831, 13. [258.]
- bituberculatus** Pompilus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838),
- bituberculatus** Pompilus, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 104.
- bituberculatus** Prionus, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 216.
- bituberculatus** Psilopus, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 180.
- bituberculatus** Rhynchaenus, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 306.
- bituberculatus** Rhynchaenus, C. R. Sahlberg, Diss. Ins. Fenn. II. (5) 1835, 72.
- bituberculatus** Scarabaeus, Palisot de B., Ins. Afr. Amér. (—) 1812, 103.
- bituberculatus** Scotinus, Dejean, Ann. Sci. Nat. XX (79) July 1830, 290 [n. n.].
- bituberculatus** Sitones, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849
- bituberculatus** Strombus, Lamarck, An. s. vert. VII. 1822, 202. [(3) 1849, 142.]
- bituberculatum** Theridion, Wider in Reuss, Abh. Senckenb. Mus. I (3) 1834, 216.
- bituberculatus** Toxoceras, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 476.
- bituberculatus** Turrilites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 582.
- bituberosus** Cyphus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1831, 622.
- Bitubulites** J. F. Blumenbach, Spec. Arch. tellur. 1803, 23.—? Hippuritidae.
- bituminosus** Accipenser, E. F. Germar, Min. Tasch. 1824, 67.
- bituminosus** Bruchus, E. F. Germar, Fauna Ins. Europ. (19) 1837, 10.
- bituminosus** Trilobites, E. F. Schlotheim, Tasch. Min. 1813, 56.
- bituminosa** Tupinambis, Krueger, Arch. Neueste Entdeck. Urwelt, VI (2) 1824, 251.
- biturigensis** Pachygaster, Dejean, Catal. Coléopt. 1821, 90 [n. n.].
- biturigum** Camelopardalis, Duvernoy, C. R. Acad. Sci. (Paris) XVI. 1843, 1150.
- biumbrata** Psairoptera, P. F. Wahlberg, K. Vet. Ac. Handl. 1838 (1839), 21.
- biumbrata** Sapromyza, H. Loew, Dipterologische Beiträge, III. 1847, 38.
- biuncinata** Spongia (Tethya), C. G. Ehrenberg, Monatsb. k. pr. Ak. Wiss. 1842, 266.
- biuncinata** Spongolithis (Ehr.), H. G. Bronn, Index Pal. 1848, 1194.—Spongia.
- biundata** Atrypa, F. M'CoY, Ann. Mag. N. H. XX. Oct. 1847, 231.
- biunguiculatus** Palæmon, H. Lucas, Explor. Algér. (Artic. I.) 1846, 45.
- bi-ungulatus** Cybister, C. C. Babington, Tr. Entom. Soc. Lond. III (1) Jan. 1842, 3.
- biurus** Nothrus, C. L. Koch, Deutsch. Crust., heft 30, 1840, tab. 2.
- Bius** Dejean, Catal. Coléopt., ed. 2 (3) ante Oct. 1834, 205.—Col. [271.]
- biusta** Mycetophila, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818,
- biustulana** Lozotaenia, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 171 [n. n.]; & Ill. Brit. Ent. (Haust. IV.) Ap. 1834, 78.—biustulata, 1829.
- biustulata** Lozotaenia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46 [n. n.].
- bivalvis** Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 215.
- bivalvis** Malacotta, C. F. Schumacher, Essai Vers test. 1817, 98.
- bivalvis** Volvox, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 14.
- bivaricosa** Marginella, Lamarck, An. s. vert. VII. 1822, 358.
- biverrucatus** Nothrus, C. L. Koch, Deutsch. Crust., heft 29, 1839, tab. 15.
- biverrucata** Scymnus (Fab.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 116.—Coccinella, Panz. 1799.
- biverrucatum** Trichiosoma, J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Aug. 1835, 11.
- bivestigatus** Pteromalus, J. T. C. Ratzeburg, Die Ichneum. I (c. May) 1844, 191.
- biviana** Cochylys, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)
- biviella** Ephestia, P. C. Zeller, Isis (Oken), 1848, 596. [[1842], 175.]
- bivinctus** Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 465.
- bivirgatus** Elaps, Kuhl in Férussac, Bull. Sci. IX. 1826, 238; Isis (Oken), 1827, 556.
- bivirgatus** Elaps, H. Schlegel, Essai phys. Serp. 1837, I. 182; II. 451.
- bivirgatus** Gongylocormus (Kuhl), L. Fitzinger, Syst. Rept. 1843, 28.—Elaps.
- bivirgata** Nucula, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 335.
- bi-vitta** Lytta (Pall.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 28.—Meloe bivittis, 1782.
- bivittatus** Ablepharus (Ménétr.), C. L. Bonaparte, Mem. R. Acc. Sci. Torino [2] II. 1840, 424.—Scincus.
- bivittatus** Agathomerus, T. Lacordaire, Mém. Soc. R. Sci. Liége, III (2) Nov. 1845, 692.

- bivittatus** Agrilus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 161.
bivittata Altica, F. V. Melsheimer, Ins. Pennsylv. 1806, 22 [*n. n.*].
bivittatus Amycterus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 74.
bivittata Anilocra, A. Risso, H. N. Europe, V. 1826, 124.—Cymothoa, 1816.
bivittata Anthaxia, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 292.
bivittata Apaté, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 192.
bivittata Aranea, A. Risso, H. N. Europe, V. 1826, 164.
bivittata Aricia, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 319.
bivittatus Attus (Duf.), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 423.—Salticus.
bivittatus Aulaeosaurus (Kuhl), J. Wagler, Isis (Oken), 1833, 901.—Tupinambis. [108.
bivittata Blatta, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
bivittata Blatta, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 75. [308.
bivittatus Botryllus, H. M. Edwards, Mém. Ac. Roy. Sci. Inst. France, XVIII. 1842,
bivittatus Bulimulus (Sow.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 65.—
bivittatus Bulinus, R. A. Philippi, Arch. f. Naturg. XI (1) 1845, 62. [Bulinus.
bivittatus Bulinus, G. B. Sowerby, I., Conch. Illustr. (34) 1833, f. 46 [*n. et f.*].
bivittata Bulis (Fab.), Laporte & Gory, H. N. Coléopt. I. 1838, 2.—Buprestis.
bivittata Buprestis, J. C. Fabricius, Syst. Eleuth. II. 1801, 186.
bivittata (*sic*) Caecilia, G. Cuvier, Règne Anim., ed. 2, II. 1829, 100.
bivittata Calobata, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 342.
bivittatus Campylus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (8) Ap. 1845,
bivittata Cassida, F. V. Melsheimer, Ins. Pennsylv. 1806, 20 [*n. n.*]. [219.
bivittata Cassida, Melsh.; T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1826, 295.
bivittatus Cerambyx, W. Turton, Linnaeus, Syst. Nat. II. 1802, 308.
bivittata Cercopis, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 605.
bivittata Cetonia, Gory & Percheron, Mon. Cétoines (1) 1833, 58; (8) 1835, 207.
bi-vittata Chlorima (Fab.), Dejean, Catal. Coléopt. 1821, 92.—Curculio.
bivittata Chrysochroa, A. White, Nomen. Coleopt. Coll. B. M. (3) 1848, 9 [*n. n.*].
bivittata Clitellaria, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 6.
bivittatus Constrictor (Kuhl), J. Wagler, Nat. Syst. Amph. 1830, 168.—Python.
bivittata Crioceris, J. C. Fabricius, Syst. Eleuth. I. 1801, 455.
bivittatus Cryptocephalus, F. V. Melsheimer, Ins. Pennsylv. 1806, 24 [*n. n.*].
bivittatus Cryptocephalus, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 440.
bivittatus Cryptocephalus, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 202.
bivittata Culicivora (Licht.), A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in
Magasin de Zool. VII. 1837, 56.—Sylvia.
bivittatus Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 281.
bivittata Cymindis, Steven; G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 23.
bivittata Cymothoa, A. Risso, H. N. Crust. 1816, 143.
bivittatus Delphinus, R. P. Lesson in Férussac, Bull. Sci. VII. 1826, 373.
bivittatus Dendrocolaptes, M. H. K. Lichtenstein, Abh. ph.-Kl. K. pr. Ak. Wiss. 1820-1
(1822), 258.
bivittatus Dendrocolaptes, J. B. v. Spix, Avium Brasil. I. 1824, 87.
bivittata Duberria, L. J. Fitzinger, Isis (Oken), 1826, 883 [*n. n.*].
bi-vittatus Dytiscus, Dejean, Catal. Coléopt. 1821, 18 [*n. n.*].
bivittata Elacate, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 338.
bivittata Elania (O. & L.), G. R. Gray, Genera of Birds, I. May 1847, 250.—Muscicapa.
bivittatus Elater, Melsh.; J. Sturm, Catal. Ins. Samml. 1826, 135.
bivittata Empis, C. R. W. Wiedemann, Anal. Entom. 1824, 28.
bivittatus Endomychus, Percheron in F. E. Guérin-M. & P., Gen. Ins. (5) 1836, no. 2.
bivittata Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 78.
bivittata Euphoria (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 378.—Cetonia.
bivittatus Euscyrus, F. E. Guérin-M., Iconographie, 1844, Ins. 334. [Curculio, 1787.
bivittatus Exophthalmus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 4.—
bivittata Flata, T. Say, J. Acad. Nat. Sci. Philad. IV. Ap. 1825, 335.
bivittata Forficula, Klug in H. Burmeister, Handb. Ent. II (2) 1, 1838, 751.
bi-vittata Galleruca (Fab.), Dejean, Catal. Coléopt. 1821, 118.—Crioceris.

- bivittata** Gametis, H. Burmeister, Handb. Ent. III. 1842, 363. [tylus.]
- bivittatus** Gecko (D. & B.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 162.—Platydrac-
- bivittatus** Grammistes (Bloch), J. G. Schneider, Bloch, Syst. Ichth. 1801, 189.—Labrus,
- bivittatus** Graphipterus, C. H. Boheman, Ins. Caffr. I (1) 1848, 90. [1791.]
- bivittatus** Gryllus, T. Say, J. Acad. Nat. Sci. Philad. IV. Mar. 1825, 308.
- bivittata** Haematopota, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 212.
- bivittata** Haltica, G. R. Waterhouse, Tr. Entom. Soc. Lond. II (2) Sept. 1838, 133.
- bivittatus** Heterochelus, H. Burmeister, Handb. Ent. IV (1) 1844, 114.
- bivittatus** Hydaticus, F. L. de Laporte, Etudes Entom. (2) 1835, 98.
- bivittatus** Hylaedactylus, T. Cantor, J. Asiat. Soc. Bengal, XVI. 1847, 1064.
- bivittatus** Ichthyallus, W. Swainson, N. H. Fishes etc. II. July 1839, 232.
- bivittatus** Julis (Bl.), G. Cuvier, R. Anim. II. 1817, 262.—Labrus, 1791.
- bivittata** Lauxania, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 381.
- bivittata** Leia, T. Say, J. Acad. Nat. Sci. Philad. VI. July 1829, 152.
- bivittata** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 416.
- bivittata** Leptopogon (Lafr.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 186.—
Muscipapa.
- bivittata** Leptura, T. Say, J. Acad. Nat. Sci. Philad. III. May 1824, 416.
- bivittata** Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 75.
- bivittata** Lissonota, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 77.
- bivittata** Lomaptera, Quoy & G. in Gory & Percheron, Mon. Cétoines (2) 1834, 67.
- bi-vittata** Macraspis, W. S. Macleay, Horae Entom. I (1) 1819, 157.
- bivittatus** Monitor (Kuhl), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830,
Syn. 25.—Tupinambis.
- bivittatus** Monitor, H. Schlegel, Abb. Amph. (2) 1839, 76.
- bivittata** Motacilla, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 17.
- bivittata** Muscipapa, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de
Zool. VII. 1837, 51.
- bivittata** Muscipapa, A. d'Orbigny, Amér. mérid. (Ois.) 1840, 324.—Muscipapa, d'O.
- bivittata** Nauphoeta, H. Burmeister, Handb. Ent. II (2) 1, 1838, 508. [& Lafr.]
- bivittatus** Odynerus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
617. [589.]
- bivittata** Opsomala, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838].
- bivittata** Ortalis (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 348.
—Otites.
- bivittata** Otites, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 426.
- bivittata** Otocryptis, A. F. Wiegmann jun., Isis (Oken), 1831, 293.
- bivittatus** Pachybrachis (Say), S. S. Haldeman, Journ. Acad. Nat. Sci. Philad. I (4) July
1849, 259.—Cryptocephalus.
- bivittata** Phocaena (L. & G.), R. P. Lesson, Man. Mamm., May 1827, 414.—Delphinus.
- bivittata** Phoenisoma, J. J. Tschudi, Fauna Peru. (Orn.) 1846, 207. [colaptes.]
- bivittata** Picolaptes (Spix), G. R. Gray, List Gen. Birds, ed. 2, 1841, 24.—Dendro-
- bivittata** Piezocera, J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 93.
- bivittatus** Platyedactylus, Duméril & Bibron (Roret's Suite à Buffon), Erpét. III. July
- bivittatus** Platyptalpus, J. Macquart, Ins. dipt. N. France (3) 1827, 97. [1836, 334.]
- bivittata** Platyura, Schummel, Uebers. Arb. schles. Ges. 1833 (1834), 80 [*n. n.*].
- bivittatus** Plexippus, C. L. Koch, Die Arachniden, XIII (4) Mar. 1846, 120.
- bivittata** Pygidicrana, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III.
1848, 579.
- bivittata** Pyranga, De Lafresnaye, Rev. Zool. (Soc. Cuv.) V. Mar. 1842, 70.
- bivittatus** Python, H. Kuhl, Beitr. Zool. I. 1820, 94.
- bivittatus** Python, H. Schlegel, Essai phys. Serp. 1837, I. 177; II. 403.
- bivittatum** Rhinatrema (Cuv.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII.
Jan. 1841, 288.—Caecilia.
- bi-vittatus** Rutela (Swed.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 155.—Scarab. 1787.
- bivittatus** Salticus, L. Dufour, Ann. Sci. Nat. XXII (88) Ap. 1831, 369.
- bivittata** Saperda, T. Say, J. Acad. Nat. Sci. Philad. III. May 1824, 409.
- bivittata** Saperda, Harris, Amer. Q. J. Agric. I. 1845, 251.

- bivittatus** Scincus, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 64.
bivittatus Sciurus, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 543.
bivittatus Serranus, Cuvier & Valenc., H. N. Poiss. II. 1828, 24.
bivittatum Spectrum, T. Say, Amer. Entom. III. 1828, pl. 38. [1838, 58.
bivittatus Sphaenothecus, Klug in H. Dupont, Mon. Trachyd. in Magasin de Zool. VIII.
bivittata Sylvia, M. H. C. Lichtenstein, Zweites Preisverz. Doubl. Zool. Mus. Berlin, 1820, 7 [*n. n.*].
bivittatus Tabanus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 193.
bivittatus Tabanus, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 243 [*n. n.*].
bivittatus Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 163.
bivittata Tachydromia (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 97.—Platypalpus.
bivittata Tetanocera, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 367.
bivittata Tetrix, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 71 [*n. n.*].
bivittata Thereva, H. Loew, Posener Zweiflügler, 1840, 11. [Dendrocolaptes.
bivittatus Thripobotus (Licht.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 340.—
bivittatus Trichas, De Lafresnaye, Rev. Zool. (Soc. Cuv.) III. Aug. 1840, 231.
bivittatus Trichius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 540.
bivittata Trichophthalma, J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser., VI (36)
bivittatus Tupinambis, H. Kuhl, Beitr. Zool. I. 1820, 125. [June 1835, 448.
bivittatus Upeneoides (C. & V.), P. Bleeker, Verh. Batav. Genootsch. (Percoid. Malayo-Moluk.) XXII. 1849, 64.—Upeneus.
bivittatus Upeneus, Cuvier & Valenc., H. N. Poiss. VII. 1831, 520.
bivittatus Uraecanthus, E. Newman, Entom. Mag. V (2) Jan. 1838, 172.
bivittata Urophora, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 379.
bivittatus Varanus (Kuhl), Duméril & B. (Roret's Suite à Buffon), Erpét. III. July 1836,
bivittata Zemina, Laporte & Gory, H. N. Coléopt. II. 1838, 6. [487.—Tupinambis.
bivittatus Ziphorynchus (Spix), W. Swainson, N. H. Classif. Birds, II. June 1837, 314.—Dendrocolaptes.
bivittella Phycis, Duponchel in J. B. Godart, H. N. Lépid. France, X (Noct. 7) 1836, 176.
bivittella Tinea, E. Donovan, Epit. N. H. Ins. New Holland, 1805.
bivittula Diabrotica, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 19 [*n. n.*].
bivittula Galleruca, F. Klug, Insect. Doublet. z. M. Berlin, 1829, 8.
bivia Chrysomela, E. F. Germar, Ins. Spec. novae, I. 1824, 590.
bivius Cryptocephalus, E. Doubleday, Mag. Nat. Hist., n. s., IV. May 1840, 249.
bivonae Atlanta, E. P. de Mandralisca, Effem. Sci. Lett. Sicilia, XXVIII. Mar. 1840, 149.
bivonae Auricula, R. A. Philippi in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Auriculacea (25) 1841, 20.
bivonae Panopaea, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 8.
bivonae Pleurotoma, Maravigna, Rev. Zool. (Soc. Cuv.) III. Nov. 1840, 326.
Bivonia A. Cocco, Effem. Sci. Lett. Sicilia, II. June 1832, 208.—Cr.
Bivonia J. E. Gray, Syn. cont. Brit. Mus., ed. 44, 1842, 90.—Moll.
bivulneratus Cryptocephalus, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5) Mar. 1835, 445.
bivulnerata Melolontha, E. F. Germar, Ins. spec. novae, I. 1824, 126.
bivulnerata Terebratula, H. Michelin, Magasin de Zool. I. 1831, 12.
bivulnerus Chilocorus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 460.
bivulnerus Cybister, C. Aubé, Spéc. gén. Hydroc. 1838, 91.—Trochalus, Dej. Cat., ed. 3.
bivulnera Mylabris (Sch.), Dejean, Catal. Coléopt. 1821, 74.—Oenas.
bivulnera Mylabris (Pall.), G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824,
bixa Arca, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 255. [226.—Meloe, 1782.
bixa Trochus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 300.
bixa Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 266.
bixae Bruchus, L. Dufour, Ann. gén. Sci. Phys. (Bruxelles) V. July 1820, 120.
bixae Bruchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 32.
bixae Pyrrhopyge (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 103.—Papilio, 1758.
bixae Thymele (Fab.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 287.—Hesperia, 1793.

- bixanthopterus** Caranx, E. Rueppell, Neue Wirbelth. Abyssin. (6) 1836, 49.
- biza** Cercopithecus, W. Fraser in A. Halliday, The West Indies, 1837, 219 [*n. n.*].
- bizaan** Viverra, E. Griffith, Descr. Anim. (Carn.) 1821, 170.
- Bizeura** T. C. Eyton, Ann. Mag. Nat. Hist. VII (43) May 1841, 177.—A. = Biziura, Steph.
- Biziura** J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 221.—A.
- Biziura** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Bizeura, Eyt.
- bizona** Bulla, A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 595.
- bizona** Exoprosopa, F. Walker, The Zoologist, VIII. 1850, App. p. xcvi.
- bizona** Helix, Megerle in E. A. Rossmassler, Icones L. ü. S. Moll. Europ. I (5 & 6) July 1837, 37.
- bizonalis** Colombella, Lamarck, An. s. vert. VII. 1822, 294.
- bizonalis** Helix, G. P. Deshayes in A. E. Férussac, H. N. g. et p. Moll. I. 1850, 68.
- bizonalis** Melania, J. E. De Kay, N. H. New York (Moll.) 1843, 91.
- bizonalis** Mitra (Lam.), Deshayes, Dict. Class. H. N. X. 1826, 639.—Colombella.
- bizonalis** Mitra, Nuttall in J. C. Jay, Cat. Shells, ed. 3, 1839, 90 [*n. n.*].
- bizonalis** Nerita, Lamarck, Ency. Méth. (Vers) 1816, pl. 454, Liste p. 11 [*n. et f.*].
- bizonalis** Purpura, Lamarck, An. s. vert. VII. 1822, 249.
- bizonarius** Bassus, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 350.
- bizonata** Boletia, Desor, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 363.
- bizonatus** Hesthesis, E. Newman, Ann. Nat. Hist. V. Mar. 1840, 17.
- bizonata** Larra (Spin.), F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. *f.*—Stizus.
- bizonatus** Odynerus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 658.
- bizonatus** Phymatoderus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 209.
- bizonatus** Scytale, F. M. Daudin, Sonnini's Buffon, Rept. V (1803), 339.
- bizonata** Scytodes, A. Risso, H. N. Europe, V. 1826, 166.
- bizonatus** Sirex, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 31 [*n. n.*]; & Ill. Brit. Ent. (Mand. VII.) Sept. 1835, 114.
- bizonatus** Stizus, M. Spinola, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839, 473.
- bizonata** Tenthredo, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 344.
- bizonata** Tenthredo (Poecilostoma), Zett.; A. G. Dahlbom, Consp. Tenthred. 1835, 13.
- bizonatus** Trichodes, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1844, 89.
- Bizus** C. J. B. Amyot, Ann. Soc. Ent. France, IV (4) 1847, 398.—Hem.
- Blabera** Serv. 1831; *err.* Agassiz *pro* Blaberus.
- Blaberus** J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 37.—Orth.
- Blaberus** C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 248.—Col.
- blackburnii** Chaetodon, J. Desjardins, 7 Ann. Rapp. Soc. Hist. Nat. Maurice, 1836, 58.
- blackburnii** Geotrupes (Fab.), Dejean, Catal. Coléopt. 1821, 56.—Scarab. 1781.
- blackburnia** Sylvicola (Wils.), W. Swainson, Phil. Mag., n. s., I (6) June 1827, 434.—Motacilla, Gm. 1788. [1788.]
- blackburniae** Mniotilta (Gm.), G. R. Gray, Genera of Birds, I. Dec. 1848, 196.—Motacilla,
- blackburniae** Rhimanphus (Gm.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 19.—Motacilla, 1788.
- blackburniae** Sylvicola (Lath.), J. J. Audubon, Synopsis, 1839, 57.—Sylvia, 1790.
- Blacodes** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 190.—Col. [*sine typo*].
- Blacodes** E. Blanchard (*ex* Dej.), Hist. Insect. II. 1845, 13.—Col.
- blacodes** Ophidium, J. G. Schneider, Bloch, Syst. Ichth. 1801, 484.
- Blacta** *err. pro* Blatta, L.; O. G. Costa, Atti R. Accad. Sci. [Napoli] IV (Zool.) 1839, 19.
- Blaculla** G. v. Muenster, Beitr. zur Petref. (2) 1839, 75.—Cr.
- Blacus** Nees v. Eesenbeck, N. A. Ac. Caes. Leop. Car. IX. 1818, 306.—Hym.
- "Bladneus" C. J. Temminck, Tijdschr. nat. geschied. physiol. I (1) 1834, 1.—M. [*vernac.*].
- Bladocrinus** T. Austin; F. McCoy, Syn. Carb. Foss. Ireland, 1844, 178 [*?err. pro* Cladoblaesia].
- Blaesia** H. Burmeister, Handb. Ent. III. 1842, 615.—Col. [crinus; F. A. B.].
- blagdeni** Ammonites, J. Sowerby, Min. Conch. II. 1818, 231.
- blagdeni** Planites (Sow.), W. de Haan, Mon. Ammon. 1825, 82.—Ammonites.
- Blagrus** G. R. Gray (*ex* Blyth MS), Gen. Birds, III. Index 48, 1849 [*typus* Falco leucogaster, Gm.; *teste* Iredale].
- blagra** Aquila (Daud.), C. Dumont, Dict. Sci. Nat. (ed. 1) I. 1804, 357.—Falco.
- blagrus** Haliaeetus (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 13.—Falco, Daud. 1800.

- blagrus** Pandion (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 163.—Falco, Daud. 1800.
- blagrus** Pontoaetus (Daud.), G. R. Gray, Genera of Birds, I. May 1845, 18.—Falco, 1800. [blainvilleanus.]
- blainvilliana** Anodonta, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 77.
- blainvilleanus** Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, XV (179) Mar. 29, 1848,
- blainvilliana** Bulla, C. A. Récluz, Rev. Zool. (Soc. Cuv.) VI. Jan. 1843, 10. [230.]
- blainvilliana** Firoloida, C. A. Lesueur, J. Acad. Nat. Sci. Philad. I., no. 3, July 1817,
- blainvilliana** Heliopora, H. Michelin, Icon. Zoophyt. (3) 1841, 27. [39.]
- blainvilliana** Helix, I. Lea, P. Amer. Phil. Soc. I (10) Feb. 1840, 174.
- blainvilliana** [Helix] (Cochlodina), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 65 [n. n.].
- blainvilleana** Narica, C. A. Récluz, Proc. Zool. Soc. London, XI (129) Mar. 1844, 141.
- blainvillianus** Otion, W. E. Leach, Zool. Journ. II (6) July 1825, 211.—blainvillei, 1818.
- blainvilliana** Polytrema (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 209.—Heliopora.
- blainvilleana** Pterotrachea (Les.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 100.—Firoloida.
- blainvilleana** Pupa, D. Dupuy, Journ. de Conch. I (3) Aug. 1850, 311. [luida.]
- blainvilliana** Sepioteuthis, A. d'Orbigny, Ann. Sci. Nat. VII (26) Feb. 1826, 155.
- blainvilleanus** Syngnathus, Eydoux & Gervais, Poiss. de la "Favorite" in Magasin de Zool. VII. 1837, 3.
- blainvilliana** Urocoptis (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 83.—Helix. [blainvillei.]
- blainville** (*sic*) Acanthias, A. Risso, H. N. Europe, III. 1826, 133.
- blainvillei** Acrocladia (Desml.), Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 373.—Echinometra.
- blainvillii** Actinocamax, L. Voltz, Mém. Soc. H. N. Strasbourg, I (1) 1830, 35.
- blainvillei** Actinoceras, Castelnau, Ess. Silur. Amér. sept. 1843, 31.
- blainvillii** Amphicyon, F. L. P. Gervais, Zool. Pal. Franç. I. 1850, 112.
- blainvillii** Amphidonte, G. Fischer, Bull. Soc. Imp. Nat. Moscou, I (2) 1829, 32.
- blainvillei** Aptychus, Coquand, Bull. Soc. géol. France, XII. 1841, 387. [1850, 71.]
- blainvillii** Arctopithecus, J. E. Gray, Proc. Zool. Soc. London, XVII (194) Jan.—June
- blainvillii** Balanus, W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) III (1) 1818, 171.
- blainvillii** Belemnites, L. Voltz, Mém. Soc. H. N. Strasbourg, I (1) 1830, 37.
- blainvillei** Belemnites, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 128.
- blainvillei** Bellerophon, A. d'Orbigny in A. E. Férussac & d'Orbigny, H. N. Céph. acétab. 1840, 186.
- blainvillii** Belosepia (Desh.), H. G. Bronn, Lethaea Geogn. II (9) 1838, 1128.—Sepia.
- blainvillii** Belosepia, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 193. [428.]
- blainvillei** Buccinum, G. P. Deshayes in C. Bélanger, Voy. Indes Orient. (6) Dec. 1832,
- blainvillii** Cancellaria (Payr.), H. D. de Blainville, Faune Française (20) Malac. 1829, 139.—Murex.
- blainvillei** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 320.
- blainvillii** Cerithium, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 192.
- blainvillei** Chemnitzia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 247.—Melania.
- blainvillii** Chiton, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832, 27.
- blainvillii** Cirratulus, A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 316.
- blainvillii** Clanculus, F. Cantraine, Bull. Ac. Roy. Brux. IX (2) 1842, 344.
- blainvillii** Conus, Vignard, Descr. Cône nouv. [Oct.] 1829.
- blainvillei** Conus, L. C. Kiener, Spec. Coquilles (Conus) 1849-50, 358.
- blainvillii** Cymothoa (Leach), Desmarest in Bosc, H. N. Crust. (Ency. Roret) 1828, II. 145.—Nerocila. [Philom. Paris, 1844, 39.]
- blainvillei** Delphinus, F. M. P. Gervais, L'Institut, May 1844, 170; Extr. P. V. Soc.
- blainvillii** Didelphis, Croizet, Echo Monde Savant, VIII. 3 Feb. 1841, 75.
- blainvillei** Echinolampas, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 164.
- blainvillii** Echinometra, C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 110.
- blainvillii** Echinus, C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 122.

- blainvillii** Elzerina, J. V. F. Lamouroux, Hist. Polyp. 1816, 122.
- blainvillii** Emarginula, Defrance in H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 291.
- blainvillii** Erolla (Garn.), R. P. Lesson, Traité Ornith. (4) Sept. 1830, 260.—Eurylaimus, ? Temm.
- blainvilli** Eurylaimus, C. J. Temminck in T. & Laugier, Pls. color. (22) May 1822.
- blainvillii** Fusus, Maravigna, Rev. Zool. (Soc. Cuv.) III. Nov. 1840, 325.
- blainvillei** Galethylax, F. L. P. Gervais, Zool. Pal. Franç. I. 1850, 132.
- blainvillei** Helix, Le Guillou, Rev. Zool. (Soc. Cuv.) V. May 1842, 140.
- blainvillii** Hinnites, Hoeninghaus, Verz. Hoen. Mus. Bonn Petref.-Samml. 1829, 14 [*n. n.*].
- blainvillii** Homarus, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VII (2) Oct. 1849, III.
- blainvilli** Julus, E. J. F. Le Guillou, C. R. Acad. Sci. (Paris) XIII. 1841, 221 [*n. n.*].
- blainvillei** Julus, H. M. Edwards, L'Institut, Aug. 1841, 279; Extr. P. V. Soc. Philom. Paris, 1841, 86.
- blainvillii** Lerneopenna, C. A. Lesueur, J. Acad. Nat. Sci. Philad. III. Mar. 1824, 289.
- blainvillei** Loncheres (Jourd.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1842, 334.—Nelomys.
- blainvilleus** Lumbricus, A. Dugès, Ann. Sci. Nat. [2] (Zool.) VIII. July 1837, 17 & 20.
- blainvillei** Lycastis, S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 96.
- blainvillii** Melania, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 112.
- blainvillei** Monoceros, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 116.
- blainvillii** Mopalia (Sow.), J. E. Gray, Proc. Zool. Soc. London, XV (174) June 30, 1847, 69.—Chiton, Brod.
- blainvillii** Mormoops, W. E. Leach, Tr. Linn. Soc. London, XIII (1) 1821, 77.
- blainvillii** Murex, B. C. Payraudeau, Cat. Moll. Corse, 1826, 149.
- blainvillii** Myophoria, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 253.
- blainvillei** Narica, C. A. Récluz, Rev. Zool. (Soc. Cuv.) VII. Feb. 1844, 48.
- blainvillii** (*sic*) Nelomys, Jourdan, C. R. Acad. Sci. (Paris) V. 1837, 522.
- blainvillii** Nereis, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 176.
- blainvillii** Nerocila, W. E. Leach, Dict. Sci. Nat. XII. 1818, 351.
- blainvillii** Netrohynchus, J. C. Zenker, Parasitae corp. human. 1827, 53.
- blainvillii** Nycteribia (Leach), Latreille, N. Dict. H. N., ed. 2, XXIII. 1818, 133.—Phthiridium.
- blainvillii** Otaria, R. P. Lesson, H. N. Mamm. Ois. depuis 1788, IV. 1830, 422.
- blainvillei** Otion, W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) III (1) 1818, 170.
- blainvillei** Palaeoniscus, J. L. R. Agassiz, Poiss. Foss. II (1), 48 (1833).
- blainvilleus** Pecten, A. Risso, H. N. Europe, IV. 1826, 299. [? Temm.]
- blainvillei** Peltops (Garn.), G. R. Gray, Genera of Birds, I. Jan. 1847, 66.—Eurylaimus,
- blainvillii** Penellus (Les.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 523.—Lerneopenna.
- blainvillei** Peripatus, E. Blanchard, Ann. Sci. Nat. [3] (Zool.) VIII. Sept. 1847, 140.
- blainvillii** Phrynosoma, J. E. Gray, Zool. "Blossom," 1839, 96.
- blainvillii** Phthiridium, W. E. Leach, Zool. Miscell. III. 1817, 55.
- blainvillii** Platonyx, Lund, Ann. Sci. Nat. [2] (Zool.) XIII. May 1840, 311 [*n. n.*].
- blainvillii** Platystomus (Temm.), W. Swainson, N. H. Classif. Birds, II. June 1837, 261.—Eurylaimus.
- blainvillii** Pleurobranchus, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1830, 291.
- blainvillii** Pleurotoma, H. E. Anton, Verz. Conch. 1839, 74.
- blainvillei** Pleurotoma, M. Rouault, Bull. Soc. géol. France (2) V. 1848, 207 [*n. n.*]; Mém. Soc. géol. France (2) III (2) 1850, 484.
- blainvillii** Polydesmus, Eydoux & Gervais, Ann. Soc. Ent. France, V (2) *post* May 1836,
- blainvillii** Polynoe, A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 285. [379.]
- blainvillii** Pontoporia (Frém.), J. E. Gray, Zool. "Ereb. Terr." (Cetac. 1846), 46.
- blainvillii** Ptychosaurus (D. & B.), L. Fitzinger, Syst. Rept. 1843, 59.—Tropidogaster.
- blainvillei** Purpura, G. P. Deshayes in Lamarck, H. N. Anim. s. vert., ed. 2, X. Nov. 1844, 93.
- blainvillii** Rimula, Defrance, Dict. Sci. Nat. XLV. 1827, 472. [1844, 93.]
- blainvillii** Saxicava, Hoeninghaus, Verz. Hoen. Mus. Bonn Petref.-Samml. 1829, 17 [*n. n.*].
- blainvillii** Sepia, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 758.

- blainvillii** Sigalion, O. G. Costa, Ann. Sci. Nat. [2] (Zool.) XVI. Nov. 1841, 270.
- blainvillii** Solecurtus, I. Lea, Contrib. to Geol. 1833, 39.
- blainvillii** Spinax (Risso), C. L. Bonaparte, Icon. Faune Ital. (9) 1834.—Acanthias.
- blainvillii** Subula, E. Eichwald, Nat. Lithuaen, 1830, 223.
- blainvillii** Thia, A. Risso, Journ. de Physique, XCV. Oct. 1822, 241.
- blainvillea** Tritonia, A. Risso, Journ. de Physique, LXXXVII. Nov. 1818, 371.
- blainvillei** Trochus, A. d'Orbigny in Hommaire de Hell, Steppes Mer Caspienne, III. 1845, 446. [330.]
- blainvillii** Tropicogaster, Duméril & Bibron (Roret's Suite à Buffon), Erpét. IV. Oct. 1837,
- Blainvillia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 514. —Dipt. [—Dipt.]
- Blainvillia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 713.
- blaiyii** Monotoma, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) II. May 1839, 140.
- blancardella** Argyromigis (Fab.), J. Curtis, Brit. Entom. VI (71) Nov. 1829, no. 284.—Tinea, 1781. [1781.]
- blancardella** Argyromis (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Tinea,
- blancardella** Elachista (Fab.), F. Treitschke, Schmett. Europa, IX (2) 1833, 186.—Tinea,
- blancardella** Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 378. [1781.]
- blancardellae** Eulophus, P. F. Bouché, Nat. Ins. 1834, 171.
- blancardellae** Microgaster, P. F. Bouché, Nat. Ins. 1834, 156. [1763.]
- blancardii** Salticus (Scop.), C. W. Hahn, Die Arachniden, I (3) Dec. 1832, 64.—Aranea,
- blanchardi** Athalia, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- blanchardi** Calvia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 147. [663.]
- blanchardi** Chrysis, H. Lucas, Explor. Algér. (Artic. III.) 1849, 308.
- blanchardi** Chrysoedema, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 65.
- blanchardi** Diplognatha, H. R. Schaum, Ann. Soc. Ent. France [2] II (4) Ap. 1845, 417.
- blanchardi** Dorcus, F. W. Hope, Ann. Mag. Nat. Hist. XII (78) Nov. 1843, 364.
- blanchardii** Dysmorphocerus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 453.
- blanchardii** Folicula, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Sept. 1841, 292.
- blanchardii** Idea, Marchal, Rev. Zool. (Soc. Cuv.) VIII. Ap. 1845, 168.
- blanchardi** Stenomera, H. Lucas, Rev. et Mag. de Zool. (2) I. Dec. 1849, 623.
- blanchardii** Tristomum, C. M. Diesing, Syst. Helminth. I. 1850, 430.
- blancheti** Bittacus, F. J. Pictet, Mém. Soc. Phys. H. N. Genève, VII (2) 1836, 403.
- blanchetianum** Aperostoma (Moric.), F. H. Troschel, Zeitschr. f. Malakozool., Mar. 1847, 44.—Cyclostoma. [442.]
- blanchetianum** Cyclostoma, S. Moricand, Mém. Soc. Phys. H. N. Genève, VII (2) 1836,
- blanchetianum** Cyclostoma, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 233.
- blanchetiana** Helix (Helicogona), S. Moricand, Mém. Soc. Phys. H. N. Genève, VI (2) 1834, 539.
- blanchoti** Malaconotus, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 161.
- blandana** Eclctis, J. Huebner, Verz. bekannt. Schmett. 1826, 385.
- blandana** Tortrix, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 492.
- blandiana** Achatina, C. B. Adams, Contr. to conch. (5) Feb. 1850, 83.
- blandianum** Cyclostoma, C. B. Adams, Contr. to conch. (1) Sept. 1849, 3.
- blandiana** Helix, C. B. Adams, Contr. to conch. (7) Ap. 1850, 107.
- blandianum** Stoastoma, C. B. Adams, Mon. Stoast. 1849, 6. [16.]
- blandiaria** Emmelesia, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet B (Nov. 1847),
- blandiata** Acidalia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 439.—Geometra, 1775. [1775.]
- blandiata** Emmelesia (D. & S.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Geo-
- blandiata** Melanthia (Hueb.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1830, 263.—Geometra, D. & S. 1775. [1775.]
- blandiata** Perizoma (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 327.—Geometra,
- blandina** Acca (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 44.—Papilio, 1780.
- blandina** Chemnitzia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 352.
- blandina** Cyprina, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 337.
- blandina** Erebia (Fab.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 8.—Papilio, 1787.

- blandina** Hipparchia (Don.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 129.—
Papilio, Fab. 1787.
- blandina** Oreina (Fab.), Westwood in Humphreys, Brit. Butterfl. 1841, 77.—Papilio, 1787.
- blandina** Ostrea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 375.
- blandina** Pleurotomaria, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 301.
- blandina** Prionastrea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 35.
- blandingii** Astacus, R. Harlan, Tr. Amer. Phil. Soc., n. s., III. 1830 (4) 1829, 464.
- blandingii** Astacus (Cambarus), Harlan; W. F. Erichson, Arch. f. Naturg. XII (1) 1846,
- blandingii** Cistuda, J. E. Holbrook, N. Amer. Herpet. III. 1838, 35. [98.]
- blandingii** Dipsas, E. Hallowell, Proc. Acad. Nat. Sci. Philad. II (6) Dec. 1844, 170.
- blandingii** Emys, J. E. Holbrook, N. Amer. Herpet. III. 1838, 37.—*v.* Cistuda.
- blandingii** Euprepis, E. Hallowell, Proc. Acad. Nat. Sci. Philad. II (3) June 1844, 58.
- blandingi** Venericardia, T. A. Conrad, J. Acad. Nat. Sci. Philad. VI. Aug. 1830, 229.
- blandingiana** Fringilla, W. Gambel, Proc. Acad. Nat. Sci. Philad. I (24, 25) Ap. 1843,
- blandingiana** Helix, I. Lea, P. Amer. Phil. Soc. I (10) Feb. 1840, 175. [260.]
- blandingiana** Streptaxis (Lea), L. Pfeiffer, Mon. Helic. I (1) 1847, 5.—Helix.
- blandingianus** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 101.
- blandulus** Agrilus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VII. July 1844, 256.
- blanda** Agromyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 187.
- allandus** (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 55.—Tenthredo,
- blanda** Antarctica, Dejean, Spec. gén. Coléopt. III. 1828, 529. [1775.]
- blanda** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 142.
- blandus** Asilus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 495 (sign. 321).
- blanda** Caradrina (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 80.—Noctua,
- blandum** Cardium, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 276. [1775.]
- blanda** Cicindela, Dejean, Spec. gén. Coléopt. V. 1831, 238.
- blanda** Clausilia, Ziegler in Rossmassler, Icones Iconogr. Moll. I (1) 1836, 76.
- blandus** Closteropus, F. E. Guérin-M., Iconographie, 1844, Ins. 223.
- blandus** Collops, W. F. Erichson, Entomographien, 1840, 60.
- blanda** Columbella, G. B. Sowerby, I., Thes. Conch. I (4) *ante* 11 Apr. 1844, 137.
- blandus** Conocephalus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 54.
- blanda** Coryphocera, Schaum in H. Burmeister, Handb. Ent. V. 1847, 549.
- blanda** Degeeria (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 249.—
- blandus** Elater, E. F. Germar, Ins. Spec. novae, I. 1824, 48. [Tachina.]
- blanda** Feronia (Steropus), W. Erichson, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 224.
- blanda** Helmitheros, C. L. Bonaparte (*ex* Licht. MS), Consp. gen. Avium, I. 1850, 314.
- blandus** Hydroporus, E. F. Germar, Fauna Ins. Europ. (16) [1831-5], 4.
- blandus** Ischyryus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 180.
- blanda** Lamia, C. J. Schoenherr, Syn. Insect. I (3) 1817, 373.
- blanda** Lycosa, C. L. Koch in Panzer, Ins. Germ., heft 120, 1833, tab. 24.
- blanda** Marginella, R. B. Hinds, Proc. Zool. Soc. London, XII (134) Sept. 1844, 76.
- blanda** Melania, I. Lea, P. Amer. Phil. Soc. II (16) Feb. 1841, 13.
- blanda** Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 277.
- blanda** Metopia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 130.
—Tachina, Fall.
- blanda** Mutilla, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 262.
- blandus** Nephalius, E. Newman, Entomologist (7) May 1841, 112.
- blandus** Onthophagus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 33 [*n. n.*].
- blandus** Opus, A. H. Haliday, Entom. Mag. IV (3) Jan. 1837, 220.
- blandus** Otiorynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 603.
- blandus** Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 192. [Linus.]
- blandus** Philonthus (Grav.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 458.—Staphy-
- blanda** Phorocera (Meig.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 282.—
Tachina, Fall.
- blandus** Phytodietus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 932.
- blandus** Platynus, E. F. Germar, Ins. Spec. novae, I. 1824, 12.

- blandus** Pompilus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1, 1838, 260.
- blandus** Prepodes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 26.
- blanda** Pristiptera (Fab.), Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 78.—Buprestis,
- blandus** Prostenus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 122. [1781.]
- blandus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 15.
- blandus** Saprinus, W. F. Erichson, Jahrb. Insectenk. I. 1834, 188.
- blandus** Selenophorus, Dejean, Spec. gén. Coléopt. IV. 1829, 112.
- blandus** Staphylinus, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 72.
- blanda** Stenidia, de la Ferté-S., Rev. et Mag. de Zool. (2) I. July 1849, 345.
- blandus** Stilpnus, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 672.
- blanda** Systema, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (7) Feb. 1847, 164.
- blanda** Tachina, C. F. Fallen, Mon. Muscidum Sveciae (2) 1820, 15. [111.]
- blanda** Tenthredo (Allantus), Fab.; F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (2) 1817,
- blanda** Tenthredo (Macrophya), Kl.; A. G. Dahlbom, Conspect. Tenthred. 1835, 11.
- blanda** Terias, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 672.
- blandum** Theridion, N. M. Hentz, Boston Journ. N. H. VI (2) 1850, 278.
- blandus** Trachyderes, Dejean in H. Dupont, Suppl. Mon. Trachyd. in Magasin de Zool. (2) II. 1840, pl. 35.
- Blaniulus** P. Gervais, L'Institut, Dec. 1836, 435; Extr. P. V. Soc. Philom. Paris, 1836,
- Blanonaïs** P. Gervais, Bull. Ac. Roy. Brux. V. 1838, 15.—Verm. [72.—Myr.]
- Blanus** J. Wagler, Nat. Syst. Amph. 1830, 197.—R.
- Blapida** M. Perty, Del. anim. artic. Brasil. (1) 1830, 58.—Col.
- blapoides** Pelor, C. Zimmermann, Mon. Carab. (1) 1831, 66.
- blapsides** Collapteryx, E. Newman, Entom. Mag. V (4) Ap. [*i. e.* July] 1838, 397.
- blapsoides** Oxycara, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 255.
- blapsoides** Stenomorpha, A. J. J. Solier, Ann. Soc. Ent. France, V (3) *post* Aug. 1836, 491.
- Blapstinus** Dejean, Catal. Coléopt. 1821, 66 [*n. n.*].—Col.
- Blapstinus** Eschscholtz in Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 276.—Col.
- Blaptinus** *id. ac* Blapstinus, Dej.; Latreille in Cuvier, R. Anim., ed. 2, V. 1829, 21.—Col.
- blaptoïde** Calosoma, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 400.
- blaptoïdes** Catops, Müll.; J. Sturm, Catal. Ins. Samml. 1826, 112.
- blaptoïdes** Damaster, V. Kollar, Ann. Wiener Mus. I [2] 1836, 334. [Cr. 1799.]
- blaptoïdes** Pelor (Fab.), Dejean, Spec. gén. Coléopt. III. 1828, 438.—Carabus blapoides,
- blaptoïdes** Pelorosomus (Creutz.), V. v. Mochulski, Kaef. Russl., *post* May 1850, 57.—Carabus blapoides, 1799.
- blaptoïdes** Zabrus (Creutzer), Dejean, Catal. Coléopt. 1821, 13.—Carabus, 1799.
- Blaptomerus** C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 120.—Hem.
- Blapton** M. Spinola, Tav. sin. Hem. 1850 (*ex* Mem. Soc. Ital. Sci. XXV (1) 1852), 88.—
- Blarga** C. S. Rafinesque, Analyse, 1815, 71.—A. [*n. n.*]. [Hem.]
- Blaria** J. E. Gray, Syn. Cont. Brit. Mus., ed. 44, 1842, 16.—M. [*n. n.*]. [23.—M.]
- Blaria** J. E. Gray, List spec. Mamm. B. M. 1843, p. xxi; List osteol. spec. B. M. 1847,
- Blarina** J. E. Gray, Proc. Zool. Soc. London, V (59) June 1838, 124.—M.—*lypus* Sorex talpoides.
- blaschkii** Cibdelis, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 284.
- blasii** Spirifer, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 168.
- blasio** Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 441.
- Blastanus** K. Illiger (*ex* Hoffgg. MS), Mag. f. Insektenk. VI. 1807, 334.—Col.
- Blastia** Leach MS, A. White, List Crust. B. M. 1847, 5.—Cr.
- Blasticotoma** F. Klug, Jahrb. Insectenk. I. 1834, 251.—Hym.
- Blastocerus** J. E. Gray, Glean. Menag. Knowsley, Hoof. Quadr., Aug. 1850, 68.—M.
- Blastophaga** J. L. C. Gravenhorst, Schles. Ges. vat. Kultur Beitr. Entom. 1829, 27.—Hym.
- Blastophagus** J. L. C. Gravenhorst, Uebers. Arb. schles. Ges. 1826 (1827), 23.—Hym.
- Blastotere** J. T. C. Ratzeburg, Forst-Ins. II. 1840, 246.—Lep.
- Blastotrochus** Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 284.—Cor. [*non* -ches, *apud* Scudder].
- Blastus** W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 431.—Cr.

- blattae orientalis** Oxyuris, K. E. Hammerschmidt, Naturw. Abhandl. (Haidinger) I.
blattariae Anacampsis, J. Curtis, Brit. Entom. IV (47) Nov. 1827, no. 189. [1847, 284.
blattariae Cionus (F.), Lamarck, An. s. vert. IV. 1817, 353.—Rhynchaenus.
blattariae Cucullia (Esp.), F. Treitschke, Schmett. Europa, V (3) 1826, 125.—Noctua.
blattariae Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 172 (Fernaldo judice 1834)
blattariae Phal. (Noctua), Esper, Die Schmett. IV. 518 (1798?). [*n. et f.*].
blattariae Recurvaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 553.—Tinea blattariella,
 Huebn.
blattariae Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 479.—Curculio, 1792.
blattariella Phal. (Tinea), J. Huebner, Samml. Europ. Schmett. (Tinea) f. 148 [*die indet.*].
blattarum Symbius, C. J. Sundevall, Isis (Oken), 1831, 1013 & 1223.
Blattina E. F. Germar, Mag. Entom. (Germar) I (1) 1813, 16.—Orth.
blattinus Homalilus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 26. [—Homalilus.
blattina Lamprocera (Perty), E. Blanchard in d'Orbigny, Amér. mérid. (Ins.) 1846, 123.
blattivora Myiothera, Kuhl & v. Hasselt, Allg. Konst. Letterbode, 1822; Bull. des Sci.
 Nat. II. 1824, 278.
blattivora Myothera, Kuhl & v. Hasselt, Isis (Oken), 1822, 898.
blattoides Omalium, Megerle; Dejean, Catal. Coléopt. 1821, 26 [*n. n.*].
blattoides Photinus, Laporte, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 144.
blattoides Silpha, A. Ahrens, N. Schr. Nat. Ges. Halle, II (2) 1812, 20.
blaueri Helix, R. J. Shuttleworth, Mitth. Nat. Ges. Bern, 1843, 13.
blavieri Crocodilus, J. E. Gray, Syn. Rept. 1831, 61.
Blax C. L. Koch in A. Herrich-Schaeffer in Fürnrohr, Fauna Ratisbon. III. 1840, 359.—
blaydsii Pachyodon, T. Brown, Ann. Mag. N. H. XII. Dec. 1843, 394. [Thys.
blaydsii Unio, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 178.—Pachyodon, 1843.
Blechropus W. Swainson, N. H. Classif. Birds, II. June 1837, 256.—A. [*gen. caelebs*].
Blechrus V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (3) 1847, 219.—Col.
Bledius G. Samouelle (*ex* Leach MS), Entom. Compend., June 1819, 174.—Col. [*typus*
Blemus Ziegler in Dejean, Cat. Coléopt. 1821, 16.—Col. [Oxytelus armatus, Panz.].
Blemus J. F. Stephens (*ex* Dej. Cat.), Ill. Brit. Ent. (Mand. I.) June 1828, 171.—Col.
Blemus Audouin, Isis (Oken), 1838, 763.—Col.
Blennechis Cuvier & Valenc., H. N. Poiss. XI. 1836, 280.—P. [1776.
blennii Distoma (Müll.), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 211.—Fasciola,
blennioides Batracocephalus (Lac.), Hollberg, N. Handl. Gotheborg Wett. Witt. Samh.
 III. 1819, 39.—Batrachoïdes. [419.
blennioides Etheostoma, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819,
blennioides Morrhuia (L.), H. Cloquet, Dict. Sci. Nat. XXXIII. 1824, 58.—Gadus, Pall.
blennioides Palaeothrissum, F. Holl, Handb. Petref. II. 1829, 131. [1770.
blennioides Spinacanthus, J. L. R. Agassiz, Poiss. Foss. IV. 34 (1835).
Blenniomoëus O. G. Costa, Atti Accad. Pontan. V (5) 1850, 319.—P.
Blennitrachus W. Swainson, N. H. Fishes etc. II. July 1839, 78.—P.
Blennocampa T. Hartig, Adelfl. Deutschl. I. 1837, 266.—Hym. [*typi* spp. Tenthredinis].
Blennocampa T. W. Harris, Rep. Insects Massach. 1841, 383.—Lep.
blennoides Gadus, W. Swainson, N. H. Fishes etc. II. July 1839, 389.
blennoides Phycis, J. G. Schneider, Bloch, Syst. Ichth. 1801, 56.
blennoides Zoarces, F. E. Guérin-M., Iconographie, 1844, Poiss. 25.
Blennophis W. Swainson, N. H. Fishes etc. II. July 1839, 75, 182 & 276.—P.
Blennophis A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 60.—P.
blenna Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 152 (Fernaldo judice 1826-33)
 [*n. et f.*].
Blenosia F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 209.—Col.
Blephalax C. S. Rafinesque, Analyse, 1815, 160.—Prot. [*n. n.*].
Blephalum C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 162; Analyse, 1815, 141.
Blepharella Macq. 1850 [*teste* Marschall, 1851 *est*]. [—Moll. [*n. n.*].
Blepharepium C. Rondani, Baudi & Truqui, Studi Ent. I. 1848, 89.—Dipt.
Blepharhymenus A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 339.—Col.
Blepharicera J. Macquart, Ann. Soc. Ent. France [2] I (1) Apr. 1843, 61.—Dipt.
Blepharicnema J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 283.—Dipt.

- Blepharida** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 394.—Col. [*sine*
Blepharidopterus F. A. Kolenati, Melet. Entom. (2) Oct. 1845, 107.—Hem. [*typo*].
Blepharipeza J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 211.—Dipt.
Blepharipoda J. W. Randall, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1840, 130.—Cr.
Blephariptera J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 412.—Dipt.
blepharipteroides Anthomyia, L. Dufour, Ann. Sci. Nat. [2] (Zool.) XIII. Mar. 1840,
 162.—Sapromyza, 1839.
blepharipteroides Sapromyza, L. Dufour, Ann. Sci. Nat. [2] (Zool.) XII. July 1839, 42.
Blepharipus Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar. 1835,
 728.—Hym. [220.—P.
Blepharis G. Cuvier, R. Anim. II. 1817, 322; H. Cloquet, Dict. Sci. Nat. IX. Dec. 1817,
Blepharis J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 47.—Orth.
Blepharisma M. Perty, Mitth. Nat. Ges. Bern, 1849, 170.—Inf.
Blepharitarsis J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 411.—Dipt.
Blepharocera L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Blepharicera, Macq.
Blepharocnema L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Blepharicnema,
Blepharodera H. Burmeister, Handb. Ent. II (2) i, 1838, 486.—Orth. [Macq.
Blepharopeza L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Blepharipeza,
 Macq.
Blepharopoda L. Rondani in G. Osculati, Esplor. Reg. Equat. 1850, 241.—Dipt.
Blepharoptera L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Blephariptera,
 Macq. [Lepel.
Blepharopus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Blepharipus,
Blepharotarsus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Blepharitarsis,
 Macq. [329.—Dipt.
Blepharotes J. O. Westwood in Duncan, Introd. Entom. (Nat. Libr. XXIX.) Sept. 1840,
Blepharotoma [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850,
Blepharum J. Huebner, Tentamen (me judice 1806), 2.—Lep. [*n. n.*] [115.—Col.
Blephastoma C. S. Rafinesque, Analyse, 1815, 155.—Coel. [*n. n.*].
Blephurus C. S. Rafinesque, Analyse, 1815, 160.—Prot. [*n. n.*].
blephura Anguilla, C. S. Rafinesque, Amer. Monthly Mag. II (2) Dec. 1817, 120.
blepotis Trilatitus (Temm.), J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 258.—Vespertilio.
blepotis Vespertilio, C. J. Temminck, Mon. Mamm. II. 1840, 212.
Blepsias Cuvier & Valenc., H. N. Poiss. IV. 1829, 373.—P.
Blepusa J. O. Westwood, Tr. Entom. Soc. Lond. III (2) Sept. 1842, 69.—Col.
Blera G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 118.—Dipt. [*n. d.*, 2 nom. triv.
 append. sunt]. [Col.
Blethisa F. A. Bonelli, Obs. Entom. 1813, Table; Dejean, Sp. gén. Col. II. 1826, 265.—
Bliblis *err. pro* Biblis, Fab.; E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III.
Blicca J. J. Heckel in Russegger, Reise, I (2) 1843, 1032.—P. [1840, 445.
blicca Abramis (Gm.), G. Cuvier, R. Anim. II. ? Feb. 1817, 194.—Cyprinus, Bl. 1782.
blicca Abramis (Bl.), H. Cloquet, Dict. Sci. Nat. (ed. 2) V (Suppl.) 1817, 74.—Cyprinus,
Bliccopsis J. J. Heckel in Russegger, Reise, I (2) 1843, 1032.—P. [1782.
Blissus F. Klug in Hemprich & Ehr., Symb. Phys., Ins. (5) 1845, sign. c. [*non* 1834, *apud*
Blobula C. S. Rafinesque, Atlantic Journ. (1) 1832, 21.—? [Agassiz.]—Hym.
blochii Acanthurus, Cuvier & Valenc., H. N. Poiss. X. 1835, 209.
blochii Bodianus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 279.
blochii Caesiomorus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 92.
blochii Cantharus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 339.
blochii Caranx, Cuvier & Valenc., H. N. Poiss. IX. 1833, 69.
blochii Cheilinus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 108.
blochii Cirrhina, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 290.
blochii Clupeonia, Cuvier & Valenc., H. N. Poiss. XX. 1847, 353.
blochii Coluber (Natrix), B. Merrem, Tent. Syst. Amph. 1820, 107.
blochii Cotypephorus, W. Swainson, N. H. Fishes etc. I. Oct. 1838, 354.
blochii Dactylopterus, W. Swainson, N. H. Fishes etc. II. July 1839, 415.
blochii Diagramma, Cuvier & Valenc., H. N. Poiss. V. 1830, 312.
blochii Doras, Cuvier & Valenc., H. N. Poiss. XV. 1840, 277.

- blochii** Equula, Cuvier & Valenc., H. N. Poiss. X. 1835, 84.
- blochii** Galeichthys, Cuvier & Valenc., H. N. Poiss. XV. 1840, 44.
- blochii** Hirudo, J. F. P. Braun, Egelarten, 1805, 43.
- blochii** Hyla, F. M. Daudin, H. N. Rainettes, 1802, 43.
- blochii** Julis, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 422.
- blochii** Lutjanus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 178.
- blochii** Orthrageriscus, C. Ranzani, N. Comm. Ac. Sci. Inst. Bonon. III. 1839, Dispositio.
- blochii** Osteogeniosus, P. Bleeker, Nat. Geneesk. Arch. Neerland's Indie, III (2) 1846, 175.
- blochii** Pimelodus, Cuvier & Valenc., H. N. Poiss. XV. 1840, 188.
- blochii** Platax, Cuvier & Valenc., H. N. Poiss. VII. 1831, 222.
- blochii** Plectorhynchus (C. & V.), T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1059.—Diagramma.
- blochii** Rhinobatus (Syrhina), Joh. Mueller & Henle, Syst. Plagiost. (3) 1841, 115.
- blochii** Scarus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 219.
- blochii** Sphyrna (Bl.), Joh. Mueller & Henle, Syst. Plagiost. (2) 1839, 54.—Zygaena, Cuv.
- blochii** Thalliurus, W. Swainson, N. H. Fishes etc. II. July 1839, 230.
- blochii** Trachinotus, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 425.
- blochii** Trachinus, G. D. Nardo, Giorn. di Fisica etc. (2) VII. 1824, 226.
- blochii** Trigla, W. Yarrell, Hist. Brit. Fishes, I. 1836, 50.
- blochii** Zygaena, G. Cuvier, R. Anim. II. 1817, 127.
- blochianus** Acanthorhinus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.
- blochiana** Hyla, F. M. Daudin, Sonnini's Buffon, Rept. VIII (1803), 83.
- blochmanni** Nucula, H. B. Geinitz, Char. Schicht. säch.-böhm. Kreidegeb. (2) 1840, 50.
- blockiana** Grapholitha, Herrich-S., Syst. Bearb. Schmett. Europ. IV (48) 1851, 256.—
Tinea blockiella, Rossi, 1794. [1845, 152.]
- blodeana** Pleurotomaria, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug.
- blodeana** Spirigera (V. & K.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 151.—
Terebratula. [71.]
- blodeana** Terebratula, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
- bloedei** Phasianella, E. Eichwald, Paleont. Rossii, 1850, 120.
- bloedei** Turbo, E. Eichwald, Paleont. Rossii, 1850, 117.
- bloesus** Dasyopogon, F. Walker, List Dipt. Coll. B. M. (2) 1849, 309.
- blomeraria** Acidalia, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet c (Nov. 1849), 20.
- blomeri** Emmelesia (Curt.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Jan. 1835, 393.—
Melanippe. [Melanippe.]
- blomeri** Hydrelia (Cur.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 224.—
- blomeri** Melanippe, J. Curtis, Brit. Entom. IX (104) Aug. 1832, no. 416.
- blomfieldii** Smyrna, J. Huebner, Exot. Schmett. II. Tab. [65] [n. et f.]
- blomhoffii** Trigocephalus, Boie, Isis (Oken), 1826, 214. [—Rohrella.]
- blondelii** Aricia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 290.
- blondeli** Lydella (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 270.—Salia.
- blondeli** Masicera (Rob.-D.), Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 122.—
Phryxe. [—Phryxe, 1830.]
- blondeli** Melibaea, J. B. Robineau-D., Ann. Soc. Ent. France [2] V (4) June 1848, 616.
- blondeli** Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 344. [156.]
- blondeli** Pales, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- blondeli** Phryxe, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 161. [1830, 118.]
- blondeli** Platymya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- blondeli** Reaumuria, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 80. [1830, 491.]
- blondeli** Rohrella, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- blondeli** Salia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 110. [1835, 111.—Pales.]
- blondeli** Senomtopia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II.
- blondellii** Spaniodon, F. J. Pictet, Mém. Soc. Phys. H. N. Genève, XII (2) 1851, 307.

- Blondelia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 122.
- blondii** Avicularia (Latr.), Lamarck, An. s. vert. V. 1818, 108.—Mygale. [—Dipt.
- blondii** Mygale, P. A. Latreille, Sonnini's Buffon, Ins. VII (1804), 159.
- blondina** Lizzia, E. Forbes, Mon. Brit. Medusae (Ray Soc.) 1848, 67.
- Blophastoma** C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) VI. Dec. 1820, 362.—
[blossevillei.] [Coel.
- blossevillii** Anchylomera, H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 394.
- blossevillii** Chrysaora, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838),
- blosvillei** Fusus, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 155 (*). [115.
- blossevillii** Heccaedecabostrocha (Less.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb.
I (24) Jan. 1837, 190.—Chrysaora.
- blossevillei** Oedemera, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) Mar. 1838, 40.
- blosvillei** Purpurea, G. P. Deshayes, Magasin de Zool. (2) VI. 1844 (feuillet pour
remplacer), pl. 85. [Vespertilio.
- blossevillii** Scotophilus (Less.), J. E. Gray, Mag. Zool. Bot. II (12) Feb. 1838, 498.—
- blossevillii** Vespertilio, R. P. Lesson in Férussac, Bull. Sci. VIII. 1826, 95.
- blossevilliana** Melania, R. P. Lesson, Voy. "Coquille," Zool. II (1) Dec. 1831, 358.
- blosvillei** *v.* blossevillei.
- Blosyris** J. Huebner, Verz. bekannt. Schmett. 1825, 273.—Lep.
- Blosyrus** C. J. Schoenherr, Isis (Oken), 1823, 1139; Curc. disp. meth. 1826, 99.—Col.
- Blothrus** Schrötte, Overs. K. Danske Vid. Selsk. Förhandl. (6) 1847, 80.—Col.
- blotii** Emarginula, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 126.
- blotii** Ensina (Bréb.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 474.—
Myopites.
- blotii** Myopites, de Brébisson, Mém. Soc. Linn. Normandie, 1826-7 (1827), 103.
- blotii** Trypeta (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 356.—
- bloxami** Phytotoma, Jardine & Selby, Ill. Orn., sign. B, pl. 4, 1826. [Ensina.
- bloxami** Sylvania, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 11.
- blumei** Gyrinus, J. Sturm, Catal. Ins. Samml. 1826, 145 [*n. n.*].
- blumei** Papilio, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 206.
- blumenbachii** Ascosoma, F. S. Leuckart, Brev. Anim. 1828, 21.
- blumenbachii** Brachyurus, G. Fischer, Zoogn., ed. 3, III. 1814, 61.
- blumenbachii** Calymene, Al. Brongniart in B. & Desmarest, H. N. Crust. foss. 1822, 11.
- blumenbachii** Cidarites, Muenster in G. A. Goldfuss, Petref. German. I (2) 1829, 117.
- blumenbachii** Clypeaster, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith.
1837, 37.
- blumenbachii** Coluber, H. Schlegel, Essai phys. Serp. 1837, I. 145; II. 137.
- blumenbachii** Coluber (Natrix), B. Merrem, Tent. Syst. Amph. 1820, 119.
- blumenbachii** Coronella, L. J. Fitzinger, Neue Classif. Rept. 1826, 59 [*n. n.*].
- blumenbachii** Crax, J. B. v. Spix, Avium Brasil. II. 1825, 50.
- blumenbachii** Hippurites, B. Studer, Geol. westl. Schweizer-Alpen, 1834, 107.
- blumenbachii** Hypudaeus (Fisch.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1843,
- blumenbachii** Oceania, Rathke, Isis (Oken), 1834, 680. [594.—Brachyurus.
- blumenbachii** Ptyas (Merr.), L. Fitzinger, Syst. Rept. 1843, 26.—Coluber.
- blumenbachi** Pygurus (K. & D.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847,
162.—Clypeaster.
- blumenbachiana** Rathkia (Rathke), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I
(24) Jan. 1837, 187.—Oceania blumenbachii.
- Blumenbachium** C. D. E. König, Icones foss. 1825, 3.—Polyz.
- blumii** Calamaria, H. Schlegel, Essai phys. Serp. 1837, I. 133; II. 45.
- blumii** Cerithium (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 196.—
- blumii** Goniatites, A. v. Klipstein, Beitr. geol. östl. Alpen (1) 1843, 139. [Pleurotoma.
- blumi** Isocardia, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 260.
- blumi** Pleurotoma, Wissmann in G. v. Muenster, Beitr. zur Petref. (4) 1841, 123.
- bluntii** Depressaria, J. Curtis, Brit. Entom. V (55) July 1828, no. 221.
- bluteli** Pisidia (Risso), A. G. Desmarest, Consid. gén. Crust. 1826, 198.—Porcellana.
- bluteli** Porcellana, A. Risso, H. N. Crust. 1816, 67.
- blythii** Hetaerornis (Jerd.), G. R. Gray, Genera of Birds, II. May 1847, 335.—Pastor.

- blythii** Pastor, T. C. Jerdon, Madras Journ. XIII (31) Dec. 1844, 133.
blythii Phaiopicos, A. Malherbe, Mém. Ac. Metz, XXX (*post* May) 1849, 338 [*n. n.*];
 Rev. et Mag. de Zool. (2) I. Nov. 1849, 534.
blythi Suya, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 281.
boa Amblycephalus, H. Boie, Isis (Oken), 1828, 1034.
boa Aspidocercus (Schleg.), L. Fitzinger, Syst. Rept. 1843, 27.—Dipsas.
boa Bothrochilus (Schleg.), L. Fitzinger, Syst. Rept. 1843, 24.—Tortrix.
boa Dipsas, H. Schlegel, Essai phys. Serp. 1837, I. 163; II. 284.
boa Esox, A. Risso, Ich. Nice, 1810, 330.
boa Serpula, Defrance, Dict. Sci. Nat. XLVIII. 1827, 568.
boa Sigalion, G. Johnston, Mag. Nat. Hist. VI. July 1833, 322.
boa Stomia, A. Risso, H. N. Europe, III. 1826, 440.
boa Stomias (Risso), H. R. Schinz in Cuvier, Thierreich, II. 1822, 310.—Esox.
boa Tortrix, H. Schlegel, Essai phys. Serp. 1837, I. 129; II. 22.
boabdil Satyris, P. Rambur, F. Ent. Andal. II (5) Mar. 1840, 296.
boae constrictoris Filaria, J. Leidy, Proc. Acad. Nat. Sci. Philad. V (6) Dec. 1850, 118.
boaeformis Coluber, G. Shaw, Gen. Zool. (Amph.) III (2) 1802, 511.
boaeformis Elaps, J. G. Schneider, Hist. Amph. II. 1801, 301. [1839, 297.
boae-tigridis Dibothrium, Rudolphi in Creplin in Ersch & Grube, Allg. Ency. XXXII.
boaja Syngnathus, P. Bleeker, Nat. Tijd. Ned. Indie, I (1) 1850, 16. [Silurus.
boalis Schilbe (Ham.), W. H. Sykes, Proc. Zool. Soc. London, VI (71) May 1839, 163.—
boalis Silurus, F. Hamilton, Fish. Ganges, 1822, 154.
Boana J. E. Gray, Ann. Phil. XXVI. Sept. 1825, 214.—R. [? Generic].
boans Auletris (Daud.), J. Wagler, Nat. Syst. Amph. 1830, 201.—Hyla.
boans Hyla, P. A. Latreille, s. à Deterville ed. Buffon, Rept. II. 1801, 184.
boans Rana, P. A. Latreille, s. à Deterville ed. Buffon, Rept. IV. 1801, 297.
Boarius *emend. pro* Boa, L.; C. S. Rafinesque, Analyse, 1815, 77.—R. [*n. n.*].
Boarmia F. Treitschke, Schmett. Europa, V (2) 1825, 433.—Lep.
boarmia Hylesia, J. Huebner, Verz. bekannt. Schmett. [1822], 186.
boarula Anthus (L.), Cuvier, Règne Anim. I. 1817, 371.—Motacilla, Scop. 1769.
boarula Budytes (L.), G. Cuvier, R. Anim. I. 1817, 371.—Motacilla, Scop. 1769.
boarula Motacilla [*non* L.], J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan.
 1839, 34. [Scop. 1769.
boarula Sylvia (L.), L. Muirhead, Brewster's Edin. Ency. XVI (1) 1823, 62.—Motacilla,
boas Oryctes (Fab.), Dejean, Catal. Coléopt. 1821, 56.—Scarabaeus, 1775.
Bobac G. Fischer, Zoogn., ed. 2, 1808.—M. [*n. n.*].
bobba Labrus, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847, 123.
bobelayei *v.* **boblayei**.
boblayei Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1844, 251.
boblayi Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 423.
bobelayei Clytus, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 253.
boblayei Ostrea, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 122.
boblayei Turbo, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 338.
boblayei Turrilites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1843, 178. [rhinus.
bobree Gibelion (Sykes), J. J. Heckel in Russegger, Reise, I (2) 1843, 1014.—Varico-
bobree Varicorhinus, W. H. Sykes, Proc. Zool. Soc. London, VI (71) May 1839, 159.
bocamela Arctogale (Bechst.), J. J. Kaup, Skizz. Europ. Thierw. 1829, 30.—Mustela,
bocandei Bulaea, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 71. [1800.
bocandei Cicindela, F. E. Guérin-M., Magasin de Zool. (2) VII. 1845 [1849], pl. 159.
bocandei Cicindela, F. E. Guérin-M., Rev. et Mag. de Zool. (2) I. Feb. 1849, 81.
bocandei Dendrocellus, de la Ferté in M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou,
 XXIII 1850 (1) 1850, 35.
bocandei Drypta, de la Ferté-S., Rev. et Mag. de Zool. (2) I. July 1849, 348.
bocandei Megacephala, F. E. Guérin-M., Magasin de Zool. (2) VII. 1845 [1849], pl. 157.
bocandei Megacephala, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) XI. Nov. 1848, 347.
bocconii Lerneopenna, H. D. de Blainville, Journ. de Physique, XCV. Nov. 1822, 378.
bocconi Valvata, P. Calcara, Cenzo Topog. Termini, 1842, 32.
bocconica Lerneopenna, de Blainville, Dict. Sci. Nat. XXVI. 1823, 119.

- Bochas** *id. ac* Boschas, Sw.; Swainson, An. in Menag., Dec. 1837, 237.
- bochismanni** Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835-6, 5.
- bochus** Jamides (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 71.—Papilio, 1782.
- bochus** Polyommatus (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 661.—Papilio,
- bockschii** Crassatella, H. B. Geinitz, Verst. Kieslingswalda, 1843, 12. [1782.]
- Bocinocephalus** *err. pro* Bothrioc—, V. Nordmann in Lamarck, H. N. Anim. s. vert., ed. 2, III. 1840, 549.
- Bocydium** P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 219.—Hem.
- boddaerti** Acanthopodus (Gm.), B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 558.—Chaetodon, 1789. [Gobius, 1770.]
- boddaerti** Boleophthalmus (Pall.), Cuvier & Valenc., H. N. Poiss. XII. 1837, 199.—
- boddaerti** Coluber (Natrix), Seetzen in B. Merrem, Tent. Syst. Amph. 1820, 110.
- boddaerti** Coronella (Merr.), F. Boie, Isis (Oken), 1827, 526.—Coluber (Natrix). [752.]
- boddaertii** Cyclodus, Duméril & Bibron (Roret's Suite à Buffon), Érpét. V. Nov. 1839,
- boddarti** Eleotris (Pall.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 66.—Gobius, 1770.
- boddaerti** Eudryas (Schleg.), L. Fitzinger, Syst. Rept. 1843, 26.—Herpetodryas.
- boddaertii** Herpetodryas (Seetz.), H. Schlegel, Essai phys. Serp. 1837, I. 151; II. 185.—
- bodegensis** Tellina, R. B. Hinds, Zool. "Sulphur," 1844, 67. [Coluber, 1796.]
- bodegetica** Mantis, A. A. H. Lichtenstein, Comm. Phasma, 1796 (*teste* Tr. Linn. Soc. VI.
- bodianus** Cossyphus, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 103. [1802], 26.
- bodleyi** Ammonites, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 89.
- Bodo** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 38.—Inf.
- bodo** Uvella (Euvvella), Ehr.; C. M. Diesing, Syst. Helminth. I. 1850, 38.
- bodo** Uvella, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 62.
- boddiensis** Aelidia (Gunn.), M. Sars, Arch. f. Naturg. VI (1) 1840, 209.—Doris, 1770.
- bodoensis** Eolidia (Gunn.), G. Cuvier, R. Anim. II. 1817, 393.—Doris, 1770.
- Bodotria** H. D. S. Goodsir, Edinburgh New Phil. Journ. XXXIV (67) Jan. 1843, 128.—
- bodotriæ** Ophiura, J. Foggo, Edinb. Journ. Sci. II (1) Jan. 1825, 78. [Cr.
- boebera** Paphia, F. Eschscholtz in Kotzebue, Entdeck. Reise Süd-See, III. 1821, 211.
- boeberana** Steganoptycha (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—Pyralis, 1787.
- baeberana** Tortrix (Fab.), A. H. Haworth, Lepidopt. Brit. (3) 1811, 450.—Pyralis, 1787.
- boeberi** Carabus, M. Adams, Mém. Soc. Imp. Nat. Moscou, V [post 12 Dec.] 1817, 290.
- boeberi** Cechenochilus, V. v. Mochulski, Kaefer Russl., post May 1850, 74.
- boeberi** Cechenus (Ad.), G. Fischer v. W., Entom. Imp. Russ. I (Ent. Ruthen.) post Mai 1822, 111.—Carabus.
- boeberi** Corymbites, E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 56.
- boeberi** Cryptoccephalus, Marschal von Bieberstein in Georgi, Nach. Besch. Russ. Reichs,
- boeberi** Elater, Esch.; J. Sturm, Catal. Ins. Samml. 1826, 135. [1802, 334 [n. n.].
- boeberi** Ludius, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.—Elater,
- boeberi** Scolia, F. Klug in Weber & Mohr, Beitr. Nat. I. 1805, 34. [1826.]
- boebius** Dasygogon, F. Walker, List Dipt. Coll. B. M. (2) 1849, 333.
- boeckii** Arenicola, H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 181.
- boeckii** Munna, H. Krøyer, Naturhist. Tidsskrift, II (6) 1839, 615.
- boeckii** Phacops, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 107.
- boehmani** Cydianerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 738.
- boehmii** Cryptocephalus, Ill.; Dejean, Catal. Coléopt. 1821, 128 [n. n.]. [—? bohemani.]
- boehmii** Cryptocephalus, Ill.; E. F. Germar, Ins. Spec. novae, I. 1824, 558.
- böhmii** Poecilus, J. Sturm, Catal. Ins. Samml. 1826, 186 [n. n.].
- boei** *rectius* ? boiei, *q. v.*
- boelama** Engraulis, Cuvier & Valenc., H. N. Poiss. XXI. 1848, 35.
- boelang** Serranus, Cuvier & Valenc., H. N. Poiss. II. 1828, 308.
- boenack** Serranus (Bl.), Cuvier & Valenc., H. N. Poiss. II. 1828, 362.—Bodianus, 1790.
- Boeonidium** M. Perty, Mitth. Nat. Ges. Bern, 1849, 171.—Inf.
- Boeoscelis** M. Spinola in G. Osculati, Esplor. Reg. Equat. 1850, 202.—Col.
- boeotus** Eulophus, F. Walker, Mon. Chalcid. I. 1839, 151. [1794.]
- boerhaviae** Cerbus (Fab.), Herrich-S., Wanzenart. Ins. VI (5) June 1842, 85.—Lygaeus,
- boersii** Galbula, C. Ranzani, Elem. Zool. III (2) 1821, 197.

- boersii** Jacamerops, Ranz.; G. R. Gray, Genera of Birds, I. June 1847, 84.
- boeticatus** *v.* **baeticatus**.
- boeticus** *v.* **baeticus**. [951.—Loxia, 1790.]
- boetonensis** Haematospiza (Lath.), E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (1845),
- boetus** Ceratites, G. v. Muenster, Beitr. zur Petref. (4) 1841, 129.—Ammonites beotus,
- boga** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 286. [1834.]
- boga** [Gobio] (Ham.), J. M'Clelland, Asiat. Researches, XIX (2) 1839, 278.—Cyprinus.
- boga** Isocephalus (Ham.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1029.—Cyprinus.
- bogaraveo** Pagellus (Br.), Cuvier & Valenc., H. N. Poiss. VI. 1830, 196.—Sparus, 1768.
- bogaraveo** Pagrus (Brunn.), G. Cuvier, R. Anim. II. 1817, 272.—Sparus, 1768.
- bogdoanus** Ammonites, L. v. Buch [Expl. 3 planches Amm. 1830], Tab. II. f. 2.
- bogdoanus** Ceratites (Buch), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 171.—
Ammonites. [Aug. 1845, 366.—Ammonites.]
- bogdoanus** Goniatites (Buch), E. de Verneuil in Murchison, V. & K., Geol. Russia, II.
- bogemanni** Agonum (Gyll.), J. Sturm, Catal. Ins. Samml. 1826, 89.—Harpalus.
- bogemanni** Anchomenus (Gyll.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII.
1850 (3) 1850, 104.—Harpalus.
- bogemanni** Colymbetes (Gyll.), C. Aube, Spec. gén. Hydroc. 1838, 231.—Dytiscus.
- bogemanni** Dytiscus, L. Gyllenhal, Ins. Suecica, I (3) 1813, 687.
- bogemanni** Harpalus, L. Gyllenhal, Ins. Suecica, I (3) 1813, 697.
- bogerii** Thyrus, *err. pro bojerii, q. v.*
- boggut** Chondrostoma, W. H. Sykes, Proc. Zool. Soc. London, VI (71) May 1832, 160.
- boggut** Gymnostomus (Sykes), J. J. Heckel in Russegger, Reise, I (2) 1843, 1030.—
Chondrostoma.
- Bogmaerus** *id. ac* Bogmarus, Reinhardt, Overs. K. Danske Vid. Selsk. 1828-9 [1829], 5.
- Bogmarus** J. G. Schneider, Bloch, Syst. Ichth. 1801, 518.—P.
- Bogmarus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Vogmarus, Reinh.
- bogmarus** Trachypterus, Cuvier & Valenc., H. N. Poiss. X. 1835, 346. [laria.]
- bognorensis** Euomphalus (Mant.), J. Fleming, Hist. Brit. Anim. 1828, 315.—Vermicu-
- bognoriensis** Vermetus (Mant.), J. De C. Sowerby, Min. Conch. VI. 1828, 194.—Vermi-
- bognoriensis** Vermicularia, G. A. Mantell, Foss. S. Downs, May 1822, 272. [cularia.]
- bogoda** Ambassis (Ham.), Cuvier & Valenc., H. N. Poiss. II. 1828, 187.—Chanda.
- bogoda** Chanda, F. Hamilton, Fish. Ganges, 1822, 111.
- bogotensis** Ammonites, E. Forbes, Proc. Geol. Soc. London, IV. 1844, 395.
- bogotensis** Bacteria, Goudot, Magasin de Zool. (2) V. 1843, pl. 125.
- bogotensis** Eristalis, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 112.
- bogotensis** Grundulus (Humb.), Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 216.—
- bogotensis** Poecilina, Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1821), 154. [Poecilina.]
- bogotensis** Polyglypta, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 297.
- bogotina** Natica, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 104.
- bogotina** Tellina, A. d'Orbigny, Coq. Fos. Colomb. 1842, 49.
- Bohadschia** G. F. Jaeger, De Holothur. 1833, 18.—Ech.
- bohar** Diacope (Forsk.), G. Cuvier, R. Anim. II. 1817, 275.—Sciaena, 1775. [1775.]
- bohar** Labrus (Forsk.), B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 425.—Sciaena,
- bohar** Lutianus (Forsk.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 325.—Sciaena, 1775.
- bohemanella** Adela, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 1006.
- [bohemani.]
- bohemani** Alesia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 346. [601.]
- bohemani** Amerhinus, Mannerheim in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836,
- bohemani** Amycterus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 83.
- bohemanni** Anthracophora, J. O. Westwood, Tr. Entom. Soc. Lond. V (6) May 1849, 149.
- bohemanii** Apion, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 405.
- bohemani** Barynotus (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 309.—
- bohemanni** Brachystoma, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 558. [Curculio.]
- bohemanni** Bruchus, Hochhuth, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847, 456.
- bohemani** Byrsops, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 398.
- bohemanni** Carabus, Mannerheim in E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 106.
- bohemanni** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liége, V. May 1848, 825.

- bohemani** Chrysis, A. G. Dahlbom, Disp. meth. sp. Hymenopt. 1845, 12.
bohemani Cicada, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 290.
bohemani Clitopa, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 164. [61.
bohemani Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
bohemani Curculio, L. Gyllenhal, Ins. Suecica, I (4) 1827, 611.
bohemani Cyphon, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844, 196.
bohemani Encyrtus, J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser., X (63) June 1837, 441.
bohemani Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 42.
bohemanii Heilipus, F. E. Guérin-M., Iconographie, 1844, Ins. 150.
bohemani Julodis, Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (8) 1837, 19.
bohemani Lamia (Sternotomis), J. O. Westwood, Arcana Entom. II (22) Nov. 1844, 154.
bohemani Lamyus, C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 119.
bohemanii Megastigmus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 182.
bohemani Omias, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 130.
bohemani Phytocoris, C. F. Fallen, Hemipt. Sveciae, 1829, 106.
bohemani Polyclaeis, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 219.
bohemani Sclerocardius, C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 134.
bohemani Sphex, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 436.
bohemani Sternotomis, A. Chevrolat, Rev. Zool. (Soc. Cuv.) VII. Sept. 1844, 343.
bohemani Tachina, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1107.
bohemani Tenthredo (Emphytus), A. G. Dahlbom, Conspect. Tenthred. 1835, 14 [*n. n.*].
bohemensis Turbo, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 224.
bohemicus Ampyx, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 38.
bohemicus Bombus, W. B. Seidl, Beitr. ges. Nat. Heilwiss. II (1) 1837, 73.
bohemica Bombycilla, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) X (2) 1817, 421.
bohemica Byssura, F. O. Morris, The Naturalist, II (9) June 1837, 124.
bohemicus Cryptocephalus, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) I. Sept. 1819, 296.
bohemica Epeira, C. L. Koch, Die Arachniden, V (3) Sept. 1838, 59.
bohemicus Gomphoceras, Kolenati, K.-B. zool.-min. Ver. Regensburg, III. 1849, 122.
bohemicus Graptolithus, J. Barrande, Grapt. Bohême, 1850, 40.
bohemica Leptaena, J. Barrande, Naturw. Abhandl. (Haidinger) II. 1848, 243.
bohemica Lingulina, A. E. Reuss, Verst. boehm. Kreidf. II. 1846, 108.
bohemicus Othiorhynchus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 91 [*n. n.*].
bohemicus Paradoxides (Boeck), H. Burmeister, Organ. d. Trilobit. 1843, 78.—Trilobites [*non comp.*; tessini est].
bohemicus Proetus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 73.
bohemicus Trilobites, Boeck, Mag. Naturvid. 1827 [*teste* Bronn; *non comp.*; tessini est].
boholensis Achatina (Brod.), L. Pfeiffer, Symb. Helic. II. 1842, 57.—Bulinus.
boholensis Bulinus, W. J. Broderip, Proc. Zool. Soc. London, VIII (94) July 1841, 158.
boholensis Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (153) Feb. 1846, 123.
boholensis Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 112, June 1843.
Boiea J. W. Zetterstedt, Ins. Lapp. descr. (1839), 995.—Lep.
boieella Haemylis, C. F. Freyer, Neuere Beitr. Schmett. II (28) 1836, 120.
[boiei.]
boei Campephilus (Wagl.), G. R. Gray, Genera of Birds, II. Sept. 1845, 436.—Picus.
boiei Ceratophrys, Max Wied, Isis (Oken), 1824, 673.
boieii Chrysopelea, A. Smith, Mag. Zool. Bot. I (2) Aug. 1836, 144.
boiei Coelodonta, H. G. Bronn, Jahrb. f. Min. 1831, 61. [—Chrysopelea.
boii Dendrophis (Smith), T. Cantor, Proc. Zool. Soc. London, VII (75) July 1839, 53.
boiei Dryocopus (Wagl.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 134.—Picus.
boiei Duberria, L. J. Fitzinger, Neue Classif. Rept. 1826, 55 [*n. n.*].
boiei Geochelone (Wagl.), L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 122.—Testudo.
boei Goniodactylus, J. E. Gray, Zool. Miscell. (Gray) (4) May 1842, 58.
boiei Hypsibatus, L. Fitzinger, Syst. Rept. 1843, 57 [*n. n.*].
boiei Myzomela, Müller & Schlegel in Temminck, Verh. nat. Ges. Ned. overz. Bezitt., Zool. (Aves) 1845, 66.

- boiei** Nectarinia (*Myzomela*), S. Müller in Temminck, Verh. nat. Ges. Ned. overz. Bezitt. (Land- en Volkenk.) (6 & 7) 1843, 172.
- boiei** Phasma, W. de Haan in Temminck, Verh. nat. Ges. Ned. overz. Bezitt., Zool. (Ins.)
- boiei** Physalia, W. de Haan, Bijdr. Nat. Wetensch. II (1) 1827, 502. [1842, 125.]
- boiei** Picus, J. Wagler, Syst. Avium, I. 1827, sign. 115.
- boie** Picus, C. J. Temminck in T. & Laugier, Pls. color. (80) Sept. 1829.
- boiei** Polyblastus, G. Schiødt, Rev. Zool. (Soc. Cuv.) July 1838, 140.
- boiei** Stombus, J. L. C. Gravenhorst, Rept. Mus. Vrat. 1829, 50.
- boiei** Testudo, J. Wagler, Descr. Icon. Amph. (2) 1830, pl. 13.
- boiei** Viverra, S. Müller, Tijdschr. nat. geschied. physiol. V (1 & 2) 1838, 144.
- boiei** Xenopus, Wagler in H. Boie, N. Staatsburg. Mag. (Schleswik) I (1) 1832, 193 [*n. n.*].
- boei** Zophosis, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 606.
- boienii** Cothonaspis, T. Hartig; E. F. Germar, Zeitschr. f. d. Entom. 2 (1) 1840, 200.
- boieri** *v.* **bojeri**.
- Boiga** L. J. Fitzinger, Neue Classif. Rept. 1826, 29 & 60.—R.
- boii** *v.* **boiei**. [(97) 1850, 98.]
- boileausiana** Pupa, Charpentier in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Pupa
- boillaei** Siola, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 931.
- Boina** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Boana, Gray.
- boisduvalaria** Boarmia, H. Lucas, Explor. Algér. (Artic. III.) 1849, 391.
- boisduvalaria** Geometra, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Aug. 1841, 258.
- [**boisduvali.**]
- boisduvalii** Adolias, Boisduval, s. à Buffon (Lép.) I. 1836, expl. pl. viii.
- boisduvalii** Amycterus, Dupont in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 393. [Ent. (2) 1835, 171.]
- boisduvalii** Anoplognathus, Dupont in J. A. Boisduval in d'Urville, Voy. "Astrolabe,"
- boisduvalii** Argynnis, Sommer in Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. I (Diurnes) 1832, 127.
- boisduvalii** Catoxantha, A. J. J. Solier, Ann. Soc. Ent. France, II (2) *c.* July 1833, 267.
- boisduvallii** Cercopis, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Aug. 1841, 261.
- boisduvalii** Chlaenius, Dejean, Spec. gén. Coléopt. V. 1831, 625.
- boisduvali** Cholus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 568.
- boisduvallii** Diadema, E. Doubleday, Ann. Mag. N. H. XVI. Sept. 1845, 180.
- boisduval** Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 765.
- boisduvalii** Erotylus, L. A. A. Chevrolat, Coléopt. Mex. (4) Jan. 1835, no. 91.
- boisduvallii** Glaucopis, J. v. d. Hoeven, Tijdschr. nat. geschied. physiol. VII (1 & 2) 1840, 279.
- boisduvalii** Lamia, F. W. Hope, Mag. Nat. Hist., n. s., III. May 1839, 231.
- boisduvalii** Leptodes (Zubkov), Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 181.—
- boisduvalii** Megacephala, J. Gistel, Syst. Insect. I (1) 1837, 7. [Sepidium.]
- boisduvalii** Noctua, Duponchel in J. B. Godart, H. N. Lépid. France, VII (1) (Noct. 4, pt. 1) 79, 1827. [1834-41] [*n. et f.*].
- boisduvalii** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 206 (Fernaldo judice
- boisduvali** Platyomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 163.
- boisduval** Plochionus, H. Gory, Ann. Soc. Ent. France, II (2) *c.* July 1833, 189.
- boisduvalii** Sagra, Dejean, Magasin de Zool. II. 1832, pl. 32. [506.]
- boisduvalii** Sagra, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- boisduvalii** Saturnia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (3) 1846,
- boisduvalii** Sepidium, B. Zubkov, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 328. [83.]
- boisduvalii** Sphinx, Bugnion, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839, 115.
- boisduvalii** Trachyderes, H. Dupont, Mon. Trachyd. in Magasin de Zool. VIII. 1838, 5.
- boisduvalii** Urania, F. E. Guérin-M., Iconographie, 1844, Ins. 490.
- boisduvalii** Zygops, Dupont in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 439.
- boisduvalii** Zygops, C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 622.
- Boisduvalia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 730.—Dipt. [(Noct. 6), 1836, 507.]
- boisduvaliana** Carpopapsa, Duponchel in J. B. Godart, H. N. Lépid. France, IX

- boisduvaliana** Melodes (Dup.), A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 161.—Carpocapsa.
- boisduvallianus** Papilio, J. O. Westwood, Arcana Entom. (10) Nov. 1842, 151.
- boisduvaliata** Anaitis, Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1831, 560.
- boisduvaliella** Epischnia, A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 319.
- boisdouvaliella** Timea, O. G. Costa, Cenni zool. (Ann. zool.) 1834, 75 [n. n.].
- boissieri** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 449, Mar. 1849.
- boissieri** Clausilia, J. Charpentier, Zeitschr. f. Malakozool., Sept. 1847, 142.
- boissieri** Helix, J. Charpentier, Zeitschr. f. Malakozool., Sept. 1847, 133.
- boissieri** Helix (Bulimus), S. Moricand, Mém. Soc. Phys. H. N. Genève, XI (1) 1846, 156.
- boissonneautii** Anabates, De Lafresnaye, Rev. Zool. (Soc. Cuv.) III. Ap. 1840, 104.
- boissonneauti** Hirundo, C. J. Temminck, Man. Orn., ed. 2, IV. Dec. 1839, 652.
- boissyana** Ellipsosmilia (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 202.—Turbinolia. [1848, 242.—Turbinolia.
- boissyana** Trochosmilia (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1847, 286.
- boissyana** Turbinolia, H. Michelin, Icon. Zoophyt. (24-27) 1847, 286.
- boissy** Caprina, A. d'Orbigny, Rev. Zool. (Soc. Cuv.) II. June 1839, 169.
- boissy** Caprinula, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 188.—Caprina, 1839.
- boissy** Helix, Terver, Cat. Moll. 1839, 21.
- boissy** Operculina, d'Archiac, Mém. Soc. géol. France (2) III (2) 1850, 417.
- boissy** Pecten, d'Archiac, Mém. Soc. géol. France, II (2) 1837, 187.
- boissy** Planorbis, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 208.
- boissy** Turbo, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 339.
- boissii** Zua, D. Dupuy, H. N. Moll. France (4) Dec. 1850, 332.
- boitardi** Eugeniocrinites, M. Rouault, Bull. Soc. géol. France (sér. 2) IV. 1847, 323.
- boitiapo** Coluber, M. H. K. Lichtenstein, Abh. ph.-Kl. K. pr. Ak. Wiss. 1820-1821 (1822), 251.
- boivini** Columbella, L. C. Kiener, Spec. Coquilles (Columbella) 1841, 47.
- boivini** Conus, L. C. Kiener, Spec. Coquilles (Conus) 1849-50, 282.
- boivinii** Cypraea, L. C. Kiener, Spec. Coquilles (Cypraea) 1845, 66.
- boivinii** Helix, S. Petit, Rev. Zool. (Soc. Cuv.) IV. June 1841, 184.
- boivinii** Murex, L. C. Kiener, Spec. Coquilles (Murex) 1843, 81.
- bojani** Cervus (Mey.), C. G. Giebel, Fauna d. Vorwelt, I (1) 1847, 136.—Palaeomeryx.
- bojani** Eudoxia, J. F. Eschscholtz, Isis (Oken), 1825, 743.
- bojani** Palaeomeryx, H. v. Meyer, Abh. Senckenb. Mus. I (Suppl.) 1834, 97.
- bojei** v. boiei.
- [bojeri.]
- boieri** Atherina, Risso; Cuvier & Valenc., H. N. Poiss. X. 1835, 432.
- bojeri** Gongylomorphus (D. & B.), L. Fitzinger, Syst. Rept. 1843, 22.—Gongylus.
- bojerii** Gongylus (Desj.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, [625.—Scincus.
- bojeri** Hemidactylus, L. Fitzinger, Syst. Rept. 1843, 106.
- bojerii** Scincus, J. Desjardins, Ann. Sci. Nat. XXII (87) Mar. 1831, 296.
- bogeri** Thyrus (Desj.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 124.—Scincus.
- boji** Lestris, C. L. Brehm, Lehrb. Nat. europ. Vögel, II. 1824, 991.
- bojus** Asilus, F. v. P. Schrank, F. Boica, III (1) 1803, 160.
- bojus** Crabro, F. v. P. Schrank, F. Boica, II (2) 1802, 340.
- boja** Empis, F. v. P. Schrank, F. Boica, III (1) 1803, 170.
- boja** Portunus, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 83.
- bokharensis** Parus, H. Lichtenstein in Eversmann, Reise Orenburg, 1823, 131.
- Bola** F. Hamilton, Fishes Ganges, 1822, 73 & 368.—P.
- bola** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 274.
- Bolacoides** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Bolaxoides, Lap.
- Bolactites** C. S. Rafinesque, Atlantic Journ. (1) 1832, 21.—?
- Bolania** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 149.—G. [n. n.]. [Mitra, 1833-
- bolaris** Caricella, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (1) Feb. 1846, 21.—
- bolaris** Mitra, T. A. Conrad, Foss. Shells Tert. N. Amer. (3) Aug. 1833, 34.
- Bolax** G. Fischer, Bull. Soc. Imp. Nat. Moscou, I (3) 1829, 45.—Col.

- Bolaxoides** Laporte, H. N. Anim. artic. II (Col.) 1840, 140.—Col. [Fischer de W.J.]
- Bolboceras** W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 459.—Col. [? Leach *apud*]
- Bolboceras** Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII (4) 1844, 780.—Ceph.
- Bolbocerus** W. Kirby in J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 9.—Col.
- Bolbocoris** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 50.—Hem.
- Bolbomyia** H. Loew, U. d. Bernstein (Progr. Meseritz) Sept. 1850, 39.—Dipt. [*sine typo*].
- Bolbonota** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 537.—Hem.
- Bolboporites** C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 106.—Cor.
- bolcanus** Litholophius, E. Eichwald, De Selachis, 1819, 74.
- bolcanus** Lithotrygon, E. Eichwald, De Selachis, 1819, 57.
- bolcanus** Narcopterus, J. L. R. Agassiz, Poiss. Foss. III. 382** (1843).
- bolcanus** Zeus, C. D. E. König, Icones foss. 1825, 3 [bolcensis on pl.].
- bolcense** Aulostoma, J. L. R. Agassiz, Poiss. Foss. IV. 34 (1835).
- bolcense** Aulostoma (Bl.), J. L. R. Agassiz, Poiss. Foss. IV. 13 (1838), 282 (1842).—
- bolcensis** Fistularia, de Blainville, Verst. Fische, 1823, 93. [Fistularia.]
- bolcense** Ophidium, F. Holl, Handb. Petref. II. 1829, 134.
- bolcensis** Sphyaena, J. L. R. Agassiz, Poiss. Foss. IV. 34 (1835).
- bolcensis** Thynnus, J. L. R. Agassiz, Poiss. Foss. IV. 35 (1835).
- bolcensis** Zeus, *v.* bolcanus.
- bolena** Calospila, E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 15 [*n. n.*].
- boleoides** Cottus, C. Girard, P. Amer. Assoc. 1849 (1850), 411.
- Boleophthalmus** Cuvier & Valenc., H. N. Poiss. XII. 1837, 179.—P.
- Boleosoma** De Kay, Zool. N. York, III (2) 1842, 20.—P.
- Boletaria** T. Marsham, Coleopt. Brit., Sept. 1802, 138.—Col. [Agassiz.]
- Boletaria** J. E. Gray, London Medical Reposit. XV. Ap. 1821, 236. = Boltenia, *teste*
- boletella** Phycis (Fab.), J. Huebner, Verz. bekannt. Schmett. 1826, 403.—Tinea, 1794.
- boletella** Scardia (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 291.—Phycis.
- boletella** Tinea (Fab.), F. v. P. Schrank, F. Boica, II (2) 1802, 115.—Noctua boleti, 1787.
- Bolethophagus** Gistel, Faunus, I (3) 1834, 146.—Col.
- boleti** Aderus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 20.—Lytta.
- boleti** Aleochara (L.), J. L. C. Gravenhorst, Coleopt. micr. 1802, 81.—Staphylinus, 1758.
- boleti** Belyta, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 338.
- boleti** Bolitochara (L.), Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 496.—Staphylinus, 1758.
- boleti** Cis (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 205.—Anobium, 1792.
- boleti** Cis, F.; A. & G. Villa in Cattaneo, Notiz. Nat. Lombard. 1844, 463 [*n. n.*].—
- boleti** Diaperis, Latreille, N. Dict. H. N., ed. 2, IX. 1817, 402. [*v.* signaticollis.]
- boleti** Gyrophaena (L.), W. F. Erichson, Gen. Spec. Staph. (1) 1839, 191.—Staphylinus, 1758.
- boleti** Homalota (L.), O. Heer, Coleopt. Helvet. (2) 1839, 336.—Staphylinus, 1758.
- boleti** Ips, T. Marsham, Coleopt. Brit., Sept. 1802, 59.
- boleti** Julius, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 109.
- boleti** Lytta, T. Marsham, Coleopt. Brit., Sept. 1802, 486.
- boleti** Mordella, T. Marsham, Coleopt. Brit., Sept. 1802, 494.
- boleti** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 293.
- boleti** Ptinus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 90.
- boleti** Tachyporus, F. V. Melsheimer, Ins. Pennsylv. 1806, 58 [*n. n.*].
- boleti** Zercon, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 257.
- Boletia** Desor, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 362.—Ech.
- boletifera** Eurynome, O. G. Costa, Fauna Regno Napoli, Crost., Parthenope, 8 (*ante Dec.*
- boletiformis** Agaricia, G. A. Goldfuss, Petref. German. I (1) 1826, 43. [1838].
- boletiformis** Alcyonites, E. F. v. Schlotheim, Die Petref. 1820, 374.
- boletiforme** Alcyonium, Lamarck, Mém. Mus. H. N. (Paris) I [4] *post* Oct. 1815, 332.
- boletiformis** Cupulospongia (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 144. [1849, 72.—Pavonia.]
- boletiformis** Lophoseris (Lam.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July
- boletiforme** Montlivaltia, G. v. Muenster, Beitr. zur Petref. (4) 1841, 35.
- boletiformis** Pavonia (Esp.), Lamarck, An. s. vert. II. 1816, 240.—Madrepora, 1794.

- boletiformis** Reticulites, E. Eichwald, Zool. Spec. I. 1829, 196.
- boletiformis** Spongia, H. Michelin, Icon. Zoophyt. (1) 1841, 6. [1849, 156.—Agaricia.
- boletiformis** Synastrea (Goldf.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept.
- Boletina** C. Staeger, Naturhist. Tidsskrift, III (2 & 3) 1840, 233.—Dipt.
- boletina** Anthomyia, L. Dufour, Ann. Sci. Nat. [2] (Zool.) XIII. Mar. 1840, 163.
- boletina** Milichia, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2721.
- boletina** Platypeza, C. F. Fallen, Platypez. et Bombyl. Svec. 1815, 4.
- Boletobia** Boisduval, Gen. Index Europ. Lepid. 1840, 201.—Lep.
- Boletobius** W. F. Erichson, Gen. Spec. Staph. (1) 1839, 272.—Col.
- Boletochara** Mannerheim [*teste* Agassiz; *sed non comp.*].
- Boletophagus** T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 238.—*v.* Bolitophagus, III. 1798. [140.—Dermestes.
- bolitophagum** Cercyon (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829,
- boletophagus** Dermestes, T. Marsham, Coleopt. Brit., Sept. 1802, 72.
- boletophagum** Megasternum (Marsh.), E. Mulsant, H. N. Coléopt. France (Palp.) May 1844, 187.—Dermestes.
- Boletothila** *id. ac* Bolitophila, Meig.; E. Blanchard, Hist. Ins. II. 1845, 456.—Dipt.
- boletorum** Ptinus, T. Marsham, Coleopt. Brit., Sept. 1802, 85.
- boletus** Alcyonium, Lamarck, Mém. Mus. H. N. (Paris) I [4] *post* Oct. 1815, 332.
- bolgius** Lamprotatus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 171.
- Bolina** C. S. Rafinesque, Analyse, 1815, 144.—G. [*n. n.*]=Phasianella, Lam.
- Bolina** H. Mertens, Mém. Ac. Imp. Sci. St Pétersb. [6] II (5) June 1833, 513.—Coel.
- Bolina** G. v. Muenster, Beitr. zur Petref. (2) 1839, 23.—Cr.
- Bolina** P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 180.—Lep. [1758.
- bolina** Apatura (L.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 280.—Papilio,
- bolina** Chemnitzia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 185.—Turritella.
- bolina** Diadema (L.), J. A. Boisduval, F. Ent. Madagas. 1833 (3), 39.—Papilio, 1758.
- bolina** Diadema (L.), J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 187.—Papilio, 1758.
- bolina** Esoptria (L.), J. Huebner, Verz. bekannt. Schmett. 1818, 46.—Papilio, 1758.
- bolina** Lima, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 107.
- bolina** Nymphalis (L.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 396.—Papilio, 1758.
- bolina** Papilio (G. Shaw, Nat. Misc. XXII. 1811, pl. 955.
- bolina** Phasianella, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 194.
- bolina** Pholadomya, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 305.
- bolina** Pleurotomaria, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 301.
- bolina** Turritella, G. v. Muenster, Beitr. zur Petref. (4) 1841, 118.
- Bolinus** G. G. Pusch, Polens Palaeont. (2) 1837, 134.—G. [*?typus* Murex cornutus, L.].
- Bolithophila** *id. ac* Bolitophila, Meig.; Zetterstedt, 1831 [*teste* Scudder, *sed non comp.*].
- Bolitobia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Boletobia, Boisd.
- Bolitobius** G. Samouelle (*ex* Leach MS), Entom. Compend., June 1819, 176.—Col. [*typus* Tachynus analis, Meig.].
- Bolitochara** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Boletochara, Mann.
- Bolitogyrus** Dejean, Catal. Coléopt., ed. 3 (1-4) July 1836, 76.—Col. [*n. n.*].
- Bolitophila** Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 220.—
- Bolitophilus** Gistel, 1832 [*teste* Waterhouse].—Col. *v.* **Bolethop-** [Dipt.
- bolivarii** Bulimulus (Orb.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 64.—Helix.
- bolivarii** Bulimus, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 309.—Helix, 1835.
- bolivarii** Echinus, A. d'Orbigny, Coq. Fos. Colomb. 1842, 61.
- bolivarii** Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 17.
- bolivar** Papilio, Hewitson, The Zoologist, VIII. 1850, 2976.
- bolivianus** Attila, De Lafresnaye, Rev. Zool. (Soc. Cuv.) XI. Feb. 1848, 46.
- bolivianus** Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, XIV (157) May 1846, 34.
- boliviana** Columba, Orbigny & Lafresnaye, Mag. de Zool. 1836, 33.
- boliviana** Columba (O. & L.), G. R. Gray, List Birds Coll. B. M. III. 1844, 13.—
- boliviana** Muscicapara, A. d'Orbigny, Amér. Mérid. (Ois.) 1840, 328. [Columba.
- boliviana** Peristera (O. & L.), G. R. Gray, Gen. Birds, II. June 1845, 476.—Columba.

- boliviana** Triloculina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 69.
boliviana Zenaida (O. & L.), G. R. Gray in J. Gould, Zool. "Beagle" (Birds, 1841), 116.—Columba.
boliviense Akodon, F. J. F. Meyen, N. A. Ac. Caes. Leop. Car. XVI (2) 1833, 600.
boliviensis Asaphus, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 32.
boliviensis Caprimulgus, G. R. Gray, List Birds Coll. B. M. II. 1848, 10 [*n. n.*].
boliviensis Carollia, J. E. Gray in L. Fraser, Cat. Knowsley Coll. 1850, 24.
boliviensis Cavia, G. R. Waterhouse, Nat. Hist. Mamm. II. 1847, 175.
boliviensis Cercolabes, J. E. Gray, Ann. Mag. N. H. (2) V. May 1850, 380.
boliviensis Clivina, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 606.
boliviensis Ctenomys, G. R. Waterhouse, Nat. Hist. Mamm. II. 1847, 278.
boliviensis Euphoria, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 13. [1846, 9.
boliviensis Hesperomys, G. R. Waterhouse, Proc. Zool. Soc. London, XIV (156) May
boliviensis Inia, A. d'Orbigny, N. Ann. Mus. H. N. (Paris) III [1] *inter* May–July 1834, 31. [1850 [*ineunte* 1851], 131.
bolivensis Phytalus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2)
boliviensis Platycoelia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 227.
boliviensis Productus, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 52.
boliviensis Spirifer, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 37.
Bolivina A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 61.—Rh.
bollensis Ammonites, C. H. v. Zieten, Pétrif. Wurt. (2) 1830, 16.
bollensis Belemnosepia (Schuebl.), A. D. d'Orbigny, Moll. viv. et foss. [1846], 440.—Loligo.
bollensis Beloteuthis (Schuebl.), G. v. Muenster, Beitr. zur Petref. (6) 1843, 59.—Loligo.
bollensis Crocodilus, G. F. Jaeger, Foss. Rept. Württ. 1828, 6.
bollensis Geosaurus, G. F. Jaeger, Foss. Rept. Württ. 1828, 7.
bollensis Geoteuthis (Schuebl.), G. v. Muenster, Beitr. zur Petref. (6) 1843, 69.—Loligo.
bollensis Loliginites, F. A. Quenstedt, Petref. Deutschl. I (Ceph.) (6) 1849, 508.
bollensis Loligo, Schuebler in C. H. v. Zieten, Pétrif. Wurt. (5) 1832, 34.
bollensis Macrospondylus (Jaeg.), H. v. Meyer, Palaeologica, 1832, 106.—Crocodilus.
bollensis Ptycholepis, L. Agassiz, Jahrb. f. Min. 1832, 142 [*n. n.*].
bollensis Ptycholepis, J. L. R. Agassiz, Poiss. Foss. II (1), 11 (1833); 108 (1844).
bollensis Teleosaurus (Jaeg.), F. Holl, Handb. Petref. I. 1829, 87.—Crocodilus.
bollensis Teudopsis (Ziet.), Voltz, L'Institut, 11 May 1836, 149.—Loligo.
bolliana Terebratula, von Hagenow in E. Boll, Geogn. Ostseeländer, 1846, 215.
bollingerana Eclectis, J. Huebner, Verz. bekannt. Schmett. 1826, 385.—Tortrix byringerana, Huebn., Vögel Schmett. 1793, 97.
Bolltophagus *err. pro* Bolitophagus, Ill.; G. A. Goldfuss, Handb. Zool. I. 1820, 320.
Bolma A. Risso, H. N. Europe, IV. 1826, 117.—G.
Bolma J. E. Gray, Figs. Moll. Anim. IV. 1850, 88.—G.
Boloea *err. pro* Balaea, Leach; D. Dyson, L. & F. W. Shells Manchester, 1850, 60.
boloniana Retepora, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 100.
boloniensis Atrypa, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 92.
boloniensis Aulopora (Mich.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 109.—Criserpia.
boloniensis Ceriopora, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 108.
boloniensis Criserpia, H. Michelin, Icon. Zoophyt. (20–23) 1846, 187.
boloniensis Geoporites, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 108.
Boltalia J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 41 [*n. n.*]; Zool. Miscell. (Gray) (4) May 1842, 58.—R.
Boltenia J. C. Savigny, Mém. An. s. Vert. (2) 1816, 87.—Asc.
Boltenia L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Boletaria, Gray.
bolteniana Ampullaria, J. R. Roth (*ex* Chem.), Moll. Orient. 1839, 26.
boltoni Actinurus (Bigsby), Castelnau, Ess. Silur. Amér. sept. 1843, 21.—Paradoxides.
boltoni GLOSSOSOMA, J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser., IV (21) Mar. 1834, 216.
boltonii Libellula, E. Donovan, Brit. Ins. XII. 1807, 97.
boltoni Lichas (Green), H. E. Beyrich, Böhm. Trilobiten, 1845, 28.—Paradoxides.

- boltoni** Paradoxides (Biggsby), Green, Mon. Trilob. N. Amer. 1832, 60.—Paradoxus.
- boltoni** Paradoxus, J. J. Biggsby, J. Acad. Nat. Sci. Philad. IV. May 1825, 365.
- boltoni** Platynotus (Biggsby), T. A. Conrad [2 An. Rep. N. Y. Geol. Surv.], Assembl. no. 200, 1838, 118.—Paradoxus.
- bolus** Encyrtus, F. Walker, Ann. Mag. N. H. XIV. July 1844, 17.
- Bolyeria** J. E. Gray, Zool. Miscell. (Gray) (2) Mar. 1842, 46.—R.
- Bolyphantes** C. L. Koch, Uebers. Arachnidensyst. I. 1837, 9.—Ar.
- bolyras** Syrphus, F. Walker, List Dipt. Coll. B. M. (3) 1849, 577.
- bomarii** Nucleolites, DeFrance, Dict. Sci. Nat. XXXV. 1825, 214.
- bomba** Cercaria, Bory de St V., Ency. Méth. (Zoop.) 1824, 190.
- bombarda** Brachinus, K. Duftschmid, Fauna Austriae, II. 1812, 236.
- bombarda** Brachinus, Illiger in Dejean, Catal. Coléopt. 1821, 3 [*n. n.*].
- bombarda** Brachinus, Illiger; G. Fischer v. W., Entom. Imp. Russ. III. *post* Nov. 1828,
- bombayana** Helix, Grateloup, Actes Soc. Linn. Bordeaux, XI (55) 1840, 161. [108.
- bombella** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 228.
- bombi** Sphaerularia, L. Dufour, Ann. Sci. Nat. [2] (Zool.) VII. Jan. 1837, 9.
- bombidioides** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 30 [*“Mon. Anth.” poster. edit.*].
- bombiformis** Criorhina, E. Perris, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839, 54.
- bombiformis** Hemisia, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 148.
- bombiformis** Sericomylia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 343.—Syrphus.
- bombiformis** Syrphus, C. F. Fallen, Diss. N. Dipt. meth. 1810, 25; Syrph. Svec. (2) 1816,
- bombifrons** Bos, R. Harlan, Fauna Americana, 1825, 271. [16.
- bombifrons** Elephas, H. Falconer & P. T. Cautley, F. Antiq. Sival. (1) 1846, 46.
- bombilcar** Emesis (Stoll), J. Huebner, Verz. bekannt. Schmett. 1818, 22.—Papilio bomilcar, 1790.
- bombimorpha** Dasipogon, C. Rondani in G. Osculati, Esplor. Reg. Equat. 1850, 241 [*n. n.*].
- bombimorpha** Dasipogon, C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Jan. 1851], 368.
- Bombina** L. Oken, Lehrb. Nat. III (2) 1816, 207.—R.
- Bombinator** B. Merrem, Tent. Syst. Amph. 1820, 166 & 178.—R.
- bombina** Bombitator (L.), J. Wagler, Nat. Syst. Amph. 1830, 206.—Rana, 1761.
- bombina** Cratosomus (L.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 39.—Curculio, Fab. 1787.
- bombina** Cryptorhynchus (Fab.), Dejean, Catal. Coléopt. 1821, 85.—Rhynchaenus.
- bombina** Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 219.
- bombinus** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 460.—Curculio, 1787.
- Bombitator** J. Wagler, Nat. Syst. Amph. 1830, 206.—*err. pro* Bombinator, Merr.
- bombix** *v.* bombyx.
- Bombodes** J. O. Westwood, Cab. Orient. Entom. 1847, 36.—Col.
- bomboides** Anthophora, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 271.
- bomboides** Asilus, Hgg.; C. R. W. Wiedemann, Dipt. exot. 1821, 203.
- bomboides** Laphria, Macquart in H. Lucas, Explor. Algér. (Artic. III.) 1849, 432.
- bomboides** Mallophora (Hgg.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834,
- Bombur** G. v. Muenster, Beitr. zur Petref. (2) 1839, 74.—Cr. [302.—Asilus.
- Bombus** P. A. Latreille, H. N. Fourmis, etc., May 1802, 437; Sonnini's Buffon, Ins. III (1802), 385.—Hym. [(2) (Noct. 5, pt. 2) 1833, 300.—Pyralis, 1775.
- bombycalis** Cledeobia (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII
- bombycalis** Idia, J. Huebner, Tentamen (me judice 1806), 2.—[*n. n.*].
- bombycalis** Phalaena (Geometra), W. Turton, Linnaeus, Syst. Nat. III. 1802, 274.
- bombycalis** Synaphe (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 347.—Pyralis,
- bombycaria** Nyssia, Boisduval, Gen. Index Europ. Lépid. 1840, 195. [1775.
- bombycatus** Crambus, A. H. Haworth, Lepidopt. Brit. (2) 1809, 368.—Pyralis bombycalis,
- bombycata** Phalaena, E. Donovan, Brit. Ins. XI. 1806, 74. [D. & S.
- bombycella** Epichnopteryx (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 400.—Tinea, 1775.
- bombycella** Fumea (Huebner.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Feb. 1829, 83.—Tinea, D. & S. 1775.

- bombycella** Psyche (Huebner.), F. Ochsenheimer, Schmett. Europa, III. 1810, 171.—Tinea,
Bombycia J. Huebner, Tentamen (me judice 1806), 1.—Lep. [*n. n.*]. [D. & S. 1775.
bombycicornis Eulophus, J. T. C. Ratzeburg, Die Ichneum. I (*c. Mar.*) 1844, 161.
bombyciformis Anthrax, L. Dufour, Ann. Sci. Nat. XXX (118) Oct. 1833, 214.
Bombycilla L. J. P. Vieillot, Ois. Amér. sept. I. 1807, 88.—A. [*ex* Brisson, Ornith. II. 1780, 333].
bombycilla Corvus, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 43.
bombycilla Parus, P. S. Pallas, Zoographia, I. 1811, 548.
bombycillae Physostomum, H. Denny, Mon. Anoplur. 1842, 242.
bombycinaria Epeira, N. M. Hentz, Boston Journ. N. H. V (4) 1847, 476. [Bélang.
Bombycinus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Bombyxinus,
bombycinum Buccinum, D. Solander, Catal. Portland Mus. 1786, 39 & 112 [*n. n.*].
bombycinum Buccinum, D. Solander, Catal. Portland Mus. 1786, 76.
bombycinus Cinyris, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXI. 1819, 509.
bombycinus Clerus, L. A. A. Chevrolat, Coléopt. Mex. (1) Oct. 1833, no. 39.
bombycina Cosmia, E. Ménétriés, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2 = Sci. Nat. VI.) (4) Nov. 1849, 285.
bombycinus Diacanthus, E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 70.
bombycina Galba, F. E. Guérin-M., Ann. Soc. Ent. France [2] I (3) Dec. 1843, 193.
bombycina Glaucopis, M. Perty, Del. anim. artic. Brasil. (3) 1833, 158. [78.
bombycina Hadena, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (3) 1847,
bombycinus Larinus, L. Buquet in H. Lucas, Explor. Algér. (Artic. II.) 1849, 444.
bombycina Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (119) Jan. 1814, 378.
bombycinus Xyletinus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 86.
Bombyciphora B. Meyer, K. Besch. Vögel Esthland, 1815, 104.—A.
Bombyciphora *emend. pro* Bombycivora, Temm.; B. Meyer in B. Meyer & J. Wolf, Tasch. Deutsch. Vögelk. III. 1822, 68 [*non* 1810, *apud* Agassiz].
Bombycistomas Hay, J. Asiat. Soc. Bengal, X. 1841 (*post* 7 July), 574.—A.
Bombycites P. A. Latreille in G. Cuvier, R. Anim. III. 1817, 561.—Lep.
Bombycites O. Heer, N. Denkschr. Allg. Schweiz. Ges. XI. 1850 [1849], 183.—Lep.
Bombycivoca Jarocki, Spis Ptakow, 1819, 30.—A. [= Bombycivora].
Bombycivora C. J. Temminck, Man. Orn. 1815, 76.—A.
bombycivora Carcelia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 181.
bombycivora Lydella (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 269.—
bombycivorus Ophion, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 705. [Salia.
bombycivora Phorocera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 136. [1830, 165.
bombycivora Phryxe, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
bombycivora Salia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 108. [1835, 109.—Carcelia.
bombycivora Senometopia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II.
bombycoides Flata, F. E. Guérin-M., Iconographie, 1844, Ins. 361. [1829, 24.
Bombycophora ?*id. ac* Bombyciphora, Meyer; C. L. Nitzsch, Obs. Avium art. carot.
bombycum Cinips, Boyer de F., Ann. Sci. Nat. XXVI (103) July 1832, 295.
bombylans Carcelia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
bombylans Cenogaster, C. Duméril, Dict. Sci. Nat. VII. 1817, 371. [1830, 177.
bombylans Centris, J. C. Fabricius, Syst. Piezat. 1804, 358.—Apis, 1775.
bombylans Gonia (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 315.—Rhedia.
bombylans Milesia, J. C. Fabricius, Syst. Antliat. 1805, 189. [1830, 72.
bombylans Nemoraea, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
bombylans Pterocera (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 275.—Syrphus, 1775.
bombylans Rhedia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 76. [286.—Stomoxys, 1798.
bombylans Tachina (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830,
bombylans Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 756.
Bombylia J. Huebner, Tentamen (me judice, 1806), 1.—Lep. [*n. n.*].

- bombylifformis** *Amphicoma* (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 147.—
Melolontha, Ol. 1792. [[i.e. Ap. 1826], 468.
- bombylifformis** Anthrax, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827
- bombylifformis** *Anthypna* (Fab.), Eschscholtz, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818,
473.—Melolontha, Ol. 1792.
- bombylifformis** *Cenogaster*, C. Duméril, Dict. Sci. Nat. VII. 1817, 371.
- bombylifformis** *Cephanodes* (Esp.), J. Huebner, Verz. bekannt. Schmett. [1820], 131.—
Sphinx, L. 1758. [Scarab. 1781.
- bombylifformis** *Eulasia* (Pall.), E. Truqui, Rev. Zool. (Soc. Cuv.) X. May 1847, 168.—
- bombylifformis** *Hemaris* (L.), J. W. Dalman, K. Vet. Ac. Handl. 1816 (2) 1817, 216.—
Sphinx, 1758.
- bombylifformis** *Macroglossa*, F. Ochseneheimer, Schmett. Europa, IV. 1816, 42.
- bombylifformis** *Scarabaeus*, J. de Boeber in Georgi, Nach. Besch. Russ. Reichs, 1802,
332 [n. n.].
- bombylis** *Oliva*, T. A. Conrad, Foss. Shells Tert. N. Amer. (3) Aug. 1833, 31.
- bombylis** *Oliva*, P. L. Duclou, H. N. Coq. (Olive) 1835, pl. 18 bis [n. et f.]. [1787.
- bombylius** *Amphicoma* (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 148.—Melolontha,
- bombylius** *Coptorhynchus*, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. June 1841, 192.
- bombylius** *Eulasia* (Fab.), E. Truqui, Rev. Zool. (Soc. Cuv.) X. May 1847, 167.—Melo-
lontha, 1787.
- bombylius** *Glaphyrus* (F.), Lamarck, An. s. vert. IV. 1817, 587.—Melolontha, 1787.
- bombylius** *Trichius* (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818,
433.—Melolontha, 1787.
- Bombyx** F. v. P. Schrank, F. Boica, II (1) 1801, 154.—Lep.
- Bombyx** Boisduval, Europ. Lépid. Index, 1820 [1828], 48.—Lep.
- bombix** Litioue, L. Kiener, Ann. Sci. Nat. XXX (118) Oct. 1833, 222.
- Bombyxinus** Bélanger in R. P. Lesson, Illustr. de Zool. (20) ante Dec. 1835, Appendix,
sign. 14.—G.
- Bomolchus** A. v. Nordmann, Mikr. Beitr. wirbellos. Thiere (2) 1832, 135.—Cr.
- Bomolocha** J. Huebner, Verz. bekannt. Schmett. 1826, 343.—Lep.
- Bomolochus** [vera; non *Bomolchus*, mala] A. v. Nordmann, Mikr. Beitr. wirbellos. Thiere
(2) 1832, 135.—Cr.
- bomparti** *Epilachna*, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 873.
- bomplandi** v. **bonplandi**.
- bona** *Helix*, G. D. Nardo (ex Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 93.
- “**bonaerensis** *Muni-Felis*,” F. J. Muniz, La Gaceta Mercantil, Buenos Aires, 9 Oct. 1845.
—[= *Machairodus*]. [1845, 382.
- bonae-spei** *Ammophila*, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III.
- bonana** *Icterus* (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 47.—
Oriolus, 1766. [L. 1766.
- banana** *Pendulinus* (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, V. 1816, 316.—*Oriolus*,
- bonana** *Xanthornus* (L.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV.
1799 [1802], 243.—*Oriolus*, 1766.
- bananae** *Psarocolius* (L.), J. Wagler, Syst. Avium, I. 1827, sign. 2211.—*Oriolus*, L. 1766.
[**bonannii**.]
- bonnani** *Fissurella*, G. D. Nardo, Sin. mod. spec. Lag. Veneto, 1847, 100 [n. n.].
- bonnani** *Murex*, S. d. Chiaje, Descr. An. invert. Sicilia, II. 1841, 129.
- bonnani** *Tritonium*, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830, pl. 83.
- bonnaniana** *Arca*, A. Risso, H. N. Europe, IV. 1826, 311.
- bonapartei** *Agrilorrhinus*, L. Fraser, Proc. Zool. Soc. London, VIII (86) July 1840, 22.
- bonaparte** *Atlante*, Verany, Atti 2 Riun. Sci. Ital. 1841, 221.
- bonapartei** *Coccothraustes*, R. P. Lesson, Illustr. de Zool. (11) Dec. 1833, pl. 31.—*Loxia*,
- bonapartii** *Coronella*, F. de Filippi, N. Ann. Sci. Nat. [2] IX. 1848 [Ap.], 87. [1831.
- bonapartii** *Cybius*, Verany, Atti 8 Riun. Sci. Ital. 1847, 493. [rhinus.
- bonapartii** *Diglossa* (Fraser), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 401.—*Agrilo-*
- bonapartii** *Helianthea* (Bourc.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 74.—
Ornismya. [phus.
- bonapartii** *Lampanyctus* (Cocco), C. L. Bonaparte, Icon. Faune Ital. (27) 1840.—*Nycto-*

- bonapartii** Larus, J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.* Feb. 1832], 425.
bonapartei Loxia, R. P. Lesson, Bull. Sci. Nat. XXV. 1831 [*teste* Lesson, *sed non comp.*].
bonapartei Mellisuga (Boiss.), G. R. Gray, Genera of Birds, I. Dec. 1848, 112.—Ornismya.
bonapartii Muscicapa, J. J. Audubon, Birds of Amer., pl. 5 (1827); Orn. Biogr. I. 1831,
bonapartii Myiodioides, J. J. Audubon, Synopsis, 1839, 49.—Muscicapa, 1827. [27.
bonaparte Notocanthus, A. Risso, Arch. f. Naturg. VI (1) 1840, 376.
bonapartii Nyctophus, A. Cocco, N. Ann. Sci. Nat. II. 1838, 189.
bonapartei Ornismya, Boissonneau, Rev. Zool. (Soc. Cuv.) III. Jan. 1840, 6.
bonapartaei Ornismya, J. Bourcier, Ann. Sci. Soc. Agric. Lyon, V. 1842, 307.
bonapartii Scopelus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 449.
bonapartii Setophaga (Aud.), W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831
 [*i.e.* Feb. 1832], 225.—Muscicapa.
bonapartii Sympterygia, Joh. Mueller & Henle, Syst. Plagiost. (3) 1841, 155.
bonapartii Vespertilio, P. Savi, N. Giorn. Lett. (Pisa) XXVII (102) 1838, 226.
bonapartii Wilsonia (Aud.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 23.—Muscicapa.
bonapartii Xema (Rich.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 62.—Larus.
bonardi *v.* **bonnardi**.
bonariensis Aeschna, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 204.
bonariensis Aphodius, F. Klug (*ex* Dej. MS), Insect. Doublet. Z. M. Berlin, 1829, 4.
bonariensis Aphodius, Dejean, Ann. Sci. Nat. XX (79) July 1830, 264 [*n. n.*].
bonariensis Atherina, Cuvier & Valenc., H. N. Poiss. X. 1835, 469.
bonariensis Bathis, Buq.; Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 409.
bonariensis Bolboceras, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1843 (1845), 52.
bonariensis Brotheas, C. L. Koch, Die Arachniden, X (1) 1842, 12.
bonariense Calosoma, Dejean, Spec. gén. Coléopt. V. 1831, 560.
bonariensis Coccothraustes (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817,
 535.—Loxia, Gm. 1788.
bonariensis Ctenomys, A. d'Orbigny & C. L. Laurillard, Amér. Mérid. (Pal.) 1842, 142.
bonariensis Dasypogon, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 310.
bonariensis Diplicaria, C. S. Rafinesque, Atlantic Journ. (5) 1833, 165.
bonariensis Epipedonota, G. R. Waterhouse, Proc. Zool. Soc. London, IX (107) May
bonariensis Feronia, Dejean, Spec. gén. Coléopt. V. 1831, 759. [1842, 119.
bonariensis Fringilla, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
bonariense Haemulon, Cuvier & Valenc., H. N. Poiss. V. 1830, 234. [[1802], 249.
bonariensis Harpalus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 4 [*n. n.*].
bonariensis Hister, Dejean, Ann. Sci. Nat. XX (79) July 1830, 256 [*n. n.*].
bonariensis Hydrophilus, Dejean, Ann. Sci. Nat. XX (79) July 1830, 257 [*n. n.*].
bonariensis L[amia], Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 181 [*n. n.*].
bonariensis Molothrus (Gm.), G. R. Gray, Genera of Birds, II. Dec. 1844, 346.—Loxia,
bonariensis Myopotamus, Desmarest, Dict. Sci. Nat. XLIV. 1826, 491. [1788.
bonariensis Naupactus, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 161 [*n. n.*].
bonariensis Nycticeus, R. P. Lesson, H. N. Mamm. Ois. depuis 1788, V. 1836, 116.—
 Vespertilio, 1827.
bonariensis Onthophagus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 89 [*n. n.*].
bonariensis Pachygaster, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 163 [*n. n.*].
bonariensis Pepsis, Lapeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 476.
bonariensis Phanaeus, H. Gory in F. E. Guérin-M., Iconographie, 1844, Ins. 79.
bonariensis Podalgus, Dupont in H. Burmeister, Handb. Ent. V. 1847, 118.
bonariensis Poecilaspis, C. H. Boheman, Mon. Cassid. I. 1850, 396.
bonariensis Priacanthus, Cuvier & Valenc., H. N. Poiss. III. 1829, 105.
bonariensis Seriola, Cuvier & Valenc., H. N. Poiss. IX. 1833, 211.
bonariensis Siphalomphix, C. S. Rafinesque, Atlantic Journ. (5) 1833, 165.
bonariensis Sylvia, L. P. Vieillot, Ency. Méth. (Orn.) 1820, 479.
bonariensis Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 142.
bonariensis Tachyphonus (Gm.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. 1819,
 360.—Tanagra, 1788.
bonariensis Trox, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 89 [*n. n.*].
bonariensis Vespertilio, Lesson & Garnot, Voy. "Coquille," Zool. I (1) 1827, 137.

- bonariensis** Xanthornus (Gm.), Cuvier, Règne Anim. I. 1817, 394.—Tanagra, 1788.
- Bonasa** J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819, 298.—A. [*ex* Brisson, Ornith. I. 1760, 191].
- Bonasia** G. T. Fox, Synopsis Newcastle Museum, 1827, 80 [*ex* Linné MS, *typus* Tetrao scoticus, Lath.; *teste* Iredale]. [III (4) 1829, 384.—A.]
- Bonasia** C. L. Bonaparte, Contrib. Maclur. Lyc. I. 1827, 23; Tr. Amer. Phil. Soc., n. s.,
- bonasia** Apterornis, de Selys, Rev. Zool. (Soc. Cuv.) XI. Oct. 1848, 294.
- bonasia** Bonasia (L.), C. L. Bonaparte, Tr. Amer. Phil. Soc., n. s., III (4) 1829, 384.—Tetrao, 1758.
- bonasia** Centrotus, J. C. Fabricius, Syst. Rhyng. 1803, 19.—Membracis, 1775.
- bonasia** Cyprina, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 337.
- bonasia** Tetrastes (L.), Keyserling & Blasius, Wirbelth. Europas, 1840, pp. lxiv & 200.—Tetrao, 1758.
- bonasiae** Filaria, L. A. Gescheidt, Zeitschr. Opth. (Dresden) III (4) 1833, 423, 445 [*teste* Stiles & H.].
- bonasiae** Taenia, C. A. Rudolphi, Entoz. II (2) 1810, 210. [Stiles & H.].
- Bonasmus** Wagner in Schreber, Säugth. (Suppl.) IV. 1844, 515.—M.
- bonasus** Copris, J. C. Fabricius, Syst. Eleuth. I. 1801, 40.—Scarab. 1775.
- bonasus** Onthophagus (Fab.), Dejean, Catal. Coléopt. 1821, 53.—Scarab. 1775.
- bonasus** Raja, S. L. Mitchell, Tr. Lit. Phil. Soc. N. York, I. 1815, 479.
- boncorage** Coluber, R. P. Lesson in C. Bélanger, Voy. Indes Orient. (5) Sept. 1832, 315.
- bondar** Genetta (Desm.), R. P. Lesson, Man. Mamm., May 1827, 175.—Viverra, Bl.
- bondar** Paradoxurus (Blainv.), J. E. Gray, Proc. Comm. Sci. Zool. Soc. London (17) Ju. 1832, 66.—Viverra. [1820, 210.]
- bondar** Viverra, H. M. D. de Blainville in A. G. Desmarest, Ency. Méth. (Mamm.) (1)
- bondarus** Tetrodon, T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1359.
- Bonellia** L. Rolando, Mem. R. Acc. Sci. Torino, XXVI. 1821 [1822], 551.—Asc.
- Bonellia** L. Rolando, Journ. de Physique, XCV. July 1822, 56.—Asc. [Dipt.]
- Bonellia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 56.—
- Bonellia** G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VIII. June 1838, 286.
- bonelliana** Drypta, Leach in Dejean, Catal. Coléopt. 1821, 2 [*n. n.*]. [—G.]
- bonelliana** Histiot euthis (Fér.), A. d'Orbigny in Férussac & d'Orbigny, H. N. Céph. [acétab. 1848, 327.—Cranchia bonellii.]
- bonellii** Aphodius, A. & G. Villa in Cattaneo, Notiz. Lombard. 1844, 444 [*n. n.*].
- bonellii** Aquila (Temm.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 2.—Falco.
- bonelli** Auricula, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 95.
- bonelli** Buccinum, E. Sismonda, Atti 7 Riun. Sci. Ital. 1846, 1115. [371.—Fulgora.]
- bonellii** Caliscelis (Latr.), M. Spinola, Ann. Soc. Ent. France, VIII (3) *post* Nov. 1830,
- bonellii** Cancellaria, L. Bellardi, Mem. R. Acc. Sci. Torino [2] III. 1841, 248.—& *varr.* taurinia, dertonensis.
- bonelli** Carabus, M. Adams, Mém. Soc. Imp. Nat. Moscou, V [*post* 12 Dec.] 1817, 301.
- bonellii** Carenum, J. O. Westwood, Arcana Entom. (6) Mar. 1842, 83.
- bonelli** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 319. [1816.]
- bonellii** Chelonus, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 295.—Sigalphus,
- bonellii** Colliuris, Guérin-M. in C. Bélanger, Voy. Indes Orient. (7) Aug. 1833, 481.
- bonellii** Corophia, H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 385.
- bonnellii** Cranchia, A. E. J. B. de Férussac, Magasin de Zool. V. 1835, pl. 66.
- bonellii** Cyclostoma, L. Partiot, Mem. Cyclost. 1848, 60. [Fulgora.]
- bonellii** Derbe (Latr.), E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 56.—
- bonellii** Dyschirius, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 555.
- bonellii** Eurybrachys (Latr.), Guérin-M. in C. Bélanger, Voy. Indes Orient. (7) Aug. 1833, 477.—Fulgora.
- bonelli** Falco, C. J. Temminck in T. & Laugier, Pls. color. (49) Aug. 1824. [123.]
- bonellii** Feronia (Pterostichus), G. R. Waterhouse, Ann. Mag. N. H. VII. Ap. 1841,
- bonellii** Fulgora, P. A. Latreille, Gen. Crust. Ins. III. 1807, 166. [112.]
- bonellii** Fusus, Gené in Bellardi & Michelotti, Mem. R. Acc. Sci. Torino [2] III. 1841,
- bonelli** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 169.
- bonelli** Hippocrenes (Brongn.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 538.—Strombus.

- bonelli** Ichneumon, J. L. C. Gravenhorst, Mon. Ichneum. pedest. 1815, 34.
bonnellii Issus (Latr.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840,
bonellii Lebia, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 391. [178.—Fulgora.
bonellii Margaritana, I. Lea, Syn. Naiades, 1836, 45 [*n. n.*].
bonelli Melanopsis, E. Sismonda, Syn. meth. Anim., ed. 2, 1847, 55.
bonellii Murex, A. J. Michelotti, N. Jahrb. f. Min. 1846, 55 [*n. n.*].
bonellii Murex, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem,
 (2) III (2) 1847, 237.
bonelli Nautilus, T. A. Catullo, N. Saggi R. Acc. Sci. Padova, V. 1840 [1841], 240.
bonellii Nebria, Dejean, Catal. Coléopt. 1821, 7 [*n. n.*]. [33] [*n. et f.*].
bonellii Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 181 (Fernaldo judice 1823—
bonellii Pelecotoma, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 49 [*n. n.*].
bonellii Pezomachus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 885.—Ichneumon,
bonellii Phyllopneste, C. L. Bonaparte, List Birds Eur. Amer. 1838, 13. [1815.
bonellii Platychrus, F. A. Kolenati, Melet. Entom. (1) Aug. 1845, 26.
bonellii Purpura, Cristofori & Jan, Cat. Mus. Sect. II (1) Conch. foss. 1832, 13 [*n. n.*].
bonelli Ringicula, G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VIII. June
 1838, 344.—Auricula, 1830.
bonelli Rissoa, E. Sismonda, Syn. meth. Anim., ed. 2, 1847, 53.
bonellii Scarabaeus, W. S. Macleay, Horae Entom. I (2) 1821, 498.
bonellii Sigalphus, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VII (4) 1816, 271.
bonellii Stenocara, A. J. J. Solier, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 565.
bonellii Stibeutes (Grav.), A. Foerster, Arch. f. Naturg. XVI (1) 1850, 78.—Pezomachus.
bonelli Strombus, Al. Brongniart, Mem. terr. Vicentin, 1823, 74.
bonelli Strombus, P. M. T. de Serres, Journ. de Géol. II. 1830, 75.
bonelli Sylvia, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 91.
bonnellii Trachypterus, Cuvier & Valenc., H. N. Poiss. X. 1835, 331.
bonellii Turbinolia, P. Calcara, Rev. Zool. (Soc. Cuv.) VIII. Aug. 1845, 282.
bonelli Unio, E. A. Rossmassler (*ex* Fér. MS), Icones L. u. S. Moll. Europ. II (5)
 June 1842, 14, & *var. curvata*.
bonfilii Hesperia, P. A. Latreille, Ency. Méth. IX (2) (Ins.) 1824, 748. [251.
bonfilii Plochionus, Dejean, Catal. Coléopt. 1821, 5 [*n. n.*]; Spec. gén. Coléopt. I. 1825,
Bongarus G. Fischer, Tabl. Syn. Zoog., ed. 2, 1808, Rept. col. (7).—R. [Bungarus, Daud.].
bonhami Caccabis, G. R. Gray, Ann. Mag. N. H. XI. May 1843, 372.
bonhami Perdix, L. Fraser, Proc. Zool. Soc. London, XI (124) Nov. 1843, 70.
bonitae Brachymeles, Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839,
bonnanii *v. bonannii*. [777.
bonnaniana *v. bonanniana*.
 [bonnardi.]
bonnardii Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1844, 196.
bonardi Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 416.
bonnardi Delphinula, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 334.
bonnardii Patella, B. C. Payraudeau, Cat. Moll. Corse, 1826, 89. [[Ionnardi].
bonnardi Pygopterus, J. L. R. Agassiz, Poiss. Foss. II (1), 11 (1833); II (2), 78 (1844)
bonnardi Pygopterus, Landriot, C. R. Soc. Eduenne, 1836-7 (1839), 122.
bonnaterrei Delphinus, F. Tiedemann, Zool. 1808, 583.
bonneaudii Unio, F. Eydoux, Moll. de la "Favorite" in Magasin de Zool. VIII. 1838,
bonnellii *v. bonellii*. [pl. 119.
 [bonneti.]
bonnetii Anotia, W. Kirby, Tr. Linn. Soc. London, XIII (1) 1821, 21.
bonnettii Attus, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Arach.) 1826, 170.
Bonnetia J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 55.—
 Dipt.
bonnetianus Ammonites, F. J. Pictet, Mém. Soc. Phys. H. N. Genève, XI (2) 1848, 306.
bonnetiana Venus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 380. [1843, 171.
bono Pomotis, W. Jardine in Schomburgk, Fishes Brit. Guiana, II (Nat. Libr. XXXVIII.)
Bonocephalus *err. pro* Conocephalus, Zenker; J. Barrande, Not. préf. Silur. 1846, 11.
bononensis Nephtys, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) XIV. Dec. 1850, 352.

- bononiensis** Vanellus (L.), L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1077.—Tringa, Gm. [1788.]
- bonplandi** Carabus, Faldermann, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (19) Nov. 1836, 149. [III. (1 & 2) Ap. 1839, 11.]
- bonplandii** Carabus, E. Ménétriés, Mém. Ac. Imp. Sci. St Pétersb. [6] V (2 = Sci. Nat.)
- bomplandii** (*sic*) Catagramma, F. E. Guérin-M., Iconographie, 1844, Ins. 484.
- bonpland** Cethosia, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.) 1809, 282.
- bomplandii** Chalcolepidius, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VII. Jan. 1844, 17.
- bonplandi** Chiroteuthis (Ver.), A. D. d'Orbigny, Moll. viv. et foss. [1845], 378.—
- bomplandi** Cyclomorphus, T. Lacordaire, Mon. Erotyl., ed. 1842, 263. [Loligopsis.]
- bonplandi** Dasytes, Dejean, Cat. Coléopt., ed. 2 (2) 1833, 110.
- bonplandi** Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 721.
- bomplandi** Gymnetis, H. R. Schaum, Ann. Soc. Ent. France [2] II (4) Ap. 1845, 406.
- bomplandii** (*sic*) Heliconia (*sic*), F. E. Guérin-M., Iconographie, 1844, Ins. 472.
- bonplandii** Helix, Lamarck, An. s. vert. VI (2) 1822, 72. [(2) 1840, 380.—Trichius.]
- bonplandi** Inca (Schoenh.), Burmeister & Schaum in Germar, Zeitschr. f. d. Entom. II
- bomplandii** Loligopsis, J. B. Vérany, Mem. R. Acc. Sci. Torino [2] I. 1839, 99.
- bonplandi** Melyris (Dej.), W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 84.—Dasytes.
- bonplandi** Natica, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1832), 264. [I (1849), 242.—Catagramma.]
- bonplandii** Perisama (Guér.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt.
- bonplandii** Synchloe (Latr.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1848), 186.—Cethosia. [(1847), 100.—Heliconia.]
- bonplandi** Tithorea (Guér.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I
- bonplandi** Trichius, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 103; & App. 1817, 196.
- bonplandiana** Arca, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 130.
- bonsdorffii** Corisa (Sahlb.), F. X. Fieber, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2)
- bonsdorffii** Corixa, C. R. Sahlberg, Diss. Notonect. 1819, 13. [1848, 531.—Corixa.]
- bonsdorffii** Cryptorhynchus, Munck in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 62.
- Bontaea** T. Brown (*ex* Leach MS), Ill. Rec. Conch. G. B. I., ed. 2, 1844, 106.—L.
- Bontia** J. E. Gray (*ex* Leach MS), Proc. Zool. Soc. 1847, 190.—L. [*teste* Tomlin.]
- bontia** Bulimulus (Gm.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 65.—Helix, 1790.
- bontia** Bulimus (Gm.), J. E. Gray, Ann. Phil. XXV. June 1825, 414.—Helix, 1790.
- bontia** Helix (Cochlogena) (Gm.), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 58.—Helix, 1788. [bontia, Gm.]
- bontiae** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 315, Nov. 1848.—Helix
- bontianus** Notopterus, Cuvier & Valenc., H. N. Poiss. XXI. 1848, 147.
- bontii** Gobius, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Blennioid. Soenda-Moluk.),
- bontii** Psittacus, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1388. [27.]
- bontii** Troglodyta; Ind. Anim. I. p. 137.—*errore*, not used in a specific sense.
- bontoo** Serranus, Cuvier & Valenc., H. N. Poiss. II. 1828, 334.
- bonuk** Argentina, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 365.
- boobook** Athene (Lath.), J. Gould, Syn. Birds of Australia & adj. islands (3) Ap. 1838.—
- boobook** Strix, J. Latham, Index Orn., Suppl. 1801, p. xv. [Strix.]
- boodang** Muscipeta, R. P. Lesson in Bougainville, Journ. "Thétis et Espér." II. 1837, 322.
- booduga** Leggada, J. E. Gray, Mag. Nat. Hist., n. s., I. Nov. 1837, 586.
- boodaga** Mus (Gray), H. R. Schinz, Syst. Verz. Säug. II. 1845, 154.—Leggada.
- booduga** Mus (Gray), J. A. Wagner in Schreber, Säugth., Suppl. III. 1842, 421.—Leggada.
- boodwich** Cupulita, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 580 [*rectius* bowdichi].
- boomi** Pleurotoma, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 443.
- Boophis** J. J. Tschudi, Classif. Batrach. 1838,—*ex* Mém. Soc. Sci. Nat. Neuchâtel, II.
- boopis** Ascaris, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 58. [1839 [1840], 36 & 76.—R.]
- boopis** Clytra, Hoffm.; E. F. Germar, Ins. Spec. novae, I. 1824, 551.
- Boops** G. Cuvier, R. Anim. II. 1817, 270; Mém. Mus. H. N. Paris, I (6) Mar. 1816, 453; Dict. Sci. Nat. (ed. 2) V (Suppl.) Mar. 1817, 8.—P.
- Boops** J. E. Gray, London Med. Reposit. XV. Ap. 1821, 310.—M.

- Boops** = Box *q. v.*; Cuvier & Valenc., H. N. Poiss. VI. 1830, pl. 16r.—P. [31.]
- boops** Acrognathus, L. Agassiz in Mantell, Descr. Catal. Mus. Sussex Inst., ed. 4, 1836,
- boops** Acrognathus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 104 (1837); V (2), 108 (1844).
- boops** Adoretus (Wied.), H. Burmeister, Handb. Ent. IV (1) 1844, 474.—Melolontha.
- boops** Anthias, J. G. Schneider, Bloch, Syst. Ichth. 1801, 308.
- boops** Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 396.
- boops** Astata (Schr.), M. Spinola, Ins. Liguriae, I. 1806, 72.—Sphex, 1781.
- boops** Balaenoptera (L.), F. Tiedemann, Zool. 1808, 573.—Balaena, 1758. [1758.]
- boops** Boops (L.), H. Cloquet, Dict. Sci. Nat. (ed. 2) V (Suppl.) Mar. 1817, 10.—Sparus,
- boops** Box (L.), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 52.—Sparus, 1758.
- boops** Bruchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 90.
- boops** Caranx, Cuvier & Valenc., H. N. Poiss. IX. 1833, 46. [Labrus, 1782.]
- boops** Cheilodipterus (Houtt.), B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 540.—
- boops** Cicindela, Mannerheim in Dejean, Spec. gén. Coléopt. V. 1831, 258.
- boops** Coracinus, P. S. Pallas, Zoographia, III. 1814, 259.
- boops** Cyclomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 548.
- boops** Hepheboerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 503.
- boops** Hydrachna, F. v. P. Schrank, F. Boica, III (1) 1803, 220.
- boops** Melolontha, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 135.
- boops** Microtonus, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 59.
- boops** Microsaurus (Grav.), Dejean, Catal. Coléopt., ed. 2 (I) Jan. 1833, 61.—Staphylinus.
- boops** Myctophum, J. Richardson, Zool. "Ereb. Terr." (Fish, 1845), 39.
- boops** Myrmedonia, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 42.
- boops** Ostracion, J. Richardson, Zool. "Ereb. Terr." (Fish, 1845), 52.
- boops** Otidoccephalus, Munck in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 204.
- boops** Perca (Schn.), J. R. Forster, Anim. mar. Aust. 1844, 411.—Anthias.
- boops** Philonthus (Grav.), O. Heer, Coleopt. Helvet. (2) 1839, 280.—Staphylinus.
- boops** Physalus (L.), G. J. Billberg, Syn. Faunae Scand. I (1) 1827, 40.—Balaena.
- boops** Physalus (Rorqualus), J. E. Gray, Proc. Zool. Soc. London, XV (175) July 20, 1847,
- boops** Porizon, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 776. [91.]
- boops** Priacanthus (Forst.), Cuvier & Valenc., H. N. Poiss. III. 1829, 103.—Perca.
- boops** Proetus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 75.
- boops** Promecops, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 165.
- boops** Pyrophorus, Klug in E. F. Germar, Zeitschr. f. d. Entom. III. 1841, 69.
- boops** Quedius (Grav.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 494.—Staphylinus.
- boops** Raphirus (Grav.), J. F. Stephens, Ill. Brit. Ent. (Mand. V.) Nov. 1833, 242.—
Staph. [—Balaena, 1758.]
- boops** Rorqualus (L.), F. Cuvier (Roret's Suite à Buffon), Cétacés, 1836 [Dec. 1835], 321.
- boops** Sciaena (Houtt.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 82.—Labrus, 1782.
- boops** Scopodes, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 124.
- boops** Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 21.
- boops** Staphylinus, Gyll.; Dejean, Catal. Coléopt. 1821, 22 [n. n.].
- boops** Stenus, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 226.
- boops** Stenus, S. I. Ljungh, Beitr. zur Naturkunde, II. 1810, 158.
- bootes** Chionobas, J. A. Boisduval, Ic. hist. lépidopt. Europe, I (—) 1833, 191.
- bootes** Hipparchia (Bois.), F. Treitschke, Schmett. Europa, X (1) 1834, 32.—Chionobas.
- bootes** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 207 (Fernaldo giudice 1834-41)
- boötes** Papilio, J. O. Westwood, Ann. Mag. N. H. IX. Mar. 1842, 36. [[n. et f.].]
- bootes** Satyrus, Boisduval in Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. I (Diurnes) 1834, 211.
- bootfs** Asteracanthion, Joh. Mueller & Troschel, Syst. Asterid. 1842, 17.
- boothii** Clavatula (Smith), S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 63.—
- boothii** Colias, J. Curtis in Ross, App. 2 Voy. 1835, p. lxx. [Fusus.]
- boothii** Cryphaeus, J. Green, Amer. J. Sci. XXXII (2) July 1837, 344.
- boothi** Fusus, J. Smith, 7 Rept. Brit. Assoc. (Liverp. 1837) 1838, 100 [n. n.].
- boothii** Fusus, J. Smith, Mem. Werner. N. H. Soc. VIII (1) 1839, 98.
- boothii** Pleurotoma (Smith), C. Thorpe, Brit. Mar. conch., Ap. 1844, 196.—Fusus.

- boothiana** Helix, L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 351.
- bootis** Bulimus, C. T. Menke, Syn. meth. Moll. 1828, 14.
- bootis** Placostylus (Menke), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 57.—Bulimus.
- bopyroides** Cymothoa, C. A. Lesueur, Bull. Sci. Soc. Philom. Paris, 1814 (Sept.), 46.
- Bopyrus** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 43.—Cr.
- bor** *v.* **borus**.
- boraboriensis** Eucoelium, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2
- Boranus** C. S. Rafinesque, Analyse, 1815, 77.—R. [*n. n.*] [(1838), 131.
- borana** Peronaea (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—Pyralis, 1787.
- borana** Phalaena (Pyralis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 354.
- borana** Tortrix (Fab.), A. H. Haworth, Lepidopt. Brit. (3) 1811, 415.—Pyralis, 1787.
- boraquira** Nothura (Spix), J. Wagler, Syst. Avium, I. 1827, sign. 1910.—Tinamus.
- boraquira** Tinamus, J. B. v. Spix, Avium Brasil. II. 1825, 63.
- borassi** Calandra, J. C. Fabricius, Syst. Eleuth. II. 1801, 430. [Calandra.
- borassi** Rhynchophorus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 818.—
- borboniae** Bruchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 110.
- borbonica** Aganais, J. A. Boisduval, F. Ent. Madagas. 1833 (6), 96. [244.
- borbonica** Aganais, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833,
- borbonicum** Badacterium, Croizet in H. D. de Blainville, Ostéog., Rhinoceros, 1846, 193.
- borbonicus** Canis, Bravard, Dict. Univ. Hist. Nat. III. 1843, 567.
- borbonica** Cassiopea, S. d. Chiaje, Mem. An. s. vert. Napoli, I (1) 1823, 75.
- borbonicus** Cervus, Croizet; H. G. Bronn, Index Pal. 1848, 277; Depéret, Bull. Soc. géol. France (3) XII. 1883, 260. [1788.
- borbonica** Cotyle (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 342.—Hirundo.
- borbonica** Crepidula (Bory), F. de Roissy, Sonnini's Buffon, Moll. V (1805), 239.— Patella. [1826, 237.—Certhia, 1788.
- borbonicum** Dicaeum (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1)
- borbonica** Fringilla (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves), XIV (1) 1826, 39.—Emberiza, 1788. [1821, 53.—[*n. n.*].
- borbonica** Helix (Cochlitoma), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
- borbonica** Hesperia, J. A. Boisduval, F. Ent. Madagas. 1833 (5), 65.
- borbonica** Hesperia, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 213.
- borbonica** Hysaplesia, Kuhl in Férussac, Bull. Sci. IX. 1826, 239 [*n. n.*].
- borbonicus** Lethrinus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 303.
- borbonicus** Mugil, Cuvier & Valenc., H. N. Poiss. XI. 1836, 113.
- borbonica** Muscipeta (Gm.), G. Cuvier, R. Anim. I. 1817, 344.—Muscicapa, 1788.
- borbonicus** Myripristis, Cuvier & Valenc., H. N. Poiss. VII. 1831, 489. [1788.
- borbonica** Nectarinia (Gm.), R. P. Lesson, Traité Ornith. (4) Sept. 1830, 305.—Certhia,
- borbonicus** Nycticejus (Geoff.), C. J. Temminck, Mon. Mamm. II. 1840, 153.—Vespertilio.
- borbonicus** Odax, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 306.
- borbonicus** Paragus, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 166.
- borbonica** Patella, Bory de St V., Voy. îles afriq. I. 1804, 287.
- borbonica** Physa, Férussac, Bull. Sci. X. 1827, 408.
- borbonica** Physa, V. Sganzin, Mém. Soc. H. N. Strasbourg, III (2) 1842, 18.
- borbonicus** Platyrrhynchus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 13.—Muscicapa, Gm. 1788.
- borbonica** Polyclonia (Esch.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (24) Jan. 1837, 191.—Rhizostoma.
- borbonica** Pyrgita, C. Dumont, Dict. Sci. Nat. XXXI. 1824, 546.
- borbonica** Pyrula, C. Maravigna, Atti Acc. Gioenia, XVIII. 1842, 91. [Cassiopea.
- borbonica** Rhizostoma (Chiaje), J. F. Eschscholtz, Syst. Acalephen, 1829, 54.—
- borbonicus** Scotophilus (Geoff.), J. E. Gray, Zool. "Samarang" (Vert. 1849), 9.—Vespertilio.
- borbonica** Septaria (Bory), J. B. Férussac, Essai Méth. Conch. 1807, 64.—Patella.
- borbonicus** Serranus, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 312.
- borbonica** Sylvia, L. P. Vieillot, Ency. Méth. (Orn.) 1820, 460. [1788.
- borbonica** Sylvia (Gm.), G. R. Gray, Genera of Birds, I. Aug. 1848, 174.—? Motacilla,

- borbonica** Tchitreia (Gm.), G. R. Gray, Genera of Birds, I. Aug. 1846, 260.—Muscicapa, 1788. [Muscicapa, 1788.]
- borbonica** Tersiphone (Gm.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 59.—
- borbonicus** Vespertilio, E. Geoffroy, Ann. Mus. H. N. (Paris) VIII (44-45) *inter* June-Sept., 1806, 201. [1783.]
- borbonica** Zosterops (Bodd.), G. R. Gray, Genera of Birds, I. Dec. 1848, 198.—Certhia,
- borbonidus** Canis, H. D. de Blainville, Ostéogr., Canis, 1843, 126.
- borboniella** Tinea, J. A. Boisduval, F. Ent. Madag. 1833 (8), 122.
- borboniella** Tinea, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [3] end of 1833, 270.
- borboniensis** Platycephalus, Cuvier & Valenc., H. N. Poiss. IV. 1829, 252.
- borbonius** Serranus, Cuvier & Valenc., H. N. Poiss. II. 1828, 263.
- Borborocoetes** C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 437.—Col.
- Borborocoetes** T. Bell, Zool. "Beagle" (Rept. 1843), 34.—R.
- Borborocoites** J. Gistel, Nat. Thierr. 1848, p. xi.—R.
- Borborodes** J. Gistel, Nat. Thierr. 1848, p. x.—P.
- Borborus** J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 276.—Dipt.
- borchardti** Cricopora, v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 238 [*n. n.*]. [Galerites.]
- bordae** Conoclypeus (Grat.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 167.—
- bordae** Echinolampas (Grat.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 198.—Galerites.
- bordae** Galerites, Grateloup, Actes Soc. Linn. Bordeaux, VIII (46) 1836, 154.
- bordae** Nautilus, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (7) 1827, 23.
- bordaii** Soosoo "Cuv.," J. R. Hamilton, Whales (Nat. Libr. XVI.) Jan. 1836, 257.
- bordigalensis** Acheta (Latr.), T. v. Charpentier, Horae Ent. 1825, 82.—Gryllus.
- bordigalensis** Gryllus, P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 124.
- bordiu** Terebratula, de Verneuil, Bull. Soc. géol. France (sér. 2) VII. 1850, 172.
- bore** Chionobas (Esp.), J. A. Boisduval, Ic. hist. lépidopt. Europe, I (—) 1833, 193.—Papilio.
- bore** Erebia (Ochs.), J. W. Dalman, K. Vet. Ac. Handl. 1816 (1) 1816, 80.—Papilio, Esp.
- bore** Hipparchia (Huebn.), F. Ochseneimer, Schmett. Europa, IV. 1816, 20.—Papilio.
- bore** Maniola (Ochs.), J. W. Meigen, Syst. Besch. Europ. Schmett. I (3) 1828, 121.—Papilio, Esp.
- bore** Oeneis (Esp.), J. Huebner, Verz. bekannt. Schmett. 1818, 58.—Papilio.
- bore** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 29 (Fernaldo iudice 1799) [*n. et f.*].
- bore** Papilio Danaus, E. J. C. Esper, Die Schmett., Suppl., 1 Abschn. 1793, 37.
- bore** Sciara, F. Walker, List Dipt. Coll. B. M. (1) 1848, 167.
- borealiformis** Venulites, E. F. v. Schlotheim, Die Petref. 1820, 199. [Fringilla.]
- borealis** [Acanthis] (Vieill.), Keyserling & Blasius, Wirbelth. Europas, 1840, pp. xli. & 161.—
- borealis** Acanthosoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 30.
- borealis** Acrocera, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 573.
- borealis** Acrocera, W. F. Erichson, Entomographien, 1840, 167.
- borealis** Aeschna, J. W. Zetterstedt, Ins. Lapp. descr. 1840, 1040. [I. 1834, 361.]
- borealis** Aleochara, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (23) 1831, 361; & Ins. Fenn.
- borealis** Amara, v. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. [1844, 184.]
- borealis** Ammocoetes, J. L. R. Agassiz, Lake Superior, 1850, 252.
- borealis** Ammonites, S. G. Morton, Proc. Acad. Nat. Sci. Philad. I (7) Oct. 1841, 107.
- borealis** Ampullaria, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1832), 260.
- borealis** Anser (Gm.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXIII. 1818, 338.—Anas,
- borealis** Anthomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 679. [1788.]
- borealis** Aphis, J. Curtis in J. C. Ross in W. E. Parry, Narr. attempt reach North Pole,
- borealis** Aphodius, L. Gyllenhal, Ins. Suecica, I (4) 1827, 248. [1828, 201.]
- borealis** Aphodius, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 180.
- borealis** Aphrodita, G. Johnston, Ann. Nat. Hist. IV. Feb. 1840, 370.
- borealis** Aquila, C. L. Brehm, Ornith. (1) 1824, 1.
- borealis** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1478.—Anthomyza, 1838.
- borealis** Arvicola, J. Richardson, Zool. Journ. III (12) Ap. 1828, 517.

- borealis** Ascomys (Rich.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1842, 391.—
- borealis** Aspistes, H. Loew, Entom. Zeitung, Stettin, VIII (3) Mar. 1847, 69. [Geomys.
- borealis** Astarte (L.), S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 248.—Venus, 1767.
- borealis** Astarte, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 364.
- borealis** Astur (Wils.), C. L. Bonaparte, J. Acad. Nat. Sci. Philad. III., Ap. 1824, 347.—Falco, ? Gm. 1788.
- borealis** Balaena, J. B. Fischer, Syn. Mamm. 1829, 524.
- borealis** Balaenoptera, R. P. Lesson, H. N. Mamm. et Ois. depuis 1788, Cétacés 1828,
- borealis** Batrachus, S. Nilsson, Prod. Ichth. Skand. 1832, 99. [342.
- borealis** Belemnites, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 420.
- borealis** Beroe (Less.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 38.—Idya.
- borealis** Beryx, Duben & Koren, Ofvers. K. Vet. Ac. Förh. II (1) 1845, 10.
- borealis** Bombus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 272.
- borealis** Bracon, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 400.
- boreale** Buccinum, W. E. Leach, Journ. de Physique, LXXXVIII. June 1819, 464.
- boreale** Buccinum, W. E. Leach in J. Ross, Voy. Discov. Baffin's Bay, ed. 2 in 8vo, July 1819, App. IV. 173.
- borealis** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1837, 13.
- borealis** Buteo (Gm.), C. Dumont, Dict. Sci. Nat. (ed. 1) V. 1806, 455.—Falco, 1788.
- borealis** Campylus (Payk.), E. F. Germar, Fauna Ins. Europ. (21) 1839, 6.—Elatere, 1800.
- borealis** Canis, C. H. Smith, Dogs, II (Nat. Libr. XXVIII.) June 1840, 127.
- borealis** Cantharis, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 83.
- borealis** Cardita, T. A. Conrad, Amer. Marine Conch. (3) May 1832, 39.
- boreale** Cardium, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829, 368.
- borealis** Carduelis (Temm.), C. Dumont, Dict. Sci. Nat. XXVI. 1823, 541.—Linaria.
- borealis** Caryophyllia (Flem.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 52.—
- borealis** Cephea, G. A. Goldfuss, Handb. Zool. I. 1820, 113. [Turbinolia.
- borealis** Ceresa, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3), Dec. 1846, 284.
- borealis** Chaetotaulius (Zett.), F. A. Kolenati, Entom. Zeitung, Stettin, IX (1) Jan. 1848,
- borealis** Chamites, E. F. Schlotheim, Tasch. Min. 1813, 36 [n. n.]. [16.—Phryganea.
- borealis** Chimaera, G. Shaw, Gen. Zool. (Pisc.) V (2) 1804, 365.
- borealis** Chironomus, J. Curtis in Ross, App. 2 Voy. 1835, p. lxxvii.
- borealis** Cidaris, Duben, Ofvers. K. Vet. Ac. Förh. I (5) 1844, 114.
- borealis** Cirratulus, Lamarck, An. s. vert. V. 1818, 302.
- borealis** Clavelina, J. C. Savigny, Mém. An. s. Vert. (2) 1816, 109.
- borealis** Copromyza, J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2481.
- borealis** Corbula, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 472.
- borealis** Crabro, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 443.
- borealis** Crassina (Gm.), S. Nilsson, K. Vet. Ac. Handl. 1822 (1) 1822, 188.—Venus, 1767.
- borealis** Cryptus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 369.
- borealis** Cuculus, P. S. Pallas, Zoographia, I. 1811, 442.
- borealis** Cyanea, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 364.
- borealis** Cyclas, Lamarck, Ann. Mus. H. N. (Paris) VII (42) June 1806, 420.
- borealis** Cystophora, S. Nilsson, Skand. Fauna. Dagg Djur, 1820, 383.
- borealis** Delphinapterus, T. R. Peale in Wilkes, Expl. Exped. VIII. 1848, 35.
- borealis** Dibolia, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 307.
- borealis** Dicranoura, J. A. Boisduval in F. E. Guérin-M., Iconographie, 1844, Ins. 519.
- borealis** Dicranura, C. H. Boheman, K. Vet. Ac. Handl. 1848 (2) 1850, 161.
- borealis** Diplopterus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 490 [n. n.]; Poiss. F. V. G. R. 49 & 55 (1844).
- borealis** Dyschirius, Mannerheim in V. v. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 83.
- borealis** Ectinoura, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 743.
- borealis** Emberiza, J. W. Zetterstedt, Resa Sveriges, I. 1822, 107. [Passerina.
- borealis** Emberiza (Vieill.), C. D. Degland, Mém. Soc. R. Sci. Lille, 1840, 1841, 198.—
- borealis** Ephyra (P. & L.), L. Oken, Lehrb. Nat. III (1) 1815, 116.—Cyanea.
- borealis** Epilachna (Fab.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 826.—Cocci-nella, 1775.

- borealis** Eriographis, A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 337 [*n. n.*].
- borealis** Eudorea, Duponchel, Ann. Soc. Ent. France, V (3) *post* Aug. 1836, 400.
- borealis** Eudorea, J. M. J. af Tengstrøm, Notiser Sallsk. fauna Fennica Förhandl. I. 1848,
- borealis** Euphrosyna, A. S. Oersted, Naturhist. Tidsskrift, IV (2) 1842, 113. [102.
- borealis** Felis, C. P. Thunberg, K. Vet. Ac. Handl. 1815 (1) 1815, 80.
- borealis** Forficula, J. F. Stephens (*ex* Leach MS), Nom. Brit. Ins., Aug. 1829, 25 [*n. n.*];
& Ill. Brit. Ent. (Mand. VI.) Ap. 1835, 5.
- borealis** Fringilla, L. P. Vieillot, Gal. des Ois., I (2) 1823, 78.
- borealis** Fringilla, C. J. Temminck, Man. Orn. III. 1835, 264.
- borealis** Fusus, R. A. Philippi, Abb. Conch. III (8) 1850, 118.
- borealis** Galerita, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840, 35.
- borealis** Geomys, J. Richardson, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1840, 103.
- borealis** Georychus (Rich.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 121.—
Arvicola.
- borealis** Gryllotalpa, H. Burmeister, Handb. Ent. II (2) i, 1838, 740.
- borealis** Gulo, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811 (1815) 56 [*n. n.*].
- borealis** Gypidia, E. Eichwald, Beitr. Kenntn. Russ. Reiches, VIII. 1843, 74.
- borealis** Gyrinus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 48 [*n. n.*].
- borealis** Gyrinus, C. Aubé, Spec. gén. Hydroc. 1838, 692.—Dejean, Cat. 1837.
- borealis** Hadena, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 941.
- borealis** Haliaeetos, C. L. Brehm, Isis, 1828, 1269 [*n. n.*]; Handb. Nat. Vögel Deutschl.
1831, 15.—Aquila, 1824.
- borealis** Haligyna, G. J. Billberg, Syn. Faunae Scand. I (1) 1827, 33.
- borealis** Haliplus, J. L. Leconte in Agassiz, Lake Superior, 1850, 212.
- borealis** Haltica, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 223. [Carabus, 1790.
- borealis** Harpalus (Payk.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 347.—
- borealis** Helophilus, C. Staeger, Naturhist. Tidsskrift [2] I (4) 1845, 359.
- borealis** Helophorus, R. F. Sahlberg, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 271.
- borealis** Hemithiris, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 37.—“Tere-
bratulites, Schl. Kat. 65” (*teste* Bronn).
- borealis** Hippolite, J. C. Ross in Ross, App. 2 Voy. 1835, p. lxxxiv.
- borealis** Hipponyx, S. G. Morton, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 210.
- borealis** Homalota (Grav.), W. F. Erichson, Gen. Spec. Staph. (1) 1839, 138.—Aleo-
Hupudaeus, G. J. Billberg, Syn. Faunae Scand. I (1) 1827, 3. [chara, ? Sahlb.
- borealis** Hydroporus (Gyll.), C. Aubé, Spec. gén. Hydroc. 1838, 524.—Hyphidrus.
- borealis** Hydroporus (Gyll.), C. Aubé in Dejean & Boisduval, Icon. Coléopt. V. 1837-
38, 242.—Hyphidrus.
- borealis** Hypera (Gyll.), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 339.—Rhyn-
Hyphidrus, L. Gyllenhal, Ins. Suecica, I (4) 1827, 386. [chaenus.
- borealis** Hypothyris (Schloth.), J. W. Salter, Mem. Geol. Surv. Gt Britain, II (1) 1848,
383.—“Terebratulites, Kat. 65” (*teste* Bronn).
- borealis** Hypudaeus (Rich.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1843, 593.—
- borealis** Idya, R. P. Lesson, Ann. Sci. Nat. [2] (Zool.) V. May 1836, 257. [Arvicola.
- borealis** Lampyrus, J. W. Randall, Boston Journ. N. H. II (1) 1838, 16.
- borealis** Lanius, L. P. Vieillot, Ois. Amér. sept. I. 1807, 80.
- borealis** Leirus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 775.
- borealis** Lemmus, S. Nilsson, Skand. Fauna. Dagg Djur, 1820, 185.
- borealis** Lepas, E. Donovan, Brit. Shells, 1803, pl. clx.
- borealis** Leptopeza, J. W. Zetterstedt, Dipt. Scand. I. 1842, 243.
- borealis** Lepus, H. R. Schinz, Syst. Verz. Säug. II. 1845, 286.
- borealis** Linaria, L. P. Vieillot, Mem. R. Acc. Sci. Torino, XXIII. 1818, 199.
- borealis** Linaria (Temm.), J. J. Audubon, Synopsis, 1839, 114.—Fringilla.
- borealis** Linnaemya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
1830, 54. [*i. e.* Linaria, Vieill.
- borealis** Linota (Savi), C. L. Bonaparte, List Birds Eur. Amer. 1838, 34.—Fringilla,
- borealis** Linota (Temm.), W. Macgillivray, Man. Brit. Orn. I. 1840, 201.—Fringilla.
- borealis** Lucina (L.), Forbes & Hanley, Hist. Brit. Moll. II. 1849, 46.—Venus, 1767.
- borealis** Lycosa, C. J. Sundevall, K. Vet. Ac. Handl. 1832 (1833), 180.

- borealis** Lydella (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 270.—Phorinia.
- borealis** Lyncus (Thunb.), E. Emmons, Rep. Quad. Massach. 1840, 32.—Felis.
- borealis** Manatus, W. G. Tilesius, Jahrb. Naturg. I. 1802, 23.
- boreale** Megatherium, L. Oken, Lehrb. Nat. III (2) 1816, 1097. [1830, 199.
- borealis** Meigenia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- borealis** Melampus, T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 345.
- borealis** Meligethes, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4) 1845, 364. [1830, 70.
- borealis** Meriania, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- borealis** Metopia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 126.—Phorinia. [Linnaemyia.
- borealis** Micropalpis (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 318.—
- borealis** Mimesa, A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 3.
- borealis** Murex, L. Reeve, Conch. Icon. III.—Murex, no. 145, Aug. 1845.
- borealis** Musca, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 660.
- borealis** Mycetophila, F. Walker, List Dipt. Coll. B. M. (1) 1848, 102.
- borealis** Mytilus, Lamarck, An. s. vert. VI (1) 1819, 126.
- borealis** Natica, J. E. Gray, Zool. "Blossom," 1839, 136.
- borealis** Nebria (Fab.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 42.—Carabus, Payk. 1790.
- borealis** Nemorea (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 305.—
- borealis** Nephtys, A. E. Oersted, Annul. Dan. Consp. (1) 1843, 32. [Meriania.
- borealis** Nomada, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 470.
- borealis** Ocyptera, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 627.
- boreale** Olophrum (Gyll.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 866.—Omalium.
- boreale** Omalium (Payk.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 198.—Staphylinum, 1792.
- borealis** Omalodes, J. Le Conte, Proc. Boston Soc. N. H. I (—) 1844, 185; Boston Journ. N. H. V (1) 1845, 44. [—Perdix.
- borealis** Ortyx (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves), XI (2) 1819, 377.
- borealis** Ostrea, Lamarck, An. s. vert. VI (1) 1819, 204.
- borealis** Pandalus, H. Krøyer, Naturhist. Tidsskrift, II (3) 1838, 254.
- borealis** Panorpa, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 112 [n. n.]; and III. Brit. Ent. (Mand. VI.) June 1835, 53.
- borealis** Panorpa, J. Curtis (ex Leach MS), Brit. Entom. XV (174) June 1838, no. 696.
- borealis** Paralepis, J. C. H. Reinhardt, Afhandl. K. Danske Vid. Selsk. VII. 1838, 115
- borealis** Parus, E. de Selys-L., Bull. Ac. Roy. Brux. X (2) 1843, 28. [& 125-
- borealis** Passalococus, A. G. Dahlbom, Hymenopt. Europaea (2) 1844, 247.
- borealis** Passerina, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 8.
- borealis** Patrobus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 130.
- borealis** Pecten, T. Say, J. Acad. Nat. Sci. Philad. II. Aug. 1822, 260.
- borealis** Pelophila (Gyll.), Dejean, Catal. Coléopt. 1821, 7.—Nebria.
- borealis** Pelophila (Payk.), Mannerheim in A. D. Hummel, Essais Entom. I (3) 1823, 36.
- borealis** Pennatula, M. Sars, Fauna litt. Norveg. (1) 1846, 17. [—Carabus, 1790.
- borealis** Pentamerus (Eichw.), E. de Verneuil in Murchison, V. & K., Geol. Russia, II Aug. 1845, 119.—Gypidia.
- borealis** Perdix, C. J. Temminck, Fig. et Gallin. III. 1815, 436.
- borealis** Petauristus, G. Fischer, Zoogn., ed. 3, III. 1814, 499.
- borealis** Phaeopus (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (1) 1824, 38. —Scolopax, Forst. 1772.
- borealis** Phorinia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- borealis** Phryganea, J. W. Zetterstedt, Ins. Lapp. descr. 1840, 1062. [1830, 120.
- borealis** Picus, L. P. Vieillot, Ois. Amér. sept. II. 1807, 66. [Empis, L. 1758.
- borealis** Platyptera (F.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 191.—
- borealis** Platypterygia (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 55.—Empis, 1758.
- borealis** Platypus, C. L. Brehm, Lehrb. Nat. europ. Vögel, II. 1824, 813.
- borealis** Plectrophanes, C. L. Brehm, Isis, 1828, 1278 [n. n.]; Handb. Nat. Vögel Deutschl. 1831, 305.
- borealis** Pleuronectes, F. Faber, Tidsskr. for Naturvid. (14) 1828, 244.

- boreale** Pleurotoma, S. Loven (*ex Phil. MS*), *Ofvers. K. Vet. Ac. Förh.* III (5) 1846, 146.
- borealis** Poecila (Selys), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 230.—Parus.
- borealis** Porizon, J. W. Zetterstedt, *Ins. Lapp. descr.* 1838, 395. [Lampyrus.]
- borealis** Pyractomena (Rand.), J. L. Leconte in Agassiz, *Lake Superior*, 1850, 228.—
- borealis** Rhynchaenus (Panz.), L. Gyllenhal, *Ins. Suecica*, I (3) 1813, 115.—Curculio, Payk. 1792.
- borealis** Rorqualus, Knox; J. E. De Kay, *N. H. New York (Mamm.)* 1842, 131.
- borealis** Rotalia, C. G. Ehrenberg, *Ber. Verh. k. pr. Ak. Wiss.* 1841, 207 [*n. n.*].
- borealis** Rotalia, C. G. Ehrenberg, *Abh. ph.-Kl. K. pr. Ak. Wiss.* 1841 (1843), 428.
- borealis** Rytina, F. Cuvier (Roret's Suite à Buffon), *Cétacés*, 1836 [Dec. 1835], 41.
- borealis** Saccophorus (Rich.), J. E. Gray, *List Mamm. Coll. B. M.* 1843, 149.—Geomys.
- borealis** Salticus, J. Blackwall, *Ann. Mag. N. H. XVII.* Jan. 1846, 35.
- borealis** Scatomyza, J. W. Zetterstedt, *Ins. Lapp. descr.* 1838, 721.
- borealis** Scolopax, A. Wilson, *Amer. Ornith.* VII. 1813, 22.
- borealis** Scopelus, S. Nilsson, *Prod. Ichth. Skand.* 1832, 20.
- borealis** Scopolia, J. W. Zetterstedt, *Dipt. Scand.* III. 1844, 1243.—Ocyptera, 1838.
- borealis** Scopula, J. Curtis, *Brit. Entom.* VII (78) June 1830, no. 312.
- borealis** Scymnus (Laemargus), *Flem.*; Joh. Mueller & Henle, *Syst. Plagiost.* (2) 1839, 93.
- borealis** Sericomylia (Fall.), J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* III. 1822, 343.
- borealis** Silurus (Pimelodus), J. Richardson, *F. Bor.-Amer.* (3) 1836, 135. [—Syrphus.]
- borealis** Solemya, J. G. Totten, *Amer. J. Sci.* XXVI (2) July, 1834, 366.
- borealis** Somateria, C. L. Brehm, *Isis*, 1830, 998 [*n. n.*]; *Hand. Nat. Vögel Deutschl.*
- borealis** Sphraena, J. E. De Kay, *N. H. New York (Fish)* 1842, 39. [1831, 896.]
- borealis** Stellerus (Gm.), A. G. Desmarest, *Ency. Méth. (Mamm.)* (2) 1822, 510.—*Trichechus manatus var. borealis*.
- borealis** Steroderus, V. v. Mochulski, *Kaefer Russl., post* May 1850, 55.—*Steropus*, 1844.
- borealis** Steropus, V. Motshulski, *Mém. présentés Ac. Imp. Sci. St Pétersb.* V (1-3) Nov. 1844, 152. [1845, 374.]
- borealis** Sthereus, V. v. Motschulsky, *Bull. Soc. Imp. Nat. Moscou*, XVIII. 1845 (4)
- borealis** Strepsilas, C. L. Brehm, *Isis*, 1830, 987 [*n. n.*]; *Handb. Nat. Vögel Deutschl.*
- borealis** Surnia, R. P. Lesson, *Traité Ornith.* (2) May 1830, 100. [1831, 559.]
- borealis** Syrphus, C. F. Fallen, *Syrphici Sveciae* (2) 1816, 20.
- borealis** Tabanus, C. F. Fallen, *Suppl. Dipter. Sveciae* (1) 1826, 2.
- borealis** Tachina (Rob.), J. Macquart, *Mém. Soc. R. Sci. Lille*, 1833, 1834, 257.—
- borealis** Tenthredo, J. W. Zetterstedt, *Ins. Lapp. descr.* 1838, 353. [Meigenia.]
- borealis** Terebella, J. C. Chenu, *Illustr. conch.* I (7) 1843, pl. 3 [*n. et f.*].
- borealis** Terebratula, Castelnau, *Ess. Silur. Amér. sept.* 1843, 40.
- borealis** Terebratulites, E. F. Schlotheim, *Syst. Verz. Petref.-Samml.* 1832, 65 [*teste Bronn*].
- boreale** Theridion, N. M. Hentz, *Boston Journ. N. H.* VI (2) 1850, 274.
- borealis** Thomisus, J. G. Children in Back, *Narr. Artic. Exped.* 1836, 535.
- borealis** Thylacites, Dejean, *Catal. Coléopt.* 1821, 95 [*n. n.*].
- borealis** Tipula, F. Walker, *List Dipt. Coll. B. M.* (1) 1848, 66.
- borealis** Trichotropis, Broderip & G. B. Sowerby, I., *Zool. Journ.* IV (15) Jan. 1829, 375.
- borealis** Tridonta, C. F. Schumacher, *Essai Vers test.* 1817, 147.
- borealis** Turbinolia, J. Fleming, *Hist. Brit. Anim.* 1828, 509.
- borealis** Turbinolia, H. D. de Blainville, *Dict. Sci. Nat.* LX. 1830, 307.
- borealis** Turris, R. P. Lesson, *Prod. Méduses [auct. typ.]* 1837, 13; (Roret's Suite à Buffon), *Acalèphes*, 1843, 284.
- borealis** Tyrannus, J. Richardson in Jameson's ed. Wilson & B., *Amer. Orn.* IV. Aug. 1831, 244 [*n. n.*]; *F. Bor.-Amer.* (2) Feb. 1832, 141.
- borealis** Uvigerina, C. G. Ehrenberg, *Ber. Verh. k. pr. Ak. Wiss.* 1841, 207 [*n. n.*].
- borealis** Uvigerina, C. G. Ehrenberg, *Abh. ph.-Kl. K. pr. Ak. Wiss.* 1841 (1843), 429.
- borealis** Vanellus (Lath.), L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XXXV. 1819, 210.—*Tringa*, Gm. 1788.
- borealis** Vespa, W. Kirby in J. Richardson, *F. Bor.-Amer.* (4) Oct. 1837, 264.
- borealis** Vespa, J. W. Zetterstedt, *Ins. Lapp. descr.* 1838, 454.
- borealis** Vespa, F. Smith, *The Zoologist*, I (6) 1843, 170.
- borealis** Vespertilio, S. Nilsson, *Ill. fig. Skand. Fauna* (19) 1838, pl. 36.

- borealis** Wiedemannia, J. W. Zetterstedt, Iter Lappon. 1832, 207; Ins. Lapp. descr. 1838,
borealis Xylina, J. Curtis, Brit. Entom. VI (64) Ap. 1829, no. 256. [1559.]
boreana Tortrix, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 980.
Boreaphilus C. R. Sahlberg, Diss. Ent. Ins. Fenn. (28) 1832, 433; & Ins. Fenn. I. 1834,
 433.—Col. [*non* 1817 *apud* Ag.].
borearia Cheimatobia, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet c (Nov. 1849), 18.
boreas Astacus (Phipps), W. G. Tilesius, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 352.
 —Cancer, 1774. [Cancer, 1774.]
boreas Crangon (Phipps), E. Sabine, App. Parry's Voy. 1819–20, 1824, p. ccxxxv.—
boreas Dysdaemonia (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 151.—Phalaena,
 1775.
boreata Acidalia (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 439.—Geom.
boreata Cheimatobia (Huebner), J. F. Stephens, List Brit. Anim. B. M. (Lep.), 1850, 198.
boreata Electra, J. Curtis, Guide Brit. Ins. (6) 1831, 163 [*n. n.*]. [—Geometa.
boreata Electra, J. Curtis, Brit. Entom. XIII (151) July 1836, no. 603. [18] [*n. et f.*].
boreata Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 80 (Fernaldo giudice 1808–
boreata Larentia (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV
 (Noct.) 1842, 32.—Geometa.
boreata Operophtera, J. Huebner, Verz. bekannt. Schmett. 1826, 321.—Geometa, 1808–
boreella Callomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 532. [18].
boreellus Capous, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 499.
boreella Epuraca (Zett.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 151.—
boreella Nitidula, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 152. [Nitidula.
boreellus Psocus, J. W. Zetterstedt, Ins. Lapp. descr. 1840, 1053.
borelii Gortyna, Pierret, Ann. Soc. Ent. France, VI (4) *post* Jan. 1838, 449.
borelio Cyprinus, F. Hamilton, Fish. Ganges, 1822, 336.
Borelis Denys de Montfort, Conch. I. 1808, 170.—Rh.
Borelis L. Oken, Lehrb. Naturg. III (1) 1815, 321.—Coel.
Boremia T. Bruand, Mém. Soc. Emul. Doubs, Vol. II. Tom. 2 (3 & 4) 1846, 135.—Lep.
 [*err. typ. pro* Coremia.]
borensis Diacope, Cuvier & Valenc., H. N. Poiss. II. 1828, 436.
Boreophilus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Boreaphilus, Sahlb.
boreti Achatina, J. E. Gray, Ann. Phil. XXV. 1825, 414.
Boreus P. A. Latreille in G. Cuvier, R. Anim. III. 1817, 433.—Neur.
boreus Copris (Ol.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 34.—Scarab. 1789.
boreus Dichotomius (Ol.), F. W. Hope, Entom. Mag. V (4) Ap. [*i. e.* July] 1838, 321.—
boreus Esox, J. L. R. Agassiz, Lake Superior, 1850, 317. [Copris, 1789.
boreus Gammarus, E. Sabine, App. Parry's Voy. 1819–20, 1824, p. ccxxix.
borea Lebia, N. M. Hentz, Tr. Amer. Phil. Soc., n. s., III (3) 1828, 255.
boreus Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 245.
borfalis (*sic*) Euphrosyna, A. S. Oersted, Afhandl. K. Danske Vid. Selsk. X. 1843, 170.—
borges Ormocerus, F. Walker, Mon. Chalcid. I. 1839, 208. [? borealis.
borgiae Chlaenius, Lefebvre in Dejean, Spec. gén. Coléopt. II. 1826, 311.
borgialis Cledeobia, A. Lefebvre in Duponchel in J. B. Godart, H. N. Lépid. France,
 VIII (2) (Noct. 5, pt. 2) 1833, 302.
boria *v.* boryus.
boriana *v.* boryanus.
Boridia Cuvier & Valenc., H. N. Poiss. V. 1830, 154.—P.
boris Blosyris, C. Geyer in J. Huebner, Beiträge z. Exot. Schmett. V. 1837, 42.
borkausenii Dasycera, P. C. Zeller, Isis (Oken), 1839, 192. [=borkhauseni.]
Borkhausenia J. Huebner, Verz. bekannt. Schmett. 1826, 420.—Lep.
 [borlasei.]
borlase Cassiopea, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 357.
borlasea Cassiopea, Lamarck, An. s. vert. II. 1816, 511.
borlasea Cephea, L. Oken, Lehrb. Nat. III (1) 1815, 118.
borlasii Holigocládodes (P. & L.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I
 (24) Jan. 1837, 191.—Cassiopea.
borlasii Meckelia, C. M. Diesing, Syst. Helminth. I. 1850, 265.

- borlasii** Nemertes, G. Cuvier, R. Anim. IV. 1817, 37.
borlasii Rhizostoma, L. Oken, Lehrb. Nat. III (1) 1815, 118.
Borlasia L. Oken, Lehrb. Nat. III (1) 1815, 365.—Verm.
Borlasia G. Johnston, Mag. Zool. Bot. I (6) Ap. 1837, 536.—Verm.
borneensis Bulla, A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 572.
borneensis Conus, Adams & Reeve, Zool. "Samarang" (Moll. 1848), 18.
borneensis Gobius, P. Bleeker, Nat. Tijd. Ned. Indie, I (1) 1850, 10.
borneensis Helix, L. Pfeiffer, Proc. Zool. Soc. London, XVII (197) Jan.—June, 1850, 127.
borneensis Mantis, W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool (Ins.) 1842, 91.
borneensis Periophthalmus, P. Bleeker, Nat. Tijd. Ned. Indie, I (1) 1850, 11.
borneensis Tarentola, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 165.
Bornella J. E. Gray, Figs. Moll. Anim. IV. 1850, 107.—Nud.
bornensis Pomatostomus, J. Cabanis, Mus. Heineanum (1) 1850 [1851], 84.
borneoensis Locusta (Gryllacris), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 219.
borneonensis Spizaetus, G. R. Gray, List Birds Coll. B. M. I., ed. 2, 1848, 16 [n. n.].
borneus Lorius (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 132.—Psittacus, 1758.
borneus Palaeornis, J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829—30 (Dec. 1832), 510.
[borni.]
bornii Helix, G. P. Deshayes (*ex* Chemn.) in A. E. Férussac, H. N. g. et p. Moll. I. 1850,
borni Patella, A. J. Michelotti, N. Jahrb. f. Min. 1846, 54 [n. n.] [374.
borni Patella, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2)
bornii Pecten, B. C. Payraudeau, Cat. Moll. Corse, 1826, 76. [III (2) 1847, 134.
bornii Trochus, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 387.
Bornia R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 13.—L.
borniana Achatina, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 75.
borniana Eschara, J. P. Moll, Esch. Zooph. 1803, 58 & no. XI; die Seerinde, 1803, 65.
borniana Escharina (Moll), Lamarck, H. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 232.—
borniana Mitra, A. Risso, H. N. Europe, IV. 1826, 246. [Eschara.
bornouensis Syncerus, B. H. Hodgson, J. Asiat. Soc. Bengal, XVI. 1847, 709.
boro Ophisurus, F. Hamilton, Fish. Ganges, 1822, 20.
boro Ophiurus (Ham.), T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1504.
Borocera J. A. Boisduval, F. Ent. Madagas. 1833 (6), 87.—Lep. [—Ophisurus.
Borocera J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 235.—Lep.
boros Boros (Fab.), Dejean, Catal. Coléopt. 1821, 67.—Hypophlaeus.
boros Hypophlaeus, J. C. Fabricius, Syst. Eleuth. II. 1801, 558. [—Rhynchaenus.
borraginis Ceuthorhynchus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 508.
borraginis Cryptorhynchus (Fab.), E. F. Germar, Fauna Ins. Europ. (4) [? 1822], 10.—
Rhynchaenus.
borraginis Falciger (Fab.), Dejean, Catal. Coléopt. 1821, 84.—Rhynchaenus.
borraginis Nedyus (Payk.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio,
Fab. 1792. [Fab. 1792.
borraginis Rhynchaenus (Ol.), J. C. Fabricius, Syst. Eleuth. II. 1801, 483.—Curculio,
borsoni Brissopsis (Sism.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 15.—
Schizaster.
borsoni Columbella, L. Bellardi, Mem. R. Acc. Sci. Torino [2] X. 1849, 238.
borsonii Fusus, Gené in Bellardi & Michelotti, Mem. R. Acc. Sci. Torino [2] III. 1841,
borsoni Mastodon, I. Hays, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 334. [110.
borsoni Murex, A. J. Michelotti, N. Jahrb. f. Min. 1846, 55 [n. n.].
borsoni Murex, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2)
borsoni Nerinaea (Cat.), N. Jahrb. f. Min. 1836, 553.—Turritella. [III (2) 1847, 233.
borsonii Nerinea, T. A. Catullo, Atti R. Ist. Veneto, V. 1846, 468 [n. n.].
borsoni Pleurotoma, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 64.
borsonii Schizaster, E. Sismonda, Atti 2 Riun. Sci. Ital. 1841, 117.
borsoni Trochus, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem
(2) III (2) 1847, 182.

- borsoni** Turritlella, T. A. Catullo, Giorn. di Fisica, etc. (2) IX. 1826, 291.
- Borsonia** L. Bellardi, Bull. Soc. géol. France, X. 1839, 30.—G.
- borsonianum** Cerithium, A. Risso, H. N. Europe, IV. 1826, 155.
- borsonis** Cyclolites, H. Michelin, Icon. Zoophyt. (3) 1841, 33.
- Borus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Boros, Herbst, 1797.
- Borus** J. C. Albers, Die Heliceen, 1850, 141.—G.
- Bora** Coluber (Python), F. S. Voigt in Cuvier, Thierreich, II. 1832, 110.
- borus** Megastigmus, F. Walker, Mon. Chalcid. II. 1839, 5.
- bora** Python, F. M. Daudin, Sonnini's Buffon, Rept. V (1803), 236.
- borya** *v.* **boryus**.
- boryanum** Cerithium, Grateloup, Actes Soc. Linn. Bordeaux, V (29) 1832, 270.
- boryanus** Crenilabrus, A. Risso, H. N. Europe, III. 1826, 320.
- boryi** Acanthocinus, Gory, Magasin de Zool. II. 1832, pl. 45.
- boryi** Acmaeodera (Brullé), Laporte & Gory, H. N. Coléopt. I. 1835-36, 25.—Buprestis.
- boryi** Buprestis, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 135.
- boryi** Cellepora, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps), 1826, 237.
- boryi** Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, sed me judice 1836], 12.
- boryi** Crisia, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps) 1826, 242.
- boryi** Cytherea, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 97.
- boryi** Delphinus, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 513.
- boryi** Dermanyssus, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III.
- bory** Diphyes, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 577. [1844, 225.]
- boryi** Evaniocera, H. Lucas, Explor. Algér. (Artic. II.) 1849, 382.
- boryii** Julis, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 141.
- boryi** Melonontha, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 175.
- boryi** Phacellus, Gory; Dejean, Catal. Coléopt., ed. 2, (4) Aug. 1835, 335.
- boryi** Proboscina, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps) 1826, 236.
- boryi** Purpuricenus, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 251.
- boryi** Salticus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 157.
- boryi** Sphaeroma, F. E. Guérin in Bory de St V., Exp. Morée (Crust.) 1832, 48.
- boryi** Venus, G. P. Deshayes, Q. J. Geol. Soc. London, III. 1847, 110 [*n. n.*].
- boryphora** Cucullia, Fischer v. R. in E. Eversmann, Lepidopt. Volgo-Ural. 1844, 305.
- borysthenicus** Dromius, V. v. Mochulski, Kaefer Russl., *post* May 1850, 38.
- borysthenicus** Erpeinus (Kryn.), V. v. Mochulski, Kaefer Russl., *post* May 1850, 25.—Harpalus.
- borysthenicus** Harpalus, J. Krynicki, Bull. Soc. Imp. Nat. Moscou, V. 1832, 74.
- borysthenica** Limnadia, A. Andrzejewski, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, [boryus.] [23.]
- boria** Alvania, A. Risso, H. N. Europe, IV. 1826, 140.
- borya** Rissoa, S. d. Chiaje, Descr. An. invert. Sicilia, II. 1841, 132.
- boryus** Turbo (Risso), S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 224.—Alvania.
- borz** Capra, J. E. Gray, Glean. Menag. Knowsley Hoof. Quadr. Aug. 1850, 33.
- bos** Attus, C. J. Sundevall, Consp. Arach. 1833, 27.
- bos** Centrotus, D. H. Schneider, Verz. Insectensamml. 1829, 67 [*n. n.*].
- bos** Copris, Th. Lacordaire, N. Ann. Mus. H. N. (Paris) II [1] 1833, 72 [*n. n.*].
- bos** Copris, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 178.
- bos** Cratosomus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 14.
- bos** Onitis, Dejean, Catal. Coléopt. 1821, 53 [*n. n.*].
- bos** Onthophagus, Villa & Villa, Coleopt. Europ. 1833, 34.
- bos** Triquetra, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 282.
- boscana** Glyphiptera (Fab.), Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6) 1835, 131.—Pyralis, 1794.
- boscana** Peronea (Fab.), J. Curtis, Brit. Entom. I (4) Ap. 1824, no. 16.—Pyralis, 1794.
- boscana** Phalaena (Pyralis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 354.
- boscana** Tortrix (Fab.), A. H. Haworth, Lepidopt. Brit. (3) 1811, 415.—Pyralis, 1794.
- boschadis** Ascaris, F. v. P. Schrank, F. Boica, III (2) 1803, 200.
- boschadis** Fasciola, F. v. P. Schrank, F. Boica, III (2) 1803, 209.
- Boschas** W. Swainson, Journ. R. Inst. Gt Brit. II. Aug. 1831, 20.—A.

- boschatis** Ascaris, J. A. Frolich, Naturforscher, XXIX. 1802, 43.
- boschii** Pitta, Müller & Schlegel in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. boschianus v. boskianus. [(Aves) 1840, 5.]
- boschniakii** Carabus, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 24.
- boschnakii** Onconotus, G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, [208.]
- [bosci.]**
- boscii** Actinodactylus, P. Duchassaing, Anim. rad. Antilles (1850), 10.
- boscii** Alveolina (Defr.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 306.—Oryzaria.
- boscii** Antipathes, J. V. F. Lamouroux, Hist. Polyp. 1816, 375.
- boscii** Atherina, Cuvier & Valenc., H. N. Poiss. X. 1835, 465.
- boscii** Belostoma, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 273.
- boscii** Bruchus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 8.
- boscii** Cancer, A. G. Desmarest in Brongniart & D., H. N. Crust. foss. 1822, 94.
- boscii** Creusia, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 378.
- boscii** Diapria (Jur.), J. V. Audouin, Dict. Class. H. N. V. 1824, 458.—Psilus.
- boscii** Erotylus (Scaphidomorphus), F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. Ap. 1841, 117. [71.—Saperda.]
- boscii** Gerania (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) post Mar. 1835,
- boscii** Glaucus, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 288.
- boscii** Helyster, J. Gistel, Nat. Thierr. 1848, p. ix [n. n.].
- boscii** Hippoglossus (Risso), G. Cuvier, R. Anim. II. 1817, 221.—Pleuronectes.
- boscii** Homarus, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VII (2) Oct. 1849, 122.
- boscii** Inostemma (Latr.), A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 270.—Platygaster.
- boscii** Jurinia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- boscii** Leptis, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 308. [36.]
- boscii** Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 313.
- boscii** Lydella, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 217. [81.]
- boscii** Macrophthalmus, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Crust.) 1826,
- boscii** Melania (Payr.), R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 157.—Rissoa.
- boscii** Melonia, Deshayes, Dict. Class. H. N. X. 1826, 352. [—Parthenia.]
- boscii** Ocyptera (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 186.
- boscii** Odynerus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 637.
- boscii** Oryzaria, DeFrance, Dict. Sci. Nat. XVI. 1820, 106.
- boscii** Pachycoris (Fab.), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 94.—Cimex,
- boscii** Pactolus, W. E. Leach, Zool. Miscell. II. 1815, 20. [1798.]
- boscii** Padia, J. Gistel, Nat. Thierr. 1848, 190; Handb. Naturg. 1850 (1847), 625.
- boscii** Pandarus, W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) I (2) 1816, 406.
- boscii** Parthenia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 232. [1830, 690.]
- boscii** Pherbina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- bosquii** Pimelepterus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 429.
- boscii** Platygaster (Jur.), Latreille in Le Peletier & Serville, Ency. Méth. X (Ins.) 1825,
- boscii** Pleuronectes, A. Risso, Ich. Nice, 1810, 319. [150.—Psilus.]
- boscii** Porcellana, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Crust.) 1826, 89.
- boscii** Psilus, L. Jurine, N. méth. Hyménopt. 1807, 318.
- boscii** Psorophora, J. B. Robineau-D., Mém. Soc. H. N. Paris, III (3) Oct. 1827, 413.
- boscii** Rissoa, B. C. Payraudeau, Cat. Moll. Corse, 1826, 112.
- boscii** Rivellia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- boscii** Saperda, J. C. Fabricius, Syst. Eleuth. II. 1801, 323. [1830, 730.]
- boscii** Sepia, C. A. Lesueur, J. Acad. Nat. Sci. Philad. II. Oct. 1821, 101.
- boscii** Seriola, Cuvier & Valenc., H. N. Poiss. IX. 1833, 209.
- boscii** Silurella, Bory de St V., Ency. Méth. (Zooph.) 1827, 684. [(Terrapene).]
- boscii** Sternothaerus (Merr.), T. Bell, Zool. Journ. II (7) Oct. 1825, 308.—Testudo
- boscii** Syrphus, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 160.
- boscii** Tachina (Desv.), F. Walker, List Dipt. Coll. B. M. (4) 1849, 716.—Jurinia.
- boscii** Testudo (Terrapene), B. Merrem, Tent. Syst. Amph. 1820, 27.
- boscii** Tetyra (Coq.), J. C. Fabricius, Syst. Rhyng. 1803, 138.—Cimex, Fab. 1798.
- boscii** Tillus (Cymatodera), A. Chevrolat, Ann. Soc. Ent. France [2] I (1) Ap. 1843, 31.

- boscii** Zaitha (L. & S.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843,
Boscia W. E. Leach, Edinb. Ency. VII. 1814, 435.—Cr. [*n. n.*] [430.—Belostoma.
Boscia A. F. Schweigger, Beob. naturh. Reisen, 1819, Tab. IV.—Coel.
Boscia A. Férussac, Dict. Class. H. N. II. 1822, 145.—Cirr.
Boscia W. E. Leach, Zool. Journ. I (1) Mar. 1824, 36.—Col.
Boscia H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 14.—Cr.
 [boschianus.] [1800.
bosquianus Chasmodes (Lac.), Cuvier & Valenc., H. N. Poiss. XI. 1836, 295.—Blennius,
bosciana Helix (Helicigona), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
 1821, 41.—[*n. n.*] [trav. Soc. stat. Marseille, VI. 295.
bosquiana Paludina, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 223; Rep.
bosciana Quinqueloculina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 191.
boschianus Tejus, Boie in Férussac, Bull. Sci. IX. 1826, 235 [*n. n.*].
boschianus Trochus, Al. Brongniart, Mém. terr. Vicentin, 1823, 56.
bosquiana Unio, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 168; Rep. trav.
 Soc. stat. Marseille, VI. 240.
Bosciellaria *emend. pro* Boscia, Schw.; H. G. L. Reichenbach, Zool. I. 1828, 79.—Coel.
Boscis C. L. Brehm, Isis, 1828, 1282 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831, 401.—A.
Boselaphus A. M. D. de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (May), 75.—M.
Boselaphus C. H. Smith in Griffith, Cuvier, Anim. Kingd. V. 1827, 364.—M.
Bosempra T. Brown (*ex* Leach MS), Ill. Rec. Conch. G. B. I., ed. 2, 1844, 100.—L.
boskianus Acanthodactylus (Daud.), A. F. Wiegmann, Herp. Mex. 1834, 10.—Lacerta.
boschianus Acanthodactylus (Daud.), C. L. Bonaparte, Mem. R. Acc. Sci. Torino [2] II.
 1840, 421.—Lacerta.
boskiana Ameiva (Daud.), L. J. Fitzinger, Neue Classif. Rept. 1826, 51.—Lacerta.
boskiana Lacerta, F. M. Daudin, Sonnini's Buffon, Rept. III (1802), 188.
bosmanii Potto, R. P. Lesson, Spec. des Mamm., Nov. 1840, 238.
Bosmina W. Baird, Ann. Mag. N. H. XVII. June 1846, 412.—Cr. [87.
bosphoranus Carabus, Steven in G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824,
bosphoranus Procerus, V. de Motschulsky, Magasin de Zool. (2) VI. 1844, pl. 150.
bosporaria Ctesias, Herrich-S., Syst. Bearb. Schmett. Europ. III (—) 1848, 182.
bosquetii Astarte, P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 158.
bosquetii Pleurotoma, P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 514.
bosquetii Venus, E. Hébert, Bull. Soc. géol. France (sér. 2) VI. 1849, 468.
bosquetiana Crassatella, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 239.
bosquetiana Cyprina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 239.
bosquetiana Cytherella, T. R. Jones, Cret. Entom. (Pal. Soc. III.) Aug. 1850, 33.
bosquianus *v.* boschianus.
bosquii *v.* boscii. [106.
bostoniensis Catostomus, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I., no. 6, Oct. 1817,
bostoniensis Eolidia (Couth.), J. E. De Kay, N. H. New York (Moll.) 1843, 7.—Eolis.
bostoniensis Eolis, J. P. Couthouy, Boston Journ. N. H. II (1) 1838, 67.
bostoniensis Flabellina (Couth.), J. E. Gray, Figs. Möll. Anim. IV. 1850, 108.—Eolis.
bostoniensis Muraena, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I., no. 5, Sept. 1817,
bostrichoides Anthribus, P. W. J. Mueller, Mag. Entom. (Germar) IV. 1821, 188. [81.
bostrichoides Brachytarsus (Müll.), C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 169.
bostrichoides Cis, Dufour, Bull. Soc. Sci. Pau, 1843 [93] [*nihil non visum*]. [—Anthribus.
bostrichoides Xylographus (Dufour), J. Mellié, Ann. Soc. Ent. France [2] VI (3) Jan.
 1849, 231.—Cis.
Bostrichopus Goldfuss, Isis (Oken), 1836, 765.—Cr. [*n. n.*].
Bostrichopus Goldfuss, N. A. Ac. Caes. Leop. Car. XIX (1) 1839, 353.—Cr.
Bostrichthys C. Duméril, Zool. Anal. 1806, 120.—P.
bostrichus Scolytus, F. de Tigny, s. à Deterville ed. Buffon, Ins. VIII. 1801, 79.
Bostrictis *id. ac* Bostrichthys, Dum.; C. S. Rafinesque, Analyse, 1815, 84.
Bostrychia "Reich. 1845," G. R. Gray, Gen. Birds, III. 1849 [Ap. 1847], 565.—A.
Bostrychichthys L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Bostrichthys,
 Dum. [Raf.
Bostrychichthys L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Bostrictis,

- Bostrychoides** B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 144.—P. [Sars.]
- Bostrychopterum** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cirropterum,
- Bostrychopus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Bostrichopus, Goldf. [Eschr.]
- Bostrychoteuthis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cirroteuthis
- Bostrychus** B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 140.—P.
- Bostrychus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Bostrichus, Geoff 1764; Fabr. 1775.
- Bostryx** F. H. Troschel, Zeitschr. f. Malakozool., Ap. 1847, 49.—G.
- Botanebius** C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 20; & III (1) 1836, 358.—Col.
- Botanobius** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Botanebius, Schoenh.
- Botanochara** Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 369.—Col. [*sine typo*].
- Botaurus** J. F. Stephens in Shaw, Gen. Zool. (Aves) XI (2) 1819, 592.—A.
- botche** Myripristis, Cuvier & Valenci., H. N. Poiss. III. 1829, 181.
- botellifera** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.—Oct. 1814,
- Botellus** Spix & Martius, Reise Brasil. (1) 1823, 88.—? Asc. [*n. n.*] [453-]
- boter** Inostemma, F. Walker, Entom. Mag. V (5) Oct. 1838, 455.
- Botheration-therium** E. Charlesworth, Athenaeum, 6 Oct. 1838, 731.—M. [*nomen fictum*].
- Botheratiotherium** de Blainville, C. R. Acad. Paris, VII (8) Oct. 1838, 735.—M. [*? nomen fictum*].
- bothnica** Adalia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 50.—Idalia, 1846.
- bothnicus** Helophilus, Wahlberg, Ofvers. K. Vet. Ac. Förh. I (4) 1844, 65.
- bothnica** Idalia (Payk.), E. Mulsant, H. N. Coleopt. France (Sécurip.) Sept. 1846, 48.—Coccinella, 1799.
- Bothrideres** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 312 [*sine typo*]; Haldeman, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843, 304.—Col.
- Bothridium** de Blainville in Bremser, Traité zool. 1824, App. p. 520; Dict. Sci. Nat. LVII. 1828, 609.—Verm.
- Bothrimonus** Duvernoy, L'Institut, Ap. 1842, 153; Extr. P. V. Soc. Philom. Paris, 1842,
- Bothriocephalus** C. A. Rudolphi, Ent. Hist. Nat. I. 1808, 111.—Verm. [41.—Verm.]
- bothriocephalus** Gobius, E. Eichwald, Reise Casp. Kauk. I. 1834, 279 [*n. n.*].
- Bothriocera** H. Burmeister, Handb. Ent. II (1) 1835, 156.—Hem.
- Bothriocerca** E. Eichwald, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (4) 1847, 350.—Inf.
- Bothriodon** A. Aymard, Ann. Soc. Agric. Puy, XII. 1842-46, 1846, 1848 (wrapper), 239.—M.—*typus* Anthracoth. velaunum.
- Bothriolepis** E. Eichwald, Bull. Ac. Imp. Sci. St Pétersb. VII. 1840, 79.—P.
- Bothriophis** E. Eichwald, Reise Casp. Kauk. II. 1837, 748.—[*n. n.*]
- Bothriopterus** M. de Chaudoir, Ann. Soc. Ent. France, IV (2) *post* June 1835, 447; Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 9.—Col.
- Bothriorhynchus** Lidth de Jeude, Rec. fig. Vers, 1829, pl. 4.—Verm. [*teste* Stiles & H.].
- Bothriothorax** J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, Table facing p. 40, & 208.—Hym. [Chevr. 1835].
- Bothrobatys** C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 385.—Col. [*v.* Botrobatys,
- Bothrocephalus** *id. ac* Bothriocephalus, Rud.; F. S. Leuckart, Zool. Bruchst. I. 1819, 19.
- Bothrochilus** L. Fitzinger, Syst. Rept. 1843, 24.—R.
- Bothroconis** W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 14.—Sp.
- Bothroderes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Bothrideres, Dej.
- Bothrophis** L. Fitzinger, Syst. Rept. 1843, 28.—R. [19.]
- Bothrophorus** *emend. pro* Bothriocephalus, Rud.; F. S. Leuckart, Zool. Bruchst. I. 1819,
- Bothrops** Spix & Martius, Reise Brasil. (1) 1823, 163; J. Wagler in Spix, Serp. Brasil. 1824, 50.—R.
- Bothrorrhina** H. Burmeister, Handb. Ent. III. 1842, 200.—Col. [V (2) 139 (1844)].—P.
- Bothrosteus** L. Agassiz, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 207 [*n. n.*]; Poiss. Foss.
- Bothryocephalus** G. Cuvier, R. Anim. 1817, 45.—Verm.
- bothryooides** Temnopleurus (Leske), Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 360.—Cidaris botryooides, 1778.
- Bothryolepis** E. v. Eichwald, N. Jahrb. f. Min. 1840, 425.—P. [—Col.]
- Bothryonopa** Chevrolat in F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. Nov. 1840, 33 2

- Bothus** C. S. Rafinesque-S., Car. n. gen. 1810, 23.—P.
- Bothus** C. L. Bonaparte [*non* Raf.], Cat. met. Pesci Eur. 1845, 49.—P. (Pleuronectidae).
- Bothynoderes** C. J. Schoenherr, Isis (Oken), 1823, 1142; Curc. disp. meth. 1826, 147.—
- Bothynorhynchus** C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 84.—Col. [Col.
- Bothynus** W. Kirby in F. W. Hope, Coleopt. Manual, I. 1837, 95.—Col.
- Botia** J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 8; Ill. Indian Zool. I (—) [1830-32]
- Botis** W. Swainson, Zool. Ill. II. 1821, pl. 77.—Lep. [(pl. 94).—P.
- Botis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Botys, Latr.
- botia** Cobitis, F. Hamilton, Fish. Ganges, 1822, 350.
- botius** Pimelodus, F. Hamilton, Fish. Ganges, 1822, 192.
- botla** Scomber, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 591.
- botrana** Lobesia (D. & S.), A. Guénéé, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 297.—Tortrix.
- Botriodon** *err. pro* Bothriodon, A. Aymard, Ann. Soc. Agric. Puy, XII. 1842-46, 1846, 1848 (wrapper), 247. [typo].
- Botrobatsy** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 295.—Col. [*sine*
- botrus** Exochomus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 480.
- Botrylloides** H. M. Edwards, Mém. Ac. Roy. Sci. Inst. France, XVIII. 1842, 301.—Asc.
- Botryllus** L. Oken [*non* Gaertn.], Lehrb. Naturg. III (1) 1815, 82.—? Sp.
- botryllus** Polycitor, S. A. Renier, Tavole [1804] xvii. [Verm.
- Botrynocephalus** v. Nordmann in Lamarck, H. N. anim. s. vert., ed. 2, III. 1840, 586.—
- Botryocephalus** L. Oken, Lehrb. Nat. III (1) 1815, 146.—Verm.
- botryocosmos** Labrus, J. Richardson, Zool. "Ereb. Terr." (Fish, 1846), 53.
- Botryodactyla** Stimpson, 1848; *err.* Marschalli *pro* 1851.
- botryoides** Grantia (Temp.), J. Fleming, Hist. Brit. Anim. 1828, 525.—Spongia.
- botryoides** Spongia, R. Templeton, Mag. Nat. Hist. IX. Sept. 1836, 471 [*n. n.*].
- botryoides** Spongia, C. D. E. König, Icones foss. 1825, 4.
- botryoides** Tubularia, E. J. C. Esper, Pflanzenth. III (14-15) [*inter* 1805-10], 126.
- Botryonopa** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 363.—Col.
- Botryonopa** E. Blanchard (*ex* Chevr.), Hist. Insect. II. 1845, 181.—Col.
- botrytis** Epistylis, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 95.
- botta** Iulus, F. L. P. Gervais, Ann. Sci. Nat. [2] (Zool.) VII. Jan. 1837, 45.
- botta** Mydas, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 361.
- bottae** Ascidia, F. L. P. Gervais, Atlas Zool. 1844, 17.
- bottae** Charina (Bl.), J. E. Gray, Cat. Snakes Coll. B. M. 1849, 113.—Tortrix.
- bottae** Coceyzus (Bl.), P. A. J. Drapiez, Dict. class. Sci. Nat. III. 1838, 131.—Saurothera.
- bottae** Coeloria, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849, 295.
- bottae** Coscinastraea, H. M. Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. Feb. 1848,
- bottae** Crassispira, W. Swainson, Treat. Malacol., May 1840, 313. [87.
- bottae** Cyphastrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Aug. 1849, 115.
- bottae** Oryctomys (Saccophorus), Blainville in Eydoux & Gervais, Mamm. de la "Favorite" in Magasin de Zool. VI. 1836, 23. [[*ineunte* 1851], 181.
- bottae** Rhinoplia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850
- bottae** Saurothera, Blainville, Dict. pittoresque H. N. II. 1835, 340; N. Dict. class. H. N., ed. 2, VIII. Aug. 1844, 487.
- bottae** Scarus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 262.
- bottae** Sciurus, R. P. Lesson, Cent. Zool. (13-16) *ante* May 1832, 221.
- bottae** Thomomys (Bl.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 119.—Oryctomys.
- bottae** Tortrix, H. D. de Blainville, N. Ann. Mus. H. N. (Paris) IV [3] Oct. 1835, 289.
- bottanensis** Pica, A. Delessert, Rev. Zool. (Soc. Cuv.) III. Ap. 1840, 100.
- bottari** Rupellaria, S. A. Renier, Tavole [1804] vii [*n. n.*].
- bottarii** Venus, S. A. Renier, Tavole [1804] vi [*n. n.*].
- botteriana** Auricula, R. A. Philippi, Zeitschr. f. Malakozool., July 1846, 97.
- botterianus** Bulimus, R. A. Philippi, Abb. Conch. II (5) 1846, 126.
- bottnicus** v. bothnicus.
- bottonensis** Diacope, Cuvier & Valenc., H. N. Poiss. II. 1828, 434.
- bottosaurus** L. Agassiz, Proc. Acad. Nat. Sci. Philad. IV (8) Ap. 1849, 169.—R.
- botundata** Helix, *err. pro* rotundata, L.; G. L. Hartmann, Alpina, II. 1807, 223.

- Botys** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 414.—Lep.
- botyvora** Phorocera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 138. [[*ineunte* 1851], 176.
- bouaei** Anisoplia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850
- boubei** Terebratula, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 320.
- boubetiana** Helix, M. de Serres, Ann. Sci. Nat. [3] (Zool.) II. Sept. 1844, 182.
- boubou** Lanius, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. June 1843, 161.
- boucaultianus** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1844, 294.
- bouchantii** Torneutes, L. Buquet, Rev. Zool. (Soc. Cuv.) VI. Oct. 1843, 299.
- bouchardi** Asaphus (Nileus), J. Barrande, Not. préf. Silur. 1846, 49.
- bouchardi** Fenestrella (Mich.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 101.—Gorgonia.
- bouchardii** Flustra, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps) 1826, 239.
- bouchardi** Gorgonia, H. Michelin, Icon. Zoophyt. (20-23) 1846, 192.
- bouchardi** Harmodites, H. Michelin, Icon. Zoophyt. (20-23) 1846, 185.
- bouchardii** Leptaena, T. Davidson, Ann. Mag. N. H. XX. Oct. 1847, 251.
- bouchardi** Metriophyllum, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, p. lxxix [*n. et f.*].
- bouchardii** Nileus (Barr.), Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 53.—Asaphus.
- bouchardi** Orthis, T. Davidson, London Geol. Journ. (2) 1847, 64.
- bouchardi** Pachyphyllum, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, p. lxxviii [*n. n.*].
- bouchardii** Retzia (David.), W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 137.—
- bouchardii** Solen, Potiez & Michaud, Gal. Moll. Douai, II. 1844, 261. [Terebratula.
- bouchardi** Spirifer, R. I. Murchison etc., Bull. Soc. géol. France, XI. 1840, 253.
- bouchardi** Syringopora (Mich.), H. G. Bronn, Index Pal. 1848, 1212.—Harmodites.
- bouchardii** Terebratula, T. Davidson, Bull. Soc. géol. France (sér. 2) V. 1848, 332.
- bouchardi** Thecostegites (Mich.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. Sept. 1849, 261.—Harmodites.
- Bouchardia** T. Davidson, Bull. Soc. géol. France (sér. 2) VII. 1850, 62.—Br.
- bouchardianus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 300.
- bouchardianus** Hamites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 540.
- bouchardianus** Nautilus, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1840, 75.
- boucheana** Cecidomyia, H. Loew, Dipterologische Beiträge, IV. 1850, 39.
- boucheanum** Copidosoma, J. T. C. Ratzeburg, Die Ichneum. I (z. Mar.) 1844, 157.
- boucheanus** Pteromalus, J. T. C. Ratzeburg, Die Ichneum. I (z. Mar.) 1844, 196.
- bouderius** Bagrus, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 282.
- bouderius** Pimelodus, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 282.
- boudieri** Psammaechus, H. Lucas, Rev. Zool. (Soc. Cuv.) VI. May 1843, 147.
- boudieri** Ptenidium (All.), V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2) 1848, 568, Table.—Trichopt.
- boudieri** Trichopteryx, A. Allibert, Rev. Zool. (Soc. Cuv.) VII. Ap. 1844, 134.
- boueana** Dentalina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 47.
- boueana** Nodosaria, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 37.
- boueana** Nonionina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 108.
- boueana** Quinqueloculina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 293.
- boueana** Rotalina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 152.
- boueana** Truncatulina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 169.
- bouei** Ammonites, A. v. Klipstein, Beitr. geol. östl. Alpen (1) 1843, 123.
- bouei** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 349.
- bouei** Clypeaster, Muenster in G. A. Goldfuss, Petref. German. I (2) 1829, 131.
- bouei** Conoclypeus (Goldf.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 168.—Clypeaster.
- bouei** Dentalium, G. P. Deshayes, Mém. Soc. H. N. Paris, II (2) Ap. 1826, 355.
- bouei** Echinolampas (Muenst.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 187.—Clypeaster.
- bouei** Fusus, M. Hoernes (*ex* Partsch MS), Verz. Fossil-Reste Wien, 1848, 19 [*n. n.*].
- bouei** Leptaena, J. Barrande, Naturw. Abhandl. (Haidinger) II. 1848, 237.

- bouei** Lunulites, I. Lea, Contrib. to Geol. 1833, 189.
- bouei** Melanopsis, Férussac, Mém. Soc. H. N. Paris, I (1) 1823, 159.
- bouei** Melanopsis, A. E. Férussac, H. N. g. et p. Moll., wrapper of livr. 21, 1823 [*n. et f.*].
- bouei** Pecten, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 326.
- bouei** Terebratula, L. Zeuschner, N. Jahrb. f. Min. 1846, 172; Nowe skam. Tatrow. 1846,
- bouei** Terebratula, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 317. [27.
- bouei** Tetragonolepis, J. L. R. Agassiz, Poiss. Foss. II (1), 7 (1833), 210 (1836).
- bouei** Trochus, J. Steininger, Verst. Uebergangsggeb. Eifel, 1831, pl.; Mém. Soc. géol. France, I, 1834, pl. xxiii [*n. et f.*].
- boueti** Charaxes, Feisthamel, Ann. Soc. Ent. France [2] VIII (2) *post* June 1850, 261.
- boueti** Nymphalis (Feisth.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. [bougainvillei.] [II (1850), 309.—Charaxes.
- bougainvillii** Apistus, Cuvier & Valenc., H. N. Poiss. IV. 1829, 411.
- bougainvillei** Biloculina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 67.
- bougainvillii** Carbo, R. P. Lesson in Bougainville, Journ. "Thétis et Espér." II. 1837, 331.
- bougainvillii** Chironectes, Cuvier & Valenc., H. N. Poiss. XII. 1837, 431. [118.
- bougainvillii** Cyanaea, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838),
- bougainvilla** (*sic*) Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847,
- bougainvillei** Escharina, A. d'Orbigny, Amér. Mérid. (Zooth.) 1839, 12. [473.
- bugainvillii** Hippocrene (Less.), J. F. Brandt, Prod. anim. Mertens. I. 1835, 29.—Cyanaea.
- bougainvillei** Leptosoma (D. & B.), L. Fitzinger, Syst. Rept. 1843, 23.—Lygosoma.
- bougainvillii** Lygosoma, Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839,
- bougainvillei** Navicella, C. A. Récluz, Rev. Zool. (Soc. Cuv.) IV. Dec. 1841, 374. [716.
- bougainvillei** Neritina, C. A. Récluz, Journ. de Conch. I (2) Ap. 1850, 159.
- bougainvillei** Perameles, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 56. [82.
- bougainvillei** Phalangista, J. A. Wagner (*ex* Cuv.) in Schreber, Säugth., Suppl. III. 1841,
- bourgomvillii** (*sic*) Platypterus (C. & V.), W. Swainson, N. H. Fishes etc. II. July 1839, 265.—Apistus. [(3) 1841, 117.
- bougainvillii** Rhinobatus (Syrhina), Valenciennes in Joh. Mueller & Henle, Syst. Plagiost.
- bougainvillii** (*sic*) Riopa, J. E. Gray, Ann. Nat. Hist. II. Jan. 1839, 332.
- bougainvillii** Sarcinula, H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 314 [*n. n.*].
- bougainvillii** Scatophagus, Cuvier & Valenc., H. N. Poiss. VII. 1831, 142.
- bougainvillii** (*sic*) Scincus, J. E. Gray (*ex* Coct. MS), Ann. Nat. Hist. II. Jan. 1839, 332
- bougainvillii** (*sic*) Sebastes, Cuvier & Valenc., H. N. Poiss. IV. 1829, 349. [[*n. n.*].
- Bougainvillia** R. P. Lesson, Ann. Sci. Nat. [2] (Zool.) V. May 1836, 262.—Coel.
- bougneti** *v.* bouqueti.
- bouilletii** Helix, De Boissy, Rev. Zool. (Soc. Cuv.) Mar. 1839, 74.
- boulangeri** Chonetes, M. Rouault, Bull. Soc. géol. France (sér. 2) IV. 1847, 323.
- boulardii** Colobogaster, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 143.
- boulardi** Daulis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 315.
- boulbiensis** Ammonites, Young & Bird, Geol. Surv. Yorksh. Coast, 1822, 252. [1790.
- boulboul** Dryoscopus (Lath.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 361.—Lanius,
- boulboul** Laniarius (Lath.), G. R. Gray, Genera of Birds, I. Aug. 1845, 299.—Lanius, 1790.
- boulboul** Malaconotus (Lath.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 69.—Lanius, 1790.
- boulboul** Merula (Lath.), E. Blyth, J. Asiatic Soc. Bengal, XVI. 1847, 147.—Lanius, 1790.
- boum** Fasciola, W. Turton, Linnaeus, Syst. Nat. IV. 1802, 34.
- [bounobaenus.]
- bunobaenus** Artemon (Orb.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 48.—Helix.
- bounobaena** Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 7.
- [bouqueti.]
- bougueti** Chrysotis (Bechst.), G. R. Gray, Genera of Birds, II. Feb. 1846, 422.—Psittacus
- bouqueti** Psittacus, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 99. [bouqueti.
- bourcierii** Capito (Lafr.), G. R. Gray, Genera of Birds, II. Mar. 1846, 430.—Micropogon.
- bourcierii** Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 725.
- bourcieri** Eubucco (Lafr.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 142.—Micropogon.
- bourcierii** Micropogon, De Lafresnaye, Rev. Zool. (Soc. Cuv.) VIII. May 1845, 179.
- bourcieri** Phaetornis (Less.), G. R. Gray, Genera of Birds, I. Dec. 1848, 104.—Trochilus.

- bourcierii** Trochilus, R. P. Lesson, Les Trochilidées (4) Oct. 1832, 62.
- Bourcieria** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 73.—A.
- bourdillonii** Clytus, Dupont in E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 81.
- bourdini** Callimus, E. Mulsant, H. N. Coléopt. France (Sécurip.) Sept. 1846, sign. 38^l.
- bourgeoisii** Ellipsosmilia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 276.
- bourgeoisii** Pleurotomaria, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 225.
- bourgeoisii** Terebratella, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 124.
- bourgeoisii** Trochus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 222.
- bourgeoisianus** Ammonites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 212.
- bourgeoisiana** Lima, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 248.
- bourgeoisianus** Mitylus, A. d'Orbigny, Prodr. Paléont. II. [Nov.] 1850, 246.
- bourgeoisiana** Nerita, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 192.
- bourgeoisianus** Pectunculus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 196.
- bourgomvillii** *v.* **bougainvillei**.
- bourgueti** Astrea, Defrance, Dict. Sci. Nat. XLII. 1826, 380.
- bourgueti** Diadema, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 6.
- bourguetii** Hydnophora, G. Fischer de W., Not. foss. Gouv. Moscou, II. 1810, 13.
- bourguetii** Monticularia (Fisch.), Lamarck, An. s. vert. II. 1816, 252.—Hydnophora.
- bourgueti** Styliina (Defr.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 290.—Astrea.
- Bourgueticrinus** A. d'Orbigny, H. N. Crinoïdes (3) May 1841, 95.—Cr.
- bourica** Glaucopsis, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 194.
- bourjotalis** Scopula, A. Lefebvre in Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2) (Noct. 5, pt. 2) 1833, 313.
- bourkii** Euphema (Mitch.), J. Gould, Birds of Australia, V (5) 1841, pl. 43.—Nanodes.
- bourkii** Nanodes, T. L. Mitchell, Three Exped. Australia, I. 1838, p. xviii.
- bourletii** Orchesella, H. Lucas, Ann. Soc. Ent. France [2] I (4) Mar. 1844, 289.
- bourleti** Smynthurus, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 403.
- bournianus** Unio, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 288.
- bournonii** Goniastrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849, 162.
- bournonii** Solenastrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Aug. 1849, 121.
- bournonii** Sphaerulites, C. Des Moulins, Bull. H. N. Soc. Linn. Bordeaux, I (5) 1827, 271; ed. 2, 1830, 124.
- bouroensis** Philedon, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. I. 1830, 192.
- bouroensis** Tropicorhynchus (Q. & G.), G. R. Gray, Genera of Birds, I. Oct. 1846, 125.—Philedon.
- bourouniensis** Draco, R. P. Lesson, Illustr. de Zool. (13) May 1834, pl. 37.
- bourouniensis** Patella, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 415. [*n. n.*].
- bourquenodaria** Fidonina, Daube, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, p. xxiv
- bourritianus** Ammonites, F. J. Pictet, Mém. Soc. Phys. H. N. Genève, XI (2) 1848, 298.
- bousqueti** Anomala, Le Guillou, Rev. Zool. (Soc. Cuv.) VII. June 1844, 223.
- boussingaultii** Ammonites, A. d'Orbigny, Coq. Fos. Colomb. 1842, 32.
- boussingaultii** Callidema, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. Jan. 1843, 14.
- boussingaultii** Eucallia, F. E. Guérin-M., Magasin de Zool. (2) VI. 1844, pl. 144.—
- boussingaultii** Exogyra, A. d'Orbigny, Coq. Fos. Colomb. 1842, 57. [Calliderma, 1843.
- boussingaultii** Ostrea, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1848, 702.—Exogyra,
- boussingaultii** Rostellaria, A. d'Orbigny, Coq. Fos. Colomb. 1842, 44. [1842.
- boussingaultii** Trigonina, A. d'Orbigny, Coq. Fos. Colomb. 1842, 50. [586.
- boutanensis** Cobitis, McClelland & Griffith, Calcutta Journ. Nat. Hist. II (8) Jan. 1842,
- boutonii** Cryptoblepharus (Desjard.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 64.—
- boutonii** Scincus, J. Desjardins, Ann. Sci. Nat. XXII (87) Mar. 1831, 298. [Scincus.
- boutonicus** Cimex, W. S. Dallas, Tr. Entom. Soc. Lond. V (7) Sept. 1849, 190.
- bouton** Holocentrus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 331.
- bouvronides** Pyrrhula, R. P. Lesson, Traité Ornith. (6) Feb. 1831, 450. [Pyrrhula.
- bouvronides** Spermophila (Less.), G. R. Gray, Genera of Birds, II. Oct. 1844, 386.—
- bovaei** Agathis, H. Lucas, Explor. Algér. (Artic. III.) 1849, 337.
- bovaei** Porcellio, H. Lucas, Explor. Algér. (Artic. I.) 1846, 68.

- bovaei** Salticus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 179.
- boveanus** Iulus, F. L. P. Gervais, Ann. Sci. Nat. [2] (Zool.) VII. Jan. 1837, 46.
- bovei** Cryptus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 199.
- bové** Eremiaphila, A. Lefebvre, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 492.
- bovei** Eremophila, H. Burmeister, Handb. Ent. II (2) i, 1838, 525.
- bovei** Exoprosopa, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 319.
- bovei** Mitra, L. C. Kiener, Spec. Coquilles (Mitra) 1839, 9.
- bovei** Mormyrus, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 283.
- bovelinii** Cychrus, O. Heer, N. D. Allg. Schweiz. Gesellsch. II. 1838, 13 [*n. n.*]; *ibid.*
- boveus** Murex, A. Risso, H. N. Europe, IV. 1826, 200. [Coleopt. 9.]
- bovianus** Gobio, T. C. Jerdon, Madras Journ. XV (35) 1849, 307. [1845], 9.
- Bovichthys** *emend.* Agassiz *pro* Bovichtus, C. & V., *g. v.*; Agassiz, Nom. Zool. (Pisces),
- Bovichtus** Cuvier & Valenc., H. N. Poiss. VIII. 1831, 486.—P.
- bovidens** Terebratula, S. G. Morton, Amer. J. Sci. XXIX (1) Oct. 1835, 150.
- bovillus** Onthophagus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 139.
- bovina** Acrotichis, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2) 1848, 568, Table.—Ptilium, 1845.
- bovina** Auricula (Brug.), Lamarck, An. s. vert. VI (2) 1822, 139.—Bulimus, 1792.
- bovinum** Buccinum, D. Solander, Catal. Portland Mus. 1786, 97 [*n. n.*].
- bovina** Chama, G. v. Muenster, Beitr. zur Petref. (1) 1839, 107 [*n. n.*].
- bovinus** Conorhinus (Th.), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 328.—Rhynchaenus. [1830, 810.]
- bovina** Coprina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- bovinus** Curculio, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 120.
- bovina** Hydatis, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, I. 1801, 323.
- bovinus** Hyopotamus, R. Owen, Q. J. Geol. Soc. London, IV. 1848, 104. [1830, 398.]
- bovina** Musca, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- bovina** Myliobatis, I. Geoffroy St H. in Savigny, Egypte, I (1) (Poiss. Mer Rouge) 1827, 336.
- bovinus** Polycephalus, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 431. [1845, 531.]
- bovinum** Ptilium, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4)
- bovinus** Rynchaenus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 116.
- bovinus** Scarabaeus, F. V. Melsheimer, Ins. Pennsylv. 1806, 3 [*n. n.*].
- bovis** Hypoderma (L.), Latreille, N. Dict. H. N. XXIII. 1818, 272.—Oestrus, 1758.
- bovis** Pulex, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 63 [*n. n.*].
- bovis** Sarcoptes, E. Hering, Jahresh. Ver. vat. Naturk. Württ. I (1) Ap. 1845, 110.
- bovis** Trichodectes (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 63.—Pediculus, 1758.
- bovista** Phora, B. A. Gimmerthal, Arbeit. nat. Ver. Riga, I (3 & 4) 1848, 329.
- bovistae** Dorcatoma, J. J. Hoffmann etc., Entom. Hefte, II. 1803, 100.
- bovistae** Dorcatoma, Sch.; Dejean, Catal. Coléopt. 1821, 40 [*n. n.*].
- bovistae** Lycoperdina (Payk.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 116.—Endomychus, Panz. 1796.
- bovistae** Tenebrio (Fab.), T. Marsham, Coleopt. Brit., Sept. 1802, 478.—Galleruca, 1792.
- Bovius** J. Gistl, Nat. Thierr. 1848, p. ix.—Col.
- bowdichana** Galaxias, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 42.
- [**bowdichi.**] [wich].
- bowdich** Cupulita, Quoy & Gaimard, Ann. Sci. Nat. VI (21) Sept. 1825, 84 [*v. et* **bood-**
- bowdichii** Scarus, G. Cuvier, Dict. Class. H. N. XV. 1829, 224.
- bowenii** Chiton, P. P. King & Broderip, Zool. Journ. V (19) July 1832, 338.
- [**bowerbanki.**] [Cyathina].
- bowerbanksii** Amblocyathus (E. & H.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 5.—
- bowerbanksii** Amblocyathus (E. & H.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 143.—Cyathina.
- bowerbankii** Archaeocarabus, F. M'Coy, Ann. Mag. N. H. (2) IV. Sept. 1849, 174.
- bowerbanki** Buccinum, A. J. Michelotti, N. Jahrb. f. Min. 1846, 56.—[*n. n.*]
- bowerbankii** Cidaris, E. Forbes in F. Dixon, Geol. Sussex, 1850, 339.
- bowerbankii** Crioceratites, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, 410.
- bowerbankii** Cyathina, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 292.

- bowerbankii** Cypraea, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 189.
- bowerbanksii** Discopsammia (E. & H.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 10.
—Stephanophyllia. [1848, 473.]
- bowerbankii** Goniaster (Goniodiscus), E. Forbes, Mem. Geol. Surv. Gt Britain, II (2)
- bowerbankii** Lucina, A. J. Michelotti, N. Jahrb. f. Min. 1846, 53 [*n. n.*].
- bowerbanki** Lucina, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem
(2) III (2) 1847, 113. [(2) III (2) 1847, 211.]
- bowerbanki** Nassa, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem
- bowerbankii** Nucula, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1837, 136.
- bowerbankii** Platymys, R. Owen, 11 Rept. Brit. Assoc. (Plym. 1841) 1842, 163.
- bowerbanksii** Scaphites (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 114.—
Crioceratites.
- bowerbankii** Sciaenurus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 497 [*n. n.*];
Poiss. Foss. IV. 296 (1844) [*n. n.*].
- bowerbankii** Solenastrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Aug. 1849,
122. [1848, 94.]
- bowerbankii** Stephanophyllia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Aug.
- bowerbankii** Turbinolia, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug.
1850, 16.
- Bowerbankia** A. Farre, Phil. Trans. R. Soc. 1837 (2) 1837, 391.—Polyz.
- bowerbankianus** Nautilus, W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 220.
[bowmani.]
- bowmani** Conosurus, R. W. Gibbes, P. Amer. Assoc. 1849 (1850), 77 [*n. n.*].
- bowmanni** Endothyra, J. Phillips, Proc. geol. Polyt. Soc. Yorksh. II [1845], 277.
- bowmani** Illaenus, Salter & Sowerby, Proc. Geol. Soc. London, IV. 1844, tab. 266 [*n. n.*].
- bowmanni** Illaenus, R. I. Murchison, Proc. Geol. Soc. London, IV. 1845, 579.
- bowoasii** Julus [*err. pro* beauvoisii, Gerv.], J. F. Brandt, Bull. Sci. Ac. Imp. Sci.
St Pétersb. VIII (7 & 8) Jan. 1841, 126.
- bowringii** Doryura, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 156.
- bowringii** Paussus, J. O. Westwood, Proc. Linn. Soc. London (41) Dec. 1849, 58.
- bowringii** Sisyphus, A. White, Ann. Mag. N. H. XIV. Dec. 1844, 423.
- Box** Cuvier & Valenc., H. N. Poiss. VI. 1830, 346.—P.
- Box** Cuv., *emend.* C. L. Bonaparte, Giorn. Arcad. LIII. 1831, 171.—P.
- Box** J. Gisl, Nat. Thierr. 1848, p. viii.—Col.
- Boxaodon** A. Guichenot in Gay, Chili (Peces) 1849, 208.—P.
- boydii** Avicula, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 237.
- boydii** Loxonema, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 138.
- boydianus** Unio, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 286. [Elachista.]
- boyerella** Argyromiges (Dup.), H. T. Stainton, The Zoologist, VI (7) 1848, 2161.—
- boyerella** Bucculatrix (Dup.), P. C. Zeller, Linnaea Entom. III. Ap. 1848, 291.—Elachista.
- boyerella** Elachista, Duponchel in J. B. Godart, H. N. Lépid. France, XI (Noct. 8) [*ante*
boyeri Atherina, A. Risso, Ich. Nice, 1810, 338. [Nov. 1840], 545.]
- boyeri** Campephaga, G. R. Gray, Genera of Birds, I. June 1846, 283.
- boyeri** Corizus, F. W. Hope, Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 67 [*n. n.*].
- boyeri** Erodium, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 553.
- boyeri** Macropoda, A. J. J. Solier, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 519.
- boyeri** Physothorus, Gay & Solier, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839, 27.
- boyeri** Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 143.
- boyeri** Polistichus, A. J. J. Solier, Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 111.
- boyeri** Psorodes, A. J. J. Solier, Baudi & Truqui, Studi Ent. I. 1848, 171.
- boyeri** Steraspis, A. J. J. Solier, Ann. Soc. Ent. France, II (2) *c.* July 1833, 269.
- boykinensis** Unio, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 288.
- boykiniana** Melania, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 289.
- Boymarus** *v.* Bogmarus, J. G. Schneider, Bloch, Syst. Ichth. 1801, pl. 101.—P.
[boysi.]
- boysii** Abra (Mont.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 272.—Mactra.
- boysii** Amphidesma (Mat.), Lamarck, An. s. vert. V. 1818, 491.—Mactra, Mont.
- boysii** Anostoma, Benson in L. Pfeiffer, Mon. Helic. I (1) 1847, 2.

- boysii** Buccinum, Nuttall in J. C. Jay, Cat. Shells, ed. 3, 1839, 87 [*n. n.*].
boysii Certhilauda, E. Blyth, J. Asiat. Soc. Bengal, XV. 1846, 41.
boysii Cymindis, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850, 50.
boysii Estheria, W. Baird, Proc. Zool. Soc. London, XVII (195) Jan.–June 1850, 89.
boysii Hypostoma (Benson), J. C. Albers, Die Heliceen, 1850, 130.—Tomogeres.
boysii Lebia, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850, 70.
boysii Ligula, G. Montagu, Test. Brit., Suppl. 1808, 23.—Mactra, 1803.
boysii Mactra, G. Montagu, Test. Brit. I. 1803, 98.
boysii Oreaster, E. Forbes, Mem. Geol. Surv. Gt Britain, II (2) 1848, 468.
boysii Paussus, J. O. Westwood, Arcana Entom. (24) June 1845, 177.
boysii Tomogeres, Benson in L. Pfeiffer, Symb. Helic. III. 1846, 82.
Boysia L. Pfeiffer, Zeitschr. f. Malakozool., July 1849 [Jan. 1850], 103.—G. [1849].
boysianus Bulimus, L. Reeve (*ex* Benson MS), Conch. Icon. V.—Bulimus, no. 575, Sept.
braamburiensis Avicula, J. De C. Sowerby, Tr. Geol. Soc. London [2] II. 1827, 323 [*n. n.*].
brac Buceros, C. Dumont, Dict. Sci. Nat. (ed. 1) VI. 1806, 201.
bracanthus Trigla, W. Swainson, N. H. Fishes etc. II. July 1839, 421.
Bracca J. Huebner, Verz. bekannt. Schmett. [1822], 179.—Lep.
braccata Aquila, F. J. F. Meyen, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 65.
braccatus Bruchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 50.
braccatus Buteo (Meyen), J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 264.—Aquila.
braccatus Campoplex (Gm.), J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 549.—
braccata Chlamys, F. Klug, Entom. Mon. 1824, 159. [Ichneumon, 1790].
braccata Cyphonia (Germ.), L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847, 503.—Heteronota.
braccatus Falco, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 39.
braccata Harpyia, J. B. v. Spix, Avium Brasil. I. 1824, 7.
braccata Heteronota, E. F. Germar, Revue Entom. III (5) 1835, 254.
braccatum Theridium, C. L. Koch, Die Arachniden, VIII (4) *ante* May 1841, 85.
braccatus Tryphon (Gm.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 304.—
bracheatus *v.* **brachiatus**. [Ichneumon, 1790].
Brachelia J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 61.—
Brachelytra C. S. Rafinesque, Analyse, 1815, 118.—Orth. [*n. n.*]. [Dipt.
brachelytra *v.* **brachyelytra**.
brachi— *v.* *et* **brachy**—.
Brachiacantha Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 434.—Col. [*sine typo*].
brachialis Bruchus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 79.
brachialis Ceratopogon, A. H. Haliday, Entom. Mag. I (2) Jan. 1833, 152.
brachialis Cratopus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 51.
brachialis Diapria, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 333.
brachialis Libellula, Palisot de B., Ins. Afr. Amér. (—) 1813–20, 171.
brachialis Meligethes, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 195.
brachialis Opsarius, J. McClelland, Asiat. Researches, XIX (2) 1839, 297.
brachialis Otiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, Pomacentrus, Cuvier & Valenc., H. N. Poiss. V. 1830, 420. [293].
brachialis Strongylus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, Telenomus, A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 271. [75].
brachiator Ophion, T. Say, Boston Journ. N. H. I (3) 1836, 240.
bracheata Amiba, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 238.
brachiata Amphimonas, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 294.
brachiata Asterias, G. Montagu, Tr. Linn. Soc. London, VII. 1804, 84.
brachiatus Attelabus, F. Klug, N. A. Ac. Caes. Leop. Car. XII (2) 1825, 453.
brachiatus Attelabus, C. H. Boheman, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 121.
brachiatus Cancer, W. Turton, Linnaeus, Syst. Nat. III. 1802, 754.
brachiata Daphnia (Jur.), Desmarest, Dict. Sci. Nat. XXVIII. 1823, 402.—Monoculus.
brachiatus Diodon, J. G. Schneider, Bloch, Syst. Ichth. 1801, 513.
brachiatus Leuciscus, McClelland, Asiat. Res. XIX (2) Jan. 1840, 409.
brachiata Madrepora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 474.

- brachiata** Mesomphalia (Fab.), C. H. Boheman, Mon. Cassid. I. 1850, 371.—Cassida, 1798. [culus.]
- brachiata** Moina (Jur.), W. Baird, N. H. Brit. Entom. (Ray Soc.) 1850, 102.—Mono-
- brachiatus** Monoculus, L. Jurine, Hist. Monocles, 1820, 131. [Asterias.]
- brachiata** Ophiocoma (Mont.), W. Thompson, Ann. Nat. Hist. V. June 1840, 247.—
- brachiata** Ophiolepis (Mont.), Joh. Mueller & Troschel, Syst. Asterid. 1842, 96.—Asterias. [Asterias.]
- brachiata** Ophiopholis (Mont.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 25.—
- brachiata** Ophiura (Mont.), W. E. Leach, Zool. Miscell. II. 1815, 57.—Asterias.
- brachiatus** Pachystomus (M'Clell.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1038.—
- brachiata** Plumularia, Lamarck, An. s. vert. II. 1816, 126. [Leuciscus.]
- brachiatus** Reduvius, M. Perty, Del. anim. artic. Brasil. (3) 1833, 173.
- brachiata** Spongolithis, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 206.
- brachiata** Thrips, F. v. P. Schrank, F. Boica, II (1) 1801, 42.
- brachiatus** Turbo, G. Perry, Conchology, Ap. 1811, pl. 49.
- Brachidia** A. J. Solier in Gay, Chili, IV (Col.) 1849, 433.—Col.
- Brachidontes** W. Swainson, Treat. Malacol., May 1840, 384.—L.
- Brachiella** G. Cuvier, R. Anim., ed. 2, III. 1830, 257.—Cr.
- Brachigaster** Meig. 1826; *teste* Scudder, *sed v.* Brachygaster.
- Brachina** P. J. van Beneden, Bull. Ac. Roy. Brux. XVII (1) 1850, 508.—Ech.
- Brachineura** C. Rondani, N. gen. Ins. Ditt. (2) 1840, 12.—Dipt.
- brachinoides** Galerita, M. Perty, Del. anim. artic. Brasil. (1) 1830, 5.—Col.
- brachinoides** Lebia, L. Reiche, Rev. Zool. (Soc. Cuv.) V. Oct. 1842, 311.
- Brachinus** F. Weber, Obs. Ent. 1801, 22.—Col.
- brachio** Synanceia, Cuvier & Valenc., H. N. Poiss. IV. 1829, 447.
- Brachiolaria** J. Müller, Abh. ph.-Kl. K. pr. Ak. Wiss. 1848 (1850) [1848], 94.—Ech.
- brachiolata** Alecto (Lam.), J. Müller, Ber. Verh. k. pr. Ak. Wiss. 1841, 182.—Comatula.
- brachiolata** Comatula, Lamarck, An. s. vert. II. 1816, 535.
- Brachiolites** J. T. Smith, Ann. Mag. N. H. (2) I. May 1848, 352.—Por.
- Brachion** A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 381.—Hym.
- brachion** Julis (Lac.), H. Cloquet, Dict. Sci. Nat. XVIII. 1820, 563.—Sparus.
- brachion** Sparus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 54.
- brachionerythra** Lobularia, G. Nicolucci, N. Ann. Sci. Nat. [2] I. 1844 [July], 248.
- Brachionus** J. F. Blumenbach, Mag. Neuste Phys. u. Nat. VI (1) 1790, 54.—Polyp.
- brachionus** Lycocephalus, J. A. C. Corda, Almanach de Carlsbad, VIII. 1838, 182.
- brachionus** Notommata, C. G. Ehrenberg, Abh. ph.-Kl. K. Ak. Wiss. Wien, 1835 (1837) [1836], 176 [*n. n.*]; Infusionthier. 1838, 433.
- Brachionycha** J. Huebner, Verz. bekannt. Schmett. [1820], 144.—Lep.
- Brachionyx** J. W. Meigen, Syst. Besch. Europ. Schmett. III (4) 1832, 178.—Lep.
- Brachiopithecus** Sénéchal, Dict. Pittoresque H. N. VIII. 1839, 428.—M. [*teste* Palmer].
- Brachioptilon** E. Newman, The Zoologist, VII (1) 1849, 2358.—P.
- Brachioopus** Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 7.—Br.
- Brachirus** W. Swainson, N. H. Fishes etc. II. July 1839, 187 & 303.—P.
- Brachistes** C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 109.—Hym.
- Brachistopus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Brachystopus, Dum. & Bibr.
- Brachitoma** *err. pro* Brachytoma, Sw.; Sowerby, Conch. Man., ed. 2, 1842, 86.—G.
- brachius** Goniurus, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 8.
- Brachmia** J. Huebner, Verz. bekannt. Schmett. 1826, 419.—Lep.
- Brachodes** A. Guénee, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 311.—Lep.
- Brachonyx** C. J. Schoenherr, Isis (Oken), 1825, 583; Curc. disp. meth. 1826, 232.—Col.
- Brachonyx** W. Swainson, Zool. Journ. III (11) Dec. 1827, 345.—A.
- Brachopsis** W. W. Saunders, Tr. Entom. Soc. Lond., n. s., I (3) Nov. 1850, 79.—Col.
- Brachopsis** W. W. Saunders, The Zoologist, VIII. 1850, 2974.—Col.
- Brachopus** C. S. Rafinesque, Analyse, 1815, 69.—A. [*n. n.*] [Chevr.]
- Brachyacantha** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Brachiacantha,
- brachyacanthon** Buccinum, G. I. Molina, Sag. stor. nat. Chili, ed. 2, 1810, 178.
- brachiacanthos** Ichneumon, G. Cuvier, Revue Entom. I (5) c. Nov. 1833, 210.

- brachyacanthus** Tryphon (Gm.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 242.
—Ichneumon, 1790.
- Brachyaspistes** C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 249.—Col.
- Brachybamus** E. F. Germar in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 330.—
- Brachyblemma** J. Wagler, Isis (Oken), 1833, 904.—R. [Col.]
- brachycantha** Ophiura, W. E. Leach, Zool. Miscell. II. 1815, 58.
- Brachycaulus** L. Fairmaire, Rev. Zool. (Soc. Cuv.) VI. Jan. 1843, 31.—Col.
- brachycellus** Curculio, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 313.
- brachycentron** Naseus, Cuvier & Valenc., H. N. Poiss. X. 1835, 275.
- Brachycentrus** J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser., IV (21) Mar. 1834, 215.—
- brachycentrus** Anthus, C. G. Ehrenberg, Sym. Phys., Aves (1833) sign. *dd*. [Neur.]
- brachycentrus** Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 457.
- brachycentrus** Gasterosteus, Cuvier & Valenc., H. N. Poiss. IV. 1829, 499.
- brachycentrus** Leirus, W. Swainson, N. H. Fishes etc. II. July 1839, 242.
- brachycentra** Lissonota, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 56.
- brachycentrus** Nauclerus, Cuvier & Valenc., H. N. Poiss. IX. 1833, 252.
- Brachycephalus** L. J. Fitzinger, Neue Classif. Rept. 1826, 65.—R.
- brachycephalus** Clinus, Cuvier & Valenc., H. N. Poiss. XI. 1836, 371.
- brachycephalus** Plesiosaurus, R. Owen, 9 Rept. Brit. Assoc. (Birm. 1839) 1840, 69.
- brachycephala** Taenia, F. C. H. Creplin, N. Obs. de Entozois, 1829, 98. [Neur.]
- Brachycercus** J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser., IV (20) Feb. 1834, 122.—
- brachycercus** Nematus, T. Hartwig, Entom. Zeitung, Stettin, I (2) Feb. 1840, 25.
- brachyceros** Bos, J. E. Gray, Mag. Nat. Hist., n. s., I. Nov. 1837, 587.
- brachyceros** Bos, R. Owen [*non* Gray], Brit. Foss. Mamm. (1846), 509.
- brachyceros** Bubalus, J. E. Gray, List Mamm. Coll. B. M. 1843, 153.—Bos, 1837.
- brachycera** Campylosteira, F. X. Fieber, Entom. Monogr. 1844, 43.
- brachycerus** Cervus, Kaup & Scholl, Catal. plâtres, 1832, 7 [*n. n.*].
- brachycerus** Dolichopus, J. W. Zetterstedt, Dipt. Scand. II. 1843, 526.
- brachycerus** Dryinus, J. W. Dalman, Anal. Entom. 1823, 12. [Macquartia.]
- brachycera** Erebia (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 241.—
- brachycera** Eurytoma, Dalman in Boheman, K. Vet. Ac. Handl. 1835 (1836), 234.
- brachycera** Macquartia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 206. [231.—Erebia.]
- brachycera** Macquartia (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838,
- brachycerus** Monocerus, F. Falderman, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 106.
- brachycerus** Notoxus (Fald.), F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (4) 1849, 5.—Monocerus [*“Mon. Anth.” poster. edit.*].
- brachycera** Pterygia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 265.
- brachycera** Sabellina, F. Dujardin, Ann. Sci. Nat. [2] (Zool.) XI. May 1839, 292.
- brachycerus** Syncerus (Gray), B. H. Hodgson, J. Asiat. Soc. Bengal, XVI. 1847, 709.—
- brachychaetus** Lacon, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 506. [Bos.]
- brachychir** Talpa, H. v. Meyer, N. Jahrb. f. Min. 1846, 473 [*n. n.*].
- Brachychlamys** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 148.—Nud. [*err. pro*
Brachyclanis, Ehr.]. [1832 (1834), 282.]
- brachyclados** Lobularia, Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss.
- brachycladum** Alcyonium (H. & E.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 617.—Lobularia.
- Brachyclanis** C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828) sign. *g*.—Nud.
- Brachycnemis** C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 17.—Col.
- Brachycoelium** F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 402.
—Verm. [Col.]
- Brachycoelus** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (4) 1842, 848.—
- Brachycola** Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 119.—
Orth. [Laporte.]
- Brachycolaspis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Brevicolaspis,
- Brachycopris** S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. III (6) Dec. 1846, 125.—Col.
- Brachycoryna** Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 366.—Col. [*n. n.*].
- Brachycyathus** Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 295.—Cor.

- Brachydactyla** J. Brookes, Cat. Mus. Brookes (2) July 1828, 84.—A.
Brachydactyla T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 599.—Col.
Brachydactylus A. Smith, S. African Quart. Journ. II. no. 2 (2) Mar. 1834, 144.—R.
brachydactylus Accipiter, W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837, 118.
brachydactila Alauda, Leisler, Ann. Wetterau. Ges. Nat. III (2) 1814, 357.
brachydactyla Alauda, C. J. Temminck, Man. Orn. 1815, 164.
brachydactyla Alauda, H. R. Schinz in Cuvier, Thierreich, 1. 1821, 574.
brachydactyla Alucita, V. Kollar, Beitr. Landeskr. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) II. 1832, 100. [21].
brachydactyla Aquila, J. Wolf in B. Meyer & J. Wolf, Taschen. Deutsch. Vögelk. I. 1810, Calandrella (Leisl.), J. J. Kaup, Skizz. Europ. Thierw. 1829, 39.—Alauda.
brachydactyla Certhia, C. L. Brehm, Beitr. Vögelk. I. 1820, 570.
brachydactylus Cheilodactylus, Cuvier & Valenc., H. N. Poiss. V. 1830, 361.
brachydactylus Chelifer, H. Lucas, Explor. Algér. (Artic. I.) 1846, 273.
brachydactylus Circaetus (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 14.—Falco, ? Bechst. [Aquila].
brachydactylus Circaetus (Wolf), C. L. Landbeck, Syst. Aufz. Vögel Württ. 1834, 4.—
brachydactylus Erinaceus, J. A. Wagner in Schreber, Säugth., Suppl. II. 1840, 24.
brachydactylus Falco (Wolf), J. M. Bechstein in Latham, Vögel, IV (1) 1811, 27.—Aquila.
brachydactyla Hydatina, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 208.
brachydactylus Lagopus (Temm.), J. Gould, Birds of Europe, IV. 1837, pl. 256.—Tetrao.
brachydactyla Melanocorypha (Leisl.), C. L. Brehm, Isis, 1828, 1278 [n. n.]; Handb. Nat. Vögel Deutschl. 1831, 311.—Alauda.
brachydactylus Palaemon, A. F. A. Wiegmann, Arch. f. Naturg. II (1) 1836, 148.
brachydactyla Petronia, C. L. Bonaparte, Consp. gen. Avium. I. 1850, 513.
brachydactylus Tetrao, C. J. Temminck, Man. Orn., ed. 2, IV. Dec. 1839, 328.
brachydactylus Trichas, W. Swainson, Anim. in Menag., Dec. 1837, 295. [Col].
Brachyderes C. J. Schoenherr, Isis (Oken), 1823, 1140; Curc. disp. meth. 1826, 102.—
brachyderus Anchomenus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (3) 1850, 120.
brachyderus Chlaenius, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 110.
Brachydirus A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV (1 & 2) Oct. 1837, 131.—Col.
Brachydonta F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 32.—L. [n. n.].
Brachydontes Sw., v. Brachidontes.
Brachyelytrops C. J. B. Amyot, Ann. Soc. Ent. France, IV (4) 1847, 395.—Hem.
brachelytrum Brachyelytrops (Duf.), C. J. B. Amyot, Ann. Soc. Ent. France, IV (4) 1847,
brachelytrus Gryllus, J. Wolf, Abb. Beschr. Naturg. Gegenst. II (4) 1819, 64. [396].
brachelytrum Postemma (*sic*), L. Dufour, Ann. Soc. Ent. France, III (2) *post* June 1834, 350 [= Prostemma].
Brachygaster W. E. Leach in Brewster, Edinb. Ency. IX. Ap. 1817, 142.—Hym.
Brachygaster Megerle in Meigen, Syst. Besch. zweifl. Ins. V. 1826, 245.—Dipt.
Brachygaster H. v. Meyer, N. Jahrb. f. Min. 1847, 575.—Cr. [n. n.].
brachygaster Acanthaelises, P. Rambur (Roret's Suite à Buffon), Névropères, 1842, 381.
brachygaster Dolerus, T. Hartig, Adelfl. Deutschl. I. 1837, 242.
brachigaster Ichneumon, G. Cuvier, Revue Entom. I (5) c. Nov. 1833, 210.
Brachygasterina Macq. 1850 [*teste* Marschall, 1851 *est*].
Brachygastra M. Perty, Del. anim. artic. Brasil. (3) 1833, 145.—Hym.
Brachygenius Solier in Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 186.—Col. [n. n.].
Brachyglossa Boisduval, Europ. Lepid. Index, 1829 [1828], 33.—Lep.
Brachygnathus M. Perty, Del. anim. artic. Brasil. (1) 1830, 6.—Col.
Brachygnathus J. L. R. Agassiz, Poiss. Foss. V (2), 139 (1844).—P. [n. n.].
Brachygnatus A. Pomel, C. R. Acad. Sci. (Paris) XXVI. 1848, 687.—M. [n. n.].
Brachylaemus *id. ac* Brachylaimus, Duj.; E. Blanchard, Ann. Sci. Nat. [3] (Zool.) VIII. Nov. 1847, 295. [—Verm.
Brachylaimus F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 407.

- Brachylemus** K. M. Diesing, Syst. Helminth. 1850, 331.—Verm.
- Brachyleptus** V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845.
- Brachylophus** Wagler, Syst. Amph. 1830, 151.—R. [*vernac.* Cuv.]. [54.—Col.]
- Brachylophus** W. Swainson, N. H. Classif. Birds, II. June 1837, 308.—A.
- Brachymeles** Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 776.—R.
- Brachymelus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Brachymeles, Dum. & Bibr.
- Brachymeria** J. O. Westwood in J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 36.—Hym.
- Brachymerus** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 427.—Col. [*sine typo*].
- Brachymerus** Chevrolat, Rev. Zool. (Soc. Cuv.) IV. Ap. 1841, 113.—Col.
- Brachymerus** Dejean in T. Lacordaire, Mon. Erotyl., Sept. 1842, 405.—Col.
- Brachymerus** A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 525.—Hym.
- Brachymerus** A. Smith, Ill. Zool. S. Afr. (Rept.), pl. lxiii, 1847.—R.
- Brachymetopus** F. M'Coy, Ann. Mag. N. H. XX. Oct. 1847, 229.—Cr.
- Brachymorphus** L. A. A. Chevrolat, Coléopt. Mex. (7) July 1835, no. 150.—Col.
- Brachymys** H. v. Meyer, N. Jahrb. f. Min. 1847, 456.—M. [Java], 18.
- brachynemus** Barbus, P. Bleeker, Verh. Batav. Genootsch. XXIII. 1850 (Ichth. fauna)
- Brachynevra** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Brachineura, Rond.
- brachynota** Delthyris, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 71.
- brachynota** Forficula, W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 243.
- brachynota** Spirifer (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 42.—Del.
- Brachynotus** W. de Haan in Siebold, F. Japon. (Crust. 1835), 34.—Cr. [thyris.]
- Brachynotus** W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 249.—Col. [*typus* Telephorus bennettii *est*].
- Brachynus** *err. pro* Brachinus, Web.; Sturm in Germar, F. Ins. Europ. (1) 1812, 9.
- Brachyochirus** Bonaparte, Cat. met. Pesci Eur. 1845, 64.—= B—chyrus, Nardo.
- Brachyochyrus** Nardo, Atti Congr. Sci. Ital. I. 1844 (Zool.), 76.—P. [*sine typo*].
- brachyodon** Bulimus (Sow.), L. Pfeiffer, Symb. Helic. II. 1842, 43.—Helix.
- brachyodon** Helix (Helicostyla), G. B. Sowerby, I., Proc. Zool. Soc. London, VIII (91) Ap. 1841, 89. [Swains.]
- Brachyodontes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Brachidontes,
- Brachyolmus** C. J. B. Amyot, Ann. Soc. Ent. France, IV (1) 1846, 95.—Hem.
- Brachyolus** A. White, Zool. "Ereb. Terr." (Ins. 1846), 13.—Col. [Hueb. n.]
- Brachyonycha** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Brachionycha,
- Brachyonyx** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Braconyx, Swains.
- Brachyonyx** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Brachonyx, Swains. 1827; Schoenh. 1826.
- Brachyopa** Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 260.
- Brachyopsis** Saunders, 1850 [*err. Marshalli pro* Brachopsis, *q.v.*]. [—Dipt.]
- brachyoptera** Ascaris, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 41.
- brachyoptera** Telmatias, C. L. Brehm, Handb. Nat. Vögel Deutschl. 1831, 1018.
- Brachyorrhos** H. Kuhl in Férussac, Bull. Sci. IX. 1826, 236; Isis (Oken), 1827, 517 & 519.—R.
- brachyorrhos** Aspidura (Boie), J. Wagler, Nat. Syst. Amph. 1830, 191.—Scytale.
- brachyorrhos** Calamaria, H. Schlegel, Essai phys. Serp. 1837, I. 131; II. 33.
- brachyorrhos** Scytale, H. Kuhl, Isis (Oken), 1827, 517. [Kuhl.]
- Brachyorrhus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Brachyorrhos,
- brachyotis** Abrothrix, G. R. Waterhouse, Arch. f. Naturg. VI (1) 1840, 180.—Mus, 1840.
- brachyotis** Cyclostoma, L. Partiot, Mém. Cyclost. 1848, 51. [soma.]
- brachyotis** Cynopterus (Müll.), J. E. Gray, Zool. "Samarang" (Vert. 1849), 12.—Pachy-
- brachyotis** Halmaturus (Gould), H. R. Schinz, Syst. Verz. Säug. I. 1844, 562.—Macropus (Petrogale). [128.]
- brachyotis** Macropus (Petrogale), J. Gould, Proc. Zool. Soc. London, VIII (93) July 1841,
- brachiotis** Mus, G. R. Waterhouse, Proc. Zool. Soc. London, V (50) Nov. 1837, 17.—Mus (Abrothrix), 21.
- brachyotis** Pachysoma, S. Müller, Tijdschr. nat. geschied. physiol. V (1 & 2) 1838, 146.

- brachyotis** Pteropus (Muell.), J. A. Wagner in Schreber, Säugth., Suppl. 1. 1839, 363.—Pachysoma.
- brachyotes** Sciurus Xerus, C. G. Ehrenberg, Sym. Phys., Mam. I (1833), plate 1828,
- brachyotis** Ulula, J. Gistel, Handb. Naturg. 1850 [1847], 280. [text 1833.]
- brachyotus** *v.* brachyotus.
- Brachyotus** J. Gould, Proc. Zool. Soc. London, V (49) Oct. 1837, 10.—A. [1788.]
- brachyotus** Asio (Lath.), W. Macgillivray, Hist. Brit. Birds, III. 1840, 461.—Strix, Gm.
- brachyotus** Brachyotus (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 51.—Strix, Gm.
- brachyotus** Canis, H. D. de Blainville, Ostéogr., Canis, 1843, 30. [1788.]
- brachyotus** Cercoleptes, W. Martin, Proc. Zool. Soc. London, IV (45) Jan. 1837, 83.
- brachyota** Notommata, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832),
- brachyotus** Otus (Gm.), Cuvier, Règne Anim. I. 1817, 328.—Strix, 1788. [51 & 132.]
- brachyotum** Pachysoma, C. J. Temminck, Mon. Mamm. II. 1841, 362.
- brachyotum** Phyllostoma, Max Wied, Beitr. Naturges. Brasil. II. 1826, 196. [1788.]
- brachyotus** Ulula (L.), W. Macgillivray, Rapac. Birds of Brit. 1836, 412.—Strix, Gm.
- brachyotos** Vespertilio, L. A. F. Baillon, Mém. Soc. Emul. Abbeville, 1833 (1834), 50.
- Brachypalpus** J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 523.—Dipt.
- Brachypalpus** F. L. de Laporte, H. N. Anim. artic. II (Col.) 1840, 56.—Col.
- Brachypelta** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 89.—Hem.
- Brachypeplus** W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 148.—Col.
- Brachypeplus** T. de Charpentier, Orthopt. (9) 1843, tab. 51.—Orth.
- Brachypetes** W. Swainson, N. H. Classif. Birds, II. June 1837, 334.—A. [—Neur.]
- Brachyphlebia** J. O. Westwood, Introd. class. Insect. II. 1840, 25; II. 1840, Syn. 158.
- Brachyphylla** J. E. Gray, Proc. Zool. Soc. London, I (11) Mar. 1834, 122.—M.
- Brachyphylla** E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 465.—Col.
- brachyphylla** Doris, C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828) sign. g.
- Brachyphyllum** J. E. Gray, Voy. "Sulphur," Mamm. 1844, 17.—M. [= Brachyphylla].
- Brachyplatys** Serville in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 627.—Hem.
- Brachypnoea** J. Gistel, Nat. Thierr. 1848, 123.—Col.
- brachypocoilion** Usterocheirus, W. E. Leach, Trans. Plymouth Inst. 1830, 174.
- brachypoda** Lygosoma, Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839,
- Brachypodella** H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 89.—G. [721.]
- brachypodioides** Trichophorus, Jardine & Selby, Ill. Orn., pl. 128, 1833. [Beck.]
- Brachypodisca** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Brachypodella,
- Brachypodius** E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (*post* Sept.), 576.—A.
- brachypomus** Chalcinotus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 258.
- brachypomus** Myletes, G. Cuvier, Mém. Mus. H. N. (Paris) IV [4-6] Dec. 1818, 452.
- Brachypotes** J. Gistel, Handb. Naturg. 1850 [1847], 432.—Col. [*non* B—pote, *apud* Waterhouse].
- Brachyptera** G. Newport, Proc. Linn. Soc. London (36) June 1848, 388.—Neur. [*typus* Nemoura glacialis, Newp.].
- Brachypteracias** F. de Lafresnaye, Magasin de Zool. IV. 1834, pl. 31.—A.
- Brachypteropicus** A. Malherbe, Rev. Zool. (Soc. Cuv.) VIII. Nov. 1845, 400.—A.
- Brachypternus** H. E. Strickland, Proc. Zool. Soc. London, IX (99) Oct. 1841, 31.—A.
- Brachypterus** Latreille, N. Dict. H. N., ed. 2, XXVIII. 1819, 176.—Col.
- Brachypterus** J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, Conspectus pp. 64 & 673.
- Brachypterus** R. P. Lesson, Compl. de Buffon, VII. 1836, 113.—A. [—Hym.]
- brachyptera** Acanthodis, H. Burmeister, Handb. Ent. II (2) i, 1838, 700.
- brachypterus** Accipiter (Temm.), G. R. Gray, List Birds Coll. B. M. I. 1844, 34.—Falco.
- brachypterum** Acridium (Pyrgomorpha), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 150. [(1 & 2) Oct. 1837, 140.]
- brachypterum** Adelobium, A. Nordmann, Mém. présentés Ac. Imp. Sci. St. Pétersb. IV
- brachyptera** Adimonia, H. C. Kuester, Käfer Europas, I. 1844, 61.
- brachyptera** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 128.
- brachyptera** Angela (Stoll), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 171.—? Mantis, Pall. [157.—Locusta, Deg. 1773.]
- brachyptera** Anisoptera (L.), J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb. 1831,

- brachyptera** Anser (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXIII. 1818, 344.—
Anas, 1790. [322.—Staph.
- brachypterus** Aploderus (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. V.) Jan. 1834,
- brachyptera** Aptesia (Grav.), A. Foerster, Arch. f. Naturg. XVI (1) 1850, 91.—Pezomachus. [Omalius.
- brachypterus** Arpedium (Grav.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 859.—
- brachypterus** Astur (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 28.—Falco.
- brachypterus** Athysanus, C. H. Boheman, Ofvers. K. Vet. Ac. Förh. IV (9) 1847, 264.
- brachypterus** Brachyrampus, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. II (22) Aug. 1837, 346.
- brachypterus** Brachyrus, W. Swainson, N. H. Fishes etc. II. July 1839, 264. [Sylvia.
- brachypterus** Bradypterus (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 280.—
- brachypterus** Caprimulgus, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) X (1) 1817, 150.
- brachypterus** Carpophilus (Say), W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 263.—Nitidula.
- brachypterus** Catheretes (Fab.), L. Gyllenhal, Ins. Suecica, I. 1808, 251.—Dermestes,
- brachypterus** Centurus, W. Swainson, N. H. Classif. Birds, II. June 1837, 310. [1792.
- brachypterus** Clerus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 [1842], 313.
- brachypterus** Climacocercus (Temm.), J. Cabanis, Arch. f. Naturg. X (1) 1844, 265.—
Falco. [Sylvia, ? Vieill.
- brachyptera** Cysticola (Gm.), P. A. J. Drapiez, Dict. class. Sci. Nat. III. 1838, 359.—
- brachyptera** Dasyornis (Lath.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 219.—
Turdus.
- brachypterus** Dasyogon, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 160.
- brachypterus** Decticus (Fab.), H. Burmeister, Handb. Ent. II (2) i, 1838, 711.—
? Gryllus, L. 1761. [[Dec. 1838], 489.—Gryllus.
- brachypterus** Decticus (L.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839
- brachypterus** Discognathus (McClell.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1027.—Gonorhynchus.
- brachyptera** Drymoica (Vieill.), G. R. Gray, Genera of Birds, I. Aug. 1848, 163.—Sylvia.
- brachyptera** Echeneis, R. T. Lowe, Proc. Zool. Soc. London, VII (77) Oct. 1839, 89.
- brachyptera** Empusa, G. Fischer, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 368.
- brachypterus** F[alco], H. Lichtenstein, Zool. Mus. Univ. Berlin, 1816, 45 [n. n.].
- brachypterus** Falco, C. J. Temminck in T. & Laugier, Pls. color. (20) Ap. 1822.
- brachypterus** Gallirallus, de Lafresnaye, Rev. Zool. (Soc. Cuv.) IV. Aug. 1841, 243.
- brachypterus** Gelis (Grav.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 32.—Ichneumon.
- brachypterus** Gonorhynchus, J. McClelland, Asiat. Researches, XIX (2) 1839, 283.
- brachypterus** Gryllus, T. de Charpentier, N. A. Ac. Caes. Leop. Car. XIII (1) 1826, 409.
- brachypterus** Gryllus (Gryllus), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 230. [(4) 1846, 479.
- brachyptera** Harpephora, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XIX. 1846
- brachyptera** Hyphantornis (Sw.), G. R. Gray, Gen. Birds, II. Mar. 1849, 351.—Ploceus.
- brachypterus** Ichneumon, J. L. C. Gravenhorst, Mon. Ichneum. pedest. 1815, 29.
- brachypterus** Malurus (Lath.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxviii.
—Turdus.
- brachyptera** Mantis, Illiger in H. Burmeister, Handb. Ent. II (2) i, 1838, 541.
- brachypterus** Megaspilus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37 [n. n.].
- brachypterus** Micrastur (Temm.), G. R. Gray, Gen. Birds, ed. 2, 1841, 6.—Falco.
- brachypterus** Micropterus (Lath.), R. P. Lesson, Man. Orn. II. June 1828, 416.—Anas, 1790.
- brachyptera** Micropteryx (L.), J. F. Stephens, Ill. Brit. Ent. (Mand. VI.) Ap. 1835, 13.—Gryllus, 1761.
- brachyptera** Myrmemorpha, L. Dufour, Ann. Sci. Nat. XXX (118) Oct. 1833, 219.
- brachypterus** Nisus (Temm.), R. P. Lesson, Traité Ornith. (1) Feb. 1830, 62.—Falco.
- brachyptera** Nitidula, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 18 [n. n.].
- brachypterus** Nitidula, T. Say, Journ. Ac. Nat. Sci. Philad. V. Dec. 1825, 183.
- brachypterus** Ocydromus (Lafr.), G. R. Gray, Gen. Birds, III. Nov. 1846, 596.—Gallirallus.

- brachyptera** Odontocera, Chevrolat, Rev. Zool. (Soc. Cuv.) Nov. 1832, 285.
brachypteryum Omalium, J. L. C. Gravenhorst, Coleopt. micr. 1802, 114.
brachypterum Omalium (Fab.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 207.—Dermestes,
brachyptera Oscinis, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2660. [1792.
brachypterus Oxytelus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 24.—Staph.
brachyptera Pachymeria, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65 [*n. n.*].
brachypterus Pachymerus, P. Rambur, F. Ent. Andal. II (4) Jan. 1839, 153.
brachypterus Pezomachus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 876.—Ich-
 neumon, 1815.
brachyptera Phasia (Panz.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 188.
 —Musca, 1798. [Zool. (Ins.) 1842, 125.
brachypterum Phasma, W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt.,
brachyptera Piaya, R. P. Lesson, Traité Ornith. (2) May 1830, 140. [—Vespertilio.
brachypterus Plecotus (Temm.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 23.
brachypterus Ploceus, W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837,
 168.
brachypterus Podargus, J. Gould, Proc. Zool. Soc. London, VIII (94) July 1841, 163.
brachypterus Prionus, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 179.
brachypterus Proteinus (Payk.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 25.—
 Dermestes. [1846 (2) 1846, 412.—Prionus.
brachypterus Psilopus (Gehl.), V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XIX.
brachyptera Pterois, Cuvier & Valenc., H. N. Poiss. IV. 1829, 368.
brachyptera Ptinella (All.), V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXI.
 1848 (2) 1848, 568, Table.—Trichopt. [III. 1848, 714.—Piaya.
brachypterus Pyrrhococcyx (Less.), J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana,
brachyptera Pyrrhula, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan.
brachypterus Staphylinus, T. Marsham, Coleopt. Brit., Sept. 1802, 510. [1839, 44.
brachypterus Staphylinus, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 59.
brachyptera Sylvia, L. P. Vieillot, N. Dict. H. N., ed. 2, XI. 1817, 206.
brachyptera Thespis (Stoll), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839
 [Dec. 1838], 173.—Mantis, ? Pall. 1773.
brachypterus Thynnus, G. Cuvier, R. Anim., ed. 2, II. 1829, 198.
brachyptera Trichopteryx, A. Adibert, Rev. Zool. (Soc. Cuv.) VII. Feb. 1844, 53.
brachypterus Turdus, J. Latham, Index Orn., Suppl. 1801, p. xliii.
brachypterus Vespertilio, C. J. Temminck, Mon. Mamm. II. 1840, 215.
brachypterus Xystus, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. 2 (1.) 1840, 200.
Brachypteryx T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 157.—A.
brachypteryx Gerris, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 66 [*n. n.*].
brachypteryx Tipula, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 54 [*n. n.*].
Brachypterrallus de Lafresnaye, Rev. Zool. (Soc. Cuv.) III. Aug. 1840, 231.—A.
brachypterrallus Gallinula, K. Tyzenhaus, Orn. powsz. III. 1846, 383.
Brachypus B. Meyer, K. Besch. Vögel Esthland, 1815, 142.—A.
Brachypus W. Swainson, Zool. Journ. I (3) Oct. 1824, 305.—A. [Dipt.
Brachypus Megerle in J. W. Meigen, Syst. Besch. Europ. zweifl. Ins. IV. 1824, 34.—
Brachypus C. J. Schoenherr, Isis (Oken), 1825, 582; Curc. disp. meth. 1826, 217.—Col.
Brachypus L. J. Fitzinger, Neue Classif. Rept. 1826, 20 & 50.—R.
Brachypus L. Guilding, Zool. Journ. IV (14) Oct. 1828, 167.—G.
brachypus Acarus, I. F. M. de Olfers, De Veg. Anim. 1816, 69.
brachypus Bioderus (Stev.), V. v. Mochulski, Kaefer Russl., *post* May 1850, 24.—Carabus.
brachypus Carabus, C. Steven, Mém. Soc. Imp. Nat. Moscou, II [*post* Nov.] 1809, 39.
brachypus Harpalus (Steven), Dejean, Spec. gén. Coléopt. IV. 1829, 381.—Carabus.
brachypus Merula, E. Blyth, J. Asiatic Soc. Bengal, XVI. 1847, 148.
brachipus Rallus, W. Swainson, Anim. in Menag., Dec. 1837, 336.
brachypus Scincus, J. G. Schneider, Hist. Amph. II. 1801, 192.
brachypus Sterna, W. Swainson, Birds W. Africa, II (Nat. Libr. XIX.) Sept. 1837, 252.
brachypygopterus Dipterus, Sedgwick & Murchison, Tr. Geol. Soc. London [2] III. 1829,
 143. [346.—A.
Brachyramphus J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. II (22) Aug. 1837,

- Brachyrhamphus** J. F. Brandt, Amt. Ber. Vers. deutsch. Nat. u. Aerzte, 1836 (1837), 135; Isis (Oken), 1837, 502.—A.
- Brachyrhinus** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 200.—Col.
- Brachyrhinus** G. Fischer de W., Lettre à Pander, 1821, 14.—Col.
- brachyrhinus** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 464.
- Brachyrhopala** J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 51.—Dipt.
- Brachyrhynchus** *err. pro* Brachyrhynchus, Laporte; H. Burmeister, Handb. Ent. II (1)
- Brachyrhynchus** Selys-Longchamps, 1831; *v.* Brachyrhynchus. [1835, 254.]
- Brachyrhynchus** F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 54.—
- Brachyrhynchus** L. Fitzinger, Syst. Rept. 1843, 28.—R. [Hem.]
- brachyrhynchus** Anser, L. A. F. Baillon, Mém. Soc. Emul. Abbeville, 1833 (1834), 74.—
- brachyrhynchua** Campethera (Sw.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 70.—
Dendromus.
- brachyrhynchus** Canis (Hyaenodon), H. D. de Blainville, Ostéogr., Canis, 1843, 113.
- brachyrhynchus** Clangula, C. L. Brehm, Isis, 1830, 999 [*n. n.*]. [Deutschl. 1831, 879.]
- brachyrhynchus** Clypeata, C. L. Brehm, Isis, 1830, 997 [*n. n.*]; Handb. Nat. Vögel
- brachyrhynchus** Conops, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 172.
- brachyrhynchus** Corvus (Garrulus) Sw.; T. Nuttall, Man. Ornith., Water Birds, 1834, 599.—Garrulus. [Deutschl. 1831, 416.]
- brachyrhynchus** Curruca, C. L. Brehm, Isis, 1828, 1282 [*n. n.*]; Handb. Nat. Vögel
- brachyrhynchus** Dendrobates (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 123.—
Dendromus.
- brachyrhynchus** Dendromus, W. Swainson, N. H. Classif. Birds, II. June 1837, 307.
- brachyrhynchus** [Dysornithia], W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i. e.* Feb. 1832], 495.—Garrulus, 1831.
- brachyrhynchus** Garrulus, W. Swainson in Jameson's ed. Wilson & B., Amer. Orn. IV. Aug. 1831, 245 [*n. n.*].
- brachyrhynchus** Hyaenodon, H. D. de Blainville, Ostéogr., Subursus, 1841, pl. 17.
- brachyrhynchus** Larus, J. Richardson in Jameson's ed. Wilson & B., Amer. Orn. IV. Aug. 1831, 245 & 352.
- brachyrhynchus** Macroselides, A. Smith, Rpt. Exp. C. Afr. 1836, 42.
- brachyrhynchus** Motacilla, C. L. Brehm, Isis, 1828, 1280 [*n. n.*]; Handb. Nat. Vögel
Deutschl. 1831, 348.
- brachyrhynchus** Nucifraga, C. L. Brehm, Lehrb. Nat. europ. Vögel, I. 1823, 104.
- brachyrhynchus** Oriolus, W. Swainson, Birds W. Africa, II (Nat. Libr. XIX.) Sept.
- brachyrhynchus** Pyrgita, C. L. Brehm, Isis (Oken), 1842, 890. [1837, 35.]
- brachyrhynchus** Regulus, C. L. Brehm, Isis, 1828, 1285 [*n. n.*]; Handb. Nat. Vögel
Deutschl. 1831, 483. [Vögel Deutschl. 1831, 213.]
- brachyrhynchus** Tichodroma, C. L. Brehm, Isis, 1828, 1274 [*n. n.*]; Handb. Nat.
- brachyrhynchus** Trochilus, L. Fraser, Proc. Zool. Soc. London, VIII (86) July 1840, 16.
- brachyrhynchus** Upupa, C. L. Brehm, Isis (Oken), 1842, 490.
- Brachyrus** W. Swainson, N. H. Fishes etc. II. July 1839, 264.—P.
- Brachyrhynchus** E. De Selys-Longchamps in van der Maelen, Dict. géogr. Liège, 1831,
- Brachys** Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 83.—Col. [App. 36.—A.]
- Brachys** A. J. J. Solier (*ex* Dej. Cat.), Ann. Soc. Ent. France, II (2) c. July 1833, 312.—
- Brachyscelis** Solier in Dejean, Catal. Coléopt., ed. 2 (3) 1834, 179.—Col. [Col.]
- Brachyscelis** E. F. Germar, Revue Entom. II (—) 1834, Descr. d'esp. nouv., no. 17.—
- Brachysoma** Dejean, Catal. Coléopt. 1821, 96 [*n. n.*].—Col. [Col.]
- Brachysoma** J. F. Brandt, Prod. anim. Mertens. I. 1835, 33.—Med.
- Brachysoma** L. Fitzinger, Syst. Rept. 1843, 25.—R. [Col.]
- Brachysomus** C. J. Schoenherr, Isis (Oken), 1823, 1144; Curc. disp. meth. 1826, 99.—
- brachysomus** Belonostomus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 17 (1834); II (2), 141, 143 & 297 (1844).
- brachysoma** Bulimus, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 309.—Helix, 1835.
- brachysomum** Distoma, Creplin in Ersch & Gruber, Allg. Ency. XXIX (Nachtr.) 1837, 314.
- brachysoma** Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835,
- brachysomus** Lophius, J. L. R. Agassiz, Poiss. Foss. IV. 34 & 35 (1835). [18.]
- Brachysorex** Duvernoy, Magasin de Zool. (2) IV. 1842, text to pl. 52.

- Brachysphaenus** T. Lacordaire, Mon. Erotyl., Sept. 1842, 32.—Col. [1847, 178.
Brachysphenus *id. ac* B—sphaenus, Lac.; W. F. Erichson, Arch. f. Naturg. XIII (1)
Brachysphoenus *emend. pro* Brachysphaenus; T. Lacordaire, Mon. Erotyl., Sept. 1842,
 298. [1840, 291.
brachispinosus Hadromerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1)
brachyspondylus Plesiosaurus, R. Owen, 9 Rept. Brit. Assoc. (Birm. 1839) 1840, 78.
brachyspondylus Zeuglodon, J. Müller, Ber. Verh. k. pr. Ak. Wiss. 1847, 193.
brachyspondylus Zeuglodon, Koch, Bemerk. Hydrachen 1848 Alabama gebracht. wurde
 [1848], 16 [misprinted "rachy—" on p. 15].
Brachysternus Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 154.—Col. [*n. n.*].
Brachysternus Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 81.—Col.
Brachystethus F. L. de Laporte, Ess. Hémipt. in Magazin de Zool. II. 1832, 63.—Hem.
Brachystilus M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 10.—Col.
 [*non* B—stylus, *apud* Agassiz].
Brachystoma J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 12.—Dipt.
Brachystoma W. Swainson, N. H. Classif. Birds, II. June 1837, 266.—A.
Brachystoma P. Rambur (Roret's Suite à Buffon), Neur. 1842, 332.—Neur.
brachystoma Clavatulæ (Phil.), S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848,
 60.—Pleurotoma. [Pleurotoma.
brachystoma Mangelia (Phil.), Forbes & Hanley, Hist. Brit. Moll. III. 1851, 480.—
brachystomus Nematelus, H. Loew, Linnaea Entom. I. Feb. 1846, 443.
brachystomum Pleurotoma, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 169.
Brachystopus Duméril & Bibron (Roret's Suite à Buffon), Érpét. V. Nov. 1839, 778.—R.
Brachystylus C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 433.—Col.
Brachytaenius H. v. Meyer, N. Jahrb. f. Min. 1842, 303.—R.
Brachytarsina Macq. 1850 [*teste* Marschall, 1851 *est*]. [Col.
Brachytarsus C. J. Schoenherr, Isis (Oken), 1823, 1135; Curc. disp. meth. 1826, 38.—
brachytarsus Halmaturus, J. A. Wagner in Schreber, Säugth., Suppl. III. 1841, 121.
brachytarsus Larus, C. Holboll, Naturhist. Tidsskrift, IV (4) 1843, 422.
brachytarsa Sterna, C. J. Graba, Tagebuch Reise Färö, 1830, 219.
Brachyteles Spix & Martius, Reise Brasil. (1) 1823, 164 [*n. n.*]; J. v. Spix, Sim. Vesp.
 Brasil. 1824, 36.—M.
brachyteles Canis, H. D. de Blainville, Ostéogr., Canis, 1843, 30.
Brachytes J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 8.—Hem. [1844, 158.
brachythaerus Producta, G. B. Sowerby, I., in C. R. Darwin, Geol. Obs. "Beagle," II.
Brachythyris F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 144.—Br.
Brachytoma W. Swainson, Treat. Malacol., May 1840, 154 & 314.—G.
brachytoma Ascia, C. R. W. Wiedemann, Anal. Entom. 1824, 33. [87.
brachytomum Orthoceras, Arndt, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850,
Brachytrachelus C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 110.—Col.
Brachytrachelus C. Giebel, Jahresber. nat. Ver. Halle, II. 1850, 3.—R.
Brachytria E. Newman, Ann. Nat. Hist. V. Mar. 1840, 16.—Col.
Brachytron W. F. Evans, Brit. Libell. 1845, 22.—Neur. [—Orth.
Brachytrupes Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 323.
Brachytrypes L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Brachytrupes,
Brachyura H. Kuhl, Isis (Oken), 1822, 473.—R. [Serv.
Brachyura J. v. Spix, Sim. Vesp. Brasil. 1824, 11.—M.
Brachyurites v. Schlothheim, Die Petref. 1820, 36.—Cr. [1813, 24.—M. [Muridae].
Brachyurus G. Fischer, Tabl. Syn. Zoog., ed. 2, 1808, Quad., col. 4; Zoogn., ed. 3, I.
Brachyurus C. P. Thunberg, K. Vet. Ac. Handl. 1821 (2) 1822, 369.—A.
Brachyurus Spix, Sim. Vesp. Brasil. 1823, 11.—M. [Cebidae].
Brachyurus Schlothheim, Syst. Verz. Petref.-Samml. 1832, 70.—Cr.
Brachyurus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Brachirus, Swains.
Brachyurus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Brachiurus, Auct.
Brachyurus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Brachyrus, Swains.
Brachyurus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Brachurus, Auct.
brachyura Acanthylis, W. Jardine, Ann. Mag. N. H. XVIII. Aug. 1846, 120. [[*n. n.*]
brachyura Alauda, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 15

- brachyura Anguis, J. Hermann, Obs. Zool. 1804, 288.
- brachiura Anisonyx, C. S. Rafinesque, Amer. Monthly Mag. II (1) Nov. 1817, 45.
- brachyurus Anthus, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4) 1850, 100.
- brachyurus Apterurus, J. Minding, Lehrb. Naturg. Fische, 1832, 76.
- brachyura Arc tomys (Raf.), R. Harlan, Fauna Americana, 1825, 304.—Anisonyx.
- brachyura Blaps, Handschuch in H. C. Kuester, Käfer Europas, XIII. 1848, 66.
- brachyura Boa, F. de Filippi, Atti 4 Riun. Sci. Ital. 1843, 208.
- brachyura Boa (Epicrates), F. de Filippi, N. Ann. Sci. Nat. [2] IX. 1848 [Ap.], 87.
- brachyurus Buteo, L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 477. [109 & 121.
- brachyurus Canis, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811 (1815),
- brachiurus Carapus (Bl.), G. Cuvier, R. Anim. II. 1817, 237.—Gymnotus, 1786.
- brachyurus Carbo, C. L. Brehm, Lehrb. Nat. europ. Vögel, II. 1824, 910.
- brachyura Cercaria, C. M. Diesing, Syst. Helminth. I. 1850, 296.
- brachyurus Cetiosaurus, R. Owen, 11 Rept. Brit. Assoc. (Plym. 1841) 1842, 100.
- brachyura Coand u (L.), G. Fischer, Zoogn., ed. 3, III. 1814, 103.—Hystrix, 1758.
- brachiurus Coluber, G. Shaw, Gen. Zool. (Amph.) III (2) 1802, 470.
- brachyurus Coluber, H. Kuhl, Beitr. Zool. I. 1820, 89.
- brachyurus Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 572.
- brachyura Cyclops, C. S. Rafinesque-S., Précis Som. 1814, 26.
- brachyura Cymothoe, C. S. Rafinesque-S., Précis Som. 1814, 26.
- brachyura Daphnia, E. G. Zaddach, Syn. Crust. Pruss. 1844, 23.
- brachyurus Dasypus, G. Fischer, Zoogn., ed. 3, III. 1814, 130.
- brachiura Diomedea, C. J. Temminck in T. & Laugier, Pls. color. (75) *extremo* 1827.
- brachyura Drymoica, Vieill.; G. R. Gray, Genera of Birds, III. App. 1849, 30^a.
- brachyurus Echimys (Wagn.), G. R. Waterhouse, Nat. Hist. Mamm. II. 1848, 345.—
Echinomys. [346.]
- brachyurus Echinomys, Rengg.; J. A. Wagner in Schreber, Säugth., Suppl. III. 1842,
- brachyurus Eleotris, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Blennioid. Soenda-
Moluk.), 20. [Ramphocinlus.]
- brachyurus Formicarius (Vieill.), G. R. Gray, Genera of Birds, I. Dec. 1846, 211.—
- brachyurus Gerbillus, C. S. Rafinesque-S., Précis Som. 1814, 14 [*n. n.*].
- brachyurus Halmaturus (Quoy), J. A. Wagner in Schreber, Säugth., Suppl. III. 1841,
123.—Kangurus.
- brachyurus Herpestes, J. E. Gray, Proc. Zool. Soc. London, IV (46) Feb. 1837, 88.
- brachyurus Hesperomys, J. Natterer, Arch. f. Naturg. XI (1) 1845, 147.
- brachyurus Kangurus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. I. 1830,
- brachyurus Lanius, C. L. Brehm, Isis (Oken), 1842, 665. [114.]
- brachyura Lepisma, C. S. Rafinesque-S., Précis Som. 1814, 27.
- brachyurus Lepus, C. J. Temminck in Siebold, F. Japon. (Mam. 1842-5), 44.
- brachyura Loncheres, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811 (1815),
108 [*n. n.*]. [236.—Kangurus.]
- brachiurus Macropus (Q. & G.), Waterhouse, Marsupials (Nat. Libr. XXX.) Aug. 1841,
- brachyurus Macropus (Halmaturus) (Q. & G.), G. R. Waterhouse, Nat. Hist. Mamm. I.
1846, 162.—Kangurus.
- brachiura Manis, B. G. de Lacepède, Mém. Inst. [Paris] III (1801), 497.
- brachyura Manis, G. Fischer, Zoogn., ed. 3, III. 1814, 110. [Picus.]
- brachyurus Meiglyptes (Vieill.), G. R. Gray, Genera of Birds, II. Aug. 1846, 447.—
- brachyura Melitea (Medusa), R. P. Lesson, Cent. Zool. (13-16) *ante* May 1832, 227.
- brachyurus Merula (Corvus), P. Boddaert, Tab. Planch. Enl. 1783, 16.
- brachyurus Mongo (Gray), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 63.—Her-
- brachyura Motacilla, J. Hermann, Obs. Zool. 1804, 213. [pestes.]
- brachyura Mustela, C. J. Temminck in Siebold, F. Japon. (Mam. 1844), 33.
- brachyura Myrmothera (L.), L. Muirhead, Brewster's Edin. Ency. XVI (1) 1823, 49.—
Corvus, 1766.
- brachyura Oxyuris, K. E. Hammerschmidt, Naturw. Abhandl. (Haidinger) I. 1847, 283.
- brachyurus Pangolinus (Erx.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 153.—
Manis, 1777.
- brachyurus Peramys, R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 187 [*n. n.*].

- brachyurus** Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 184. [337.—Picus.
- brachyurus** Phaopicos (Vieill.), A. Malherbe, Mém. Ac. Metz, XXX (*post* May) 1849,
- brachyurus** Philander (Penn.), F. Tiedemann, Zool. 1808, 428.—Didelphys, Schr. 1777.
- brachyurus** Picus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 103.
- brachyurus** Pionus (Kuhl), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829–30 (Dec. 1832), 614.—Pittacus.
- brachyura** Pitta, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 218.
- brachyura** Pitta (L.), C. J. Temminck in T. & Laugier, Pls. color. (85) July 1830.—Corvus, 1766.
- brachyura** Pitta, J. E. Gray, Ill. Indian Zool. II (—) [1832–5] (pl. 35).
- brachyurus** Platyrhynchos (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 17.—Todus, Gm. 1788.
- brachyurus** Procyon, A. F. A. Wiegmann, Arch. f. Naturg. III (1) 1837, 369.
- brachyurus** Psittacus, Temm. & Kuhl in Kuhl, Consp. Psitt. 1820, 72. [66.—Turdus.
- brachyurus** Ramphocinclus (Vieill.), de Lafresnaye, Rev. Zool. (Soc. Cuv.) VI. Mar. 1843,
- brachyura** Rhizostoma, R. P. Lesson in Duperry, Voy. “Coquille,” Zool. II (2) 2 (1838),
- brachyurus** Rotifer, C. G. Ehrenberg, Sym. Phys., Phyt. 1831, pl. 1, f. 18 (1828). [120.
- brachyura** Sida, Liévin, N. Schr. nat. Ges. Danzig, IV (2) 1848, 20.
- brachyura** Sterna, F. H. Kittlitz in Litke, Voy. Monde, III. 1836, 327 [*n. n.*].
- brachyura** Strix, S. Nilsson, Orn. Suec. I. 1817, 62.
- brachyura** Sylvietta, de Lafresnaye, Rev. Zool. (Soc. Cuv.) II. Sept. 1839, 258.
- brachyurus** Synnalaxis, de Lafresnaye, Rev. Zool. (Soc. Cuv.) VI. Oct. 1843, 290.
- brachyurus** Todus, Drapiez, Dict. Class. H. N. XIV. 1828, 40.
- brachyura** Tortrix (Herm.), B. Merrem, Tent. Syst. Amph. 1820, 84.—Anguis.
- brachyurus** Tormus, C. H. Boheman, K. Vet. Ac. Handl. 1833 (1834), 354.
- brachyurus** Turdus, F. M. Daudin in Buffon, Hist. Nat. (Didot’s ed.) Quad. XIV. 1799
- brachyurus** Turdus (L.), C. Illiger, Prod. 1811, 216.—Corvus, 1766. [[1802], 236.
- brachyurus** Turdus, L. P. Vieillot, N. Dict. H. N., ed. 2, XX. 1818, 255.
- brachiura** Vaginaria, F. v. P. Schrank, F. Boica, III (2) 1803, 144.
- brachyura** Viperia, Duvernoy in Cuvier, Règne Anim., disciples’ ed., Rept. 125 (1842).
- brachyus** Goniurus, J. Huebner, Verz. bekannt. Schmett. [1820], 104 [*n. n.*].
- Braco** *err. pro* Bracon, Fab.; C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1839, 7.
- Bracon** L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt, 1801, 163; N. Méth. class. Hy-ménopt. 1807, 117.—Hym.
- Bracon** J. C. Fabricius, Syst. Piezat. 1804, 102.—Hym.
- braconides** Stenopterus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 94.
- braconidis** Diplolepis, P. F. Bouché, Nat. Ins. 1834, 171.
- braconiformis** Myocoris, Klug in H. Burmeister, Handb. Ent. II (1) 1835, 226.
- braconius** Colastes, A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 266.
- braconius** Rogas (Colastes), A. H. Haliday, Entom. Mag. IV (1) July 1836, 57.—Colastes,
- Braconyx** W. Swainson, N. H. Classif. Birds, II. June 1837, 292.—A. [1833.
- bractatus** Capsus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- bractea** Chryspidia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1825], 252.—
- bractea** Chrysomela, J. C. Fabricius, Syst. Eleuth. I. 1801, 427. [Noctua, 1775.
- bractea** Hololepta, W. F. Erichson, Jahrb. Insectenk. I. 1834, 91. [S. 1775.
- bractea** Phytometra (Fab.), A. H. Haworth, Lepidopt. Brit. (2) 1809, 255.—Noctua, D. &
- bractea** Plusia (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 89.—Noctua, 1775.
- bractea** Squamella (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 47.—Brachionus, 1786.
- bractea** Vaginaria (Müll.), F. v. P. Schrank, F. Boica, III (2) 1803, 143.—Brachionus, 1786.
- bracteata** Cerceris, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (4) 1849,
- bracteatus** Dicrourus, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 352. [405.
- bracteatus** Dicrurus, J. Gould, Proc. Zool. Soc. London, X (17) Feb. 1843, 132.
- bracteatus** Dolichopus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 652.
- bracteatus** Murex, G. Brocchi, Conch. Subap. 1814, 409.
- bracteatus** Nyctibius, J. Gould, Proc. Zool. Soc. London, XIV (155) May 1846.
- bracteata** Ophiura, J. Fleming, Hist. Brit. Anim. 1828, 488.
- bracteata** Osteodesma, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 217.

- bracteata** Pleurotoma (Br.), H. G. Bronn, Zschr. Min. 1827, II (1828), 535.—Murex.
- bracteatus** Pteromalus, F. Walker, Entom. Mag. II (5) Jan. 1835, 483.
- bracteata** Rutela, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) I. Aug. 1819, 135.
- bracteata** Thelia (Fab.), L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 309.
—Membracis, 1787.
- bracteatus** Triton, R. B. Hinds, Proc. Zool. Soc. London, XII (132) July 1844, 21.
- bracteatum** Tritonium, G. G. Pusch, Geogn. Besch. Polen, II. 1836, 520.
- bracteatus** Trochilus, R. Hill, Ann. Mag. N. H. (2) III. Ap. 1849, 258.
- bracteella** Adela (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 300.—? Tinea, D. & S. 1775. [bractella, 1758.]
- bracteella** Alabonia (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 418.—Phalaena
- bracteella** Lampros (L.), F. Treitschke, Schmett. Europa, IX (2) 1833, 62.—Tinea, 1758.
- bracteola** Helix, A. E. Férussac; G. P. Deshayes in A. E. Férussac, H. N. g. et p. Moll. I. 1850, 84.
- bracteola** Ostrea, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 312.
- bracteola** Phaeochlaena, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 17.
- bracteolatus** Sipalul, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 809.
- Bradicebus** Gervais, Dict. Pittoresq. H. N. IV (318) 1836, 617.—M.
- Bradisa** J. Gistel, Nat. Thierr. 1848, p. xi.—Verm.
- bradikiana** Astropolia, A. Zborzevski, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 234 & 250.
- Bradornis** A. Smith, Ill. Zool. S. Afr. (Aves), pl. cxiii, 1847.—A.
- Bradybaena** H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 18.—G.
- Bradybaenus** Dejean, Spec. gén. Coléopt. IV. 1829, 160.—Col.
- Bradybates** J. J. Tschudi, Classif. Batrach. 1838, *ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 56.—R.
- Bradybates** Hodgson in G. R. Gray, Genera of Birds, I. May 1846, 181.—A.
- Bradybatus** E. F. Germar, Ins. Spec. novae, I. 1824, 305.—Col.
- Bradycebus** *v.* **Bradicebus**.
- Bradycellus** W. F. Erichson, Käfer Mark Brand. I (1) 1837, 64.—Col.
- Bradyepetes** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Lep.
- Bradylemur** de Blainville, Ostéogr. (Lemur) June 1839, 12.—M.
- Bradylus** *err. pro* Bradytus, Steph.; M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3) 1844, 447.
- Bradyornis** C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4) 1850, 105.—A.
- Bradypetes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Bradyepetes, Steph.
- Bradypodium** L. Fitzinger, Syst. Rept. 1843, 15 & 43.—R. [Fitz.]
- Bradypodium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Bradypodium,
- bradyporina** Acronicta (Huebner), F. Ochsenheimer, Schmett. Europa, IV. 1816, 62.—Noctua.
- bradyporina** Apatela (Ochs.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 42.—Acronicta.
- bradyporina** Noctua, J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 160.
- Bradyporus** T. v. Charpentier, Horae Ent. 1825, 96.—Orth.
- Bradypterus** W. Swainson, N. H. Classif. Birds, II. June 1837, 241 & 379.—A. [*typo*].
- Bradyptesis** W. Soderovsky, Bull. Soc. Imp. Nat. Moscou, 1837 (6) 1837, 83.—Lep. [*sine*
- Bradyptetus** *err. pro* Bradypterus, W. Swainson, N. H. Classif. Birds, II. June 1837, 241
- Bradyrhaea** Zeller, 1848 [*err. Marschalli pro* Bradyrrhoa, *q. v.*]. [& 379.—A.]
- Bradyrrhoa** P. C. Zeller, Isis (Oken), 1848, 681 [*err.* "861"].—Lep.
- Bradyrscelis** Dupont in Burmeister, Handb. Ent. V. 1847, 74.—Col.
- Bradytes** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 182.—Col.
- Bradytes** J. Gistel, Nat. Thierr. 1848, p. xi.—R.
- Bradytoma** F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. July 1843, 194; Spec. et Icon. Anim. artic. (3) 1843, 1.—Col.
- Bradytus** J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 136.—Col.
- Bradyus** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 190.—Col.
- braesia** Inostemma, F. Walker, Mon. Chalcid. II. 1839, 58.
- braesia** Musca, F. Walker, List Dipt. Coll. B. M. (4) 1849, 891.
- brag** Ardea, I. Geoffroy in Jacquemont, Voy. Inde, IV. 1843, 85.
- brahamae** Ballida, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1042.

- brahma** Ammonites, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 100.
- brahma** Bombyx, A. Lefebvre, Zool. Journ. III (10) July [*i.e.* Sept.] 1827, 208.
- brahma** Cremastocheilus, Gory & Percheron, Mon. Cétoines (1) 1833, 51; (4) 1834, 120.
- brahma** Ptychophorus (G. & P.), Burmeister & Schaum in Gernar, Zeitschr. f. d. Entom. III. 1841, 274.—Cremastocheilus. [cheilus.
- brahma** Rhagopteryx (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 650.—Cremasto-
- Brahmapicus** A. Malherbe, Mém. Ac. Metz, XXX (*post* May) 1849, 344.—A.
- Brahmina** [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 140.—Col.
- brahminica** Arca, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 149. [97.
- brahminus** Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, *sed me* *judice* 1836],
- brahminus** Copris, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 22.
- brahminus** Lucanus, F. W. Hope, Proc. Linn. Soc. London (14) Mar. 1842, 127.
- brahminus** Satyrus, E. Blanchard in Jacquemont, Voy. Inde, IV. 1844, 22.
- braikenridgii** Ammonites, J. Sowerby, Min. Conch. II. 1817, 187.
- Brairdia** F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 22 [*n. n.*]; *emend.* Bairdia, Syn. Carb. Lst. foss. Ireland, 1844, 164.—Cr.
- Brama** J. G. Schneider, Bloch, Syst. Ichth. 1801, 98.—P.
- brama** Abramis (L.), H. Cloquet, Dict. Sci. Nat. (ed. 2) V (Suppl.) Mar. 1817, 72.—Cyprinus, 1758.
- brama** Abramis (L.), G. Cuvier, R. Anim. II. 1817, 194.—Cyprinus, 1758.
- brama** Athene (Temm.), G. R. Gray, List Birds Coll. B. M. I. 1844, 50.—Strix.
- brama** Cantharus (Bl.), G. Cuvier, R. Anim. II. 1817, 279.—Sparus, 1791.
- brama** Cantharus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 328.
- brama** Cerambyx, E. Newman, Entom. Mag. V (5) Oct. 1838, 493.
- brama** Cichla (Bloch), J. G. Schneider, Bloch, Syst. Ichth. 1801, 337.—Sparus, 1791.
- brama** Coricus, A. v. Nordmann in Demidoff, Voy. Russie, III. 1840, 464. [—Strix.
- brama** Noctua (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 65.
- brama** Onthophagus, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 521.
- brama** Papilio, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. Feb. 1840, 43.
- brama** Phacolepis, L. Agassiz, Edinburgh New Phil. Journ. XXX (59) Jan. 1841, 83.
- brama** Prochilodus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 82.
- brama** Pterycombus, B. F. Fries, K. Vet. Ac. Handl. 1837 (1838), 15.
- brama** Rana, R. P. Lesson in C. Bélanger, Voy. Indes Orient. (5) Sept. 1832, 329.
- brama** Rhacolepis, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 497 [*n. n.*].
- brama** Rhynchonella, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 343.
- brama** Strix, C. J. Temminck in T. & Laugier, Pls. color. (12) Ap. 1822. [1776.
- bramae** Distoma (Müll.), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 218.—Fasciola,
- bramae** Ligula, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 263.
- bramante** Laeviraja, A. Sassi in G. B. Verany in Descr. Genova, I. 1846, 132.
- Bramatherium** H. Falconer, Q. J. Geol. Soc. London, I. 1845, 365.—M.
- brambyi** Amphorosteus, R. W. Gibbes, P. Amer. Assoc. 1849 (1850), 77 [*n. n.*].
- bramicus** Argyrophis (Daud.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 138.—Eryx.
- braminus** Ateuchus, Ill.; J. Sturm, Catal. Ins. Samml. 1826, 98.
- braminus** Coluber, F. M. Daudin, Sonnini's Buffon, Rept. VII (1803), 176.
- braminus** Eryx, F. M. Daudin, Sonnini's Buffon, Rept. VII (1803), 279.
- braminus** Formicomus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 10 ["Mon. Anth." *poster. edit.*].
- bramina** Libellula, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 195.
- bramina** Sternocera, A. Chevrolat, Revue Entom. V (1) c. Sept. 1838, 46.
- braminus** Typhlops, G. Cuvier, Règne Anim., ed. 2, II. 1829, 73.
- bramoides** Barbus, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 160.
- bramula** Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 357.
- Branchastraea** H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 346.—Coel.
- Branchellion** J. C. Savigny, Egypte, I (3) (Ann.) 1822, 109.—Ann.
- branchialis** Ammocetus (L.), H. D. de Blainville, Faune Française (13 & 14) Poissons, 1825, 3.—Petromyzon, 1758.
- branchialis** Arenicola, Audouin & Edwards, Ann. Sci. Nat. XXX (120) Dec. 1833, 422.

- branchialis** Cavolina (Müll.), de Blainville, Dict. Sci. Nat. VII. 1817, 313.—Doris, Ratke.
- branchialis** Doris, J. Ratke in Müller, Zool. Dan., ed. 3, IV. 1806, 33.
- branchialis** Eolidia (Müll.), G. Cuvier, R. Anim. II. 1817, 393.—Doris, Ratke.
- branchialis** Lampetra, L. Oken, Lehrb. Nat. III (2) 1816, 131. [376.—Lernaea, 1767.
- branchialis** Lerneocera (L.), H. D. de Blainville, Journ. de Physique, XCV. Nov. 1822,
- branchialis** Praniza, A. W. Otto, N. A. Ac. Caes. Leop. Car. XIV (1) 1828, 348.
- branchialis** Rhynchorhinus, J. L. R. Agassiz, Poiss. Foss. V (2), 139 (1844).—[*n. n.*]
- branchialis** Rhynchorhinus, L. Agassiz, 14 Rept. Brit. Assoc. (York, 1844) 1845, 308
- Branchiarius** G. Montagu, Tr. Linn. Soc. London, XI (2) 1815, 202.—Verm. [*n. n.*].
- branchiata** Actinotrocha, J. Mueller, Arch. Anat. Phys. Med. 1846, 101.
- branchiatus** Colymbetes, C. C. Babington, Mag. Nat. Hist. V. May 1832, 329.
- branchiatus** Leuciscus, J. M'Clelland, Asiat. Researches, XIX (2) 1839, 293.
- branchiata** Pholas, A. A. Gould, Boston Journ. N. H. V (2) 1845, 290.
- branchiata** Valvata, F. v. P. Gruithuisen, N. A. Ac. Caes. Leop. Car. X (2) 1821, 439.
- Branchiobdella** A. Odier, Mém. Soc. H. N. Paris, I (1) 1823, 75.—Verm.
- Branchiobdellion** Rudolphi, *v.* Index Anim. I. 1902, 140. [bdellion, Rud.
- Branchiobdellium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Branchio-
- branchion** Scorpaena, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 259.
- Branchionereis** de Blainville, Bull. Sci. Soc. Philom. Paris, 1818 (Feb.), 82.—Verm.
- Branchionus** *id. ac* Brachionus, Pall. 1766; W. Turton, Linnaeus, Syst. Nat. IV. 1802, 693.
- Branchiopoda** Lamarck, Syst. Anim. 1801, 161.—Cr.
- Branchiopus** C. Duméril, Zool. Analyt. 1806, 332.—Cr. [Branchiope, *vernac.* 176, 177].
- Branchiopus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Branchipus, Latr. (Lam.).
- branchiostegalis** Anguilla, J. L. R. Agassiz, Poiss. Foss. IV. 44 (1835); V (2), 136
- Branchiostegus** C. S. Rafinesque, Analyse, 1815, 86.—P. [(1844).—*n. n.*]
- branchiostegus** Caturus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 14 (1834); II (2), 294 (1844). [(1844).]
- branchiostegus** Uraeus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 14 (1834); II (2), 294
- Branchiostoma** O. G. Costa, Ann. Zool. (Cenni zool.) 1834, 49.—P.
- Branchiostoma** G. Newport, Tr. Linn. Soc. London, XIX (4) 1845, 411.—Myr.
- Branchiotoma** J. O. Westwood, Tr. Entom. Soc. Lond. III (2) Sept. 1842, 108.—Ins.
- Branchiphus** C. S. Rafinesque, Analyse, 1815, 134.—Verm. [*n. n.*].
- Branchipus** J. C. Schaeffer, Elem. Entom. 1766, Tab. Gen. no. 103, pl. xxix.—Cr.
- Branchipus** P. A. Latreille in Cuvier, Règne Anim. III. 1817, 67.—Cr.
- Branchipus** Lamarck, An. s. vert. V. 1818, 134.—Cr.
- Branchiura** H. Burmeister, 1834; [*teste* Agassiz; *sed nom. fam. non gen.*].
- Branchiurus** D. Viviani, Phosph. maris, 1805, 13.—Verm. [1846, 53.
- Branchocela** *err. pro* Bronchocela, Kaup, 1827; L. Agassiz, Nomen. Zool. Index Univ.
- branchus** Papilio, E. Doubleday, Ann. Mag. N. H. XVIII. Dec. 1846, 373.
- branchycerus** Cervus, J. J. Kaup in H. v. Meyer, Palaeologica, 1832, 94 [*n. n.*].
- Brandaris** C. S. Rafinesque, Analyse, 1815, 145.—G. [*n. n.*].
- Brandaris** Megerle in MS Cat.; *teste* Scudder, Nom. Zool. (Suppl.) 1882, 49.—G.
- branderi** Arca, J. Sowerby, Min. Conch. III. 1821, 135.
- branderi** Arcopagia (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 376.—Tellina.
- branderi** Buccinum, P. H. Nyst, Mess. Sci. Arts Belg. IV. 1836 [178].
- branderi** Byssoarca (J. Sow.), J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 169.—
- branderi** Mitra, Defrance, Dict. Sci. Nat. XXXI. 1824, 492. [Arca.
- branderi** Oliva, J. Sowerby, Min. Conch. III. 1821, 159.
- branderi** Oliva, P. L. Duclos, H. N. Coq. (Olive) 1835, pl. 18 *bis* [*n. et f.*].
- branderi** Pholas, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 97.
- branderi** Tellina, J. De C. Sowerby, Min. Conch. IV. 1823, 143.
- branderi** Trochus, Defrance, Dict. Sci. Nat. LV. 1828, 473.
- branderi** Voluta, Defrance, Dict. Sci. Nat. LVIII. 1829, 477.
- brandariana** Lozotaenia (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Phalaena,
- brandarianum** Solarium, A. Risso, H. N. Europe, IV. 1826, 139. [1758.
- Brandierius** C. S. Rafinesque, Analyse, 1815, 93.—P. [*n. n.*] = Cecilia, Lac.
- brandesii** Trigla, P. Bleeker, Nat. Tijd. Ned. Indie, I (1) 1850, 24.

- brandis** Cerithium, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 180.
- brandis** Cidaris, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 269.
- brandis** Pleurotomaria, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 164.
- brandis** Spirifer, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 228.
- brandis** Turbo (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 193.—Pleuro-
- brandtii** Arca, R. A. Philippi, Abb. Conch. II (1) 1845, 29. [tomaria.]
- brandtii** Aylax (Ratz.), T. Hartig; E. F. Germar, Zeitschr. f. d. Entom. 2 (I) 1840, 196.
—Cynips. [[Mar. 1835], 352.
- brandtii** Carabus, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5)
- brandtii** Chiton, A. T. v. Middendorff, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. VI
(7) Ap. 1847, 117.
- brandtii** Chiton (Stenosemus), T. v. Middendorff, Mém. Ac. Imp. Sci. St Pétersb. [6]
VIII (=Sci. Nat. VI.) (1 & 2), Feb. 1848, 192.
- brandtii** Cynips, J. T. C. Ratzeburg, Jahrb. Pharm. XXXII. 1831, 183.
- brandtii** Daphnia, S. Fischer, Mém. présentés Ac. Imp. Sci. St Pétersb. VI (2) 1848, 177.
- brandtii** Dorcadion, F. Gebler, Bull. Soc. Imp. Nat. Moscou, 1841 (4) 1841, 610.
- brandtii** Garrulus, E. Eversmann, Uchen. Zap. Kazansk. Univ. 1842 (3) 1842, 8.
- brandtii** Legia, H. Rathke, Mém. présentés Ac. Imp. Sci. St Pétersb. III (3 & 4) Sept.
1837, 386.
- brandti** Leucosticte, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 537.
- brandtii** Ligia, H. Rathke, Zur Morph. Reisebemerck. Taurien, 1837, 64.
- brandtii** Neritina, R. A. Philippi, Zeitschr. f. Malakozool. (Nov.) 1848 [Mar. 1849], 161.
- brandtii** Polydesmus, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères,
IV. 1847, 104.
- brandtii** Pteromalus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 188. [505.]
- brandtii** Vespertilio, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (2) 1845,
- brandtiana** Scolopendra, F. L. P. Gervais, Ann. Sci. Nat. [2] (Zool.) VII. Jan. 1837, 50.
- brandusius** Murex, G. D. Nardo (ex Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847,
- Brangas** J. Huebner, Verz. bekannt. Schmett. 1818, 80.—Lep. [57.]
- branscombi** Fusus, W. Clark, Ann. Mag. N. H. (2) IV. Dec. 1849, 425.
- Branta** L. Oken, Lehrb. Nat. III (1) 1815, 362.—Cr.
- Branta** F. Boie, Isis (Oken), 1822, 564.—A.
- brantsii** Eurytotis, A. Smith, S. African Quart. Journ. II. no. 2 (2) Mar. 1834, 150.
- brantsii** Gerbillus, A. Smith, Rpt. Exp. C. Afr. 1836, 43.
- brardii** Coelogonia (Brngn.), H. G. Bronn, N. Jahrb. f. Min. 1837, 164.—Mytilus.
- brardii** Dreissena (Brongn.), H. G. Bronn, Lethaea Geogn. II (9-) 1838, 923.—Mytilus.
- brardii** Dreissina (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 170.—Mytilus.
- brardii** Mytilus, Al. Brongniart, Mém. terr. Vicentin, 1823, 78.
- brardii** Tichogonia (Brongn.), Potiez & Michaud, Gal. Moll. Douai, II. 1844, 136.—Mytilus.
- brardianum** Cyclostoma, L. Partiot, Mém. Cyclost. 1848, 34.
- braselis** Heliconia, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 207.
- brasierii** Muscicapa, J. P. Giraud, Descr. N. Amer. Birds, 1841.
- brasilas** Teles, F. Walker, Entom. Mag. III (4) Jan. 1836, 365. [Apis, 1767.]
- brasilianorum** Xilocopa (Fab.), P. A. Latreille, H. N. Fourmis, etc. May 1802, 432.—
- brasilianorum** Xylocopa (L.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 380.—
Apis, 1767.
- brasiliana** Aplysia, P. S. Rang, H. N. Aplysiens, 1828, 55.
- brasiliana** Arca, Lamarck, An. s. vert. VI (1) 1819, 44.
- brasilianum** Buccinum, Lamarck, An. s. vert. VII. 1822, 272.
- brasilianus** Carbo, J. B. v. Spix, Avium Brasil. II. 1825, 83.
- brasilianum** Cardium, Lamarck, An. s. vert. VI (1) 1819, 5. [mulgus, 1788.]
- brasilianus** Chordeiles (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 63.—Capri-
- brasiliana** Chrysis, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) V. May 1842, 146.
- brasiliana** Coccothraustes (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves), XIV
(1) 1826, 87.—Loxia, 1788. [Gm. 1788.]
- brasiliana** Coereba (Lath.), L. P. Vieillot, Ency. Méth. (Orn.) 1822, 611.—Certhia,
- brasilliana** Cymbiola, W. Swainson, Treat. Malacol., May 1840, 317.
- brasilianus** Dacnis (Gm.), G. R. Gray, Genera of Birds, I. Jan. 1846, 102.—Certhia, 1788.

- brasilianus** Diplopterus (Less.), G. R. Gray, Genera of Birds, II. Sept. 1846, 456.—Piaya.
- brasilianus** Dipropus, E. F. Germar, Zeitschr. f. d. Entom. I (2) 1839, 217.—Elater, 1824.
- brasilianus** Elater, E. F. Germar, Ins. Spec. novae, I. 1824, 55.
- brasilianum** Fusus, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1849), 142.
- brasilianus** Gerres, Cuvier & Valenc., H. N. Poiss. VI. 1830, 458.
- brasilianus** Haliæus, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 38.
- brasiliana** Helix, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 211 (Dd*).
- brasiliana** Hylotoma, F. Klug, Ges. Nat. Fr. Berlin, Mag. VI (4) 1814, 308.
- brasiliana** Lutra, G. Shaw, Gen. Zool. (Mamm.), I (2) 1800, 446.
- brasiliana** Mactra, Lamarck, An. s. vert. V. 1818, 478.
- brasiliana** Melolontha, Dejean, Catal. Coléopt. 1821, 57 [*n. n.*].
- brasilianus** Mergus, L. P. Vieillot, Gal. des Ois. II (5) 1826, 209.
- brasilianus** Mus, Desmarest, Dict. Sci. Nat. XLIV. 1826, 483.
- brasiliana** Oliva, Lamarck, Ann. Mus. H. N. (Paris) XVI (94) *inter* Jan.—Mar. 1811, 322.
- brasiliana** Oliva, H. D. de Blainville, Man. Malac. 1825, 624.
- brasiliana** Ostrea, Lamarck, An. s. vert. VI (1) 1819, 205.
- brasilianus** Parnus, F. Klug, N. A. Ac. Caes. Leop. Car. XII (2) 1825, 431.
- brasilianus** Percophis, G. Cuvier, R. Anim., ed. 2, II. Ap. 1829, 153.
- brasilianus** Percophis, Cuvier & Valenc., H. N. Poiss. III. 1829, 281.
- brasilianus** Phalacrocorax (Licht.), C. L. Bonaparte, N. Giorn. Letter. Pisa, no. 64, 1832 [7].—Haliæus. [Procellaria, 1788.
- brasilianus** Phalacrocorax (Gm.), G. R. Gray, List Birds Coll. B. M. III. 1844, 185.—
- brasiliana** Piaya, R. P. Lesson, Rev. Zool. (Soc. Cuv.) Feb. 1839, 41.
- brasilianus** Pinguipe, Cuvier & Valenc., H. N. Poiss. III. 1829, 277.
- brasiliana** Platysma, J. Sturm, Catal. Ins. Samml. 1826, 185 [*n. n.*].
- brasilianum** Plectropoma, Cuvier & Valenc., H. N. Poiss. II. 1828, 397.
- brasiliana** Rana, G. Shaw, Gen. Zool. (Amph.) III (1) 1802, 160.
- brasilianus** Selenops, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836],
- brasiliana** Sylvia, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 35. [548.
- brasiliana** Tellina, Lamarck, An. s. vert. V. 1818, 532.
- brasilianus** Thelyphonus, C. L. Koch, Die Arachniden, X (2) 1842-3, 24.
- brasilianus** Trochus, C. T. Menke, Syn. meth. Moll. 1828, 85.
- brasiliana** Turbinella, A. d'Orbigny, Amér. Mérid. (Moll.) 1841, 449.
- brasiliana** Vipera, F. M. Daudin, Sonnini's Buffon, Rept. VI (1803), 86.
- brasiliana** Voluta, D. Solander, Catal. Portland Mus. 1786, 186 [*n. n.*].
- brasiliana** Voluta, Lamarck, Ann. Mus. H. N. (Paris) XVII (97) Ap. 1811, 62.
- brasilica** Peltis, M. Perty, Del. anim. artic. Brasil. (1) 1830, 34.
- brasilienis** Acamarchis, A. d'Orbigny, Amér. Mérid. (Zooth.) 1839, 10.
- brasilienis** Acara (Q. & G.), J. Heckel, Ann. Wiener Mus. II [3] 1840, 361.—Chromis.
- brasilienis** Adelocera, Laporte, Revue Entom. IV (1) 1836, 14.
- brasilienis** Agama, G. Raddi, Mem. Soc. Ital. Sci. XIX. 1823, 58.
- brasilienis** Agrilus, Laporte & Gory, H. N. Coléopt. II. 1839, 69.
- brasilienis** Anabates, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 20 [*n. n.*].
- brasilienis** Anchomenus, Dejean, Spec. gén. Coléopt. III. 1828, 123.
- brasilienis** Anthus, M. H. C. Lichtenstein, Preis-Verz. Säug. Vög. Doubl. Zool. Mus. Berlin, 1819, 38.
- brasilienis** Aphodius, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- brasilienis** Aplysia, G. B. Sowerby, II., Gen. Shells (39) 1833. [95.
- brasilienis** Aptenodytes, Lichtenstein in Forster, Descr. Anim. 1844, 355.
- brasilienis** Ardistomis, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 643.
- brasilienis** Astropecten, Joh. Mueller & Troschel, Syst. Asterid. 1842, 68.
- brasilienis** Atherina, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 332.
- brasilienis** Atractocerus, Dejean, Catal. Coléopt. 1821, 39 [*n. n.*].
- brasilienis** Atractocerus, Le Peletier & Serville (*ex* Dej.), Ency. Méth. X (Ins.) 1825, 309.
- brasilienis** Attila, R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Jan. 1831, 360.
- brasilienis** Attus (Lucas), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 417.—Salticus.

- brasiliensis** Axinophorus, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, 271.
brasiliensis Balaenoptera, J. E. Gray, List osteol. spec. B. M. 1847, 142.
brasiliensis Balistes, J. G. Schneider, Bloch, Syst. Ichth. 1801, 470.
brasiliensis Basoleia (G. R. Gray), J. O. Westwood, Magasin de Zool. V. 1835, pl. 132.—
 Axinophorus.
brasiliensis Bittacus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1836 (1838), 98.
brasiliensis Bombus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836
 [1835], 470. [602.—Ardea, 1766.
brasiliensis Botaurus (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819,
brasiliensis Brachinus, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 201.
brasiliensis Bruchus, C. P. Thunberg, K. Vet. Ac. Handl. 1816 (1) 1816, 45. [1766.
brasiliensis Callispiza (L.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 27.—Tanagra,
brasiliensis Calliste (L.), G. R. Gray, Gen. Birds, II. July 1844, 366.—Tanagra, 1766.
brasiliensis Campanularia, F. J. F. Meyen, N. A. Ac. Caes. Leop. Car. XVI. (Suppl.)
brasiliensis Canis, Max Wied, Abb. Naturges. Brasil. (6) 1824. [1834, 198.
brasiliensis Canis, P. W. Lund, Afhandl. K. Danske Vid. Selsk. XI. 1845, 10.
brasiliensis Capsa, Lamarck, An. s. vert. V. 1818, 553.
braziliensis Carollia, J. E. Gray, Mag. Zool. Bot. II (12) Feb. 1838, 488.
brasiliensis Catascopus, Dejean & Boisduval, Icon. Coléopt. I. 1830, 179.
brasiliensis Cathartes, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 9.—Vultur, 1850.
brasiliensis Cavia (L.), A. Desmarest, Nouv. Dict. H. N. XXIV (Tab.) 1804, 25.—
 Lepus, 1758.
brasiliensis Centropistis, Brisout de B., Rev. Zool. (Soc. Cuv.) X. Ap. 1847, 131.
brasiliensis Cerambyx, W. Turton, Linnaeus, Syst. Nat. II. 1802, 294.
brasiliensis Cerapterus, J. O. Westwood, Proc. Linn. Soc. London (9) Nov. 1840, 75.
brasiliensis Cerapterus (Homopterus), J. O. Westwood, Tr. Linn. Soc. London, XVIII
 (4) 1841, 584.
brasiliensis Ceryle (Gm.), G. R. Gray, Genera of Birds, I. Sept. 1847, 82.—Alcedo, 1788.
brasiliense Cerylon, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 93 [n. n].
brasiliensis Charadrius, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 33.
brasiliensis Chironomus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 15.
brasiliensis Chlaenius, Dejean, Ann. Sci. Nat. XX (78) June 1830, 229 [n. n].
brasiliensis Chlaenius, Dejean, Spec. gén. Coléopt. V. 1831, 649.
brasiliensis Chlorichthys, W. Swainson, N. H. Fishes etc. II. July 1839, 232.
brasiliensis Chromis, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 286. [1846, 35.
brasiliensis Chrysis, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
brasiliensis Chrysomela, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 80 [n. n].
brasiliensis Chrysotis (L.), G. R. Gray, Genera of Birds, II. Feb. 1846, 422.—Psittacus,
 1758.
brasiliensis Cichla (Bloch), J. G. Schneider, Bloch, Syst. Ichth. 1801, 339.—Perca, 1792.
brasiliensis Cicindela, Dejean, Catal. Coléopt. 1821, 2 [n. n.]; Spec. gén. Coléopt. I.
brasiliensis Clupea, J. G. Schneider, Bloch, Syst. Ichth. 1801, 427. [1825, 28.
brasiliensis Clytus, Dejean, Catal. Coléopt. 1821, 111 [n. n].
brasiliensis Colydium, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 169 [n. n].
brasiliensis Conger, C. Ranzani, De Nov. Pisc. (1) 1840, 17; N. Comm. Ac. Sci. Inst.
 Bonon. IV. 1840, 79. [113.
brasiliensis Coptocephalus, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832,
brasiliensis Cordylus, L. J. Fitzinger, Neue Classif. Rept. 1826, 50 [n. n].
brasiliensis Cottus, Lichtenstein in Ersch & Gruber, Allg. Ency. XX. 1829, 34.
brasiliensis Craspedocephalus (Latr.), J. E. Gray, Cat. Snakes Coll. B. M. 1849, 5.—
 Vipera brasiliiana.
brasiliensis Crithagra (Sp.), J. Gould, Zool. "Beagle" (Birds, 1839), 88.—Fringilla.
brasiliensis Crithagra (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 521.—
 Emberiza, 1788. [(Ap.), 64.
brasiliensis Ctenomys, H. M. D. de Blainville, N. Bull. Sci. Soc. Philom. Paris, 1826
brasiliensis Ctenophyllia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 279.
brasiliensis Cyclodontina (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 88.—
brasiliensis Cyclops, J. D. Dana, P. Amer. Ac. I. 1848, 150. [Helix.

- brasilienis** Cyclostoma, G. B. Sowerby, I., Thes. Conch. I (3) *ante* 23 June 1843, 92.
brasilienis Cyclostus (Sow.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 6.—Cyclostoma.
braziliensis Cymbiola, W. Swainson, Treat. Malacol., May 1840, 118.
brasilienis Dacne, T. Lacordaire, Mon. Erotyl., Sept. 1842, 72.
brasilienis Dasycephala (Less.), G. R. Gray, Genera of Birds, III. App. 1849, 9.—
 Turdus, Gm. 1788. [1830, 33.]
brasilienis Dejeania, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
brasilienis Deltochilum (Lap.), H. Burmeister, Zeitung f. Zool. I (17) Ap. 1848, 135.—
 Hyboma. [II. 1830, 707.]
brasilienis Dichromya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
brasilienis Diodon, R. P. Lesson, Traité Ornith. (2) May 1830, 95.
brasilienis Diplodonta, H. Mitthe, Journ. de Conch. I (3) Aug. 1850, 240.
brasilienis Diplodus (Le P. & S.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères,
 1843, 370.—Reduvius.
brasilienis Donacina (Lam.), C. T. Menke, Syn. meth. Moll. 1828, 69.—Capsa.
brasilienis Donacobius (L.), A. d'Orbigny, Amér. Mérid. (Ois.) 1838, 213.—Turdus,
brasilienis Donax, H. D. de Blainville, Man. Malac. 1825, 549. [Gm. 1788.]
brasilienis Donax (Lam.), A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 540.—Capsa.
brasilienis Echinaster, Joh. Mueller & Troschel, Syst. Asterid. 1842, 22.
brasilienis Echinomyia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II.
 1835, 77.—Dejeania.
brasilienis Elater, Dejean, Catal. Coléopt. 1821, 32 [*n. n.*].
brasilienis Elodes, F. E. Guérin-M., Spec. et Icon. Anim. artic. (3) 1843, 7.
brasilienis Embia, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 347.
brasilienis Eneoptera (Fab.), H. Burmeister, Handb. Ent. II (2) i, 1838, 736.—Acheta,
brasilienis Enithares, M. Spinola, Ess. Ins. Hémipt. 1837, 60. [1775.]
brasilienis Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841],
brasilienis Ephialtes (T. & S.), G. R. Gray, Gen. Birds, I. Sept. 1845, 38.—Otus. [101.]
brasilienis Epilampra (Fab.), H. Burmeister, Handb. Ent. II (2) i, 1838, 505.—Blatta,
brasilienis Erythrinus, J. B. v. Spix, Pisc. Brasil. 1829, 45. [1775.]
brasilienis Estheria, W. Baird, Proc. Zool. Soc. London, XVII (195) Jan.–June 1850, 89.
brasilienis Eudyptes (Licht.), G. R. Gray, Gen. Birds, III. July 1846, 641.—Aptenodytes.
brasilienis Falagria, R. F. Sahlberg, Acta Soc. Sci. Fennicae, II (2) 1845, 516. [300.]
brasilienis Foenus, E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840,
brasilienis Forficula, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 184.
brasilienis Fringilla, J. B. v. Spix, Avium Brasil. II. 1825, 47.
brasilienis Fringilla (Gm.), C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth.,
 Jan. 1839, 45.—Emberiza, 1788.
brasilienis Fundulus, Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1821), 163.
brasilienis Galerita, Dejean, Spec. gén. Coléopt. II. 1826, 442.
brasilienis Galleruca, Dejean, Catal. Coléopt. 1821, 117 [*n. n.*].
brasilienis Glaucia (Lath.), F. Boie, Isis (Oken), 1831, 545.—Trochilus, 1790.
brasilienis Gobius, J. G. Schneider, Bloch, Syst. Ichth. 1801, 69.
braziliensis Goniotropis, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, 274.
brasilienis Gorytes, W. E. Shuckard, Tr. Entom. Soc. Lond. II (1) Feb. 1838, 80.
brasilienis Graculus, G. R. Gray, Genera of Birds, III. Jan. 1845, 667.
brasilienis Gymnetis, Gory & Percheron, Mon. Cétoines (2) 1834, 73; (14) 1836, 370.
brasilienis Gymnothorax, J. G. Schneider, Bloch, Syst. Ichth. 1801, 529. [44.]
brasilienis Gynandropus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (7) 1837,
brasilienis Harrisia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
braziliensis Helicina, J. E. Gray, Zool. Journ. I (1) Mar. 1824, 66. [1830, 324.]
brasilienis [Helix] (Cochlodonta), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
brasilienis Helluo, Dejean, Spec. gén. Coléopt. I. 1825, 288. [1821, 64.]
brasilienis Hemiramphus (L.), G. Cuvier, R. Anim. II. 1817, 186.—Esox.
brasilienis Hexaphyllum, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, 536.
brasilienis Himantopus, C. L. Brehm, Lehrb. Nat. europ. Vögel, II. 1824, 987.
brasilienis Hippoglossus, C. Ranzani, De Nov. Pisc. (2) 1840, 12; N. Comm. Ac. Sci.
 Inst. Bonon. V. 1842, 10.

- brasiliensis** Hister, G. Paykull, Mon. Hister. 1811, 66. [551.—Mus.]
- brasiliensis** Holochilus (Geoff.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1843.
- brasiliense** Hyboma, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 73.
- brasiliensis** Hybosorus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 108.
- brasiliensis** Hydrocynus, Cuvier, Règne Anim. II. 1817, 167. [1840, 108.]
- brasiliensis** Hydrophilus, J. Sturm, Catal. Ins. Samml. 1826, 155 [*n. n.*].
- brasiliensis** Hydrophilus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 50.
- brasiliensis** Hylecaetus, Dejean, Ann. Sci. Nat. XX (79) July 1830, 251 [*n. n.*].
- brasiliensis** Hylecaetus, Laforte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 398.
- brasiliensis** Icelia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 224.
- brasiliensis** Ischyryus, T. Lacordaire (*ex* Dej. Cat., ed. 3, 1836, 452), Mon. Erotyl., Sept.
- brasiliensis** Jacamaralcyon, R. P. Lesson, Traité Ornith. (3) July 1830, 235. [1842, 91.]
- brasiliensis** Jacana, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 338.
- brasiliensis** Julis (Bl.), G. Cuvier, R. Anim. II. 1817, 262.—Labrus, 1791.
- brasiliensis** Jurinia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- brasiliensis** Kerivoula, J. E. Gray, Ann. Mag. N. H. XI. Feb. 1843, 117. [1830, 35.]
- brasiliensis** Lagostomus, Lund, Ann. Sci. Nat. [2] (Zool.) XIII. May 1840, 313 [*n. n.*].
- brasiliensis** Lathridius, C. G. Mannerheim in Germar, Zeitschr. f. d. Entom. V. 1844, 91.
- braziliensis** Leilus, W. Swainson, Zool. Illust. (2) III (27) 1833, pl. 126.
- brasiliensis** Leptipalpus, C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Nov.], 183.
- brasiliensis** Leptotrachelus, Dejean, Spec. gén. Coléopt. V. 1831, 287.
- brasiliensis** Lepus, F. Cuvier, Dict. Sci. Nat. XXVI. 1823, 310.
- brasiliensis** Limnobiobrychus, J. O. Westwood, Ann. Soc. Ent. France, IV (4) *post* Feb.
- brasiliensis** Lixus, Dejean, Catal. Coléopt. 1821, 97 [*n. n.*]. [1836, 683.]
- brasiliensis** Lixus, D. H. Schneider, Verz. Insectensamml. 1828, 80 [*n. n.*].
- brasiliensis** Loligo, Froriep, Das Thierreich, 1806, 38.
- brasiliensis** Loligo, H. D. de Blainville, Journ. de Physique, XCVI. Mar. 1823, 132.
- brasiliensis** Lontra (Zimm.), J. E. Gray, Ann. Mag. N. H. XI. Feb. 1843, 118.—Lutra, 1780.
- brasiliensis** Lucina, R. A. Philippi, Zeitschr. f. Malakozool. (Oct.) 1848 [Mar. 1849], 150.
- brasiliensis** Ludius, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840.
- brasiliensis** Lutianus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 329. [241.]
- brasiliensis** Macroductylus, J. Sturm, Catal. Ins. Samml. 1826, 167 [*n. n.*]. [? Spix.]
- brasiliensis** Macrodon (Ag.), J. Müller, Ber. Verh. k. pr. Ak. Wiss. 1842, 178.—Erythrinus,
- brasiliensis** Mareca (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 138.—Anas, 1788.
- brasiliensis** Megacephala, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 376.
- brasiliensis** Megacephala, Dejean, Spec. gén. Coléopt. I. 1825, 11.
- brasiliensis** Megistocera, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 554.
- brasiliensis** Melania (Mor.), R. A. Philippi, Abb. Conch. II (6) 1847, 169.—Melanopsis.
- brasiliensis** Melanopsis, S. Moricand, Mém. Soc. Phys. H. N. Genève, VIII (1) 1838, 144.
- brasiliensis** Mergus, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 31 [*n. n.*].
- brasiliensis** Mimus, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 662.
- brasiliensis** Modiola, J. E. Gray, Ann. Phil. XXV. Feb. 1825, 139.
- brasiliensis** Modiola, S. Hanley, Ill. Cat. Bivalve Shells (3) *extremo* 1843, 234.
- braziliensis** Molossus, J. E. Gray, List Mamm. Coll. B. M. 1843, 36 [*n. n.*].
- brasiliensis** Monocca, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 529.
- brasiliensis** Morio, Dejean, Catal. Coléopt. 1821, 4 [*n. n.*].
- brasiliensis** Morio, Dejean, Spec. gén. Coléopt. I. 1825, 432.
- brasiliensis** Mugil, J. B. v. Spix, Pisc. Brasil. 1831, 134.
- brasiliensis** Mus, Geoffroy, N. Dict. H. N., ed. 2, XXIX. 1819, 62.
- braziliensis** Mus, G. R. Waterhouse, Zool. "Beagle" (Mam. 1839), 58. [p. 356.]
- brasiliensis** Mustela, A. Sevastianov, Mém. Ac. Imp. Sci. St Pétersb. IV. 1813, pl. iv &
- brasiliensis** Mustela (Putorius), A. d'Orbigny & P. Gervais, Amér. Mérid. (Mamm.) 1847, 20.—Mustela, Sevast.

- brasilienis** Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France. II. 1830, 338.
- brasilienis** Narcine (Olf.), F. G. J. Henle, Ueber Narcine, 1834, 31.—Torpedo
- brasilienis** Naucoris, J. Gistel, Nat. Thierr. 1848, 149.
- brasilienis** Numenius, Max Wied, Beitr. Naturges. Brasil. IV (2) 1833, 708.
- brasilienis** Nyctinomus, I. Geoffroy, Ann. Sci. Nat. I (4) Ap. 1824, 343.
- brasilienis** Odacantha, Dejean, Ann. Sci. Nat. XX (78) June 1830, 221 [n. n.].
- brasilienis** Olinda, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- brasilienis** Oliva, C. F. Schumacher, Essai Vers test. 1817, 244. [1830, 116.
- brasilienis** Oliva, L. Reeve (*ex* Chemn.), Conch. Icon. VI.—Oliva, no. 13, Aug. 1850.
- brasilienis** Olivancillaria (Lam.), A. d'Orbigny, Amér. Mérid. (Moll.) 1841, 420.—Oliva
- brasilienis** Onthophagus, J. Sturm, Catal. Ins. Samml. 1826, 177 [n. n.]. [brasiliانا.
- brasilienis** Oodes, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 760.
- braziliensis** Ophyessa, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 40.
- braziliensis** Oplurus (Laur.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 222.—Cordylus, 1768.
- brasilienis** Osorius, P. A. Latreille, N. Ann. Mus. H. N. (Paris) I [1] May 1832, 86.
- brasilienis** Osteodesma, A. A. Gould (*ex* Couhuoy MS), Proc. Boston Soc. N. H. III. 1851 (1850), 218.
- brasilienis** Otus, Temminck & Schlegel in Siebold, F. Japon. (Aves 1) 1844, 25.
- brasilienis** Oxytelus, R. F. Sahlberg, Acta Soc. Sci. Fennicae, II (3) 1846, 803.
- brasilienis** Pachygaster, Dejean, Catal. Coléopt. 1821, 91 [n. n.].
- brasilienis** Padaerus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 658.
- brasilienis** Palaemon, A. White, List Crustacea Coll. B. M. 1847, 78 [n. n.].
- brasilienis** Passalus, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 21.
- brasilienis** Passandra, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 202.
- brasilienis** Pedapholus (Thunb.), J. Gistel, Nat. Thierr. 1848, p. xi.—Bruchus.
- brasilienis** Pelonomus (Klug), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (4 & 5) 1847, 510.—Parnus brasilianus.
- brasilienis** Percophis, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 351.
- brasilienis** Perla, F. J. Pictet (*ex* Kollar MS), H. N. Ins. Neuropt. Perlides, 1842, 216.
- brasilienis** Phaetornis, G. R. Gray (*ex* Briss.), Genera of Birds, I. Dec. 1848, 104.
- brasilienis** Phalacrocorax, C. L. Bonaparte, N. Giorn. Lett. (Pisa) XXV (64) 1832, 53.
- brasilienis** Phaleria, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1849, 219.
- brasilienis** Phyllomys, Lund, Ann. Sci. Nat. [2] (Zool.) XII. Oct. 1839, 208 [n. n.].
- brasilienis** Physa, Koch in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Limnaeacea (47) 1844, 10.
- brasilienis** Physalus, J. E. Gray, Cat. Mamm. Coll. B. M. I. 1850, 43.—Balaenoptera,
- braziliensis** Picus, W. Swainson, Zool. Illust. (1) I (4) Jan. 1821, pl. 20. [1846.
- brasilienis** Pissodes, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 92 [n. n.].
- brasilienis** Plagusia, J. B. v. Spix (Cuvier *in litt.*), Pisc. Brasil. 1831, 89.
- brasilienis** Poeciloptera, M. Spinola, Ann. Soc. Ent. France, VIII (3) *post* Nov. 1839, 438. [1826, 11.—Falco, Gm. 1788.
- brasilienis** Polyborus (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2)
- brasilienis** Polycesta, Laporte & Gory, H. N. Coléopt. II. 1837, 5.
- brasilienis** Porphyrio, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (1) 1824, 260.
- brasilienis** Prionites (Bonn.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. 1.—Momotus.
- brasilienis** Prionostoma, Tilesius, Denkschr. K. Ak. Wiss. München, 1811-12 (1812), 83.
- brasilienis** Pristipomus, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 116.
- brasilienis** Protopithecus, P. Lund, Overs. K. Danske Vid. Selsk. Forhandl. 1838, 14.
- brasilienis** Psaris, W. Swainson, Anim. in Menag., Dec. 1837, 286.
- brasilienis** Pterotarsus, Laporte, Revue Entom. III (4) 1835, 174.
- brasilienis** Ptilia, Le Peletier, Mon. Tenthred. 1823, 50.
- brasilienis** Puffinus (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (1) 1826, 228.—Procellaria, Bonn. 1790.
- brasilienis** Pupa (Fér.), J. E. Gray, Ann. Phil. XXV. 1825, 413.—Helix.

- brasiliensis** Pyrgita, C. Dumont, Dict. Sci. Nat. XXXI. 1824, 546.
- brasiliensis** Querquedula (Gm.), J. Cabanis in R. Schomburgk, Reisen Brit. Guiana, III. 1848, 762.—Anas, 1788.
- brasiliensis** Raja, Joh. Mueller & Henle, Syst. Plagiost. (3) 1841, 195.
- brasiliensis** Ranatra, J. Gistel, Handb. Naturges. 1850 [1847], 490.
- brasiliensis** Reduvius, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 278.
- brasiliensis** Rhagodactylus, M. de Chaudoir, Ann. Soc. Ent. France, IV (2) *post* June 1835, 431.
- brasiliensis** Rhysodes, Dejean, Ann. Sci. Nat. XX (79) July 1830, 251 [*n. n.*].
- brasiliensis** Salticus, H. Lucas, Ann. Soc. Ent. France, II (4) *c.* Mar. 1834, 479.
- brasiliensis** Sargus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 37.
- brasiliensis** Saricovia (Gm.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 72.—
- brasiliensis** Schidonychus, F. Klug, Jahrb. Insecten. I. 1834, 50. [Mustela, 1788.]
- brasiliensis** Schizocheilus, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, 304 [misprinted 270]. [Feb. 1832], 400.
- brasiliensis** Scolopax, W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.*]
- brasiliensis** Scomber, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 360.
- brasiliensis** Scorpaena, Cuvier & Valenc., H. N. Poiss. IV. 1829, 305.
- brasiliensis** Scotinus, Gory in Solier, Ann. Soc. Ent. France, V (3) *post* Aug. 1836, 500.
- brasiliensis** Scymnus, Cuvier in Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 198.
- brasiliensis** Serica, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 82. [1837, 179.]
- brasiliensis** Siphonotus, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (23) Jan.
- brasiliensis** Solaropsis, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 27.
- brasiliensis** Solea, J. B. v. Spix (Cuvier *in litt.*), Pisc. Brasil. 1831, 87.
- brasiliensis** Spalax (de Bl.), J. B. Fischer, Syn. Mamm. 1829, 304.—Ctenomys.
- brasiliensis** Staphylinus, R. F. Sahlberg, Acta Soc. Sci. Fennicae, II (3) 1846, 787.
- brasiliensis** Sula, J. B. v. Spix, Avium Brasil. II. 1825, 83.
- brasiliensis** Sycalis (L.), J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 679.—Emberiza, Gm. 1788.
- brasiliensis** Syndesus (Gray), H. Burmeister, Handb. Ent. V. 1847, 332.—Hexaphyllum.
- brasiliensis** Systrophus, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 71.
- brasiliensis** Tabanus, C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Nov.], 192.
- brasiliensis** Tanais, J. D. Dana, Amer. J. Sci. (2) VIII (24) Nov. 1849, 425.
- brasiliensis** Tapera, C. P. Thunberg, N. Handl. Gotheborg. Wett. Witt. Samh. III.
- brasiliensis** Tenthredo, Le Peletier, Mon. Tenthred. 1823, 95. [1819, 1.]
- brasiliensis** Thelidomus, W. Swainson, Treat. Malacol., May 1840, 353.
- brasiliensis** Thoreyella, M. Spinola, Tav. sin. Hem. 1850 *ex* Mem. Soc. Ital. Sci. XXV (1) 1852, 120.
- brasiliensis** Thynnus, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 110. [1766.]
- brasiliense** Tigrisoma (L.), G. R. Gray, List Birds Coll. B. M. III. 1844, 81.—Ardea,
- brasiliensis** Tityra (Sw.), G. R. Gray, Genera of Birds, I. June 1846, 253.—Psaris.
- brasiliensis** Torpedo, J. F. M. v. Olfers, Die Gatt. Torpedo, 1831, 19.
- brasiliensis** Trechus, R. F. Sahlberg, Acta Soc. Sci. Fennicae, II (2) 1845, 513.
- brasiliensis** Truxalis (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 85.—Gryllus, 1773.
- brasiliensis** Ursus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VII. 1820, 400.
- brasiliensis** Ursus, Lund, Ann. Sci. Nat. [2] (Zool.) XI. Ap. 1839, 224 [*n. n.*].
- brasiliensis** Velia, Herrich-S., Wanzenart. Ins. IX (2) Sept. 1850, 76.
- brasiliensis** Vermetus, L. Rousseau in J. C. Chenu, Illustr. conch. I (28) 1844, pl. 5 [*n. et f.*].
- brasiliensis** Vespertilio, Desmarest, N. Dict. H. N., ed. 2, XXXV. 1819, 478.
- brasiliensis** Vespertilio, J. v. Spix, Sim. Vesp. Brasil. 1824, 63.
- brasiliensis** Vultur, C. L. Bonaparte (*ex* Ray), Consp. gen. Avium, I. 1850, 9.
- brasiliensiana** Vipera, P. A. Latreille, s. à Deterville ed. Buffon, Rept. IV. 1801, 7.
- brasilica** Ramphopsis (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) X (2) 1817, 440.—Tanagra, 1766. [1766.]
- brasilius** Rhamphocelus (L.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 25.—Tanagra,
- brassica** Chama, L. Reeve, Conch. Icon. IV.—Chama, no. 31, Jan. 1847.

- brassica** Chama, L. Reeve, Proc. Zool. Soc. London, XIV (166) Jan. 26, 1847, 119.
- brassica** Gemmipora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 413.
- brassica** Hippopus, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 91.
- brassica** Murex, Lamarck, An. s. vert. VII. 1822, 167.
- brassica-napus** Aphis, C. S. Rafinesque, Amer. Monthly Mag. III (1) May 1818, 17.
- brassicæ** Aleochara, J. F. Stephens (ex Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 120.
- brassicæ** Altica (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 14.—Cricoceris.
- brassicæ** Anguillula, F. Grube, Arch. f. Naturg. XV (1) 1849, 365.
- brassicæ** Anthomyia, Hoffmannsegg in C. R. W. Wiedemann, Zoologisches Magazin, I
- brassicæ** Anthomyia, F. Bouché, Nat. Garten. Ins. 1833, 131. [(1) 1817, 78.]
- brassicæ** Balaninus (Fab.), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 296.—
Rhynchaenus. [1758.]
- brassicæ** Barathra (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 218.—Phalaena.
- brassicæ** Catophaga (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 93.—Papilio, 1758.
- brassicæ** Crambaphis, C. J. B. Amyot, Ann. Soc. Ent. France, V (3) 1847, 478.
- brassicæ** Cricoceris, J. C. Fabricius, Syst. Eleuth. I. 1801, 468.—Galleruca, 1792.
- brassicæ** Curculio (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 145.—Rhyn-
chaenus.
- brassicæ** Ganoris (L.), J. W. Dalman, Vet. Ac. Handl. 1816 (1) 1816, 61.—Papilio, 1758.
- brassicæ** Hadenia (L.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840,
505.—Noctua, 1758.
- brassicæ** Luperus (Panz.), Dejean, Catal. Coléopt. 1821, 119.—Altica, ? Fourc. 1785.
- brassicæ** Mamestra (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 77.—Phalaena,
- brassicæ** Mancipium, J. Huebner, Tentamen (me judice 1806), 1.—[*n. n.*] [1758.]
- brassicæ** Noctua (L.), J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 191.—
Phalaena, 1758. [[*n. et f.*].]
- brassicæ** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 80 (Fernaldo judice 1799)
- brassicæ** Pieris (L.), F. v. P. Schrank, F. Boica, II (1) 1801, 165.—Papilio, 1758.
- brassicæ** Pontia (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 30.—Papilio, 1758.
- brassicæ** Pteromalus, J. Curtis, Guide Brit. Ins. (4) 1829-30, 116 [*n. n.*].
- brassicæ** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 483.—Curculio, 1792.
- brassicæ** Tachyptera, E. Herold, Teutsch. Schmetterlinge, 1844, 119.
- brassicaria** Cylindromyia (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 280.
—Musca, 1775. [1830, 230.]
- brassicaria** Ocyptera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- brassicaria** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 327.
- brassicariæ** Ocyptera (F.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 195.—
Musca, 1775.
- brassicata** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (119) Jan. 1814, 385.
- brassiciflora** Rhizostoma, H. D. de Blainville, Man. Actin. 1834, 298.
- brassicoides** Pieris, Guérin-M. in Lefebvre, Voy. Abyssin. VI. 1849, 365.
- Brassolides** Boisduval (Roret's Suite à Buffon), Lépid. I. 1836, 166.—Lep. [*nom. trib.,
non gen.*].
- Brassolis** J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 282.—Lep.
- brassolis** Acraea (Fab.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 284.—
Papilio, 1777. [1777.]
- brassolis** Apostrophia (Fab.), J. Huebner, Verz. bekannt. Schmett. 1816, 13.—Papilio,
- brateri** Campulites (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 56.—
- brateri** Phragmoceras, G. v. Muenster, Beitr. zur Petref. (3) 1840, 105. [Phragmoceras
- brattemburgensis** Crania (Schl.), A. d'Orbigny, Prodr. Paléont. II [Nov. 1850], 259.—
- brattenburgicus** Craniolites, E. F. v. Schlotheim, Die Petref. 1820, 246. [Craniolites.
- Braula** C. L. Nitzsch, Mag. Entom. (Germar) III. 1818, 314.—Dipt.
- braunii** Acrodus, L. Agassiz in F. A. Alberti, Beitr. Bunter, 1834, 201.
- braunii** Anthophyllum, H. Michelin, Icon. Zoophyt. (24-27) 1847, 272.
- braunii** Cardiophorus, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 134.
- braunii** Cardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 78.
- braunii** Cidaris, Desor, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 335.

- braunii** Clausilia, Charpentier in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (3) Mar. 1836, 9.
- braunii** Cochlearia, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 206.
- braunii** Cytherea, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. VII. 1845, 41.
- braunii** Fenestrella (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 101.—Retepora.
- braunii** Funginella (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 333.—Anto-
- braunii** Helix, C. Thomae, Jahrb. Ver. Nat. Nassau, II. 1845, 129. [phyllum.
- braunii** Hydrophilus, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 55.
- brauni** Lucina, F. A. Genth, N. Jahrb. f. Min. 1848, 190.
- braunii** Pentacrinus, G. v. Muenster, Beitr. zur Petref. (4) 1841, 50.
- braunii** Pileopsis, G. A. Goldfuss, Petref. German. III (8) 1844, 10.
- braunii** Pupa, E. A. Rossmassler, Icones L. u. S. Moll. Europ. II (5) June 1842, 10.
- braunii** Retepora, F. A. Roemer, Verst. Harzgsb. 1843, 7. [180.—Anthophyllum.
- braunii** Rhizangia (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849,
- braunii** Rissoa (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 183.—Cochlearia.
- brauni** Terebellopsis, A. Leymerie, Mém. Soc. géol. France (2) I (2) 1846, 365.
- braunii** Terebellum (Leym.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 314.—Tere-
- braunii** Trematosaurus, H. Burmeister, Die Labyrinth. (1) 1849, 69. [bellopsis.
- braunii** Trochus, G. A. Goldfuss, Petref. German. III (8) 1844, 52.
- braunianus** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1845, 327.
- brauniana** Turritella, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 310.
- brauniorum** Crocodilus, H. v. Meyer, N. Jahrb. f. Min. 1843, 394.
- braure** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 136.
- bravaisii** Chelifer, P. Gervais, Ann. Soc. Ent. France, XI (3) Jan. 1843, p. xlvi.
- bravaisii** Sphenoptera, Laporte & Gory, H. N. Coléopt. II. 1839, 30.
- bravaisianus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 308.
- bravardii** Clemmys, L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 127 [n. n.].
- bravardi** Gallus, P. Gervais, Mém. Ac. Montpellier, I (3) 1849, 220 [n. n.].
- bravardi** Lutra, A. Pomel, Bull. Soc. géol. France, XIV. 1843, 168.
- brazil**→ *v.* **brasil**→.
- brazoensis** Turrilites, C. F. Roemer, Texas, 1849, 415.
- brea** Blennius, A. Risso, Ich. Nice, 1810, 129. [II (1850), 274.—Limenitis.
- brebissonii** Athyma (Boisd.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt.
- brebissonii** Criorhina, J. Macquart, Mém. Soc. R. Sci. Lille, 1827–8, 1829, 328.
- brebisson** Hesperia, P. A. Latreille, Ency. Méth. IX (2) (Ins.) 1824, 792.
- brebissonii** Limenitis, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 132.
- brecciensis** Hypudaeus, C. G. Giebel, Fauna d. Vorwelt. I (1) 1847, 88.
- brecourt** Castnia, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 798.
- bredae** Cyathina, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, 46.
- bredai** Conus, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 345.
- bredai** Pileopsis, A. J. Michelotti, N. Jahrb. f. Min. 1846, 54 [n. n.].
- bredai** Pileopsis, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 137. [(2) III (2) 1847, 300.
- bredai** Pleurotoma, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem
- bredai** Scirus, H. v. Meyer, N. Jahrb. f. Min. 1848, 472 [n. n.].
- bredanensis** Delphinus, Cuvier in Lesson, H. N. Mamm. 1828, 206.
- bredanianum** Manon, C. F. A. Morren, Ann. Ac. Groning. 1828, 19.
- bredowii** Adelpha, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. V. 1837, 10.
- bredowii** Heterochroa (Hueb.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. [—P. II (1850), 278.—Adelpha.
- Bregmaceros** W. Thompson (*ex* Cantor MS), Mag. Nat. Hist., n. s., IV. Ap. 1840, 184.
- Bregmocerus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Bregmaceros,
- brehmii** Calamopherpe, Brehm (*ex* Müller MS), Isis (Oken), 1828, 1283. [Cant.
- brehmii** Calamopherpe, A. Müller, Verz. Maehren vork. Vögel, 1830, 28.
- brehmii** Falco, C. F. Dubois, Ornith. Gallerie (*c.* 1839), 170.
- brehmi** Gallinago (Kaup.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 52.—Scolopax.

- brehmii** Pelorychus, J. J. Kaup, Skizz. Europ. Thierw. 1829, 119.—Scolopax, 1823.
- brehmii** Scolopax, J. J. Kaup, Isis (Oken), 1823, 1147.
- brehmii** Telmatias (Kaup), C. L. Brehm, Isis (Oken), 1835, 117.—Scolopax.
- [breislak→]
- breislaki** Arca, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 76.
- breislacki** Trochus, Cristofori & Jan, Cat. Mus., Sect. II (1) Conch. foss. 1832, 6.
- breislackia** Pleurotoma, A. Risso, H. N. Europe, IV. 1826, 218.
- brelayi** Uncistrostrum, de Lafresnaye, Rev. Zool. (Soc. Cuv.) Ap. 1832, 100.
- brembina** Clausilia, Strobel, Giorn. R. Ist. Lomb. e Bibl. Ital., n. s., II (8) Dec. 1850, 119.
- [bremei.]
- bremii** Agrion, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 265.
- bremii** Anoplitès, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 202.
- bremei** Anthicus, de la Ferté-S., Ann. Soc. Ent. France, XI (3) Jan. 1843, 252.
- bremei** Brachysphoenus (Guér.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 393.—*Erotylus* (Zonarius).
- bremii** Ceratitès, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. July 1843, 199.
- bremii** Cetonia (Protaetia), H. R. Schaum, Ann. Soc. Ent. France [2] II (4) Ap. 1845,
- bremei** Chalcas, L. Fairmaire, Rev. Zool. (Soc. Cuv.) X. Dec. 1847, 409. [413.]
- bremei** Conognatha, F. W. Hope, Ann. Mag. Nat. Hist. XI (70) Ap. 1843, 318.
- bremei** *Erotylus* (Zonarius), F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. Ap. 1841, 117.
- bremei** Helaeus, F. W. Hope, Tr. Entom. Soc. Lond. V (3) Jan. 1848, 54.
- bremii** Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 48.
- bremii** Lycus, Le Guillou, Rev. Zool. (Soc. Cuv.) VII. June 1844, 221.
- bremei** Lycus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) X. July 1847, 223.
- bremii** Masicera, J. Macquart, Ann. Soc. Ent. France [2] VIII (4) c. Jan. 1851, 476.
- bremii** Myrmica, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 161.
- bremii** Nebria, O. Heer in E. F. Germar, Fauna Ins. Europ. (14) [1829-31], 1.
- bremei** Neda, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 289.
- bremii** Nemoraea, J. Macquart, Ann. Soc. Ent. France [2] VI (2) Sept. 1848, 130.
- bremii** Nyctelia, G. R. Waterhouse, Ann. Mag. N. H. XIII. Jan. 1844, 48.
- bremii** Pachystylum, J. Macquart, Ann. Soc. Ent. France [2] VI (2) Sept. 1848, 133.
- bremei** Scirtes, F. E. Guérin-M., Spec. et Icon. Anim. artic. (1) 1843, 5.
- bremii** Termes, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 31.
- bremii** Zopherus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VII. Jan. 1844, 18.
- bremeri** Gastropacha, F. A. Kolenati, Melet. Entom. (5) June 1846, 98.
- bremeri** Lampyris, Le Guillou, Rev. Zool. (Soc. Cuv.) VII. June 1844, 223.
- Bremus** L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt. 1801, 164; Panzer, Ins. Germ. (85) 1801, tab. 21; L. Jurine, N. Méth. class. Hyménopt. 1807, 257.—Hym.
- Bremus** [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, Tab. A.—[*n. n.* = Argus, Temm.]
- brenda** Cypridina, W. Baird, N. H. Brit. Entom. (Ray Soc.) 1850, 181.
- brenda** Terias, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 79 [1847, 58.]
[*n. et f.*].
- brendusius** Purpura, G. D. Nardo (*ex* Chioreghini MS), Sin. mod. spec. Lag. Veneto,
- Brenerus** Walker in J. Curtis, Guide Brit. Ins. (4) 1829-30, 114.—Hym. [*n. n.*].
- brennus** Amphion (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 135.—Sphinx
- brenoensis** Helix, Megerle in C. T. Menke, Syn. Meth. Moll. 1828, 11. [brennis, 1782.
- brenta** Anser, P. S. Pallas, Zoographia, II. 1811, 229.
- brenta** Bernicla, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 46.
- Brenthis** J. Huebner, Verz. bekannt. Schmett. 1818, 30.—Lep.
- brenthoides** Toxophorus, Buquet in F. E. Guérin-M., Iconographie, 1844, Ins. 146.
- Brenthus** *err. pro* Brentus; Germar, Ann. Wetterau. Ges. Nat. IV (1) 1818, 128; C. J. Schoenherr, Isis (Oken), 1823, 1137.
- brentoides** Agra, Dejean, Spec. gén. Coléopt. I. 1825, 200.
- Brentus** Panzer in Drury, Exot. Ins. 1785, 159.—Col.
- breonii** Laphria, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 181.
- breonii** Lophonotus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 245.
- Brepha** *id. ac* Brephos, Ochs.; J. F. Stephens, Syst. Cat. 1829, 159.
- brephoides** Bulimus, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 294.—Helix, 1835.

- brepoides** Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 17.
- Brephos** J. Huebner, Tentamen (me judice 1806), 2.—Lep. [*n. n.*].
- Brephos** F. Ochsenheimer, Schmett. Europa, IV. 1816, 96.—Lep.
- Brephos** Leptosia, J. Huebner, Verz. bekannt. Schmett. [1820], 95.
- brephos** Mancipium, J. Huebner, Exot. Schmett., Tab. Mancipium [*n. et f.*].
- brephos** Obeliscus, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 62 [*n. n.*].
- brephos** Terias, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 684.
- Brephulus** H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 72.—G.
- Brephyllium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Brephulus, Beck.
- brerae** Cerianthus, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830, pl. 103.
- bres** Lanius, R. P. Lesson in C. Bélanger, Voy. Indes Orient. (4) Aug. 1832, 255.
- bres** Trichixos, R. P. Lesson, Rev. Zool. (Soc. Cuv.) II. July 1839, 198.
- bresciensis** Cervus, G. G. Pusch, N. Jahrb. f. Min. 1842, 47.
- bresciensis** Tantalus, C. G. Giebel, Fauna d. Vorwelt, I (2) 1847, 28.
- bresciensis** Turdus, C. G. Giebel, Fauna d. Vorwelt, I (2) 1847, 13.
- brasil**→ *v. brasil*→.
- bresnieri** Salticus, H. Lucas, Explor. Algér. (Artic. I.), 1846, 154.
- bretonii** Pompilus, F. E. Guérin-M., Magasin de Zool. (2) V. 1843, pl. 115.
- breughelii** Paludina, F. Cantraine, Bull. Ac. Roy. Brux. IX (2) 1842, 349.
- breuneri** Ammonites, F. v. Hauer, Ber. Mitth. Freunde Naturw. Wien, IV (4) "Ap." 1848, 379.
- breuneri** Nautilus, F. v. Hauer, Naturw. Abhandl. (Haidinger) I. 1847, 262.
- breviaculeata** Echidna, F. Tiedemann, Zool. 1808, 592.
- brevialis** Mesalia (Lam.), L. Reeve, Conch. Icon. V.—Mesalia, no. 2, June 1849.—Turri-
- brevialis** Ostrea, Lamarck, An. s. vert. VI (1) 1819, 218. [tella.]
- brevialis** Turritella, Lamarck, An. s. vert. VII. 1822, 58.
- brevialis** Unio, Lamarck, An. s. vert. VI (1) 1819, 73.
- breviaria** Therinia, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 40.
- breviarticulata** Taenia, Goeze in Zeder, 1 Nachtr. Nat. Eingeweidewürm. 1800, 296.
- breviataria** Dyspteris, J. Huebner, Verz. bekannt. Schmett. 1825, 286.
- breviator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 257.
- breviatorius** Anomalon (Fab.), J. J. Trentepohl, Isis (Oken), 1829, 951.—Cryptus.
- breviatorius** Cryptus, J. C. Fabricius, Syst. Piezat. 1804, 78.
- breviatorius** Ichneumon (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 276.—Cryptus.
- breviauritus** Pecten, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1830, 303.
- brevicanthos** Murex, E. Sismonda, Atti 7 Riun. Sci. Ital. 1846, 1115.
- brevi-capitatus** Calymene, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 286.
- brevicarinatus** Dyschirius, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 571.
- brevicarpus** Palemon, W. de Haan in Siebold, F. Japon. (Crust. 1849), 172.
- [**brevicauda.**]
- brevicaudus** Anthus, C. L. Bonaparte (*ex* Sund. MS), Consp. gen. Avium, I. 1850, 248
- brevicauda** Avicula, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 101. [[*n. n.*].
- brevicauda** Blenniomoëus, O. G. Costa, Atti Accad. Pontan. V (5) 1850, 321.
- brevicauda** Caenis (Fab.), J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 112.—Ephemera, 1793.
- brevicauda** Callimome, F. Walker, Entom. Mag. I (2) Jan. 1833, 126.
- brevicauda** Coccothraustes, L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 537.
- brevicauda** Diplolepis, M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 148
- brevicauda** Formicivora, W. Swainson, Zool. Journ. II (6) July 1825, 148. [[*n. n.*].
- brevicauda** Fusus, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 159 (*v**).
- brevicauda** Fusus, R. A. Philippi, Palaeontographica, I (2) Mar. 1847, 71.
- brevicaudus** Gammarus, H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 369.
- brevicauda** Geobates, W. Swainson, N. H. Classif. Birds, II. June 1837, 315.
- brevicauda** Geositta (Sw.), G. R. Gray, Genera of Birds, I. Feb. 1846, 134.—Geobates.
- brevicauda** Grallaria (Vieill.), de Lafresnaye, Rev. Zool. (Soc. Cuv.) V. Nov. 1842, 334.—Turdus. [1783.]
- brevicauda** Grallaria (Bodd.), G. R. Gray, Genera of Birds, I. Dec. 1846, 213.—Turdus,

- brevicauda** Idotea, J. D. Dana, Amer. J. Sci. (2) VIII (24) Nov. 1849, 426.
- brevicauda** Lepturus, T. R. Peale in Wilkes, Expl. Exped. VIII. 1848, 103.
- brevicauda** Leucospis, J. C. Fabricius, Syst. Piezat. 1804, 169.
- brevicauda** Locusta, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 76.
- brevicauda** Mordella, C. H. Boheman, Ofvers. K. Vet. Ac. Förh. VII (3) 1850, 74.
- brevicauda** Murex, E. Hébert, Bull. Soc. géol. France (sér. 2) VI. 1848, 471.
- brevicauda** Muscigralla, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 61.
- brevicauda** Ochthites (Orb.), J. Cabanis, Arch. f. Naturg. X (1) 1844, 277.—Muscigralla.
- brevicauda** Phacops, G. & F. Sandberger, Verstein. Rhein. Schicht. Nassau (1) 1849, 14.
- brevicaudum** Phyllostoma, Max Wied, Beitr. Naturges. Brasil. II. 1826, 192.
- brevicauda** Pitta (Bodd.), G. R. Gray, Genera of Birds, I. Dec. 1846, 214.—Turdus, 1783.
- brevicauda** Platysteira, Sw.; G. R. Gray, Genera of Birds, I. Aug. 1846, 257 [*n. n.*]; Birds of Australia, VII (28) pl. 56, Sept. 1847.
- brevicauda** Pleurotoma, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1834, 453.
- brevicauda** Puffinus, J. Gould, Ann. Mag. N. H. XIII. May 1844, 365.
- brevicaudus** Puffinus, G. R. Gray (*ex* Brandt MS), List Birds Coll. B. M. III. 1844, 159
- brevicauda** Siphonura, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 83. [*n. n.*].
- brevicaudus** Sorex, T. Say in Long, Exped. Rocky Mts. I. 1823, 164; & London ed. I. 1823, 330. [(23) Ap. 1843, 364.]
- brevicauda** Spermophilus, J. F. Brandt, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. I
- brevicauda** Stellio, P. A. Latreille, s. à Deterville ed. Buffon, Rept. II. 1801, 29.
- brevicaudus** Taphazous, E. Blyth, J. Asiat. Soc. Bengal, X. 1841 (1842), 928 & 976.
- brevicauda** Trochilus, J. B. v. Spix, Avium Brasil. I. 1824, 79.
- brevicaudus** Turdus, L. P. Vieillot, N. Dict. H. N., ed. 2, XX. 1818, 239.
- brevicauda** Virgulina, Bory de St V., Ency. Méth. (Zooph.) 1827, 781.
- brevicaudatus** Asaphus, J. A. Eudes-D., Mém. Soc. Linn. Calvados, 1825 (1825), 315.
- brevicaudata** Ascaris (Zed.), K. A. Rudolphi, Archiv Zool. (Wiedemann) II (2) 1802,
- brevicaudata** Ascaris, L. Oken, Lehrb. Nat. III (1) 1815, 199. [28.—Fusaria, 1800.
- brevicaudata** Blarina (Say), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 89.—
Sorex brevicaudus. [Sorex brevicaudus.]
- brevicaudatus** Brachysorex (Say), Duvernoy, Magasin de Zool. (2) IV. 1842, pl. 52.—
- brevicaudata** Chinchilla, G. R. Waterhouse, Nat. Hist. Mamm. II. 1847, 241.
- brevicaudata** Comaroptera (Ruepp.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 258.—Sylvia, Gray. [503.—Pachysoma.]
- brevicaudatus** Cynopterus (I. Geoff.), J. E. Gray, Mag. Zool. Bot. II (12) Feb. 1838,
- brevicaudatus** Dicerobatus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.
- brevicaudatum** Diplostomum (Nordm.), C. M. Diesing, Syst. Helminth. I. 1850, 306.—
Holostomum. [[Nov. 1844], 80.]
- brevicaudatus** Dispharagus, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845
- brevicaudatus** Doryphorus, G. Cuvier, R. Anim., ed. 2, II. 1829, 34.
- brevicaudata** Drymoica, E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 459.
- brevicaudatus** Gerbillus, F. Cuvier, Proc. Zool. Soc. London, IV (48) June 27, 1837, 142 [*n. n.*]; Tr. Zool. Soc. London, II (2) Dec. 1838, 144.
- brevicaudata** Glossophaga, Lund, Ann. Sci. Nat. [2] (Zool.) XIII. May 1840, 313 [*n. n.*].
- brevicaudata** Hirundo, J. McClelland, Proc. Zool. Soc. London, VII (82) Mar. 1840, 156. [52.]
- brevicaudatum** Holostomum, A. v. Nordmann, Mikr. Beitr. wirbellos. Thiere (1) 1832,
- brevicaudatum** Kinosternon, J. B. v. Spix, Testud. Brasil. 1824, 18.
- brevicaudatus** Lichanotus (Geoff.), J. A. Wagner in Schreber, Säugth., Suppl. I. 1839, 257.—Indri, 1796.
- brevicaudatus** Lixus, H. Lucas, Explor. Algér. (Artic. II.) 1849, 440.
- brevicaudatus** Meriones (F. Cuv.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1843, 483.—Gerbillus. [460.]
- brevicaudatus** Nogagus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840,
- brevicaudatus** Ophyessa (Uranoc.) (Daud.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 42.—Stellio. [Ascaris.]
- brevicaudata** Oxyuris (Rud.), A. Dugès, Ann. Sci. Nat. IX (35) Nov. 1826, 226.—

- brevicaudatum** Pachysoma, I. Geoffroy St H., Dict. Class. H. N. XIV. 1828, 705.
- brevicaudata** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 126, July 1843.
- brevicaudatus** Porcellio, J. F. Brandt, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 180.
- brevicaudatus** Pteropus (I. Geoff.), J. B. Fischer, Syn. Mamm. 1829, 78.—Pachysoma.
- brevicaudatus** Sorex, H. D. de Blainville, Ostéogr., Insectiv. 1840, 112.
- brevicaudatus** Stello, F. M. Daudin, Sonnini's Buffon, Rept. IV (1802), 40.
- brevicaudata** Sylvia, Ruepp.; G. R. Gray, Genera of Birds, I. Aug. 1848, 174.
- brevicaudatus** [Symphysurus] (Desl.), Goldfuss, N. Jahrb. f. Min. 1843, 553.—Asaphus.
- brevicaudata** Turbinella, L. Reeve, Conch. Icon. IV.—Turbinella, no. 50, Aug. 1847.
- brevicaudis** Didelphys, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804—1811 (1815), 107 [*n. n.*].
- brevicaudis** Lixus, Sturm in H. C. Kuester, Käfer Europas, XVII. 1849, 79.
- brevicaudis** Spathius, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 49.
- brevicaudus -um v. brevicauca.** [1848, 468.—Dendrophyllia.
- brevicaulis** Barysmilia (Mich.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov.
- brevicaulis** Dendrophyllia, H. Michelin, Icon. Zoophyt. (2) 1841, 17.
- brevicella** Dynamena, J. F. V. Lamouroux, Ency. Méth. (Zooph.) 1824, 288.
- brevicellulata** Calobata, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 403.
- Breviceps** B. Merrem, Tent. Syst. Amph. 1820, 166 & 177.—R.
- Breviceps** W. Swainson, N. H. Fishes etc. I. Oct. 1838, 328 & 343.—P.
- breviceps** Anenchelum, C. G. Giebel, Fauna d. Vorwelt, I (3) 1848, 80.
- breviceps** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (8) 1849, 70.—[“Mon. Anth.” *poster. edit.*].
- breviceps** Atherina, Cuvier & Valenc., H. N. Poiss. X. 1835, 445.
- breviceps** Belideus, G. R. Waterhouse, Proc. Zool. Soc. London, VI (71) May 1839, 152.
- breviceps** Blennechis, Cuvier & Valenc., H. N. Poiss. XI. 1836, 283. [—Petaurus, 1839.
- breviceps** Chelone, R. Owen, Proc. Geol. Soc. London, III. 1841, 570.
- breviceps** Cirrhina, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 293.
- breviceps** Coluber, G. Shaw, Gen. Zool. (Amph.) III (2) 1802, 430.
- breviceps** Dentex, J. L. R. Agassiz, Poiss. Foss. IV. 39 (1835).—[*n. n.*]
- breviceps** Dentex, J. L. R. Agassiz, Poiss. Foss. IV. 10 (1838), 149 (1839).
- breviceps** Didelphys, E. T. Bennett, Proc. Zool. Soc. London, I (1-3) May 1833, 40.
- breviceps** Engraulis, T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1288.
- breviceps** Gadopsis, L. Agassiz, 14 Rept. Brit. Assoc. (York, 1844) 1845, 308 [*n. n.*].
- breviceps** Geophilus, G. Newport, Tr. Linn. Soc. London, XIX (4) 1845, 435.
- breviceps** Glyphisodon, Schlegel & Müller in Temminck, Verh. nat. ges. Ned. overs. bezitt., Zool. (Pisc.) 1844, 23.
- breviceps** Isocephalus (Val.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1029.—Cirrhina.
- breviceps** Kogia (Bl.), J. E. Gray, Zool. “Ereb. Terr.” (Cetac. 1846), 22.—Physeter.
- breviceps** Larimus, Cuvier & Valenc., H. N. Poiss. V. 1830, 146.
- breviceps** Micoureus, R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 186 [*n. n.*].
- breviceps** Mugil, Cuvier & Valenc., H. N. Poiss. XI. 1836, 106.
- breviceps** Naidium, O. Schmidt, Notizen (Froriep), 3, III. 1847, 322.
- breviceps** Ophisurus, J. Richardson, Zool. “Ereb. Terr.” (Fish, 1848), 99.
- breviceps** Ophiurus, T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1308.
- breviceps** Otis, Giebel, N. Jahrb. f. Min. 1847, 460 [*n. n.*].
- breviceps** Pagellus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 199.
- breviceps** Petaurus, G. R. Waterhouse, Proc. Zool. Soc. London, VI (71) May 1838, 152.
- breviceps** Phacops, J. Barrande, Not. prélim. Silur. 1846, 71.
- breviceps** Physeter, de Blainville, Ann. franç. et étr. Anat. Phys. II. 1838, 337.
- breviceps** Synanceia, J. Richardson, Zool. “Sulphur,” 1845, 71.
- breviciliata** Comatula, Ehrenberg in Bronn in Ersch & Gruber, Allg. Ency. XXIII. 1832,
- brevinctor** Ichneumon, T. Say, Amer. Entom. II. 1825, pl. xxii. [243.
- brevicirrhata** Actinia, A. Risso, H. N. Europe, V. 1826, 287.
- brevicirrhata** Actinia (Isacmaea), Risso; C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 256.
- brevicola** Fringilla, J. F. Miller, Icones (7) ? 1782, pl. 42.
- Brevicolaspis** Laporte, Revue Entom. I (1) Mar. 1833, 24.—Col.

- brevicolle** Agonom, Eschscholtz in Dejean, Spec. gén. Coléopt. III. 1828, 159.
- brevicollis** Agra, F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 288. [1800.]
- brevicollis** Aleochara (Payk.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 425.—Staphylinus,
- brevicollis** Allecula, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 186.
- brevicollis** Amara, J. Sturm, Catal. Ins. Samml. 1826, 90 [*n. n.*].
- brevicollis** Anchorella, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 518.
- brevicollis** Ancylonycha, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*inerte* 1851], 132.
- brevicollis** Anisotarsus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (7) 1837, 42.
- brevicolle** Anomalon, C. Wesmael, Bull. Ac. Roy Brux. XVI (2) 1849, 136.
- brevicollis** Aradus, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 33. [1846, 338.]
- brevicollis** Argutor, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug.
- brevicollis** Bibiopsis, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 231.
- brevicollis** Boreaphilus, A. H. Haliday, Entomologist (12) Oct. 1841, 187.
- brevicollis** Brachinus, v. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 67. [1817, 191.]
- brevicollis** Callidium, Dalman in C. J. Schoenherr, Syn. Insect. I (3) 1817, 442; & App.
- brevicollis** Calymmaderus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 474.
- brevicollis** Caprella, H. Nicolet in Gay, Chili (Crust.) 1849, 252.
- brevicollis** Capsus, L. R. Meyer, Verz. Schweiz. Rhynchoten, 1843, 47.
- brevicollis** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 52 [*n. n.*]. [1847, 432.]
- brevicollis** Chlaenius, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July
- brevicollis** Chlorophanus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834,
- brevicollis** Cicindela, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 67. [62.]
- brevicollis** Cicindela, C. H. Boheman (*ex Dej.*), Ins. Caffr. I (1) 1848, 11.
- brevicollis** Cladochonus, F. M'Coy, Ann. Mag. N. H. (2) III. Feb. 1849, 128.
- brevicollis** Clausilia, L. Pfeiffer, Zeitschr. f. Malakozool., July 1849 [Jan. 1850], 107.
- brevicollis** Clerus, Kuntze in M. Spinola, Ess. mon. Clérites, I. 1844, 266.
- brevicollis** Colliuris, F. Klug, Jahrb. Insectenk. I. 1834, 46.
- brevicollis** Corticaria, C. G. Mannerheim in Germar, Zeitschr. f. d. Entom. V. 1844, 52.
- brevicollis** Cryptophagus, Dejean, Catal. Coléopt. 1821, 45 [*n. n.*].
- brevicollis** Derobrachus, J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832, 155.
- brevicolle** Distomum, F. O. H. Creplin, N. Obs. de Entozois, 1829, 54.
- brevicollis** Dycophorus, H. Burmeister, Handb. Ent. II (2) i, 1838, 424.
- brevicollis** Dyscolus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2)
- brevicollis** Elater, Herbst in Jablonsky, Nat. Ins. (Käfer) X. 1806, 46. [1850, 390.]
- brevicolle** Enterion, L. J. Fitzinger, Isis (Oken), 1833, 552 [*n. n.*].
- brevicollis** Epomis, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 756.
- brevicollis** Euprepes, A. F. A. Wiegmann, Arch. f. Naturg. III (1) 1837, 133.
- brevicollis** Gematis, J. Sturm, Catal. Ins. Samml. 1826, 143 [*n. n.*].
- brevicollis** Gymnusa (Payk.), O. Heer, Coleopt. Helvet. (2) 1839, 302.—Staphylinus, 1800.
- brevicollis** Harpalus, Dejean, Spec. gén. Coléopt. IV. 1829, 218.—Ophonus, 1821.
- brevicollis** Hegeter, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 65.
- brevicollis** Helluo, Dejean, Spec. gén. Coléopt. V. 1831, 403. [Carabus, 1792.]
- brevicollis** Helobia (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) Nov. 1827, 61.—
- brevicollis** Helops (*sic*) Helops, C. Steven, Bull. Soc. Imp. Nat. Moscou, V. 1832, 137.
- brevicollis** Hemerobius, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 427.
- brevicollis** Homalota, F. Baudi in Baudi & Truqui, Studi Ent. I. 1848, 118.
- brevicollis** Hydropsyche, F. J. Pictet, Rech. Phrygan. 1834, 221.
- brevicollis** Hylesinus, F. A. Kolenati, Melet. Entom. (3) Jan. 1846, 38.
- brevicolle** Isosoma, A. H. Haliday in F. Walker, Entom. Mag. IV (1) July 1836, 24.
- brevicollis** Julodis, Laporte & Gory, H. N. Coléopt. I. 1835-1836, 15. [70.]
- brevicollis** Kakerlac, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
- brevicollis** Lagria, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 9; & App. 1817, 10.
- brevicollis** Languria, J. W. Randall, Boston Journ. N. H. II (1) 1838, 48.
- brevicollis** Leirus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (3) 1850,
- brevicollis** Licinus, Dejean, Spec. gén. Coléopt. II. 1826, 397. [151.]
- brevicollis** Lithocaris, C. H. Boheman, Ins. Caffr. I (1) 1848, 286.

- brevicollis** Lophidius, Dejean, Spec. gén. Coléopt. V. 1831, 803.
- brevicollis** Malthinus (Payk.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 75.—Cantharis,
- brevicollis** Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 335. [1798.]
- brevicollis** Monotoma, C. Aubé, Ann. Soc. Ent. France VI (4) *post* Jan. 1838, 460.
- brevicollis** Myllocerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 5.
- brevicollis** Nebria (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 89.—Carabus, 1792.
- brevicollis** Nebria, C. Fuss, Verh. siebenb. Ver. Nat. (1) 1849, 14.
- brevicollis** Nemoura, F. J. Pictet, Mém. Soc. Phys. H. N. Genève, VII (1) 1835, 187.
- brevicollis** Nycteis, F. L. de Laporte, Etudes Entom. (2) 1835, 148.
- brevicollis** Oedemera, W. Schmidt, Linnaea Entom. I. Feb. 1846, 56
- brevicollis** Oedipoda, E. Eversmann, Jubilaum G. Fischer de W. 1847, 11.
- brevicollis** Omalium, O. Heer, Coleopt. Helvet. (3) 1841, 568.
- brevicollis** Ophonus, Dejean, Catal. Coléopt. 1821, 13 [*n. n.*].
- brevicollis** Ophonus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 11 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Feb. 1835, 383 [laevicollis].
- brevicollis** Ophonus (Dej.), H. C. Kuester, Käfer Europas, VII. 1846, 19.—Harpalus.
- brevicollis** Palaminus, R. F. Sahlberg, Acta Soc. Sci. Fennicae, II (3) 1846, 800.
- brevicollis** Panagaeus, Dejean, Spec. gén. Coléopt. V. 1831, 599.
- brevicollis** Perilitus, A. H. Haliday, Entom. Mag. III (1) Ap. 1835, 35.
- brevicollis** Philopterus (Burm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 334.—Docophorus.
- brevicollis** Phyllobius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 34.
- brevicollis** Phymatodes (Sch.), H. Lucas, Explor. Algér. (Artic. II.) 1849, 489.—Callidium.
- brevicollis** Pimelia, Dejean, Catal. Coléopt. 1821, 63 [*n. n.*].
- brevicollis** Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 172.
- brevicollis** Pinophilus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 679.
- brevicollis** Pogonus, C. G. Mannerheim in A. D. Hummel, Essais Entom. I (4) 1824, 21.
- brevicollis** Prionus, J. Sturm, Catal. Ins. Samml. 1826, 187 [*n. n.*].
- brevicollis** Proteinus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 903.
- brevicollis** Pterocoma, E. Ménétrés, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2=Sci. Nat. VI) (4) Nov. 1849, 220.
- brevicollis** Pyrophorus, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 32.
- brevicollis** Sandalus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (8) Ap. 1845, 220.
- brevicollis** Schizonycha, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*incaute* 1851], 151.
- brevicollis** Sitona, J. Sturm, Catal. Ins. Samml. 1826, 196 [*n. n.*].
- brevicollis** Sitona, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 114.
- brevicollis** Stenotarsus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 112.
- brevicollis** Tachinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 251.
- brevicollis** Taenia, J. A. Froelich, Naturforscher, XXIX. 1802, 83.
- brevicollis** Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 159.
- brevicollis** Thyreopteris, F. Klug, Arch. f. Naturg. I (1) 1835, 386.
- brevicollis** Tomoderus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 7 ["Mon. Anth." *poster. edit.*].
- brevicollis** Trachyderma, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 42 [*n. n.*].
- brevicollis** Trichosoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 13.
- brevicollis** Trox, J. F. Eschscholtz, Entomographien, I (1) 1822, 12.
- brevicollis** Uloma, J. Sturm, Catal. Ins. Samml. 1826, 205 [*n. n.*].
- brevicornis** Harpalus, F. v. Gebler in Ledebour, Reise Altai, II, 1830, 35.
- brevi-conicum** Orthoceras, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 373.
- breviconus** Saurichthys, Plieninger in Meyer & Plien., Beitr. Pal. Württ. 1844, 120.
- brevicornis** Idotea, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 130.
- brevicornis** Abia, W. E. Leach, Zool. Miscell. III. 1817, 114.
- brevicornis** Adelocera, J.-L. Leconte in Agassiz, Lake Superior, 1850, 227 [*n. n.*].
- brevicornis** Agrilus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. Nov. 1840, 328.
- brevicornis** Aleiodes, C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1839, 98.
- brevicornis** Aleochara, Dahl; Dejean, Catal. Coléopt. 1821, 27 [*n. n.*].

- brevicornis** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 149.
- brevicornis** Alveopora (Lam.), de Blainville, Dict. Sci. Nat. LX. 1830, 359.—Pocillopora.
- brevicornis** Alysia, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 249.—Bassus, 1812.
- brevicornis** Amara, J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 14.
- brevicornis** Amaurus (Fab.), H. Burmeister, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 294.—Edessa.
- brevicorne** Anomalon, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 656.
- brevicornis** Anthomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 683.
- brevicornis** Anthribus, T. Say, Descr. N. Amer. Curcul., July 1831, 4. [194.]
- brevicornis** Apate (Lepisomus), W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 1837.
- brevicornis** Aphidius (Trioxys), A. H. Haliday, Entom. Mag. I. (5) Oct. 1833, 491.
- brevicornis** Aphidius, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 17.
- brevicorne** Apion, Meg.; Dejean, Catal. Coléopt. 1821, 82 [*n. n.*].
- brevicornis** Argutor, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 31.
- brevicornis** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1534.—Anthomyza, 1838.
- brevicornis** Arthronomalus, Newport in H. Lucas, Explor. Algér. (Artic. I.) 1846, 388.
- brevicornis** Ascogaster, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 239.
- brevicornis** Atomosia, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 192.
- brevicornis** Bassus, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VI (3) 1812, 211.
- brevicorne** Bembidium, M. de Chaudoir, Enum. Carab. 1846, 193. [Chalcis.]
- brevicornis** Brachymeria (Klug), H. Lucas, Explor. Algér. (Artic. III.), 1849, 318.—
- brevicornis** Bubas, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 78.
- brevicornis** Buprestis (Steraspis), J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 29.
- brevicornis** Calyptrocephala, C. H. Boheman, Mon. Cassid. I. 1850, 103.
- brevicornis** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 51 [*n. n.*].
- brevicornis** Centroglossa, A. Matthews, Entom. Mag. V (2) Jan. 1838, 196.
- brevicornis** Ceraphron, J. Curtis, Guide Brit. Ins. (4) 1829-30, 111 [*n. n.*].
- brevicornis** Cerastoma, C. L. Koch, Uebers. Arachnidensyst. II. 1839, 30.
- brevicornis** Chaenon, A. H. Haliday in J. Curtis, Brit. Entom. VI (72) Dec. 1829, no. 289.
- brevicornis** Chalcis, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834), sign. g.
- brevicornis** Chrysochroa, Laporte & Gory, H. N. Coléopt. I. 1835-1836, 25.
- brevicornis** Chrysogaster, H. Loew, Entom. Zeitung, Stettin, IV (9) Sept. 1843, 269.
- brevicornis** Chrysolampus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 36.
- brevicornis** Cimex (Leach), Le Peletier, Mon. Tenthred. 1823, 38.—Abia.
- brevicornis** Conops, H. Loew, Dipterologische Beiträge, III. 1847, 23.
- brevicornis** Cordyla (Staeg.), J. W. Zetterstedt, Dipt. Scand. IX. 1850, 3450.—Pachy-
- brevicornis** Coreus, P. Rambur, F. Ent. Andal. II (4) Jan. 1839, 133. [palpus.]
- brevicornis** Corynocera, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 124.
- brevicorne** Cryptobium, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 572.
- brevicornis** Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 511.
- brevicornis** Cyclops, H. Nicolet in Gay, Chili (Crust.) 1849, 299.
- brevicornis** Cylindrotoma, H. Loew, U. d. Bernstein (Progr. Meseritz) Sept. 1850, 37.
- brevicornis** Cynips, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 134.
- brevicornis** Cynips, J. Curtis, Guide Brit. Ins. (4) 1829-30, 107 [*n. n.*].
- brevicornis** Cynips, J. Curtis, Brit. Entom. XV (172) Ap. 1838, no. 688.
- brevicornis** Dendrophagus, A. White, Zool. "Ereb. Terr." (Ins. 1846), 18.
- brevicornis** Dicyclus, F. Walker, Entom. Mag. I (5) Oct. 1833, 456.
- brevicornis** Diopsis, T. Say, J. Acad. Nat. Sci. Philad. I. no. 2, June 1817, 23.
- brevicornis** Diopsis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 563.
- brevicornis** Diplolepis (Panz.), M. Spinola, Ins. Liguria, II. 1808, 160.—Cynips.
- brevicornis** Dolichogaster, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 179.
- brevicornis** Dolichopus, C. Staeger, Naturhist. Tidsskrift, IV (1) 1842, 42.
- brevicornis** Dolichopus, J. W. Zetterstedt, Dipt. Scand. II. 1843, 603.
- brevicornis** Donacia, A. Ahrens, N. Schr. Nat. Ges. Halle, I (3) 1810, 26.
- brevicornis** Dryinus, J. W. Dalman, Anal. Entom. 1823, 12.—Gonatopus, 1818.
- brevicornis** Edessa, J. C. Fabricius, Syst. Rhyng. 1803, 154.—Cimex, 1787.
- brevicornis** Elater, T. Say, Ann. Lyceum N. H. New York, I (8) June 1825, 265.

- brevicornis** Encyrtus, J. W. Dalman, K. Vet. Ac. Handl. 1820 (1) 1820, 162. [160.
brevicornis Erotylus, P. A. J. Duponchel, Mém. Mus. H. N. (Paris) XII [2] Sept. 1825,
brevicornis Eulophus (Spin.), C. G. Nees v. E., Hymenopt. Ichn. aff. III. 1834, 163.—
brevicornis Eumolphus, A. G. Olivier, Entom. VI. 1808, 914. [Diplolepis.
brevicornis Euplectus (Reich.), H. Denny, Mon. Pselaph. 1825, 18.—Pselaphus.
brevicornis Eurytoma, Dalman in Boheman, K. Vet. Ac. Handl. 1835 (1836), 245.
brevicornis [Forbicina], P. A. Latreille, N. Ann. Mus. H. N. (Paris) I [2] post May 1832,
brevicornis Geophilus, C. L. Koch, Deutsch. Crust., heft 9, 1836, tab. 3. [179.
brevicornis Gonatopus, J. W. Dalman, K. Vet. Ac. Handl. 1818 (1) 1818, 85.
brevicornis Hammonia (Oliv.), P. A. Latreille in G. Cuvier, R. Anim. III. 1817, 235.—
brevicornis Harpalus, Gebl.; J. Sturm, Catal. Ins. Samml. 1826, 148. [Cebrio, 1790.
brevicornis Homalota, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 95.
brevicornis Hydropsyche, F. J. Pictet, Rech. Phrygan. 1834, 211.
brevicornis Hylotoma, C. F. Fallen, K. Vet. Ac. Nya Handl. XXIX (1) 1808, 44.
brevicornis Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 146.
brevicornis Idothea, H. Ratke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 24.
brevicorne Isosoma, F. Walker, Entom. Mag. I (1) Sept. 1832, 16.
brevicornis Laphria, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 646.
brevicorne Lathrobium, P. A. Latreille, Sonnini's Buffon, Ins. IX (1804), 342.
brevicornis Lecythia, M. Sars, Bidr. soedyr. naturh. 1829, 27.
brevicornis Leptacius, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 334.
brevicornis Leptochirus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 827.
brevicornis Leucostoma, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1233.
brevicornis Lipeurus, H. Denny, Mon. Anoplur. 1842, 181.
brevicornis Lithobius, G. Newport, Tr. Linn. Soc. London, XIX (4) 1845, 370.
brevicornis Lycastis, Audouin & Edwards, Ann. Sci. Nat. XXIX (115) July 1833, 233.
brevicornis Microgaster, C. Wesmael, N. Mém. Ac. Roy. Brux. X. 1837, 50.
brevicornis Midas, C. R. G. Wiedemann, N. A. Ac. Caes. Leop. Car. XV (2) 1831, 45.
brevicornis Molops, J. Sturm, Catal. Ins. Samml. 1826, 170 [n. n.]. [(1) 1845, 97.
brevicornis Monotoma, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845
brevicornis Mycetophila, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 47.
brevicornis Mycetoporus, A. Matthews, Entom. Mag. V (2) Jan. 1838, 197.
brevicornis Mydas, C. R. W. Wiedemann, Dipt. exot. 1821, 117.
brevicornis Myrmica, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 32 [n. n.].
brevicornis Nematopus, Herrich-S., Wanzenart. Ins. IX (6) Nov. 1851, 261.
brevicornis Nematus, A. G. Dahlbom, Conspect. Tenthred. 1835, 7 [n. n.].
brevicornis Neuroterus, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 339.
brevicornis Notiphila, J. W. Zetterstedt, Dipt. Scand. V. 1846, 1912.
brevicornis Nyctobates, J. O. Westwood, Proc. Zool. Soc. London, X (116) Jan. 1843, 119.
brevicornis Ocyropa, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 48.
brevicornis Ocyptera, L. Loew, Entom. Zeitung, Stettin, V (7) July 1844, 237.
brevicornis Oedemera, Latreille in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent.
 (2) 1835, 295.
brevicornis Oedemera, W. Schmidt, Linnaea Entom. I. Feb. 1846, 78.
brevicornis Omalium, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 884.
brevicornis Onthophagus, W. F. Erichson, N. A. Ac. Caes. Leop. Car. XVI (Suppl.)
brevicornis Orchestia, H. Nicolet in Gay, Chili (Crust.) 1849, 233. [1834, 237.
brevicornis Ostracion, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1850), 298.
brevicornis Otiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843,
brevicornis Pachypalpus, C. Staeger, Naturhist. Tidsskrift, III (2 & 3) 1840, 269. [342.
brevicornis Paederus, F. V. Melsheimer, Ins. Pennsylv. 1806, 59 [n. n.].
brevicornis Pagurus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) I (1838), 31.
brevicornis Penaeus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 417.
brevicornis Perilitus, Herrich-S. in Panzer, Ins. Germ., heft 153, 1838, tab. 19.
brevicornis Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
 Aptères, III. 1844, 355.—Lipeurus.
brevicorne Phyllium, P. A. Latreille, Gen. Crust. Ins. III. 1807, 89.
brevicorne Phyllosoma, W. E. Leach, Journ. de Physique, LXXXVI. Ap. 1816, 307.

- brevicornis** Pimpla, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 211.
brevicornis Pocillopora, Lamarck, An. s. vert. II. 1816, 275.
brevicornis Prionus, J. C. Fabricius, Syst. Eleuth. II. 1801, 260.
brevicornis Prionus, Palisot de B., Ins. Afr. Amér. (—) 1813–20, 216.
brevicornis Proctotrupes, J. Curtis, Guide Brit. Ins. (4) 1829–30, 109 [*n. n.*].
brevicornis Proscopia, J. C. F. Klug, Horae phys. Berol. 1820, 21.
brevicornis Pselaphus, H. G. L. Reichenbach, Mon. Pselaph. 1816, 47.
brevicornis Pseudaradus (Fab.), H. Burmeister, Revue Entom. II (1) 1834, 21.—Edessa.
brevicornis Psilopus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 428.
brevicornis Psilus, T. Say in Keating, Exp. Peter River, II. 1824, 328; & ed. London, 1825 (App.), 64.
brevicornis Pteromalus, F. Walker, Entom. Mag. II (5) Jan. 1835, 491.
brevicorne Rhaphium, J. Curtis, Guide Brit. Ins. (7) 1831, 221 [*n. n.*].
brevicorne Rhaphium, J. Curtis, Brit. Entom. XII (142) Oct. 1835, no. 568.
brevicornis Rhineta (Panz.), K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 198.—Tiphia, 1798.
brevicornis Rhyticephalus, Chevrolat, Rev. Zool. (Soc. Cuv.) II. June 1839, 174.
brevicornis Rhyticephalus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 521.
brevicornis Scarites, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1838, 39.
brevicornis Scatopse, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 314.
brevicornis Scydmaenus, T. Say in Keating, II. 1824, 273; & ed. Lond. 1825 (App.), 19.
brevicornis Selandria [Klug], J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 30.—Tenthredo.
brevicornis Sigalphus, Herrich-S. in Panzer, Ins. Germ., heft 153, 1838, tab. 216.
brevicornis Silvanus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 218.
brevicornis Sphyracephala, T. Say, Amer. Entom. III. 1828, pl. 52.—Diopsis, 1817.
brevicornis Spirostreptus, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (7 & 8) Jan. 1841, 114.
brevicornis Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 22.
brevicornis Stratiomys, H. Loew, Posener Zweiflügler, 1840, 25.
brevicornis Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 299.
brevicornis Tachina, J. Macquart in Webb & Berthelot, Canaries (Dipt.) 1840, 112.
brevicornis Tachydromia, J. W. Zetterstedt, Dipt. Scand. I. 1842, 293.
brevicornis Taeniothrips (Hal.), Amyot & Serville (Roret's Suite à Buffon), Hemiptères, 1843, 644.—Thrips.
brevicorne Talitrus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 15.
brevicornis Tapinocera (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 195.—Laphria.
brevicornis Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 65.
brevicornis Thereva, H. Loew, Dipterologische Beiträge, II. 1847, 41.
brevicornis Thrips, A. Haliday, Entom. Mag. III (5) Ap. 1836, 449.
brevicornis Tipula, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 846.
brevicorne Trimum (Reich.), C. Aubé, Pselaph. Mon. in Magasin de Zool. III. 1833, 44.—Pselaphus.
brevicornis Truxalis, H. Burmeister, Handb. Ent. II (2) i, 1838, 607.
brevicornis Xylotrogus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (5) Oct. 1844, 112.
brevicosta Asida, A. J. J. Solier, Ann. Soc. Ent. France V (3) post Aug. 1836, 449.
brevicostatus Cassis, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. post Sept. 1834, 146.
brevicostatus Caturus, G. v. Muenster, N. Jahrb. f. Min. 1842, 44.
brevicostatus Ceratites, A. v. Klipstein, Beitr. geol. östl. Alpen (1) 1843, 134.
brevicostata Clymenia, G. v. Muenster, Beitr. zur Petref. (5) 1842, 124.
brevicostata Cydippe, J. G. F. Will, Horae Tergest. 1844, 19.
brevicostatus Erodus, A. J. J. Solier, Ann. Soc. Ent. France, III (3) post Sept. 1834, 551.
brevicostata Hallirhoa, H. Michelin, Icon. Zoophyt. (9–12) 1844, 127.
brevicostatus Megalurus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 15 (1834).
brevicostata Siphonia (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 286.—Hallirhoa.
brevicostis Pupa, W. H. Benson, Ann. Mag. N. H. (2) IV. Aug. 1849, 127.

- breviculata** Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 113 (Fernaldo judice 1834-41) [*n. et f.*].
- breviculata** Melanthia, H. Donzel, Ann. Soc. Ent. France, VI (4) *post* Jan. 1839, 478.
- brevicula** Anguilla, J. L. R. Agassiz, Poiss. Foss. IV. 44 (1835) [*n. n.*]; V. (2) 134
- breviculus** Bulimus, L. Pfeiffer, Symb. Helic. II. 1842, 43. [(1844).]
- breviculum** Calamostoma (Bl.), J. L. R. Agassiz, Poiss. Foss. II (1) 18 (1833); II (2) 276 (1844).—Syngnathus.
- breviculum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 425.
- breviculum** Cerithium, G. B. Sowerby, II., Gen. Shells (42) 1834.
- breviculum** Cryptostoma, de Blainville, Dict. Sci. Nat. XII. 1818, 128.
- brevicula** Emarginula (Bl.), G. B. Sowerby, II., Gen. Shells (21) 1823.—Parmophorus.
- breviculus** Fusus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 530.
- brevicula** Lacerta, J. Hermann, Obs. Zool. 1804, 268.
- breviculus** Murex, G. B. Sowerby, II., Proc. Zool. Soc. London, VIII (94) July, 1841, 146
- breviculus** Parmophorus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1817 (Feb.) 28.
- breviculus** Planaxis, G. P. Deshayes, Magasin de Zool. (2) VI. 1844, pl. 108.
- brevicula** Pleurotoma, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1834, 461.
- brevicula** Pleurotoma, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1834, 491.
- breviculus** Scyliorhinus (Herm.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.)
- breviculus** Squalus (*sic*), J. Hermann, Obs. Zool. 1804, 293. [121.—Squalus.
- breviculus** Syngnanthus, de Blainville, N. Dict. H. N., ed. 2, XXVII. 1818, 339.
- breviculus** Turbo (Litorina), R. A. Philippi, Zeitschr. f. Malakozool., Nov. 1844, 166.
- brevicula** Turritella, F. C. L. Koch, Palaeontographica, I (4) May 1848, 170.
- breviculus** Tydeus, C. L. Koch, Deutsch. Crust., heft 20, 1838, tab. 11.
- brevicuspis** Congrus, J. R. Richardson, Zool. "Ereb. Zool." (Fish, 1848), 111.
- brevidactylus** Cladocrinites, T. & T. Austin, Ann. Mag. N. H. XI. Mar. 1843, 198.
- brevidactylus** Isocrinites, T. Anstin, Ann. Mag. N. H. X. Oct. 1842, 108 [*n. n.*].
- brevidens** Brentus, J. Sturm, Catal. Ins. Samml. 1826, 102 [*n. n.*].
- brevidens** Delphinus, Dubreuil & Gervais, C. R. Ac. Sci. (Paris) XXVIII. 1849, 135.
- brevidens** Erichthus, P. A. Latreille, Ency. Méth. X (2) (Ins.) 1828, 474.
- brevidens** Helix, G. B. Sowerby, I., Proc. Zool. Soc. London, IX (98) Oct. 1841, 25.
- brevidens** Hydrocyon, G. Cuvier, Mém. Mus. H. N. (Paris) V [4-6] Mar. 1820, 364.
- brevidens** Machairodus (Pom.), H. G. Bronn, Index Pal. 1848, 690.—Meganthereon.
- brevidens** Meganthereon, A. Pomel, Bull. Soc. géol. France (sér. 2) III. 1846, 366.
- brevidens** Purpura (Monoceros), T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June
- brevidens** Unio, J. Lea, Tr. Amer. Phil. Soc., n. s., IV (1) 1831, 75. [1837, 264.
- brevidentatum** Buccinum, W. Wood, Suppl. Index Test. 1828, 12 [*n. et f.*].
- brevidentatum** Monoceros, W. Wood, Suppl. Index Test. 1828, 43.—Buccinum, 1828.
- brevidesma** Arca, T. A. Conrad, Foss. Med. Tert. U. S. (3) Jan. 1845, 62.
- brevifilis** Ageneiosus, Cuvier & Valenc., H. N. Poiss. XV. 1840, 242.
- brevifilis** Engraulis, Cuvier & Valenc., H. N. Poiss. XXI. 1848, 54.
- brevifilis** Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 90.
- brevifissum** Dentalium, G. P. Deshayes, Mém. Soc. H. N. Paris, II (2) Ap. 1826, 366.
- brevifissurata** Siliquaria, Deshayes, Traité élém. Conch., Atlas, 1850, 43.
- brevifolia** Locusta (Aprion), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 207.
- breviformis** Belemnites, L. Voltz, Mém. Soc. H. N. Strasbourg, I (1) 1830, 42.
- brevifossum** Hectarthrum, E. Newman, Ann. Nat. Hist. II. Feb. 1839, 392.
- brevifrons** Arca, G. B. Sowerby, I., Proc. Zool. Soc. London, I (1-3) May 1833, 22.
- brevifrons** Bothrosteus, L. Agassiz, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 207 [*n. n.*].
- brevifrons** Cordylura, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 729.
- brevifrons** Docophorus, H. Burmeister, Handb. Ent. II (2) 1, 1838, 424.
- brevifrons** Hesperinus, F. Walker (*ex* Barnston MS), List Dipt. Coll. B. M. (1) 1848, 81.
- brevifrons** Lyonsia, G. B. Sowerby, I., Proc. Zool. Soc. London, II (20) Oct. 1834, 88.
- brevifrons** Murex, Lamarck, An. s. vert. VII. 1822, 161.
- brevifrons** Osteodesma (Sow.), Catlow & Reeve, Conch. Nomen. 1845, 8.—Lyonsia.
- brevifrons** Osteodoma (Sow.), S. Hanley, Ill. ed. Lamarck's Shells (1) *extremo* 1842, 25.—Lyonsia.

- brevifrons** Philopterus (Nitzsch), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 334.—Docophorus.
- brevifrons** Phyllonotus (Lam.), W. Swainson, Treat. Malacol., May 1840, 296.—Murex.
- brevifrons** Pleurobranchus, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 87.
- brevifrons** Pygaster, F. M'Coy, Ann. Mag. N. H. (2) II. Dec. 1848, 414.
- brevifrons** Tellina, T. Say, Amer. Conch. (7) [1834] pl. lxiv.
- brevigaster** Lucilia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 256.
- brevigaster** Micropalpus, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 277.
- brevigaster** Sarcophaga, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 257.
- brevilabiatus** Geophilus, G. Newport, Tr. Linn. Soc. London, XIX (4) 1845, 436.
- brevilabris** Chlaenius, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July 1847, 437.
- brevilabris** Curtonotus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 35.
- brevilamellatum** Cystiphyllum, F. M'Coy, Ann. Mag. N. H. (2) VI. Oct. 1850, 276.
- brevilineatus** Bellerophon, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 269. [1849, 724.]
- brevilineata** Venus, T. A. Conrad in J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct.
- brevilineum** Callidium, T. Say, J. Acad. Nat. Sci. Philad. III. May 1824, 413.
- brevilineum** Physocnemum (Say), S. S. Haldeman, Tr. Amer. Phil. Soc., n. s., X (1) Nov. 1847, 38.—Callidium.
- brevilingue** Micralymma, J. C. Schiødt, Naturhist. Tidsskrift [2] I (4) 1845, 377.
- brevillii** Pleurotomaria, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VIII. 1849, 142.
- brevimanus** Drassus, C. L. Koch, Die Arachniden, VI (1) *ante* Ap. 1839, 24.
- brevimanus** Enoploclytia, F. M'Coy, Ann. Mag. N. H. (2) IV. Nov. 1849, 332.
- brevimanus** Mecochirus (Megachirus), Muenster in H. G. Bronn, Lethaea Geogn. I (5)
- brevimanus** Nereis, G. Johnston, Ann. Nat. Hist. V. May 1840, 170. [1836, 476.]
- brevimanus** Plecotus, L. Jenyns, Tr. Linn. Soc. London, XVI (1) 1829, 55.
- brevimanus** Plecotus, Bonaparte [*non* Jenyns], Atti 6 Riun. Sci. Ital. 1845, 338; Cat. Mamm. Europ. 1845, 18.
- brevimanus** Vespertilio (Jen.), J. B. Fischer, Syn. Mamm. 1829, 118.—Plecotus.
- brevimanus** Vespertilio (Bonap.), J. A. Wagner in Schreber, Säugth., Suppl. I. 1839, 488.—Plecotus. [1846, 44.—Paradoxides.]
- brevimucronatus** Cheirurus (Muenst.), F. M'Coy in Griffith, Syn. Silurian foss. Ireland,
- brevimucronatus** Paradoxides, G. v. Muenster, Beitr. zur Petref. (3) 1840, 40.
- brevinervis** Entedon, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 428.
- brevior** Melania, F. H. Troschel in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 550.
- brevior** Micraster, L. A. Sornet, Oursins foss. Eure, Ap. 1850, 64.
- brevior** Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 188.
- brevipalpa** Toxorhina, H. Loew, U. d. Bernstein (Progr. Meseritz) Sept. 1850, 37.
- brevipalpis** Omalogaster, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 317.
- brevipalpis** Pangonia, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 168.
- brevipennata** Empis, J. Macquart, Ins. dipt. N. France (3) 1827, 126.
- brevipenne** Acrydium, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 26 [*n. n.*].
- brevipenne** Acridium, L. Brisout de B., Ann. Soc. Ent. France [2] VI (4) May 1849, p. lxxxiii.
- brevipennis** Aleochara, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 169.
- brevipennis** Asilus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 431.
- brevipennis** Bradytus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3) 1844, 446.
- brevipennis** Calliceras, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 283.
- brevipennis** Cantharis, J. C. Fabricius, Syst. Eleuth. I. 1801, 301.
- brevipennis** Cantharis, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 189.
- brevipennis** Carphurus, E. F. Germar, Linnaea Entom. III. Ap. 1848, 183.
- brevipennis** Catamiarus (Serv.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 323.—Peirates. [179.]
- brevipennis** Ceratopogon, J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, 1823-4, 1826,
- brevipennis** Chaetopteryx (Curt.), J. F. Stephens, Ill. Brit. Ent. (Mand. VI.) Jan. 1837, 233.—Limnephilus.

- brevipennis** Chlorops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 159.
brevipennis Cnemodus, Herrich-S., Wanzenart. Ins. IX (4) Sept. 1850, 184.
brevipennis Codrus (Latr.), C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 355.—
 Proctotrupes.
- brevipennis** Cordylura, J. Curtis, Brit. Entom. XI (121) Jan. 1834, no. 485.
brevipennis Cryptohypnus, O. Heer in Froebel & Heer, Mitth. theor. Erdkunde, I. 1834,
 83 [*n. n.*].
- brevipennis** Cuculus, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85 [*n. n.*].
brevipennis Cydnus, J. C. Fabricius, Syst. Rhyng. 1803, 187.—Cimex, 1798.
brevipennis Dasypogon, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt.
 II. 1820, 267.
- brevipennis** Decticus (Charp.), H. Burmeister, Handb. Ent. II (2) i, 1838, 710.—Locusta.
brevipennis Delphax, C. H. Boheman, Ofvers. K. Vet. Ac. Förh. IV (9) 1847, 266.
brevipennis Dolichopus, Fallen in J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824,
 89. [621.—Chlorops.
- brevipennis** Elachiptera (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
brevipennis Galleruca, Ill.; Dejean, Catal. Coléopt. 1821, 117 [*n. n.*].
brevipennis Gryllotalpa, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.
brevipennis Hydnocera, M. Spinola, Ess. mon. Clérites, II. 1844, 46. [1838], 308.
brevipenne Isosoma, F. Walker, Entom. Mag. IV (1) July 1836, 24.
brevipennis Labidostomus, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837,
brevipennis Laphria, J. W. Meigen, Reise Tyrol etc. (2) 1835, 114. [375-
brevipennis Leptidea, E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 105.
brevipennis Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 114.
brevipennis Linnephilus, J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser., IV (20) Feb.
brevipennis Locusta, T. v. Charpentier, Horae Ent. 1826, 114. [1834, 125.
brevipennis Lophonotus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 246.
brevipennis Lygaeus, P. A. Latreille, Gen. Crust. Ins. III. 1807, 123.
brevipennis Malachus, Laporte, Revue Entom. IV (1) 1836, 29.
brevipennis Mastinocerus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 441. [Omalium.
brevipenne Micralymna (Gyll.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 820.—
brevipennis Micropterus, A. Chevrolat, Rev. Zool. (Soc. Cuv.) V. Sept. 1842, 277.
brevipennis Micropteryx (Fab.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt.
 III. 1845, 396.—Pompilus.
- brevipennis** Molophilus, J. Curtis, Guide Brit. Ins. (7) 1831, 205 [*n. n.*].
brevipennis Monotoma, Kunze, E. F. Germar, Zeitschr. f. d. Entom. I (2) 1839, 383.
brevipenne Myrmeleon, T. v. Charpentier, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 406.
brevipennis Nabis, C. W. Hahn, Wanzenart. Ins. III (2) Feb. 1836, 32.
brevipennis Nemoura, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 167 [*n. n.*].
brevipennis Nitidula, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1842, 64.
brevipenne Obrium, Dejean, Catal. Coléopt. 1821, 111 [*n. n.*].
brevipennis Odontomyia, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 434.
brevipenne Omalium, L. Gyllenhal, Ins. Suecica, I (2) 1810, 234.
brevipennis Omaseus, A. Chevrolat, Rev. Zool. (Soc. Cuv.) III. Jan. 1840, 13.
brevipennis Oxyurus (Latr.), Lamarck, An. s. vert. IV. 1817, 129.—Proctotrupes.
brevipennis Pachycarus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2)
 1850, 444. [1829, 75.—Lygaeus.
- brevipennis** Pachymerus (Latr.), P. S. Schilling, Schles. Ges. vat. Kultur, Beitr. Entom.
brevipennis Paederus, Dahl; Dejean, Catal. Coléopt. 1821, 24 [*n. n.*].
brevipennis Peirates, J. G. Audinet-S., Ann. Sci. Nat. XXIII (90) June 1831, 217.
brevipenne Phasma, H. Burmeister, Handb. Ent. II (2) i, 1838, 584.
brevipennis Plinthisus (Latr.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65.—Lygaeus.
brevipennis Ploiaria, T. Say, Amer. Entom. III. 1828, pl. 47.
brevipennis Pogonus, J. Sturm, Catal. Ins. Samml. 1826, 186 [*n. n.*].
brevipennis Polystichus, E. Ménétriés, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2 = Sci
 Nat. VI.) (1 & 2) Feb. 1848, 19.
- brevipennis** Pompilus, J. C. Fabricius, Syst. Piezat. 1804, 200.—Sphex, 1793.
brevipennis Proctotrupes, P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 309.

- brevipenne** Pyractonema, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 451.
- brevipennis** Rhyparachromus (Schill.), H. Lucas, Explor. Algér. (Artic. III.) 1849, 76.—
- brevipennis** Sciarra, F. Walker, List Dipt. Coll. B. M. (1) 1848, 110. [Pachymerus.]
- brevipennis** Sciomyza, J. W. Zetterstedt, Dipt. Scand. V. 1846, 2102.
- brevipennis** Staphylinus, Dahl in O. Heer, Coleopt. Helvet. (2) 1839, 254.
- brevipennis** Stenopterus, Dejean, Catal. Coléopt. 1821, 111 [*n. n.*].
- brevipennis** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 193.
- brevipennis** Tachypeza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 548.
- brevipennis** Thinobius, H. v. Kiesenwetter, Entom. Zeitung, Stettin, XI (7) July 1850, 221.
- brevipennis** Tiphia, H. Lucas, Explor. Algér. (Artic. III.) 1849, 285.
- brevipennis** Trichopteryx, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 21.
- brevipenne** Trimum, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (3) 1845, 172.
- brevipennis** Trogophloeus, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XXII. 1849
- Brevipes** S. Palmer, The Analyst, IV (15) Ap. 1836, 101.—A. [(1) 1849, 199.]
- brevipes** Alydus, Herrich-S., Wanzenart. Ins. V (6) Ap. 1840, 101.
- brevipes** Anisotoma, W. L. E. Schmidt in Germar, Zeitschr. f. d. Entom. III. 1841, 159.
- brevipes** Arbelorhina, J. Cabanis, Mus. Heineanum (1) 1850 [1851], 96.
- brevipes** Ardea (Nycticorax), C. G. Ehrenberg, Sym. Phys., Aves (1833) sign. *m.*
- brevipes** Astur, N. Severtzov, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (3) 1850, 234.
- brevipes** Bessonornis (Waterh.), G. R. Gray, Genera of Birds, I. June 1847, 220.—
- brevipes** Bibio, H. Loew, Linnaea Entom. I. Feb. 1846, 360. [Petrocincla.]
- brevipes** Blaculla, G. v. Muenster, Beitr. zur Petref. (2) 1839, 76.
- brevipes** Clubiona, J. Blackwall, Tr. Linn. Soc. London, XVIII (4) 1841, 603.
- brevipes** Cryptorhynchus, J. Sturm, Catal. Ins. Samml. 1826, 127 [*n. n.*].
- brevipes** Dacus, J. C. Fabricius, Syst. Antliat. 1805, 272. [1821, 54 [*n. n.*].]
- brevipes** Daudebardia, J. D. W. Hartmann in Sturm, Deutsch. Fauna (VI. Würm.) (5)
- brevipes** Dicotyles, J. B. v. Spix & C. F. P. v. Martius, Reise Brasil. (1) 1823, 326 [*n. n.*].
- brevipes** Diphya, H. Nicolet in Gay, Chili, III (Arach. I.) 1849, 407.
- brevipes** Euophrys (Hahn), C. L. Koch, Uebers. Arachnidensyst. I. 1837, 33.—Salticus.
- brevipes** Gonogenius, G. R. Waterhouse, Ann. Mag. N. H. XIII. Jan. 1844, 53.
- brevipes** Helicophanta (Drap.), H. Scholtz, Schlesiens Land- und Wasser-Moll., 1843, 11.—Helix.
- brevipes** Helix, J. P. R. Draparnaud, H. N. Moll. France, 1805, 119.
- brevipes** Helix (Helicophanta), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 29.—H. b., Drap.
- brevipes** Hemerodromia, H. Loew, Posener Zweiflügler, 1840, 22.
- brevipes** Hylesinus, J. C. Fabricius, Syst. Eleuth. II. 1801, 393.
- brevipes** Limosa, G. R. Gray, List Birds Coll. B. M. III. 1844, 95 [*n. n.*].
- brevipes** Lithodes, H. M. Edwards & Lucas, Archives Mus. H. N. (Paris) II [4] *ineunte*
- brevipes** Lonchodes, G. R. Gray, Syn. Phasmidae, 1835, 19. [1843, 463.]
- brevipes** Marpissa (Hahn), C. L. Koch, Die Arachniden, XIII (2) Jan. 1846, 59.—Salticus.
- brevipes** Muscicapa, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 831.
- brevipes** Myiobius (Wied), G. R. Gray, Genera of Birds, I. May 1847, 249.—Muscicapa.
- brevipes** Niltava, B. H. Hodgson, India Rev. I. 1837, 650.
- brevipes** Octopus (Philonexis), A. d'Orbigny, Amér. Mérid. (Moll.) 1835, 22.
- brevipes** Otis, C. G. Giebel, Fauna d. Vorwelt, I (2) 1847, 26.
- brevipes** Pagurus, H. M. Edwards, Ann. Sci. Nat. [3] (Zool.) X. July, 1848, 59.
- brevipes** Perilitus, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 33.
- brevipes** Petrocincla, G. R. Waterhouse in Alexander, Exped. Africa, II. 1838, 263.
- brevipes** Phalangopsis (D.), S. S. Haldeman, P. Amer. Assoc. 1849 (1850), 346.
- brevipes** Philochlaenia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 122.
- brevipes** Procellaria, T. R. Peale in Wilkes, Expl. Exped. VIII. 1848, 294.
- brevipes** Salticus, C. W. Hahn, Die Arachniden, I (3) Dec. 1832, 75. [454.—Dacus.]
- brevipes** Senopterina (Fab.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
- brevipes** Solpuga, P. Gervais, L'Institut, Mar. 1842, 76; Extr. P. V. Soc. Philom. Paris, 1842, 21.

- brevipes** Tachyphonus, de Lafresnaye, Rev. Zool. (Soc. Cuv.) IX. June 1846, 206.
- brevipes** Taphroderes, C. J. Schoenherr, Curc. disp. meth. 1826, 73. [(4) 1832.
- brevipes** Thomisus, C. W. Hahn, Die Arachniden, I (2) Sept. 1832, 30; Mon. Spinnen
- brevipes** Tinamus, Natterer in C. J. Temminck & Laugier, Pls. color. (70) Dec. 1826.
- brevipes** Totanus, L. P. Vieillot, N. Dict. H. N. ed. 2, VI. 1816, 410.
- brevipes** Totanus, F. H. Kittlitz in Litke, Voy. Monde, III. 1836, 267 [*n. n.*].
- brevipes** Tringa, R. P. Lesson, Traité Ornith. (7) Ap. 1831, 552 [*n. n.*].
- brevipes** Vorticella, C. G. Ehrenberg, Sym. Phys., Phyt. 1831 (pls. 1828) sign. *f.*, pl. i, f. 15 (1828).
- brevipes** Xysticus (Hahn), C. L. Koch, Uebers. Arachnidensyst. I. 1837, 25.—Thomisus.
- brevipetiolatus** Mesochorus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 148.
- brevipila** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XVII (198) Jan.—June, 1850, 130.
- brevipilis** Canis, J. H. Fennell, N. H. Brit. & For. Quad. 1841, 131.—*C. familiaris*, *var.*, Gm.
- brevipinna** Carcharias (Aprion), Joh. Mueller & Henle, Syst. Plagiost. (2) 1839, 31.
- brevipinna** Loligo, C. A. Lesueur, J. Acad. Nat. Sci. Philad. III. Feb. 1824, 282.
- brevipinna** Scymnus (Les.), J. E. De Kay, N. H. New York (Fish) 1842, 361.—Somniosus.
- brevipinna** Somniosus, C. A. Lesueur, J. Acad. Nat. Sci. Philad. I (9) May 1818, 222.
- brevipinnis** Exocoetus, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 123.
- brevipinnis** Thynnus, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 112.
- breviplicatus** Fusus (Forbes), A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 230.—*Voluta*.
- breviplicata** Pleurotomaria, Sandberger in J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 32.
- breviplicatus** Unio, Noulet, Mém. Ac. R. Sci. Toulouse [3] II. 1846, 233.
- breviplicata** *Voluta*, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 132.
- breviporus** Micraster, L. Agassiz, Cat. Ect. Ech. 1840, 2.
- breviporus** Micraster, Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 24.
- breviradiata** Ophiura, H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 224 [*n. n.*].
- breviramulis** Eulophus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 43.
- breviramulus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 18.
- brevirostris** Acanthiza (Gould), G. R. Gray, Genera of Birds, I. Feb. 1848, 189.—*Psilopus*.
- brevirostrum** Acipenser, C. A. Lesueur, Tr. Amer. Phil. Soc., n. s., I. 1818, 390.
- brevirostris** Agelaius (O. & L.), G. R. Gray, Genera of Birds, II. Dec. 1844, 347.—*Icterus*.
- brevirostris** Alcides, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 621.
- brevirostris** Alpheus (Ol.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 350.—*Palemon*.
- brevirostris** Anatina, T. Brown, Edinburgh Journ. Nat. Geogr. Sci. I. Oct. 1829, 11.
- brevirostris** Anguilla, J. McClelland, Calcutta Journ. Nat. Hist. V (18) July 1844, 177.
- brevirostris** Anser, Brehm, Isis (Oken), 1830, 996; Nat. Vögel Deutschl. 1831, 844.
- brevirostris** Anthus, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [*n. n.*].
- brevirostre** Apion, Gyll.; Dejean, Catal. Coléopt. 1821, 81 [*n. n.*].
- brevirostris** Arbelorhina, J. Cabanis, Mus. Heineanum (1) 1850 [1851], 96.
- brevirostris** Belemnites, F. V. Raspail, Ann. Sci. Observ. I (2) Feb. 1829, 321.
- brevirostris** Belemnites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1843, 96.
- brevirostris** Bombylius, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 326.
- brevirostris** Bombylius, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 381. [237.
- brevirostris** Bothynoderes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834,
- brevirostris** Bradypterus, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4) 1850, 103.
- brevirostris** Brentus, Cristofori & Jan, Cat. Mus. (III) 3, Coleopt.) 1832, 53 [*n. n.*].
- brevirostris** Campylorhynchus, de Lafresnaye, Rev. Zool. (Soc. Cuv.) VIII. Sept. 1845, 339.
- brevirostris** Cerceris, Lapeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 13.
- brevirostris** Charadrius, Max Wied, Beitr. Naturges. Brasil. IV (2) 1833, 769.
- brevirostris** Chimaera, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 489 [*n. n.*].
- brevirostris** Chimaera (Ischyodon), J. L. R. Agassiz, Poiss. Foss. III. 344 (1843).
- brevirostris** Cleonus (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 105.—*Bothynoderes*.
- brevirostris** Conops, Lafresnaye in E. F. Germar, Fauna Ins. Europ. (13) [1825–28], 24.

- brevirostris** Crithagra, J. Gould, Zool. "Beagle" (Birds, 1839), 88.
brevirostris Cuma, H. Krøyer, Naturhist. Tidsskrift [2] II (2) 1846, 174.
brevirostris Curculio (Panz.), T. Marsham, Coleopt. Brit., Sept. 1802, 296.—Anthribus,
brevirostris Cyclorhynchus, J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 249. [1798.
brevirostris Dasyopogon, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 273.—
 Dioctria, 1804.
brevirostris Dioctria, J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 255.
brevirostris Elaenia, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 274.
brevirostris Emballonura, A. Wagner, Arch. f. Naturg. IX (1) 1843, 367.
brevirostris Empis, J. Macquart, Mém. Soc. R. Sci. Lille, 1849, 1850, 400.
brevirostris Equula, Cuvier & Valenc., H. N. Poiss. X. 1835, 83.
brevirostris Equus, J. J. Kaup, N. Jahrb. f. Min. 1833, 518.
brevirostris Felis, Croizet & Jobert, Oss. foss. Puy de Dôme, 202 (1828).
brevirostris Gerygone, J. Gould in G. Grey, Journ. 2 Exp. Austral. II. 1841, 417.—Psi-
brevirostris Gobiesox, A. Guichenot in Gay, Chili (Peces) 1849, 335. [Iopos, 1838.
brevirostris Graculus (Gould), G. R. Gray, Genera of Birds, III. Jan. 1845, 667.—Phala-
brevirostris Graptomyza, C. R. W. Wiedemann, N. Dipt. Gen. 1820, 17. [Crococar.
brevirostris Graptomyza, H. Jensen, Bull. Soc. Imp. Nat. Moscou, IV. 1832, 334.
brevirostra Gregarina, A. Koelliker, Zeitschr. Wiss. Zool. I (1) 1848, 12.
brevirostra Gryllivora, W. Swainson, Anim. in Menag., Dec. 1837, 292.
brevirostris Hippocampus, H. R. Schinz in Cuvier, Thierreich, II. 1822, 262.
brevirostris Hirmonera, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 229.
brevirostris Hirundo, J. McClelland, Proc. Zool. Soc. London, VII (82) Mar. 1840, 155.
brevirostris Hyaena, F. L. P. Gervais, Zool. Pal. Franç. I. 1850, 122.
brevirostris Ibis, T. R. Peale in Wilkes, Expl. Exped. VIII. 1848, 219.
brevirostris Icterus, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de
 Zool. VIII. 1838, 7.
brevirostris Ischydon, J. L. R. Agassiz, Poiss. Foss. I. Tableau (1844), p. xliii [n. n.].
brevirostre Isognomon, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 155.
brevirostris Lamprotornis, T. R. Peale in Wilkes, Expl. Exped. VIII. 1848, 111.
brevirostris Leda (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 130.—Nucula.
brevirostris Leistes, W. Swainson, Anim. in Menag., Dec. 1837, 304. [pogon.
brevirostris Leptarthrus (Meig.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 55.—Dasy-
brevirostris Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 21.
brevirostris Loxia, J. B. v. Spix, Avium Brasil. II. 1825, 47.
brevirostris Macroscelides, H. R. Schinz, Syst. Verz. Säug. I. 1844, 284.
brevirostris Macrosemius, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 493 [n. n.].
brevirostris Malacanthus, A. Guichenot, Rev. Zool. (Soc. Cuv.) XI. Jan. 1848, 14.
brevirostre Mastodon, F. L. P. Gervais, Zool. Pal. Franç., Expl. to pl. iii (1849).
brevirostris Meliphaga, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 315.
brevirostris Melithreptus (V. & H.), G. R. Gray, Genera of Birds, I. Nov. 1846, 128.—
brevirostris Menoetius, Dejean, Catal. Coléopt. 1821, 94 [n. n.]. [Meliphaga.
brevirostris Molothrus, W. Swainson, Anim. in Menag., Dec. 1837, 305.
brevirostris Mulio, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 48.
brevirostris Mus, G. R. Waterhouse, Proc. Zool. Soc. London, V (50) Nov. 1837, 19.
brevirostris Muscicapa, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 799. [43-
brevirostris Muscipeta, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (4) Ap. 1831,
brevirostris Muscipeta, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin
 de Zool. VII. 1837, 49.
brevirostris Myiobius (O. & L.), G. R. Gray, Gen. Birds, I. May 1847, 249.—Muscipeta.
brevirostris Nasesus, G. Cuvier, Règne Anim., ed. 2, II. 1829, 225.
brevirostris Nemerina, C. R. W. Wiedemann, Dipt. exot. 1821, 156.
brevirostris Nemotelus, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822,
brevirostris Nucula, J. Phillips, Geol. Yorksh. II. 1836, 210. [117.
brevirostris Nucula (Dacryomya), A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850,
brevirostris Numenius, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 75. [233-
brevirostris Opitomorphus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845
 (1) 1845, 104.

- brevirostris** Ornismya, R. P. Lesson, H. N. Oiseaux-Mouches (16 & 17) June or July 1830, 211.
- brevirostris** Ornithocephalus, S. T. v. Soemmering, Denkschr. K. Ak. Wiss. München, VI. 1816-17 (1820), 89.
- brevirostris** Ornithorhynchus, W. Ogilby, Proc. Comm. Sci. Zool. Soc. London (13) Jan. 1832, 150.
- brevirostris** Ostrea, M. de Serres, Ann. Sci. Nat. [2] (Zool.) XX. Sept. 1843, 165.
- brevirostris** Palaemon, A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 664.
- brevirostris** Palaemon, A. Andrzejewski, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 23.
- brevirostris** Pallene, G. Johnston, Mag. Zool. Bot. I (4) Dec. 1836, 380.
- brevirostris** Pandalus, H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 17.
- brevirostris** Pangonia, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 326.
- brevirostris** Pardalotus (Gould), G. R. Gray, Gen. Birds, III. App. 1849, 13.—Smicromnis.
- brevirostris** Pasiphaea, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 426.
- brevirostris** Pectunculus, J. De C. Sowerby, Min. Conch. V. 1824, 112.
- brevirostris** Pectunculus, F. Dixon, Geol. Sussex, 1850, 225.
- brevirostris** Pericrocotus (Vig.), G. R. Gray, Gen. Birds, I. June 1846, 282.—Muscipeta.
- brevirostris** Phaenicornis, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 84 [*n. n.*].
- brevirostris** Phalacrocorax, J. Gould, Proc. Zool. Soc. London, V (50) Nov. 1837, 26.
- brevirostris** Phyllopneuste (Strickl.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 289.
- brevirostris** Platyrrhynchus, J. B. v. Spix, Avium Brasil. II. 1825, 13. [*n. n.*]
- brevirostrum** Pleurotoma, J. De C. Sowerby, Min. Conch. IV. 1823, 120.
- brevirostris** Podilymbus, G. R. Gray, Genera of Birds, III. June 1846, 633 [*n. et f.*].
- brevirostris** Polytmus (Less.), G. R. Gray, Genera of Birds, I. Dec. 1848, 108.—Ornismya.
- brevirostris** Procellaria, R. P. Lesson, Traité Ornith. (8) June 1831, 611.
- brevirostris** Procellaria, G. N. Lawrence, Ann. Lyceum N. H. New York, IV (8 & 9) Ap. 1847, cover, & (10 & 11) July 1847, 476.
- brevirostris** Proscopia, J. C. F. Klug, Horae phys. Berol. 1820, 25.
- brevirostris** Psilopus, J. Gould, Syn. Birds Austral. (4) Ap. 1838.
- brevirostris** Pterodactylus, Desmarest, N. Dict. H. N., ed. 2, XXVIII. 1819, 231.
- brevirostris** Pteroglossus, R. P. Lesson, Traité Ornith. (3) July 1830, 178.
- brevirostris** Pterydactylus, G. Cuvier, Oss. Foss., ed. 2, V (2) 1824, 376.
- brevirostris** Radius, C. F. Schumacher, Essai Vers test. 1817, 259.
- brevirostris** Rhinobatus (Syrhina), Joh. Mueller & Henle, Syst. Plagiost. (3) 1841, 114.
- brevirostris** Rhynchites, J. Sturm, Catal. Ins. Samml. 1826, 191 [*n. n.*].
- brevirostris** Rhynchops, J. B. v. Spix, Avium Brasil. II. 1825, 81.
- brevirostra** Rostellaria, C. F. Schumacher, Essai Vers test. 1817, 223.
- brevirostris** Salangana (McClell.), R. P. Lesson, Echo Monde Savant, X. 20 July 1843, 134.—Hirundo.
- brevirostris** Smicromnis, J. Gould, Birds of Australia, II (34) 1848, pl. 103.—Psilopus, 1838.
- brevirostris** Sterna, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. 1819, 166.
- brevirostris** Sterna, J. E. Gray, Ill. Indian Zool. I (—) [1830-2] (pl. 69).
- brevirostris** Strigocephalus, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 80.
- brevirostris** Sylvia, H. E. Strickland, Proc. Zool. Soc. London, IV (46) Feb. 1837, 98.
- brevirostris** Syngnathus, E. Rueppell, Neue Wirbelth. Abyssin. (12) 1838, 144.
- brevirostris** Tellina, L. Oken, Lehrb. Nat. III (1) 1815, 226. [631.
- brevirostris** Terebratula, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839,
- brevirostris** Terebratula, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 41.
- brevirostris** Thamnophilus, de Lafresnaye, Rev. Zool. (Soc. Cuv.) VII. Mar. 1844, 82.
- brevirostris** Thaumantias (Less.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 78.—Trochilus.
- brevirostra** Thracia, T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 110.—Anatina, 1829.
- brevirostris** Tipula, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 844.
- brevirostris** Tityra (Spix), G. R. Gray, Gen. Birds, I. June 1846, 254.—Platyrrhynchus.
- brevirostris** Triacanthus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1850), 294.
- brevirostris** Tringa, J. B. v. Spix, Avium Brasil. II. 1825, 76.
- brevirostris** Trochilus, R. P. Lesson, (Ind. gén.) 1832-33, p. xxvi.
- brevirostris** Troglodytes, T. Nuttall, Mem. Amer. Acad., n. s., I. 1833, 98.

- brevirostris** Uria, N. A. Vigers, Zool. Journ. IV (15) Jan. 1829, 357.
- brevirostris** Zancus, J. L. R. Agassiz, Poiss. Foss. IV. 35 (1835), 236 (1842).
- brevirostrum** *v.* **brevirostris**.
- brevis** Acanthastrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849, 146.
- brevis** Acanthocinus, Sch.; Dejean, Catal. Coléopt. 1821, 106 [*n. n.*].
- brevis** Acanthopleurus, P. de M. G. Egerton in J. L. R. Agassiz, Poiss. Foss. II (2), 253
- brevis** Acanthoteuthis, G. v. Muenster, Beitr. zur Petref. (5) 1842, 97. [(1844)].
- brevis** Achatinella, L. Pfeiffer, Proc. Zool. Soc. London, XIII (150) Jan. 1846, 90.
- brevis** Acilius, C. Aubé in Dejean & Boisduval, Icon. Coléopt. V. (1837-38), 70.
- breve** Acnephalium, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 168.
- breve** Acridium (Tetrix), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 170. [568, Table.—Ptilium, 1845.]
- brevis** Acrotrichis, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2) 1848,
- brevis** Aleochara, O. Heer, Coleopt. Helvet. (2) 1839, 315.
- brevis** Alosa, P. Bleeker, Journ. Indian Arch. II (9) Sept. 1848, 638.
- brevis** Amara, Dejean, Catal. Coléopt. 1821, 9 [*n. n.*]; Spec. gén. Coléopt. III. 1828, 493.
- brevis** Ammoecius, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (6) 1848, 907.
- brevis** Anaphes, F. Walker, Ann. Mag. N. H. XVIII. July 1846, 52.
- brevis** Anatina, S. Stutchbury, Zool. Journ. V (17) Feb. 1830, 99.
- brevis** Ancyloceras, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 508.
- brevis** Anthaxia, Laporte & Gory, H. N. Coléopt. II. 1839, 18.
- brevis** Anthicus, W. L. E. Schmidt, Entom. Zeitung, Stettin, III (8) Aug. 1842, 180.
- brevis** Anthophora, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 114 [*n. n.*].
- breve** Apion, Dejean, Catal. Coléopt. 1821, 81 [*n. n.*].
- brevis** Archaeus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 144 (1843); V (1), 50 (1844).
- brevis** Arcomya, H. G. Bronn, Index Pal. 1848, 101.
- brevis** Argus (Wider), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841].
- brevis** Argutor, Duftschmid; Dejean, Catal. Coléopt. 1821, 11 [*n. n.*]. [356.—Theridion.
- brevis** Asaphus, G. v. Muenster, Beitr. zur Petref. (3) 1840, 39.
- brevis** Bacillus, H. Burmeister, Handb. Ent. II (2) 1, 1838, 562.
- brevis** Bagous, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 550.
- brevis** Belemnites, H. D. de Blainville, Mém. Bélem. 1827, 86.
- brevis** Belemnites, G. v. Muenster, Bemerk. Belemniten, 1830; Boué, Mém. géol. I. 1832,
- brevis** Belyta, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 343. [306.]
- brevis** Beris, F. Walker, List Dipt. Coll. B. M. (1) 1848, 127.
- brevis** Bibio, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 225.
- brevis** Brachytarsus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 168.
- breve** Buccinum, J. De C. Sowerby, Min. Conch. VI. 1827, 128.
- brevis** Bulimina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 270 [*n. n.*].
- brevis** Bulimina, A. d'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 41.
- brevis** Bulimus, T. Brown, Ill. Conch. G. B. I. 1827, pl. xli, f. 21 [*n. et f.*].
- brevis** Bulla, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 358.
- brevis** Camaria, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 182.
- brevis** Cancellaria, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (17) Ju. 1832,
- brevis** Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (4) 1804, 9. [52.]
- brevis** Cantharis, P. S. Schilling, Uebers. Arb. schles. Ges. 1833 (1834), 77 [*n. n.*].
- brevis** Capoeta, P. Bleeker, Verh. Batav. Genootsch. XXIII. 1850 (Ichth. fauna Java), 21.
- brevis** Caprinula, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 180.
- brevis** Carabus, Creutzer in K. Duftschmid, Fauna Austriae, II. 1812, 179.
- brevis** Carabus, Dejean, Catal. Coléopt. 1821, 6; Spec. gén. Coléopt. II. 1826, 93.
- brevis** Caryophyllia, J. L. C. Gravenhorst, Tergestina, 1831, 147.
- brevis** Cephalus, G. Shaw, Gen. Zool. (Pisc.) V (2) 1804, 437.
- brevis** Ceraphron, J. Curtis, Guide Brit. Ins. (4) 1829-30, 111 [*n. n.*]. [[*non* 1850], 101.]
- brevis** Cerapterus (Arthropterus), J. O. Westwood, Proc. Linn. Soc. London (44) Jan. 1851
- breve** Cerithium, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834), 116.
- brevis** Cetiosaurus, R. Owen, 11 Rept. Brit. Assoc. (Plym. 1841) 1842, 94.
- brevis** Chaetonotus, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 44 [*n. n.*]; *ibid.* 1831 (1832), 123.

- brevis** Chalepus (Perty), W. F. Erichson in R. Schomburgk, *Reisen Brit.-Guiana*, III. 1848, 562.—Cyclocephala.
- brevis** Cistela, T. Say, *J. Acad. Nat. Sci. Philad.* III. Feb. 1824, 269.
- brevis** Clausilia, F. Cantraine, *Bull. Ac. Roy. Brux.* II. 1835, 382.
- brevis** Cleonus, Fahraeus in C. J. Schoenherr, *Gen. et Sp. Curc.* VI (2) 1842, 83.
- brevis** Clupea, J. L. R. Agassiz, *Phil. Mag.* VIII. 1836, 367 [*n. n.*]; *Poiss. Foss.* V (2), 119 (1844).
- brevis** Conotrachelus, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc.* VIII (2) 1845, 47.
- brevis** Conus, J. De C. Sowerby, *Tr. Geol. Soc. London* [2] V. 1840, expl. pl. xxvi.
- brevis** Copris, E. F. Germar, *Ins. Spec. novae*, I. 1824, 103.
- brevis** Coraeus, Laporte & Gory, *H. N. Coléopt.* II. 1838, 17. [185 (1839)].
- brevis** Cottus, J. L. R. Agassiz, *Jahrb. f. Min.* 1832, 137 [*n. n.*]; *Poiss. Foss.* IV. 12 (1838),
- brevis** Crabro, P. L. van der Linden, *N. Mém. Ac. Roy. Brux.* V. 1829, 72.
- brevis** Crossocerus, E. Eversmann, *Bull. Soc. Imp. Nat. Moscou*, XXII. 1849 (4) 1849, 418.
- brevis** Cryptorhynchus, Munck in C. J. Schoenherr, *Gen. et Sp. Curc.* IV (1) 1837, 109.
- brevis** Ctenacanthus, J. L. R. Agassiz, *Poiss. Foss.*, Feuilleton, 92 (1836); III. 11 (1837).
- brevis** Cucullaea, A. d'Orbigny, *Coq. Fos. Colomb.* 1842, 54.
- brevis** Curculio, T. Marsham, *Coleopt. Brit.*, Sept. 1802, 265.
- brevis** Cybister, Dupont in C. Aubé, *Spec. gén. Hydroc.* 1838, 98.
- brevis** Cyclocephala, M. Perty, *Del. anim. artic. Brasil.* (1) 1830, 46.
- breve** Cyclostoma, J. P. R. Draparnaud, *H. N. Moll. France*, 1805, 37.
- breve** Cyclostoma (Martyn), L. Pfeiffer in Martini & Chemnitz, *Syst. Conch. Cab.*, ed. 2, Cyclostoma (85) 1849, 166.—Lituus.
- brevis** Cylindrella, L. Pfeiffer, *Symb. Helic.* I. 1841, 47.
- brevis** Cyrtonus, L. Fairmaire, *Ann. Soc. Ent. France* [2] VIII (4) c. Jan. 1851, 547.
- brevis** Dentalina, A. d'Orbigny, *Foram. foss. Vienne*, Sept. 1846, 48.
- brevis** Donax, [E. Requier], *Cat. Coq. Corse, extremo* 1849, 22.
- brevis** Echinolampas, Agassiz, *Ann. Sci. Nat.* [3] (Zool.) VII. Mar. 1847, 164.
- brevis** Elater, J. Sturm, *Catal. Ins. Samml.* 1826, 135 [*n. n.*].
- brevis** Elater, Cristofori & Jan, *Cat. Mus.* (III a, Coleopt.) 1832, 20 [*n. n.*]. [Crabro.]
- brevis** Entomognathus (Linden), A. G. Dahlbom, *Hymenopt. Europaea* (2) 1844, 295.—
- brevis** Eulima, G. B. Sowerby, I., *Proc. Zool. Soc. London*, II (13) May 1834, 7.
- brevis** Eulima, [E. Requier], *Cat. Coq. Corse, extremo* 1848, 58.
- brevis** Exorista, J. Macquart, *Ann. Soc. Ent. France* [2] VII (4) *post* Feb. 1850, 388.
- brevis** Forficula, P. Rambur, *F. Ent. Andal.* II (2) Mar. 1838, 9.
- brevis** Fusus, T. Brown, *Ill. Conch. G. B. I.* 1827, pl. xlviii, f. 34 [*n. et f.*].
- brevis** Galeruca, Cristofori & Jan, *Cat. Mus.* (III a, Coleopt.) 1832, 82 [*n. n.*].
- brevis** Gastrochaena, G. B. Sowerby, I., *Proc. Zool. Soc. London*, II (15) June 1834, 21.
- brevis** Gervillia, J. Buckman in Murchison, *Outlines Geol. Cheltenham*, 1844, 98.
- brevis** Goniaspidium, H. Burmeister, *Handb. Ent.* IV (1) 1844, 127.
- brevis** Gonorhynchus, M'Clelland, *Asiat. Res.* XIX (2) Jan. 1840, 373.
- brevis** Halipus, J. F. Stephens, *Ill. Brit. Ent.* (Mand. II.) Aug. 1828, 43.
- brevis** Harpalus, J. Sturm, *Catal. Ins. Samml.* 1826, 148 [*n. n.*]. [1844, 204.]
- brevis** Harpalus, V. Motshulski, *Mém. présentés Ac. Imp. Sci. St Pétersb.* V (1-3) Nov.
- brevis** Helicolimax, A. E. Férussac, *H. N. g. et p. Moll.*, *Tabl. Limaçons*, 1821, 25.—
- brevis** Helix, C. B. Adams, *Contr. to conch.* (3) Oct. 1849, 35. [*n. et f.*].
- brevis** Helophorus, C. R. Sahlberg, *Diss. Ent. Ins. Fenn.* (4) 1819, 44; & *Ins. Fenn.* I.
- brevis** Helops, J. Sturm, *Catal. Ins. Samml.* 1826, 150 [*n. n.*]. [1834, 44.]
- brevis** Hemipronites, C. H. Pander, *Beitr. Geogn. Russ. Reich.* 1830, 75.
- brevis** Hippurites, G. P. Deshayes in Cuvier, *Règne Anim., disciples' ed.*, *Moll.*, descr. to pl. 69 *bis* (*die indet.*).
- brevis** Holothuria, Forbes & Goodsir, *Athenaeum*, 1839, 647.
- brevis** Hydrobia (Mich.), D. Dupuy, *H. N. Moll. France* (5) May 1851, 560.—Paludina.
- brevis** Hydrochus (Herbst), Dejean, *Catal. Coléopt.* 1821, 50.—Elophorus, 1793.
- brevis** Hydroporus, R. F. Sahlberg, *Bull. Soc. Imp. Nat. Moscou*, VII. 1834, 270.
- brevis** Ichneutes, C. Wesmael, *N. Mém. Ac. Roy. Brux.* IX. 1835, 198.
- brevis** Isocardia, C. d'Orbigny, *Mém. Mus. H. N. (Paris)* VIII [1-3] May 1822, 104.
- breve** Isosoma, F. Walker, *Entom. Mag.* I (1) Sept. 1832, 18.

- brevis** Jassus, Herrich-S. in Panzer, Ins. Germ., heft 143, 1836, tab. 15.
brevis Laemophloeus, L. Fairmaire, Rev. et Mag. de Zool. (2) II. Jan. 1850, 56.
brevis Lamia, C. J. Schoenherr, Syn. Insect. I (3) 1817, 380. [1833.
brevis Lamprotatus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 31.—Miscogaster,
brevis Larinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 129.
brevis Larinus, Schoenherr in F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837,
brevis Leptura, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 182. [241.
brevis Leuciscus, J. L. R. Agassiz, Poiss. Foss. V (2), 35 (1839).
brevis Limnea, J. B. Bouillet, Ann. Sci. Auvergne, VIII. 1835, 628.
brevis Limnephilus, J. Curtis, Guide Brit. Ins. (5) 1830, 135 [*n. n.*].
brevis Lindenius (v. d. Lind.), Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III
 (4) *post* Mar. 1835, 800.—Crabro.
brevis Lingula, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 443.
breve Littorina (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 254.—Buccinum.
brevis Lituus, T. Martyn, Univ. Conch. I. 1784, f. 28.
brevis Loligo, H. D. de Blainville, Journ. de Physique, XCVI. Mar. 1823, 133.
brevis Lopadorrhynchus, A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 306 [*n. n.*].
brevis Loxonema, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 30.
brevis Lucanus, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 202.
brevis Lytta, F. Klug, N. A. Ac. Caes. Leop. Car. XII (2) 1825, 448. [Buccinum.
brevis Macrocheilus (Sow.), J. Phillips, Figs. descr. Pal. foss. Cornwall, Aug. 1841, 103.—
brevis Macrophthalmus (Herbst), A. White, List Crustacea Coll. B. M. 1847, 128.—
brevis Mactromya, J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 192. [Cancer.
brevis Mamillifera, P. Duchassaing, Anim. rad. Antilles [1850], 11.
brevis Mangelia, C. B. Adams, Contr. to conch. (4) Jan. 1850, 66.
brevis Mantis, P. Rambur, F. Ent. Andal. II (3) Dec. 1838, 21.
brevis Masicera, J. Macquart, Ann. Soc. Ent. France [2] VIII (4) *c.* Jan. 1851, 460.
brevis Megatchile (*sic*), T. Say, Boston Journ. N. H. I (4) 1837, 407.
brevis Melania, I. Lea, P. Amer. Phil. Soc. II (24) Dec. 1842, 242.
brevis Melania, A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 10.
brevis Melanopsis, J. De C. Sowerby, Min. Conch. VI. 1826, 42.
brevis Meligethes, J. Sturm, Deutschl. Fauna (Insecten) XVI. 1845, 57.
brevis Micraster, Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 24. [1850, 69.
brevis Microplus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
brevis Millericrinus, A. d'Orbigny, H. N. Crinoides (3) May 1841, 77.
brevis Miscogaster, F. Walker, Entom. Mag. I (5) Oct. 1833, 464.
brevis Molops (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) IV. 1818, 179.—Carabus.
breve Monoceros, G. B. Sowerby, II., Gen. Shells (5) 1821.
brevis Mugil, de Blainville, N. Dict. H. N., ed. 2, XXVII. 1818, 344. [—Buccinum.
brevis Murchisonia (Sow.), Agassiz in Sowerby, Min. Conch. (French ed.) 1842-45, 583.
brevis Murex, E. Forbes, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 190. [Anatina.
brevis Myadora (Stutch.), L. Reeve, Conch. Icon. II.—Myadora, no. 7, May 1844.—
brevis Mycetophila (Ill.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 543.—Cistela, 1794.
brevis Mycetophila, Panz.; Dejean, Catal. Coléopt. 1821, 71 [*n. n.*].
brevis Nabis, Scholz, Uebers. Arb. schles. Ges. 1846 (1847), 112.
brevis Nanophyes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 195.
brevis Nemaglossa, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 216.
brevis Nematus, T. Hartig, Adelf. Deutschl. I. 1837, 205.
brevis Nodosaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 252 [*n. n.*].
brevis Notiophilus, G. R. Waterhouse, Entom. Mag. I (2) Jan. 1833, 206. [1850, 78.
brevis Omaloplia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
brevis Omphra, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850, 36.
brevis Osteolepis, F. M'Coy, Ann. Mag. N. H. (2) II. Nov. 1848, 305.
breve Ovulum, G. B. Sowerby, I., Zool. Journ. IV (14) Oct. 1828, 152.
brevis Oxyporus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844, 39.
brevis Palimphytes, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 36 (1835); V (1), 47 (1844).
brevis Paludina (Drap.), C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 41.—Cyclostoma.
brevis Paludina, Michaud, Compl. Moll. France, 1831, 97.

- brevis** Pandora, G. B. Sowerby, I [Catal. Coll. S. Stutchbury, *c.* 1829], App. p. 3.
- brevis** Paracyathus, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. June 1848, 323.
- brevis** Peryphus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 28.
- brevis** Phaneroptera, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
- brevis** Phasianella, A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 79. [418.
- brevis** Phasianella, C. T. Menke, Moll. N. Holl. 1843, 12.
- brevis** Phasianella, C. B. Adams, Contr. to conch. (4) Jan. 1850, 67.
- brevis** Philonthus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844, 37.
- brevis** Philopterus, L. Dufour, Ann. Soc. Ent. France, IV (4) *post* Feb. 1836, 674.
- brevis** Phryganea, J. W. Zetterstedt, Ins. Lapp. descr. 1840, 1066.
- brevis** Phygadeuon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 743.
- brevis** Phyllobius, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 461.
- brevis** Phyllopertha, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 178.
- brevis** Planaxa, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 488.
- brevis** Platycheilus, H. Burmeister, Handb. Ent. IV (1) 1844, 152.
- brevis** Platycrinites, Goldfuss, N. A. Ac. Caes. Leop. Car. XIX (1) 1839, 346.
- brevis** Platycleura, F. Walker, List Homopt. Coll. B. M. (1) 1850, 19.
- brevis** Plectris, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 129. [(2) III (2) 1847, 289.
- brevis** Pleurotoma, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem
- brevis** Pleurotoma, L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 547.
- brevis** Plexaura, P. Duchassaing, Anim. rad. Antilles [1850], 20.
- brevis** Porambonites, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 96.
- brevis** Productus, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 87.
- brevis** Prosodes, F. Gebler, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. III (7) June 1844, 103.
- brevis** Psectrascelis, A. J. J. Solier, Ann. Soc. Ent. France, V (2) *post* May 1838, 316.
- brevis** Psolinus (F. & G.), E. Forbes, Hist. Brit. Starfish (5) Feb. 1841, 207.—Holothuria.
- breve** Ptilium, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4) 1845, 533.
- brevis** Ptyobranchus, J. McClelland, Calcutta Journ. Nat. Hist. V (18) July 1844, 223.
- brevis** Pupa, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 182.
- brevis** Purpura, H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I [2] *post* May 1832, 233.
- brevis** Purpurina, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 334.
- brevis** Quedius, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 535.
- brevis** Racoma, McClelland & Griffith, Calcutta Journ. Nat. Hist. II (8) Jan. 1842, 578.
- brevis** Rhinobatus, Ziegl.; Dejean, Catal. Coléopt. 1821, 98 [*n. n.*].
- brevis** Rhinoclavis (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 80.—Cerithium.
- brevis** Rhinocyllus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 150.
- brevis** Rhombocephalus, G. Newport, Tr. Linn. Soc. London, XIX (4) 1845, 426.
- brevis** Rhyncolus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 282.
- brevis** Rissoa, E. Sismonda, Syn. meth. Anim., ed. 2, 1847, 53.
- brevis** Rohita (McClell.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1026.—Gonorhynchus.
- brevis** Scalaria, A. d'Orbigny, Amér. Mérid. (Moll.) 1840, 390.
- brevis** Scarabaeus, J. Sturm, Catal. Ins. Samml. 1826, 193 [*n. n.*].
- brevis** Scolopendra (Newp.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 274.—Rhombocephalus. [Bostrichus, 1795-6.
- brevis** Scolytus (Panz.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 220.—
- breve** Seladerma, F. Walker, Entom. Mag. II (3) July 1834, 290.
- brevis** Selandria (Klug), J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 125.—Tenthredo.
- brevis** Solen, J. E. Gray in S. Hanley, Ill. ed. Lamarck's Shells (1) *extremo* 1842, 12.
- brevis** Sphenoptera, Laporte & Gory, H. N. Coléopt. II. 1839, 32.
- brevis** Steirastoma (Schönh.), J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 25.—Lamia. [Mar. 1835, 354.
- brevis** Steropus, F. Faldernmann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5)
- brevis** Stylosmilia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 174.
- brevis** Succinea, W. Dunker, Zeitschr. f. Malakozool., June [Aug.] 1850, 84.
- breve** Systolosoma, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 242.

- brevis** Tanyrhyndus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 419.
- brevis** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 53.
- brevis** Tentyria, J. Sturm, Catal. Ins. Samml. 1826, 201 [*n. n.*].
- breve** Theridion, Wider in Reuss, Abh. Senckenb. Mus. I (3), 1834, 236.
- brevis** Thracia, G. P. Deshayes, Expl. Algér. (Moll.) 1845-8, 297.
- brevis** Trachyphloeus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1), 1843, 113.
- brevis** Trinucleus, R. J. Murchison, Proc. Geol. Soc. London, IV. 1845, 626.
- brevis** Trochocyathus (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 403.—
- brevis** Trogllops, W. F. Erichson, Entomographien, 1840, 128. [Turbinolia.]
- brevis** Turbinolia, G. P. Deshayes in Ladoucette, Stat. H.-Alpes, 1834, 565.
- breve** Turbo, T. Brown, Tr. R. Soc. Edinb. VIII (2) 1818, 463.
- brevis** Turboella, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 271 [*n. n.*].
- brevis** Turritella, J. Sowerby, Min. Conch. I. 1814, 110.
- brevis** Venerupis, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 534.
- brevis** Vitrina (Fér.), J. E. Gray, Ann. Phil. XXV. 1825, 408.—Helicolimax.
- breviscapa** Ceria, W. W. Saunders, Tr. Entom. Soc. Lond. IV (1) Ap. 1845, 65.
- breviscapus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 25.
- breviserialis** Colpophyllia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849,
- breviseta** Agathis, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VI (3) 1812, 194. [267.]
- breviseta** Cordylura, J. W. Zetterstedt, Dipt. Scand. V. 1846, 2022.
- breviseta** Tachina, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 645.
- brevisetosa** Nemoraea, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 282.
- brevispina** Acanthocrinus, F. A. Roemer, N. Jahrb. f. Min. 1850, 680.
- brevispina** Ammonites, J. De C. Sowerby, Min. Conch. VI. 1827, 106.
- brevispina** Belosepia, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 193.
- brevispinus** Brachionus, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 146.
- brevispinus** Carinidea (Sow.), W. Swainson, Treat. Malacol., May 1840, 350.—Turbo.
- brevispina** Murex, Lamarck, An. s. vert. VII. 1822, 159.
- brevispinus** Nemaacanthus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 494; Poiss. Foss. III. 177 (1843).—[*n. n.*].
- brevispina** Nerita (Lam.), Quoy in Dumont d'Urville, Voy. "Astrolabe," III (Moll.) 1834, 200.—Neritina.
- brevispina** Neritella (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 91.—Nerita.
- brevispina** Neritina, Lamarck, An. s. vert. VI (2) 1822, 186.
- brevispina** Ophiura, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 149.
- brevispina** Salpina, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 46 [*n. n.*]; *ibid.* 1831 (1832), 133.
- brevispina** Trochus, Lamarck, An. s. vert. VII. 1822, 12.
- brevispina** Turbo (Lam.), A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 73.—Trochus.
- brevispina** Udora, G. v. Muenster, Beitr. zur Petref. (2) 1839, 69.
- brevispinella** Anchinia, P. C. Zeller, Isis (Oken), 1847, 822.
- brevispinosa** Acanthopleura (Sow.), J. E. Gray, Proc. Zool. Soc. London, XV (174) June 30, 1847, 68.—Chiton.
- brevispinosus** Chiton, G. B. Sowerby, II., Mag. Nat. Hist., n. s., IV. June 1840, 287.
- brevispinosus** Echinus, A. Risso, H. N. Europe, V. 1826, 277.
- brevispinosa** Hystrix, J. A. Wagner in Schreber, Säugth., Suppl. IV. 1843, 20.
- brevispinosa** Themisto, H. D. S. Goodsir, Edinburgh New Phil. Journ. XXXIII (65) July 1842, 177. [Pls. 1846].
- brevispinosus** Trochus, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab.
- brevispira** Helix, M. de Serres, Mém. Soc. R. Sci. Lille, 1839 (1) 1839, 63.
- brevispira** Natica, A. Leymerie, Mém. Soc. géol. France (2) I (2) 1846, 363.
- brevispondylus** Lepidopides, J. J. Heckel, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 241.
- brevisimum** Astrea, G. P. Deshayes in Ladoucette, Stat. H.-Alpes, 1834, 564.
- brevisima** Bulla, A. Adams, G. B. Sowerby, II., Thes. Conch. II (11) 1850, 593.
- brevisimus** Clupaea, de Blainville, N. Dict. H. N., ed. 2, XXVII. 1818, 364.
- brevisimus** Fusus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 228. [253.]
- brevisima** Montlivaltia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848,

- brevislima** Rhizangia (Desh.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 496.—Astrea.
- brevislima** Stratipora, C. S. Rafinesque, Atlantic Journ. (4) 1832, 143.
- brevistyla** Aeschna, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 205.
- brevisulcatus** Hemiaster, Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 20.—
- brevisulcatus** Micraster, L. Agassiz, Cat. Ect. Ech. 1840, 2. [Micraster, 1840.
- brevitarse** Nymphon, H. Krøyer, Naturhist. Tidsskrift [2] I (2) 1844, 115.
- brevitarsis** Philochlaenia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 122.
- Brevitarsus** W. Jameson, Calc. Journ. N. H. I. 1841, 319.—A. [*n. n.*].
- brevitarsus** Dolerus, T. Hartig, Adelfl. Deutschl. I. 1837, 243. [1830, 293 [*n. n.*].
- brevitentacula** Actinia, Quoy & Gaimard in H. D. de Blainville, Dict. Sci. Nat. LX.
- brevitentacularis** Octopus, de Blainville, Dict. Sci. Nat. XLIII. 1826, 187.
- brevitentaculata** Loligo, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1832), 81.
- breviterebrata** Tipula, J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, 1823-4, 1826, 131.
- brevithorax** Harpalus, Sch. ; Dejean, Catal. Coléopt. 1821, 15 [*n. n.*].
- brevithorax** Orthogonius (Schoen.), Dejean, Spec. gén. Coléopt. I. 1825, 282.—Harpalus.
- brevitibialis** Chironomus, J. W. Zetterstedt, Dipt. Scand. IX. 1850, 3537.
- breviunguis** Alauda, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4) 1850, 99.
- breviunguis** Alauda (Anthus), J. B. v. Spix, Avium Brasil. I. 1824, 75. [246 [*n. n.*].
- breviunguis** Certhilauda, C. L. Bonaparte (*ex* Sund. MS), Consp. gen. Avium, I. 1850,
- breviuscula** Aleochara, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 161.
- breviusculus** Argutor, Sahlberg, Scarab. Ochot. [? 1844], 31 [*mihî non visum*].
- breviusculus** Braco, C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1838, 21.
- breviusculus** Calisthenes (Mann.), E. Ménétriés, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. I (22) Ap. 1843, 345.—Carabus.
- breviusculus** Carabus, Mannerheim, Bull. Soc. Imp. Nat. Moscou, II (1) 1830, 61.
- breviusculum** Ctenostoma, Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (2) 1837, 20.
- breviuscula** Feronia, R. F. Sahlberg, F. Ins. Ross. 1844, 31.
- breviusculus** Harpalus, M. de Chaudoir, Enum. Carab. 1846, 184.
- breviuscula** Heriades, W. Nylander, Notiser Sallsk. fauna Fennica Förhandl. I. 1848,
- breviuscula** Lota, J. Richardson, Zool. "Ereb. Terr." (Fish, 1846), 61. [272.
- breviuscula** Megilla, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 142 [*n. n.*].
- breviusculus** Nematus, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (1) 1847,
- breviuscula** Nitidula, F. A. Kolenati, Melet. Entom. (5) June 1846, 53. [17.
- breviuscula** Plectroscelis, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 349.
- breviusculus** Pseudocryobius (Sahlb.), V. v. Mochulski, Kaefar Russl., *post* May 1850, 54.—Argutor. [230.
- breviuscula** Taphria, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (1) 1849,
- breviusculus** Tryphon, Boyer de Fonscolombe, Ann. Soc. Ent. France [2] VII (2) Oct. 1849, 217.
- breviventris** Clubiona, H. Nicolet in Gay, Chili, III (Arach.) 1849, 438.
- breviventris** Dasypogon, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 181.
- breviventris** Gonypus, C. Rondani in Baudi & Truqui, Studi Ent. I. 1848, 96.
- breviventris** Hemiteles, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 789.
- breviventre** Isosoma, F. Walker, Entom. Mag. I (1) Sept. 1832, 20.
- breviventris** Mallophora, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 381.
- breviventris** Microgaster, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 51.
- breviventris** Miscogaster, F. Walker, Entom. Mag. I (5) Oct. 1833, 462.
- breviventris** Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 297.
- breviventris** Tipula, C. R. W. Wiedemann, Dipt. exot. 1821, 43.
- breviventer** Xantholinus, F. Sperk, Bull. Soc. Imp. Nat. Moscou, VIII. 1835, 153.
- brevivillosa** Aricia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 292.
- brevivitta** Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 470.
- brevivitta** Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 157.
- brevivittata** Hilara, J. Macquart, Ins. dipt. N. France (3) 1827, 114. [1846, 352.
- brevoorti** Pterostichus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug.

- brevoorti** Sphaeroderus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11)
breweri Anas, J. J. Audubon, Orn. Biogr. IV. 1838, 302. [July 1847, 443.
brewerii Quiscalus, J. J. Audubon, Birds of Amer. (1st 8vo ed., New York) VII. 1844, 345.
breweri Scalops, J. Bachman, Boston Journ. N. H. IV (1) 1842, 32.
[breynii.]
breynii Lituites, G. P. Deshayes in Cuvier, Règne Anim., disciples' ed., Moll., descr. to
 pl. 12 (*die in det.*). [ceratites.
breynii Melia (Mart.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 114.—Ortho-
breynii Orthocera (Mart.), J. Sowerby, Min. Conch. I. 1814, 132.—Orthoceratites.
breynii Orthoceratites, W. Martin, Petr. Derb. 1809, pl. 39.
Breynia Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 12.—Ech.
breynianus Echinites, E. F. Schlotheim, Taschen. Min. 1813, 109.
briantea Mordella, A. Villa in A. Comolli, De coleopt. Novocomi, 1837, 28.
Briaraea Quoy & Gaimard, Ann. Sci. Nat. X (39) Mar. 1827, 235.—Coel.
Briarda Q. & G. 1827; ? *err.* Scudder *pro* Briareus, *q.v.*
Briareum de Blainville, Dict. Sci. Nat. LX. 1830, 484.
Briareus Quoy & Gaimard, Bull. Soc. Philom. Paris, 1826, 193.—Coel.
briareus Acrophylla, G. R. Gray, Syn. Phasmidae, 1835, 40.—Pasma (Diura), 1834.
briarea Argynnis, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 261.
briarea Clothilda (God.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III.
 1840, 441.—Argynnis.
briareum Corallium, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, III. 1801, 23.
briareus Extracrinus (Mill.), Austin, Monogr. Crin. (6) 1847, 96.—Pentacrinites.
briareus Holothuria, C. A. Lesueur, J. Acad. Nat. Sci. Philad. IV. Dec. 1824, 161.
briareus Lucanus, F. W. Hope, Cat. Lucanoid Coleopt. 1845, 20.
briareus Pentacrinites, J. S. Miller, N. H. Crinoidea, 1821, 56.
briareus Pasma (Diura), G. R. Gray, Tr. Entom. Soc. Lond. I (1) Nov. 1834, 45.
briareus Polyplus, Bory de St V., Ency. Méth. (Zooph.) 1827, 634.
Briarus C. J. Schoenherr, Isis (Oken), 1823, 1140.—Col. [*n. n.*].
bricei Balitora, Hardwick & Gray in Swainson, N. H. Fishes etc. I. Oct. 1838, 366; II.
Bricoptis H. Burmeister, Handb. Ent. III. 1842, 583.—Col. [July 1839, 190.
bridgesii Bulimus, L. Pfeiffer, Symb. Helic. II. 1842, 43.
bridgesii Fissurella, L. Reeve, Conch. Icon. VI.—Fissurella, no. 16, Aug. 1849.
bridgesii Gyriosomus, G. R. Waterhouse, Ann. Mag. N. H. XII. Oct. 1843, 258.
bridgesii Larus, L. Fraser, Proc. Zool. Soc. London, XIII (144) Ap. 1845, 16.
bridgesii Nasica, T. C. Eyton in W. Jardine, Contrib. Ornith. II. 1849, 130.
bridgesii Naupactus, G. R. Waterhouse, Ann. Mag. N. H. XIII. Jan. 1844, 54.
bridgesii Octodon, G. R. Waterhouse, Proc. Zool. Soc. London, XII (140) Feb. 1845, 155.
brightii Acidaspis, R. I. Murchison, Silurian System, Jan. 1839, 658.
brightii Ammonites, S. P. Pratt, Ann. Mag. N. H. VIII. Nov. 1841, 164.
brightii Fusus (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 155.—Pyrula.
brightii Odontopleura (Murch.), Goldfuss, N. Jahrb. f. Min. 1843, 556.—Acidaspis.
brightii Orthoceras, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 626.
brightii Pyrula, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 344.
brightoniensis Lima (Mant.), F. v. Hagenow, N. Jahrb. f. Min. 1842, 556.—Plagiostoma.
brightoniensis Plagiostoma, G. A. Mantell, Foss. South Downs, May 1822, 204.
brightwelli Agrion, W. Kirby, Tr. Linn. Soc. London, XIV (1) 1823, 107.
brightwelli Calopteryx (Kirby), H. Burmeister, Handb. Ent. II (2) ii, 1839, 827.—Agrion.
brightwellii Euchlora, W. Kirby, Proc. Zool. Soc. London, VII (77) Oct. 1839, 70.
brightwelli Pedetes, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 146.
briggita Abaeis (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 97.—Papilio, 1780.
briggita Pieris (Cr.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 135.—Papilio, 1780.
briggita Terias (God.), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 676.—Pieris.
brimo Papilio Satyrus, I. Boeber, Mém. Soc. Imp. Nat. Moscou, II [*post* Nov.] 1809, 308.
brimonti Lingula, M. Rouault, Bull. Soc. géol. France (sér. 2) VII. 1850, 728.
Bringa *id. ac* Bhringa; B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 84 [*n. n.*].
brinieri Clausilia, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 178.
brino Epargyreus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 105.—Papilio, 1781.

- Brisa** G. v. Muenster, Beitr. zur Petref. (2) 1839, 45.—Cr.
brisa Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 131.
brisbanii Epimachus, J. Wilson, Illustr. of Zool., pl. xi (1828).
brisbanii Gryptes, R. P. Lesson, Ann. Sci. Nat. VI (23) Nov. 1825, 253.
brisei Voluta, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 47.
briseis Hipparchia (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 20.—Papilio, 1764.
briseis Maniola (L.), F. v. P. Schrank, F. Boica, II (1) 1801, 182.—Papilio, 1764.
briseis Minois (L.), J. Huebner, Verz. bekannt. Schmett. 1818, 58.—Papilio, 1764.
briseis Nymphalis (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 98.—Papilio, L. 1764. [[*n. et f.*].
briseis Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 28 (Fernaldo giudice 1799)
briseis Satyrus (L.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 514.—Papilio, 1764.
brises Lamprotatus, F. Walker, Ann. Mag. N. H. XIV. Nov. 1844, 333.
Brismaeus *err. pro* Brisnaeus, Leach; G. B. Sowerby, II., Conch. Man. 1839, 11.
Brisnaeus J. E. Gray (*ex* W. E. Leach), Ann. Phil. XXVI. Aug. 1825, 102.—Cirr.
Brisiopsis J. E. Gray, List Brit. Rad. B. M. 1848, 7.—Ech. [31.—Ech.
Brissoides G. Cuvier, R. Anim. IV. 1817, 19 [*? vernac.*]; Schinz, Das Thierr. IV. 1825,
brissoides Collyrites, C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 210.
brissoides Eupatagus (Des M.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 10.
—Spatangus.
brissoides Spatangus, Des Moulins, Actes Soc. Linn. Bordeaux (49) IX. 1837, 238.
brissonii Cebus, J. B. Fischer, Syn. Mamm. 1829, 40.
brissonii Charadrius, J. Wagler, Syst. Avium, I. 1827, sign. 513. [Daud. 1800.
brissonii Fringilla (Gm.), H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 22.—Loxia,
brissonii Lemur, H. R. Schinz, Syst. Verz. Säug. I. 1844, 101.
brissoni Motacilla, W. Macgillivray, Man. Brit. Orn. I. 1840, 160. [1826, App. p. 205.
brissonii Onocrotalus, J. G. Children in Denham & Clapperton, Narr. Trav. Africa,
brissonii Pelidna, R. P. Lesson, Dict. Class. H. N. XIII. Feb. 1828, 160.
brissonii Pitylus (Licht.), G. R. Gray, Genera of Birds, II. July 1844, 362.—Fringilla.
brissonii Prosimia, R. P. Lesson, Spec. des Mamm., Nov. 1840, 230.
brissoni Uria, [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 186.
brissonianus Falco, G. Shaw, Gen. Zool. (Aves) VII (1) 1809, 203.
brissonius Priamides, J. Huebner, Verz. bekannt. Schmett. [1820], 87.
Brissopsis L. Agassiz, Cat. Ect. Ech. 1840, 16.—Ech. [Ech.
Brissus O. F. Müller, Zool. Dan. (Danm. Norges Dyrs Hist.) (Danish ed.) 1781, 20.—
Brissus [*non* Modeer], H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 24.—
Brissus L. Oken, Lehrb. Nat. III (1) 1815, 354.—Ech. [Ech.
britannicus Ammonites, E. F. Schlotheim, Taschen. Min. 1813, 35.
britannica Arca, L. Reeve, Conch. Icon. II.—Arca, no. 98, May 1844.
britannicus Arvicola, De Selys, Rev. Zool. (Soc. Cuv.) X. Oct. 1847, 307.
britannica Ascidia, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 271 [*n. n.*].
britannica Bugainvillia (Forbes), R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 291.—Hippocrene. [1829, 222.—Pupa.
britannicus Chondrus (Ken.), T. Brown, Edinburgh Journ. Nat. Geogr. Sci. I. Dec.
britannica Cyanea, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 364.
britannica Doris, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 268 [*n. n.*].
britannicus Gobius, W. Thompson, Proc. Zool. Soc. London, V (54) Dec. 1837, 61.
britannica Hippocrene, E. Forbes, Ann. Mag. N. H. VII. Ap. 1841, 84.
britannicus Lagopus, S. D. W., The Analyst, III (13) Oct. 1835, 33.
britannicus Leiobatus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.
britannica Natica, H. G. Waardenburg (*ex* Leach MS), Ann. Acad. Lugd.-Bat. 1826-27 (1828), 55.
britannica Natica, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270.
britannicus Pentacrinites, E. F. v. Schlotheim, Die Petref. 1820, 328.
britannicus Pentacrinus, E. Eichwald, Zool. Spec. I. 1829, 226.
britannica Pupa, J. Kenyon, Mag. Nat. Hist. I. Jan. 1829, 426.
britannica Sagitta, E. Forbes, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, Trans. 73.
britannica Vespa, W. E. Leach, Zool. Miscell. I. 1814, 112.

- britannus** Smaris (Lac.), H. Cloquet, Dict. Sci. Nat. XLIX. 1827, 366.—Sparus.
- britannus** Sparus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 41.
- Brithopus** S. Kutorga, Kupfersandst. Urals, 1838, 9.—R.
- Brithya** Boisduval, Gen. et Index méth. 1840, 117.—Lep.
- Brithycera** W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 175.—Col.
- Brithys** J. Huebner, Verz. bekannt. Schmett. [1822], 226.—Lep.
- britomartis** Melitaea, A. Assmann, Zeitschr. f. Ent., Breslau, I. 1847, 2.
- Brius** Meg.; Dejean, Cat. Coléopt. 1821, 92.—Col.
- brivatensis** Palaeotherium, A. Bravard, Ann. Sci. Auvergne, XVI. 1843, 410.
- brivatensis** Rhinoceros, A. Bravard, Ann. Sci. Auvergne, XVI. 1843, 408.
- brixia** Anthomyia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 946.
- brixius** Satyrus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 490. [1797.]
- brizae** Mesembrynus (Esp.), J. Huebner, Verz. bekannt. Schmett. [1820], 119.—Sphinx,
- brizae** Sphinx, J. Huebner, Europ. Schmett., Tab. Sphinx, 18 (Fernaldo judice 1802-08).
- brizae** Zygaena (Hueb.), F. Ochsenheimer, Schmett. Europa, II. 1808, 27.—Sphinx.
- brizella** Oecophora, F. Treitschke, Schmett. Europa, IX (2) 1833, 173.
- brizo** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 125.
- broadbenti** Squilla, A. Cocco, Effem. Sci. Lett. Sicilia, II. 1832, 204.—[*n. n.*]
- Brocchia** H. G. Bronn, Zschr. Min. 1827, II (1828), 538.—G.
- [**brocchii.**]
- brocchii** Ammonites, J. Sowerby, Min. Conch. II. 1818, 233; & Alph. Index, 1840, 1.
- brocchii** Bulla, A. J. Michelotti, N. Jahrb. f. Min. 1846, 54 [*n. n.*].
- brocchii** Bulla, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2)
- brocchii** Bulla, H. G. Bronn, Index Pal. 1848, 191. [III (2) 1847, 151.]
- brocchii** Cardita, G. Michelotti, Ann. Sci. Lomb.-Ven. IX. 1839, 134.
- brocchii** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 310.
- brocchii** Chama, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 107.
- brocchii** Cheirotherium, H. D. de Blainville, Ostéogr., Manatus, 1845, pl. 8.
- brocchii** Clavagella, Lamarck, An. s. vert. V. 1818, 432.
- brocchii** Conus, H. G. Bronn, Zeitschr. Min. 1828, II. 740. [1844, 575.]
- brocchii (sic)** Cypraea, G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, X. Nov.
- brocchi** Delphinus, Balsamo-Crivelli, Giorn. R. Ist. Lomb. e Bibl. Ital. III. 1842, 305.
- brocchii** Eolidiceros (Risso), A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) IV. Sept.
- brocchii** Fusus, A. J. Michelotti, N. Jahrb. f. Min. 1846, 55 [*n. n.*]. [1845, 140.]
- brocchii** Fusus, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2)
- III (2) 1847, 281.
- brocchii** Halianassa (Bruno), H. G. Bronn, Index Pal. 1848, 562.—Cheirotherium.
- brocchi** Helix, P. Calcara, Espos. Moll. terr. e fluv. Palermo, 1842, 12.
- brocchii** Isidora, C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828), sign. e.
- brocchii** Manatus, H. D. de Blainville, Ostéogr., Manatus, 1843, 121.
- brocchi** Manatus (Cheirotherium), H. D. de Blainville, Ostéogr., Manatus, 1843, 123.
- brocchii (sic)** Melania, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 584.
- brocchii** Melania, A. J. Michelotti, N. Jahrb. f. Min. 1846, 54 [*n. n.*].
- brocchii** Melania, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem
- (2) III (2) 1847, 189. [Cheirotherium.]
- brocchii** Metaxytherium (Bruno), Laurillard, Dict. Univ. Hist. Nat. VIII. 1846, 171.—
- brocchii** Mitra, P. M. T. de Serres, Geogn. Terr. tert. 1829, 125.
- brocchii** Mitra, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 497.
- brocchii (sic)** Murex, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 393.
- brocchii** Nassa, Defrance, Dict. Sci. Nat. XXXIV. 1825, 245.
- brocchii** Oliva, H. G. Bronn, Ersch & Gruber, Allg. Ency. (3) III. 1832, 68.
- brocchii** Pecten, Defrance, Dict. Sci. Nat. XXXVIII. Ap. 1826, 257.
- brocchi** Planaria, A. Risso, H. N. Europe, V. 1826, 264.
- brocchii** Pleurotoma, Bonelli in Bellardi & Michelotti, Mem. R. Acc. Sci. Torino [2]
- III. 1841, 101.
- brocchii** Ranella, H. G. Bronn, Syst. urw. Konch. 1824, 50.
- brocchii** Scalaria, Defrance, Dict. Sci. Nat. XLVIII. 1827, 19.
- brocchii** Solarium, F. Cantraine, Bull. Ac. Roy. Brux. IX (2) 1842, 343.

- brocchii** Solarium, A. J. Michelotti, N. Jahrb. f. Min. 1846, 54 [*n. n.*]; Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 171.
- brocchii** Tellina, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 398.
- brocchi** Terebratula, T. A. Catullo, Sagg. Zool. foss. 1827, 268.
- brochi** (*sic*) Tergipes, A. Risso, Journ. de Physique, LXXXVII. Nov. 1818, 373.
- brocchii** Turritella, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 561.
- brocchii** Venerupis, Defrance, Dict. Sci. Nat. LVII. 1828, 245.
- brocchii** Venus, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 98.
- brocchi** Voluta, A. Scacchi, Oss. Zool. II. May 1833, 22.
- broccus** Galaxias, J. Richardson, Zool. "Ereb. Terr." (Fish, 1848), 76.
- broccus** Balistes, S. L. Mitchell, Tr. Lit. Phil. Soc. N. York, I. 1815, 467.
- broccus** Monocanthus (Mitch.), J. E. De Kay, N. H. New York (Fish), 1842, 335.—
- brochiana** Tortrix, C. F. Freyer, Neuere Beitr. Schmett. I (3) 1831, 33. [Balistes.]
- Brochocera** Werneck, Ber. k. pr. Ak. Wiss. 1841, 377.—Inf.
- Brochus** L. Oken, Allg. Naturges. VII (3) 1838, 1436.—M. [*pro* Trichechus rosmarus].
- Brochus** T. Brown, Ill. Conch. G. B. I. 1827, pl. i, f. 10.—?
- Brochymena** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 106.—Hem.
- brockeella** Argyresthia, J. Huebner, Verz. bekannt. Schmett. 1826, 422.—Tinea, 1811—17.
- brockella** Argyrosetia (Huebner.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Oct. 1834, 252.—Tinea, 1811—17. [*n. et f.*]
- brockeella** Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 53 (Fernaldo judice 1811—17)
- brodamus** Cottus, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 67.
- [broderipii.]
- broderipii** Amphitherium, R. Owen, B. Foss. Mamm. (1844), 58. [30.]
- broderipii** Bulinus, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832,
- broderipii** Chama, L. Reeve, Conch. Icon. IV.—Chama, no. 2, Dec. 1846.
- broderipi** Chiton, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 533.
- broderipii** Columbella, G. B. Sowerby, I., Thes. Conch. I (4) *ante* 11 Ap. 1844, 143.
- broderipii** Conus, L. Reeve, Conch. Icon.—Conus, no. 254, Feb. 1844.
- broderipii** Corystes, G. A. Mantell, Medals, II. 1844, 534.
- broderipii** Cymbium (Gray), H. C. Kuester in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Volutacea (26) 1841, 210.—Voluta. [Catal. (131) 1837, 3.]
- broderipii** Cypraea, J. E. Gray in G. B. Sowerby, I., Conch. Illustr. (3) 1832, f. 2 ;
- broderipi** Helix, L. Pfeiffer, Symb. Helic. III. 1846, 74. [1847, 415.—Voluta.]
- broderipii** Melo (Gray), W. J. Broderip, G. B. Sowerby, II., Thes. Conch. I (8) *post* May
- broderipi** Oriolus, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 348.
- broderipi** Ostrea, A. J. Michelotti, N. Jahrb. f. Min. 1846, 53 [*n. n.*].
- broderipii** Ostrea, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem
- broderipii** Pectunculus, I. Lea, Contrib. to Geol. 1833, 76. [(2) III (2) 1847, 81.]
- broderipii** Plectostylus (Sow.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 58.—Bulinus. [*vero propius* 1847] Pleurotomes, pl. ii.
- broderipii** Pleurotoma, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840—46
- broderipii** Thylacotherium, R. Owen, Tr. Geol. Soc. London [2] VI. 1841, expl. to pl. 6.
- broderipii** Voluta, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Moll. etc. 1834, 601.
- Broderipia** J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 146.—G.
- broderipia** Voluta, W. Swainson, Treat. Malacol., May 1840, 117.
- broderipiana** Natica, C. A. Récluz, Proc. Zool. Soc. London, XI (130) June 1844, 205.
- broderipiana** Turritella, A. d'Orbigny, Amér. Mérid. (Moll.) 1840, 388.
- brodiei** Aeschna, J. Buckman, Proc. Geol. Soc. London, IV. 1843, 212.
- brodiaei** Ammonites, J. Sowerby, Min. Conch. IV. 1822, 71.
- brodii** Archaeoniscus, H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) XX. Dec. 1843, 328
- brodiei** Athene (Burt.), E. Blyth, J. Asiat. Soc. Bengal, XI. 1842, 163.—Noctua.
- brodiei** Fissurella, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 415.
- brodiei** Leptolepis, L. Agassiz in P. B. Brodie, Hist. foss. Ins. 1845, 15.
- brodiei** Noctua, E. Burton, Proc. Zool. Soc. London, III (34) Feb. 1836, 152.
- brodiei** Sciurus, E. Blyth, J. Asiat. Soc. Bengal, XVIII. 1849 (22 Sept.), 602.
- Brogmarus** A. Risso, Journ. de Physique, XCI. Oct. 1820, 249.—P.
- brogniard**→; brogniart→ *v.* brongniart→.

- Brome** G. v. Muenster, Beitr. zur Petref. (2) 1839, 47.—Cr. [expl. to pl. 138.
brome Catogramma, J. A. Boissduval in Cuvier, Règne Anim., disciples' ed., 1836-49,
bromeliae Aspidiotes, P. F. Bouché, Entom. Zeitung, Stettin, V (8) Aug. 1844, 295.
bromeliae Coccus, P. F. Bouché, Nat. Garten-Ins. 1833, 49.
bromeliae Lecanium, P. F. Bouché, Nat. Garten-Ins. 1833, 49 [*teste* Fernald].—*v.* Coccus.
bromicola Anisoplia (Germ.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (4 & 5) 1847, 640.
bromicola Melolontha, E. F. Germar, Reise Dalm. 1817, 216. [—Melolontha.
Bromius Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 412.—Col. [*sine*
typo]. [1787.
bromius Nisoniades (Stoll), J. Huebner, Verz. bekannt. Schmett. [1820], 108—Papilio,
bromius Trochus, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 74.
Bromus Billberg, *err. pro* Bremus [*teste* C. W. R.]. [1775.
bromus Chrostosoma (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 126.—Sphinx,
bronchialis Fusaria, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 116.
Bronchocele J. Kaup, Isis (Oken), 1827, 619.—R.
Bronchoceles *emend. pro* Bronchocele, Kaup; Troschel in Wiegmann, Arch. f. Naturges.
Bronchus E. F. Germar, Mag. Entom. (Germar) II. 1817, 340.—Col. [1841 (2) 114.
bronchus Geotrupes (Jabl.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 10.—Scarabaeus,
bronchus Scarabaeus, Jablonsky & H., Natursyst. Ins. (Käfer) I. 1785, 305. [1785.
brongniard→ *v.* **brongniart**→.
brongniartii Ammonites, J. Sowerby, Min. Conch. II. 1817, 190.
brongniartii Ammonites, W. de Haan, Mon. Ammon. 1825, 121. [[*n. n.*].
brongniarti Amphion, R. Griffith, 14 Rept. Brit. Assoc. (York, 1844) 1845, Trans. 47
brongniarti (*sic*) Asaphus, G. Fischer in E. Eichwald, Geogn. Zool. Ingrida, 1825, 54.
brongniardii Asaphus, J. A. Eudes-D., Mém. Soc. Linn. Calvados, 1825 (1825), 312.
brongniarti Aspius, L. Agassiz, N. Jahrb. f. Min. 1834, 383; Mém. Soc. Sci. Nat.
Neuchâtel, I. 1835 (1836), 39.
brongniarti Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 397.
brongniarti Bronteus, J. Barrande, Nouv. Trilob., Suppl. à Not. prélim. Silur. 1846, 18 &
brongniartii Calymene, J. Steininger, Bemerk. Verst. Eifel, 1831, 25. [84.
brongniarti Catillus (Mant.), S. Nilsson, Petrif. Suec. 1827, 19.—Inoceramus.
brongniarti Cerithium, G. P. Deshayes, Descr. Coq. char. 1831, 259.
brongniartii Cerithium, G. Michelotti, Ann. Sci. Lomb.-Ven. X. 1840, 156.
brongniartii Cerithium, Maravigna, Rev. Zool. (Soc. Cuv.) III. Nov. 1840, 326.
brongniarti Cerithium, d'Archiac, Mém. Soc. géol. France, V (2) 1843, 383.
brongniartii Chamaeleon, L. Fitzinger, Syst. Rept. 1843, 42.
brongniartii Chelonia, Bourdet, Bull. Sci. Soc. Philom. Paris, 1822 (July) 99.
brongniartii Clavagella, G. P. Deshayes, Mém. Soc. H. N. Paris, I (2) 1824, 250.
brongniarti Clypeaster, Muenster in G. A. Goldfuss, Petref. German. I (2) 1829, 133.
brongniardii Conotubularia, G. Troost, Trans. Geol. Soc. Pennsylv. I (2) 1835, 248 [*n. n.*].
brongniarti Conularia, d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI. 1842, 352.
brongniartii Conus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 314.
brongniarti Corydalis, G. A. Mantell, Medals, II. 1844, 578.
brongniartii Crocodilus, J. E. Gray, Syn. Rept. 1831, 60.
brongniartii Cyclas, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith. 1837, 59.
brongniartii Cymothoa, A. Risso, H. N. Crust. 1816, 141.
brongniartii Cyrena, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 84.
brongniartii Defrancia (Edw.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 266.—
Tubulipora. [(1836), 187.—Clypeaster.
brongnarti Echinolampas (Muenst.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835
brongniarti Echinus, Desmarest, Dict. Sci. Nat. XXXVII. 1825, 102.
brongniarti Emys, Meyer in H. G. Bronn, Index Pal. 1848, 457.
brongniarti Engyomasaurus, Kaup & Scholl, Verz. Gypsabgüsse, ed. 2, Sept. 1834, 28.
brongniartii Eschara, H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) VI. Dec. 1836, 335.
brongniartii Feronia, E. J. F. Le Guillou, C. R. Acad. Sci. (Paris) XIII. 1841, 222 [*n. n.*].
brongniartii Feronia, H. M. Edwards, L'Institut, Aug. 1841, 286; Extr. P. V. Soc.
Philom. Paris, 1841, 86.
brongniartii Flustra, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps) 1826, 240.

- brongniarti** Gerastos (Fisch.), Goldfuss, N. Jahrb. f. Min. 1843, 558.—Asaphus.
- brongniartii** Globites (Sow.), W. de Haan, Mon. Ammon. 1825, 148.—Ammonites.
- brongniarti** Gryphaea, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 630.
- brongnardi** Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 46.—[*n. n.*]
- brongniarti** Inoceramus, G. A. Mantell, Foss. South Downs, May 1822, 214.
- brongniardii** Lacerta, F. M. Daudin, Sonnini's Buffon, Rept. III (1802), 221.
- brongniartii** Lerneopoda, H. D. de Blainville, Journ. de Phys. XCV (12) Dec. 1822, 442.
- brongniartii** Loligo, H. D. de Blainville, Journ. de Physique, XCVI. Mar. 1823, 130.
- brongniarti** Loxonoma (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 187.—Melania.
- brongniartii** (*sic*) Melania, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 187.
- brongniarti** Mitra, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 468 (Nnn*).
- brongniarti** Mitra, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 665.
- brongniartii** Murex, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46 [*vero propius* 1847], Ranelles, pl. ii. [(1843)].
- brongniarti** Myliobates, J. L. R. Agassiz, Poiss. Foss. III. 71 (1837) [*n. n.*]; III. 324
- brongniarti** Mystrisaurus (Kaup), Bronn & Kaup, Abh. Gavia-art. Rept. Lias, 1841, 35.—Engyomasaurus.
- brongniartii** Nelocira, A. Risso, H. N. Europe, V. 1826, 121.—Cymothoa, 1816.
- brongniarti** (*sic*) Nucula, I. Lea, Contrib. to Geol. 1833, 82.
- brongniarti** Ogygia, M. Rouault, Bull. Soc. géol. France (sér. 2) VI. 1849, 87.
- brongniarti** Oliva, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 522.
- brongniarti** Orbulita (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 249.—Ammonites.
- brongniartii** Orthoceras (Troost), J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 368.—Conotubularia. [329.]
- brongniartii** Palaeoniscus, H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) XX. Dec. 1843,
- brongniartii** Pecten, Defrance, Dict. Sci. Nat. XXXVIII. 1825, 260.
- brongniartii** Pecten, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 310.
- brongniartii** Phacops, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 282.
- brongniartii** Phillipsia (F. de W.), L. G. de Koninck, Descr. Anim. foss. (13) Dec. 1844,
- brongniartii** Pholadomya, G. G. Pusch, Polens Palaeont. (2) 1837, 88. [597.—Asaphus.
- brongniarti** Phorus, H. G. Bronn, Index Pal. 1848, 968.—Trochus, 1831.
- brongniartii** Platyonyx, Lund, Ann. Sci. Nat. [2] (Zool.) XIII. May 1840, 311 [*n. n.*].
- brongniarti** Pygorhynchus (Goldf.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 161.—Clypeaster.
- brongniartii** Rotalia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 273 [*n. n.*].
- brongniartii** Scutella, L. Agassiz, Mon. Ech. II. 1841, 80 [Cat. Ect. Ech. 1840].
- brongniardii** Sepedon, L. J. Fitzinger, Neue Classif. Rept. 1826, 62 [*n. n.*].
- brongniarti** Tetragramma, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 25.
- brongniarti** Thoracoceras (Troost), G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4) 1844, 771.—Conotubularia.
- brongniartii** Tricolia, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Moll.) 1826, 41.
- brongniartii** Triloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 300.
- brongniarti** Trochus, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 569.
- brongniartii** Tubulipora, H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) VIII. Dec. 1837, 338.
- brongniarti** Venericardia, G. A. Mantell, Tr. Geol. Soc. London [2] III. 1829, 203
- brongniartii** Venus, B. C. Payraudeau, Cat. Moll. Corse, 1826, 51. [[*n. n.*].
- brongniarti** Venus, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 110.
- Brongniartia** W. E. Leach, Zool. Journ. I (1) Mar. 1824, 44.—Col.
- Brongniartia** A. Eaton, Amer. J. Sci. XXII (1) Ap. 1832, 165.—Cr.
- Brongniartia** J. Eights, Tr. Albany Inst. II (1) 1833, 53.—Cr.
- brongniartianus** Ammonites, F. J. Pictet, Mém. Soc. Phys. H. N. Genève, XI (2) 1848,
- brongniardianum** Cyclostoma, L. Partiot, Mém. Cyclost. 1848, 27. [310.]
- brongniartianus** Cyclus, L. G. de Koninck, Descr. Anim. foss. (13) Dec. 1844, 592.
- brongniartiana** Escharina, A. d'Orbigny, Amér. Mérid. (Zooth.) 1839, 14.
- brongniartiana** Eupsammia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Aug. 1848, 81.

- brongniartianus** Fusus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 317.
- brongniartiana** Montlivaltia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 259. [*n. n.*]
- brongniartiana** Murchisonia, L. G. de Koninck, Descr. Anim. foss. (9) Sept. 1843, 418
- brongniartiana** Planorbis, I. Lea, P. Amer. Phil. Soc. II (24) Dec. 1842, 242.
- brongniartiana** Pleurotomaria, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 268.
- brongniartianus** Rostellaria, A. Risso, H. N. Europe, IV. 1826, 226.
- brongniartianum** Terebellum, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 314.
- brongniartiana** Triloculina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 176.
- brongniartina** Cyclas, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 145; Rep. trav. Soc. stat. Marseille, VI. 217. [Neritina.]
- brongniartina** Nerita (Math.). A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 301.—
- brongniartina** Neritina, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 226; Rep. trav. Soc. stat. Marseille, VI. 298.
- brongniartina** Panopaea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 335.
- brongniartina** Venus, A. de Leymerie, Mém. Soc. géol. France, IV (2) 1841, 341 [*n. n.*]; *ibid.* V (1) 1842, 5.
- Brongniatia** A. Eaton, Geol. Text Book, ed. 2, 1832, 32.—Cr. [Brongniartia on p. 128].
- bronni** Acanthodes, J. L. R. Agassiz, Poiss. Foss. II (1) 20 (1833).—Acanthoessus, 1832.
- bronnii** Acanthoessus, L. Agassiz, Jahrb. f. Min. 1832, 149.
- bronnii** Acrodus, Egerton, Phil. Mag. VIII. 1836, 367 [*n. n.*]. [Goniatites.]
- bronnii** Aganides (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 58.—
- bronnii** Ammonites, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 181.
- bronnii** Ammonites (Muenst.), H. D. de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 143.—
- bronnii** Astarte, F. Krauss, Nova Acta Acad. Caes. XXII (2) 1850, 449. [Goniatites.]
- bronnii** Asterodon, G. v. Muenster, Beitr. zur Petref. (4) 1841, 140.
- bronnii** Auricula, R. A. Philippi, Zeitschr. f. Malakozool., July 1846, 98.
- bronni** Avicula, F. A. Alberti, Beitr. Bunter, 1834, 55.
- bronnii** Buccinum, H. E. Anton, Verz. Conch. 1839, 91.
- bronnii** Buccinum, R. A. Philippi, Zeitschr. f. Malakozool. (Sept.) 1848 [Mar. 1849], 137.
- bronnii** Buchia, C. Rouillier, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1) 1848, 273.
- bronni** Bulimus, L. Pfeiffer, Zeitschr. f. Malakozool., Feb. 1847, 31.
- bronnii** Cancellaria, L. Bellardi, N. Jahrb. f. Min. 1840, 344 [*n. n.*]; Mem. R. Acc. Sci. Torino [2] III. 1841, 255.
- bronnii** Cerithium, M. Hoernes (*ex* Partsch MS), Verz. Fossil-Reste Wien, 1848, 21 [*n. n.*].
- bronnii** Chemnitzia (Roem.), A. d'Orbigny, Prodr. Paléont. II. (Nov.) 1850, 44.—Melania.
- bronnii** Cidaris, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 270.
- bronnii** Comatula (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 381.—
- bronni** Conus, A. J. Michelotti, N. Jahrb. f. Min. 1846, 56 [*n. n.*]. [Solanoocrinus.]
- bronnii** Conus, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 339.
- bronnii** Crassatella, P. H. Nyst, Bull. Ac. Roy Brux. XIV (2) 1847, 119.
- bronni** Cyclostoma, Adams, Zeitschr. f. Malakozool., Mar. 1846, 46.
- bronnii** Cyrena, W. Dunker, Stud. Goetting. Ver. bergm. Freunde, V (2) [1843], 160; Norddeutsch. Wälderthon, 1843, 31; Mon. Norddeutsch. Weald. 1846, 39.
- bronni** Delphinula, R. A. Philippi, N. Jahrb. f. Min. 1845, 449 [*n. n.*]; Palaeontographica, I (2) Mar. 1847, 61.
- bronnii** Dentalina (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 95.—Planularia.
- bronnii** Dracosaurus, v. Muenster in H. G. Bronn, Lethaea Geogn. I (2) 1835, 189.
- bronnii** Euomphalus, G. A. Goldfuss, Petref. German. III (8) 1844, 81.
- bronni** Fraena, M. Rouault, Bull. Soc. géol. France (sér. 2) VII. 1850, 732.
- bronnii** Gervillia, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith. 1837, 36.
- bronnii** Glyphea, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 51.
- bronnii** Goniatites, G. v. Muenster, Beitr. zur Petref. (1) 1839, 22.
- bronnii** Goniatites, A. v. Klipstein, Beitr. geol. östl. Alpen (1) 1843, 141.
- bronnii** Goniopygus, Agassiz, Cat. Ect. Ech. 1840, 11; Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 344.
- bronni** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (153) Feb. 1846, 131.

- bronnii** Hippalimus (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 390.—
- bronnii** Hybodus, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 97. [Scyphia.]
- bronnii** Lamna (Odontaspis), J. L. R. Agassiz, Poiss. Foss. III. 297 (1843).
- bronnii** Leptolepis, J. L. R. Agassiz, Jahrb. f. Min. 1832, 146; Poiss. Foss. II (1) 13 (1833), 133 (1844).
- bronnii** Lima, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 242.
- bronnii** Lyriodon (Ag.), H. G. Bronn, Index Pal. 1848, 684.—Trigonia.
- bronnii** Meandrina, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 292.
- bronnii** Melania, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 159.
- bronnii** Mitra, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 311. [*propius* 1847], Ranelles, pl. ii.
- bronnii** Murex, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46 [*vero*]
- bronnii** Natica (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 188.—Naticella.
- bronnii** Naticella, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 198.
- bronnii** Nerinea, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 46.
- bronnii** Nerita, Cristofori & Jan, Cat. Mus. Sect. II (1) Conch. foss. 1832, 4.
- bronnii** Odontaspis (Ag.), H. G. Bronn, Index Pal. 1848, 835.—Lamna (O.).
- bronnii** Odontopleura, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 150.
- bronnii** Orthis, F. v. Hagenow, N. Jahrb. f. Min. 1842, 543.
- bronnii** Ostrea, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 247. [Meandrina.]
- bronnii** Oulophyllia (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 208.—
- bronnii** Pentacrinites, F. v. Hagenow, N. Jahrb. f. Min. 1840, 663.
- bronnii** Phacops, J. Barrande, Not. pré. Silur. 1846, 84.
- bronnii** Pinna, G. Michelotti, Ann. Sci. Lomb.-Ven. IX. 1839, 133.
- bronnii** Planularia, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 97.
- bronnii** Pleurotomaria, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 161.
- bronnii** Pollicipes, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 103.
- bronnii** Posidonia, G. A. Goldfuss, Petref. German. II (5) 1836, 119.—& *var.* elongata.
- bronnii** Ranella, A. J. Michelotti, N. Jahrb. f. Min. 1846, 55 [*n. n.*].
- bronnii** Ranella, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 257.
- bronnii** Receptaculites, E. Eichwald, Beitr. Kenntn. Russ. Reiches, VIII. 1843, 80.
- bronnii** Rissoa (Wissm.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 183.—Turbo.
- bronnii** Scyphia, Muenster in G. A. Goldfuss, Petref. German. I (2) 1829, 91.
- bronnii** Solanocrinus, G. v. Muenster, Beitr. zur Petref. (1) 1839, 89.
- bronnii** Solarium, A. J. Michelotti, N. Jahrb. f. Min. 1846, 54 [*n. n.*]. [Euomphalus.]
- bronnii** Straparollus (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 65.—
- bronnii** Terebratula, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 215.
- bronnii** Terebratula, G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 34.
- bronnii** Trigonia, J. L. R. Agassiz, Etudes crit. Moll. foss. (1) 1841, 18.
- bronnii** Trilobites, Sars & Boeck in Keilhau, Gaea Norvegica (1) 1838, 144.
- bronnii** Trochus, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 59.
- bronnii** Turbo, Wissmann in G. v. Muenster, Beitr. zur Petref. (4) 1841, 115.
- bronnii** Turbo (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 193.—Pleuro-
- bronnii** Verneuulina, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 38. [tomaria.]
- bronnii** Vincularia, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 66.
- bronniana** Helicina, R. A. Philippi, Zeitschr. f. Malakozool., Aug. 1847, 124.
- bronniana** Quinqueloculina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 287.
- bronnianus** Spirifer, L. G. de Koninck, Descr. Anim. (6) Mar. 1843, 242.
- bronniana** Textularia, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 244.
- Bronta** = Brontes, Montf.; G. G. Pusch, Polens Palaeont. (2) 1837, 130.
- Brontes** J. C. Fabricius, Syst. Eleuth. II. 1801, 97.—Col.
- Brontes** Denys de Montfort, Conch. II. 1810, 622.—G.
- Brontes** Goldfuss, N. A. Ac. Caes. Leop. Car. XIX (1) 1839, 360.—Cr.
- Brontes** Cuvier & Valenc., H. N. Poiss, XV. 1840, 342.—P. [1775.]
- brontes** Cyclopides (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1820], 112.—Papilio,
- brontes** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 94 (Fernaldo judice 1802) [*n. et f.*].

- Brontesia** H. G. L. Reichenbach, Zoologie, I. 1828, 91.—A. [*teste* C. W. R.].
- Bronteus** C. S. Rafinesque, Analyse, 1815, 100.—Cr. [*n. n.*].
- Bronteus emend. pro** Brontes; Goldfuss, N. Jahrb. f. Min. 1843, 540.
- Brontiadides** J. Huebner, Verz. bekannt. Schmett. [1820], 113.—Lep.
- Brontozoum** E. Hitchcock, Amer. J. Sci. (2) IV (10) July 1847, 50.—R.
- bronzea** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 40.
- bronzina** Columba, E. Rueppell. Neue Wirbelth. Abyssin. (9) 1837, 65.
- bronzina** Peristera (Ruepp.), G. R. Gray, Genera of Birds, II. June 1845, 476.—Columba.
- brookei** Helix, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 60.
- brookei** Megalacris, A. Adams in Belcher, Narr. Voy. "Samarang," II. 1848, 252.
- brookei** Norbea, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 102.
- brookella** Oecophora (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 302.—*Argyresthia brockeella*.
- brookesiana** Chameleo, J. E. Gray, Phil. Mag., n. s., II (12) Dec. 1827, 409.
- brookii** Ammonites, J. Sowerby, Min. Conch. II. 1818, 203.
- brookii** Hemidactylus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 153.
- brooksii** Catoblephas, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. IV. 372 (1827); Syn. 1827, 369.
- brooksiana** Celaeno, W. E. Leach, Tr. Linn. Soc. London, XIII (1) 1821, 70.
- Brosocosoma** W. G. Rosenhauer, Brosocosoma etc. 1846; Beitr. Ins.-Faun. Europ. 1847, Broscus G. W. F. Panzer, Index Entom. 1813, 62.—Col. [1.—Col.]
- brosiformis** Paranthrene, J. Huebner, Verz. bekannt. Schmett. [1820], 128.
- brosiformis** Sesia (Huebner), F. Ochseneimer, Schmett. Europa, IV. 1816, 41.—Sphinx.
- brosiformis** Sphinx, J. Huebner, Europ. Schmett., Tab. Sphinx, 25 (Fernaldo judice)
- Brosis** J. Huebner, Tentamen (me judice 1806), 2.—Lep. [*n. n.*]. [1808-18] [*n. et f.*].
- Brosis** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820 [n. d., 1 nom. triv. append.], 92.—Lep.
- Brosma** H. R. Schinz in Cuvier, Thierreich, II. 1822, 365.—P. [*non* Cuvier, *vernac.*].
- brosma** Enchura, J. Minding, Lehrb. Naturg. Fische, 1832, 84.
- Brosme** C. S. Rafinesque, Analyse, 1815, 32.—P. [*n. n.*].
- Brosme** Cuvier & Cloquet, Dict. Sci. Nat. (ed. 2) V (Suppl.), 1817, 84.—P.
- brosme** Brosmius (Gm.), G. Cuvier, R. Anim., ed. 2, II. 1829, 334.—Gadus, Müll. 1776.
- brosme** Centronotus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 167. [1776.]
- brosme** Enchelyopus (Gm.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 51.—Gadus, Müll.
- Brosmerus** C. A. Lesueur, Mém. Mus. H. N. Paris, V. Mar. 1819, 158.—P.
- brosmiana** Lota, D. H. Storer, Boston Journ. N. H. IV (1) 1842, 58.
- Brosmius** G. Cuvier, R. Anim., ed. 2, II. 1829, 334.—P.
- Brosmius** J. Fleming, Hist. Brit. Anim. 1828, 194; Stark, Elem. Nat. Hist. I. 1828, 425.
- Broteas** S. Loven, Ofvers. K. Vet. Ac. Förh. III (2) 1846, 58.—Cr. [—P.]
- Broteas** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Brotheas, Koch.
- broteas** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 763.
- broteas** Talides (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 106.—Papilio, 1780.
- Broteus** S. Loven, 1846, *v.* Broteas.
- Broteus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Brotheus, Steph.
- brotea** Porthetria (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 160.—Phalaena, 1780.
- Brotheas** C. L. Koch, Uebers. Arachnidensyst. I. 1837, 37.—Ar.
- Brotheas** F. L. P. Gervais, Archives Mus. H. N. (Paris) IV [2] 1844, 225.—Ar. [*? err. typ. pro* Buthus].
- Brotheus** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13; & Ill. Brit. Ent. (Mand. IV.)
- Brotheus** Loven, 1846 [*err.* Marschalli *pro* Broteas, *q. v.*]. [Oct. 1831, 152.—Col.]
- brotheus** Ammonites (Ceratites), G. v. Muenster, N. Jahrb. f. Min. 1834, 13.
- Brotis** J. Huebner, Verz. bekannt. Schmett. [1822], 226.—Lep.
- Brotis** J. Huebner, Verz. bekannt. Schmett. 1825, 303.—Lep.
- Brotogeris** A. Vigors, Zool. Journ. II (7) Oct. 1825, 400.—A.
- Brotogerys** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Brotogeris, Vig.
- brottianus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 290.
- Brotula** G. Cuvier, R. Anim., ed. 2, II. 1829, 335.—P.

- brou** *Cremastocheilus*, Gory & Percheron, Mon. Cétoines (1) 1833, 50; (4) 1834, 113.
- brougainvillei** *v.* **bougainvillei**.
- broussonetii** *Carcharhinus*, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.
- broussonnetii** *Mugil*, Cuvier & Valenc., H. N. Poiss. XI. 1836, 117.
- broussonetii** *Ognichodes*, W. Swainson, N. H. Fishes etc. II. July 1839, 279.
- broussonnetii** *Umbrina*, Cuvier & Valenc., H. N. Poiss. V. 1830, 187.
- brouzeti** *Pharus*, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1045.
- [**brownei**.]
- brownii** *Engraulis* (Gm.), G. Cuvier, R. Anim. II. 1817, 175.—*Atherina*.
- brownii** *Hemiramphus*, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 13.
- brownii** *Platysomus* (C. & V.), W. Swainson, N. H. Fishes etc. II. July 1839, 250 & 405.
- brownii** *Vomer*, G. Cuvier, Règne Anim. II. 1817, 318. [—*Vomer*.]
- [**brownii**.]
- brownii** *Acanthopphis*, W. E. Leach, Zool. Miscell. I. 1814, 12.
- brownii** *Aleuterius*, J. Richardson, Zool. "Ereb. Terr." (Fish, 1846), 68.
- browni** *Ammonites*, J. Sowerby, Min. Conch. III. 1820, 114.
- brownii** *Ampullaria*, J. C. Jay, Cat. Shells, ed. 3, 1839, 112.
- brownii** *Anoplognathus*, W. S. Macleay, Horae Entom. I (1) 1819, 144.
- brownii** *Capromys*, J. B. Fischer, Add. ad Syn. Mamm. 1830, 389.
- brownii** *Cetonia*, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 465.
- brownii** *Cyclostoma*, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 11.
- browni** *Dentalium*, W. Hisinger, Lethaea Svecica, 1837, 21.
- brownii** *Falco*, G. Shaw, Gen. Zool. (Aves) VII (1) 1809, 161.
- browni** *Goniatites*, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 12.
- brownii** *Helaeus*, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 467.
- brownii** *Helicina*, J. E. Gray, Zool. Journ. I (1) Mar. 1824, 69.
- brownii** *Helicina*, W. Wood, Suppl. Index Test. 1828, 39.—*Helix*, 1828.
- brownii** *Helix*, W. Wood, Suppl. Index Test. 1828, 24 [*n. et f.*].
- brownii** *Lepadogaster*, A. Risso, H. N. Europe, III. 1826, 272.
- brownii** *Linckia*, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 285.
- brownii** *Malurus*, Vigers & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 223.
- brownii** *Nonionina*, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 45.
- brownii** *Orthocera*, T. Brown, Trans. Manchester Geol. Soc. I. 1841, 220.
- brownii** *Platyercus* (Temm.), N. A. Vigers, Zool. Journ. I (4) Jan. 1825, 528.—*Psittacus*.
- brownii** *Psittacus*, H. Kuhl, N. A. Ac. Caes. Leop. Car. X (1) 1820, 56.
- brownii** *Psittacus*, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxix [*n. n.*].
- brownii** *Repsemus* (MacL.), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 183.—*Anoplognathus*.
- brownii** *Scaphander*, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 268 [*n. n.*].
- brownii** *Thynnus*, W. E. Leach, Journ. de Physique, LXXXVIII. Feb. 1819, 178.
- brownii** *Thynnus*, J. O. Westwood, Arcana Entom. II (20) July 1844, 113.
- Brownia** A. d'Orbigny in Sagra, Cuba (Moll. I.) 100.—Pt.
- browniana** *Cypris*, T. Rupert Jones, Ann. Mag. N. H. (2) VI. July 1850, 25.
- browniana** *Hyria* (Lea), S. Hanley, Ill. Cat. Bivalve Shells (3) *extremo* 1843, 215.—*Unio*.
- browniana** *Rissoina*, A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 28.
- brownianus** *Unio*, I. Lea, Tr. Amer. Phil. Soc., n. s., VI (1) 1838, 108.
- brownriggii** *Chaetodon*, J. W. Bennett, Fishes Ceylon (2) June 1828, no. 8.
- brownriggii** *Glyphisodon* (Benn.), Cuvier & Valenc., H. N. Poiss. V. 1830, 484.—*Chaetodon*.
- bruandella** *Oncocera*, A. Guénéé, Ann. Soc. Ent. France [2] III (3), Dec. 1845, 309.
- brubru** *Entomovorus* (Lath.), R. P. Lesson, Rev. Zool. (Soc. Cuv.) II. July 1839, 197.—
- brubru** *Lanius*, J. Latham, Index Orn., Suppl. 1801, p. xx. [Lanius.]
- brucco** *Trygon*, C. L. Bonaparte, Icon. Faune Ital. (6) 1834.
- [**brucei**.]
- brucei** *Balitora*, J. E. Gray, Ill. Indian Zool. I (—) [1830–2] (pl. 88).
- brucii** *Dipus*, R. P. Lesson, Man. Mamm., May 1827, 253.
- brucei** *Fennecus*, A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 235.
- brucii** *Hyaena*, P. Boitard, Jardin d. Plantes, 1842 [*z. z.* 1841], 230.

- brucei** Lytta, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 273.
- brucei** Mutilla, Guérin-M. in Lefebvre, Voy. Abyssin. VI. 1849, 353.
- brucei** Onthophagus, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 316.
- brucei** [Platycara] (Gray), J. McClelland, Asiat. Researches, XIX (2) 1839, 299.—Balitora.
- brucii** Pogonias, E. Rueppell, Neue Wirbelth. Abyssin. (3) 1837, 50.
- brucei** Pogonias, E. Rueppell, Proc. Zool. Soc. London, V. (53) Dec. 1837, 50.
- Bruchella** Megerle in Dejean, Catal. Coléopt. 1821, 78.—Col.
- Bruchella** *err. pro* Bruchella, Dej.; J. Sturm, Catal. Ins. Samml. 1826, 29.—Col. [bruchi.]
- bruchii** Anser, C. L. Brehm, Isis, 1830, 996 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831,
- bruchii** Crocodilus, H. v. Meyer, N. Jahrb. f. Min. 1843, 393. [841.]
- bruchii** Mimus, C. L. Brehm, Isis (Oken), 1845, 337.
- bruchiformis** Melolontha, Illiger, Mag. Entom. (Germar) I (1) 1813, 128.
- bruchoides** Campylirhynchus, Dahl; Dejean, Catal. Coléopt. 1821, 85 [*n. n.*].
- bruchoides** Ceutorhynchus (Herbst), E. F. Germar, Ins. Spec. novae, I. 1824, 222.—
Curculio, 1784. [—Curculio, 1784.]
- bruchoides** Rhinoncus (Herbst), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 581.
- Bruchomorpha** E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 399.—Hem.
- bruckenthalii** Nerinea, F. v. Hauer, Ber. Mitth. Fr. Nat. Wien, II. 1847, 48.
- bruckmanni** Cancer, H. v. Meyer, N. Jahrb. f. Min. 1845, 456.
- bruckneri** Nerinea, J. Thurmann, Mém. Soc. H. N. Strasbourg, I (2) 1833, 12.
- bructeri** Diffugia, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1848, 379.
- bructeri** Elater, J. C. Fabricius, Syst. Eleuth. II. 1801, 243. [33.—Elater.]
- bructeri** Limonius (Fab.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829,
- bructeri** Otorhynchus, E. F. Germar, Ins. Spec. novae, I. 1824, 360.
- bructeri** Pachygaster, Dahl; Dejean, Catal. Coléopt. 1821, 91 [*n. n.*].
- brueckneri** Ampyx, E. Boll, Palaeontographica, I (3) July 1847, 126.
- Brueckneria** E. Boll, Geogn. Ostseeländer, 1846, 163.—*Inc. sed.*
- bruei** Pecten, B. C. Payraudeau, Cat. Moll. Corse, 1826, 78.
- brugadina** Eburna, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46
[*vero propius* 1847] Suppl. pl. 1.
- brugmansii** Diphylidia, G. Cuvier, R. Anim., ed. 2, III. 1830, 57.—G.
- brugmansii** Eschara, C. F. A. Morren, Ann. Ac. Groning. 1828, 29.
- brugmansii** Hydrus, H. Boie, Isis (Oken), 1827, 554.
- brugnatellii** Aplysia, van Beneden & Robb, C. R. Acad. Sci. (Paris) I. 1835, 230.
- [bruguiere →.]
- bruguiera** Turritella, A. Risso, H. N. Europe, IV. 1826, 110.
- bruguieralis** Botys, A. Lefebvre in Duponchel in J. B. Godart, H. N. Lépid. France,
VIII (2) (Noct. 5, pt. 2) 1833, 320.
- bruguierii** Ammonites, W. de Haan, Mon. Ammon. 1825, 106.
- bruguieri** Ampullaria, G. P. Deshayes, Ency. Méth. (Vers) II (1), 1830, 32.
- bruguieri** Artemis, J. E. Gray, The Analyst, VIII (24) July 1838, 308.
- bruguieri** Bulla, A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 563.
- bruguierei** Buprestis, Dejean, Catal. Coléopt. 1821, 28 [*n. n.*].
- bruguierei** Cerithium, A. J. Michelotti, N. Jahrb. f. Min. 1846, 54 [*n. n.*].
- bruguieri** Cerithium, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te
Haarlem (2) III (2) 1847, 196.
- bruguieri** Chiton, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 534.
- bruguieri** Conus, L. C. Kiener, Spec. Coquilles (Conus) 1848, 221.
- bruguieri** Corbula, H. E. Anton, Verz. Conch. 1839, 2.
- bruguieri** Cytherea (Gray), Catlow & Reeve, Conch. Nomen. 1845, 37.—Arthemis.
- bruguierii** Glandina (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 77.—Helix.
- bruguieri** Helix (Cochlicopa) *emend. pro* bruguiereus, A. E. Férussac, H. N. g. et p.
Moll., Tabl. Limaçons, 1821, 74.
- bruguierii** Natica, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 230; Rep. trav.
Soc. stat. Marseille, VI. 302.
- bruguierei** Nerita, C. A. Récluz, Rev. Zool. (Soc. Cuv.) IV. Sept. 1841, 274.
- bruguieri** Neritina, G. B. Sowerby, II (*ex* Récluz MS), Thes. Conch. II (10) 1849, 512.

- bruguierii** Ostrea, DeFrance, Dict. Sci. Nat. XXII. 1821, 30.
bruguieri Rissoa, B. C. Payraudeau, Cat. Moll. Corse, 1826, 113.
bruguieri Spirifer, Potiez & Michaud, Gal. Moll. Douai, II. 1844, 21.
bruguieri Tellina, S. Hanley, Proc. Zool. Soc. London, XII (1838) Dec. 1844, 142.
bruguierii Teredo, S. d. Chiaje, Mem. An. s. vert. Napoli, IV. 1829 [1830], 32.
bruguieri Venus, S. Hanley, Proc. Zool. Soc. London, XIII (1846) Aug. 1845, 21.
bruguierianus Belemnites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1843, 84.
bruguierianus Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (1847) Sept. 1845, 44.
bruguierius Helix (Cochlicopa), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 54.—[*n. n.*]
bruguireus Polyphemus, T. E. Bowdich, Elem. Conch. 1822, I. 1822, descr. to pl. xii.
bruni *v.* **bruni**.
brullaei *v.* **brullei**. [Larentia, 1842.
brullearia Phaesyte, P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1840, 255.—
brulleata Larentia, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) [1842, 28.
brullaei Agathis, H. Lucas, Explor. Algér. (Artic. III.) 1849, 338.
brullei Anchomenus, Chevrolat, Bull. Soc. Imp. Nat. Moscou, 1837 (7) 1837, 23.
brullei Batrisus, C. Aubé, Pselaph. Mon. in Magasin de Zool. III. 1833, 47.
brullei Bembex, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 263.
brullei Camptorhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 174.
brullei Copelatus, C. Aubé, Spec. gén. Hydroc. 1838, 374.
brullei Cycloteres, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 385.
brullei Dryptocephala, F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 56.
brullei Euglossa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 10.
brullei Feronia (Argutor), G. R. Waterhouse, Ann. Mag. N. H. VII. Ap. 1841, 127.
brullei Hippolytus, F. E. Guérin in Bory de St V., Exp. Morée (Crust.) 1832, 41.
brullei Julodis, Laporte & Gory, H. N. Coléopt. I. 1835-1836, 25.
brullei Larentia, A. Lefebvre, Ann. Soc. Ent. France, V (3) *post* Aug. 1836, 399.
brullei Macraspis, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 118.
brullei Omophilus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 246.
brullei Priophorus, A. G. Dahlbom, Conspect. Tenthred. 1835, 7 [*n. n.*].
brullei Phriissorodia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 223.
brullei Psilocera, Laporte & Gory, H. N. Coléopt. I. 1835-1836, 8.
brullaei Pterochroza, E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 20.
brullei Rhipipteryx, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 318.
brullei Scapter, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 260.
brullei Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 984.
brullei Zemina, Laporte & Gory, H. N. Coléopt. II. 1838, 4.
brumalis Aphodius, E. Mulsant, N. Coléopt. France (Lam.) Aug. 1842, 249.
brumalis Fringilla (Scop.), J. M. Bechstein, Gen. Nat. Deutschl., ed. 2, III. 1807, 240.
—Emberiza, 1769.
brumalis Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 280, Mar. 1845.
brumalis Partula, L. Reeve, Conch. Icon. VI.—Partula, no. 2, May 1849.
brumaria Cheimatobia, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet c (Nov. 1849), 18.
brumati Nais, G. D. Nardo, Prosp. Fauna mar. Veneto, 1847, 11 [*n. n.*].
brumata Acidalia (L.), F. Treitschke, Schmett. Europa, V (2) 1825, 439.—Phalaena, 1758.
brumata Cheimatobia (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) July 1831, 274.
—Phalaena, 1758. [(Noct. 5, pt. 1) 1831, 408.—Geometra, 1758.
brumata Larentia (L.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1)
brumata Operophtera (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 321.—Phalaena,
brumleyanus Unio, I. Lea, P. Amer. Phil. Soc. II (19) Oct. 1841, 82. [1758.
Brumus E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 492.—Col.
brunchus Cirrospilus, F. Walker, Ann. Nat. Hist. IV. Dec. 1839, 236. [1839.
brunchus Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 151.—Cirrospilus,
brunellus Labrus, G. D. Nardo (*ex* Chierieghini MS) Sin. mod. spec. Lag. Veneto, 1847,
brunella Scalaria, G. Perry, Conchology, Ap. 1811, pl. 28. [123.

- bruneorubella** *v.* **brunnirubella**.
 [bruneti.]
- brunet** Chloenius, H. Gory, Ann. Soc. Ent. France, II (2) *c.* July 1833, 222.
- brunet** Cicindela, H. Gory, Ann. Soc. Ent. France, II (2) *c.* July 1833, 173.
- brunetii** Cratohaerea, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1)
- brunus** -a -um *v.* **brunneus** -a -um. [1850, 15.]
- [bruni] *v.* Thomas, Cat. Marsup. B. M. 1888, 49, f. n.
- brunii** Dorcopsis, Schlegel & Müller in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Mamm.) 1845, 131.
- brunii** Halmaturus (Schr.), C. Illiger, Prod. 1811, 80.—Didelphys, 1777.
- brunii** Kanguru (Gm.), G. Fischer, Zoogn., ed. 3, III. 1814, 20.—Didelphis, Schr. 1777.
- brunii** Kangurus, Desmarest, N. Dict. H. N. XII. 1803, 358.
- brunii** Macropus (Schr.), J. B. Fischer, Syn. Mamm. 1829, 283.—Didelphis, 1777.
- brunii** Pterostichus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 7 [*n. n.*].
- brunibarbis** *v.* **brunnibarbis**.
- brunicans** *v.* **brunnicans**.
- brunich**→ *v.* **brunnich**→.
- brunicosus** *v.* **brunnicosus** [Ptiocerus brunneus, Laporte].
- Brunnea** Dupont, Ann. Soc. Ent. France, III (2) *post* June 1834, 265.—Col. [MS *pro*
- brunnealis** Cledeobia (Tr.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2) (Noct. 5, pt. 2) 1832, 82.—Pyralis.
- brunnealis** Pyralis, F. Treitschke, Schmett. Europa, VII. 1829, 48.
- brunneana** Peronea, J. Curtis (*ex* Steph. MS), Brit. Entom. I (4) Ap. 1824, no. 10; & ed. 2, *ibid.* 1835-9, 2 [brunnea].
- brunneana** Tortrix, F. Froelich, Enum. Tortric. Wuert. 1828, 73.
- brunneana** Tortrix, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 980.
- brunneator** Bassus, J. C. Fabricius, Syst. Piezat. 1804, 98.—Ichneumon, 1798.
- brunneator** Bracon, J. Curtis, Guide Brit. Ins. (4) 1829-30, 104 [*n. n.*].
- brunneata** Speranza (Th.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) Ap. 1831, 145.—Geometra, 1784.
- brunneella** Phycis, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 560.
- brunnei**→ *v.* **brunni**→.
- brunnensis** Cypridina, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 73.
- brunneo**→ *v.* **brunni**→. [Agrobates.]
- brunnescens** Acrocephalus (Jerd.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 37.—
- brunnescens** Agrobates, T. C. Jerdon, Madras Journ. X (25) Oct. 1839, 269.
- brunnescens** Aphirape, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 67.—Euophrys,
- brunnescens** Ardea, Gundlach in J. Lembeye, Aves Isla Cuba, 1850, 84. [1846.]
- brunnescens** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1455. [Agrobates.]
- brunnescens** Calamoherpe (Jerd.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 285.—
- brunnescens** Cratopus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 411.
- brunnescens** Doras, W. Jardine in Schomburgk, Fishes Brit. Guiana, I (Nat. Libr. XXXII.) 1841, 163.
- brunnescens** Euophrys, C. L. Koch, Die Arachniden, XIII (6) June 1846, 212.
- brunnescens** Polytrema, J. D. Dana, Wilkes, U. S. Exped., Zooph., *c.* Mar. 1848, 707.
- brunnescens** Truxalis, E. Eichwald, Reise Casp. Kauk. I. 1834, 247 [*n. n.*].
- brunnea** Acanthiza (Gould), G. R. Gray, Genera of Birds, I. Feb. 1848, 189.—Pyrrho-
- brunneus** Aclopus, W. Erichson, Arch. f. Naturg. I (1) 1835, 261. [laemus.]
- brunneus** Acrodon (Gyll.), C. Zimmerman, Faunus, I (1) 1832, 40.—Harpalus.
- brunneus** Adolus, Eschscholtz in G. Fischer *v.* W., Entom. Imp. Russ. III. *post* Nov.
- brunneum** Agathidium, Dejean, Catal. Coléopt. 1821, 129 [*n. n.*]. [1828, 243.]
- brunnea** Agelena, J. Blackwall, Lond. & Edinb. Phil. Mag., 3rd ser., III (17) Nov. 1833, 351.
- brunneus** Aglenus (Gyll.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 285.—
- brunnea** Agrion, W. F. Evans, Brit. Libell. 1845, 15. [Hypophloeus.]
- brunnea** Allecula, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 154 [*n. n.*].
- brunnea** Altica, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 48.
- brunneus** Alurnus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 200.

- brunnea** Amara (Gyll.), Dejean, Catal. Coléopt. 1821, 9.—Harpalus.
brunnea Anaspis, Dejean, Catal. Coléopt. 1821, 73 [*n. n.*].
brunnea Ancilla, C. F. Schumacher, Essai Vers test. 1817, 244. [64.—Dermestes.
brunnea Anisarthria (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. III.) May 1830,
brunneum Anisotoma, J. Sturm, Deutschl. Fauna (Insecten) II. 1807, 40.
brunneum Anisotoma, L. Gyllenhal, Ins. Suecica, I (2) 1810, 566.
brunneum Anistoma (*sic*), F. V. Melsheimer, Ins. Pennsylv. 1806, 13 [*n. n.*].
brunneum Anobium, F. de Tigny, s. à Deterville ed. Buffon, Ins. VI. 1801, 55.
brunneum Anobium, Megerle in K. Duftschmid, Fauna Austriae, III. 1825, 54.
brunnea Antarctica, J. Huebner, Verz. bekannt. Schmett. [1822], 191.
brunneus Anthicus, de la Ferté-S., Ann. Soc. Ent. France, XI (3) Jan. 1843, 249.
brunneum Anthobium, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 25 [*n. n.*]; & Ill.
 Brit. Ent. (Mand. V.) Jan. 1834, 340.
brunneus Anthophagus, T. Say, J. Acad. Nat. Sci. Philad. III. Oct. 1823, 158.
brunneus Aphodius, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 401.
brunneus Aphodius, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. *b*.
brunnea Apogonia, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 23.
brunneus Argutor, Ill.; J. Sturm, Catal. Ins. Samml. 1826, 97.
brunnea Aricia, J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 3293.
brunneum Armadillidium, J. F. Brandt, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 185.
brunneus Astenus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 103 [*n. n.*]; & Ill.
 Brit. Ent. (Mand. V.) Nov. 1833, 276.
brunnea Atomaria (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 8.—Dermestes.
brunneus Attagenus, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 227.
brunnea Auchenia, J. Sturm, Catal. Ins. Samml. 1826, 98 [*n. n.*].
brunnea Axyra, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 286.
brunneus Bacillus, G. R. Gray, Entom. Austral. I. Phasma, 1833, 22.
brunneus Balaninus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio.
brunneus Belus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 108.
brunnea Blatta, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. X. 1826, 278.
brunneus Bolitophagus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 19 [*n. n.*]; & Syst.
 Cat. Brit. Ins., Aug. 1829, 243 [*n. n.*].
brunnea Bonellia (Sow.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2,
 VIII. June 1838, 290.—Eulima.
brunneus Borborus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62 [*n. n.*].
brunneus Brachinus, F. L. de Laporte, Etudes Entom. (1) 1834, 59.
brunneum Buccinum, E. Donovan, Brit. Shells, 1804, pl. clxxix.
brunneus Buro, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 421.
brunnea Cabrita, J. E. Gray, Ann. Nat. Hist. I (4) June 1838, 282.
brunneus Calathrus, Laporte in A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 123.
brunnea Calleida, Dejean, Spec. gén. Coléopt. V. 1831, 328.
brunneum Callidium (Fab.), L. Gyllenhal, Ins. Suecica, I (4) 1827, 92.—Saperda, 1792.
brunneus Calliptamus, A. White in G. Grey, Journ. 2 Exp. Austral. II. 1841, 470.
brunnea Callirhipis, Laporte, Ann. Soc. Ent. France, III (2) *post* June 1834, 251.
brunnea Callithrix, J. Natterer, Arch. f. Naturg. VIII (1) 1842, 357.
brunneus Carabus, Megerle in K. Duftschmid, Fauna Austriae, II. 1812, 53.
brunneus Carabus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 22. [307.
brunneus Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840,
brunneus Catops (Latr.), J. W. Zetterstedt, K. Vet. Ac. Handl. 1824 (1) 1824, 152.—
 Mylaechus.
brunneus Catops, Knoch in K. Duftschmid, Fauna Austriae, III. 1825, 79.
brunneus Celeus (Licht.), F. Boie, Isis (Oken), 1831, 542.—Picus.
brunneus Cephalelus, G. R. Waterhouse, Tr. Entom. Soc. Lond. II (3) July 1839, 195.
brunneus Ceratophyus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 355.
brunnea Cercaria, C. M. Diesing, Syst. Helminth. I. 1850, 296.
brunnea Cetonia, Dejean, Catal. Coléopt. 1821, 61 [*n. n.*].
brunneus Chaetobranchus, J. Heckel, Ann. Wiener Mus. II [3] 1840, 405
brunnea Chelosania, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 245.

- brunneus** Chironomus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 21.
- brunnea** Choleva (Latr.), W. Spence, Tr. Linn. Soc. London, XI (1) 1813, 158.—
Mylaechus. [(= 42).—Tettigonia, 1798.]
- brunnea** Cicada (Fab.), E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 6
- brunneus** Cis, J. Mellié, Ann. Soc. Ent. France [2] VI (4) May 1849, 327.
- brunnea** Clivina, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 605.
- brunnea** Cloe, P. Rambur (Roret's Suite à Buffon), Névropères, 1842, 298.
- brunnea** Clythra, J. C. Fabricius, Syst. Eleuth. II. 1801, 38.
- brunnea** Coelogenys, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-11 (1815),
- brunneus** Coenochilus, H. Burmeister, Handb. Ent. III. 1842, 667. [108 [n. n].]
- brunnea** Colaspis, J. C. Fabricius, Syst. Eleuth. I. 1801, 416.—Galleruca, 1798.
- brunnea** Colaspis, A. G. Olivier, Entom. VI. 1808, 891. [1781.]
- brunnea** Colaspis (Fab.), A. White, Zool. "Ereb. Terr." (Ins. 1846), 23.—Chrysomela,
- brunnea** Colluricincla, J. Gould, Proc. Zool. Soc. London, VIII (94) July 1841, 164.
- brunneus** Colon (Latr.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 250.—Mylaechus.
- brunneus** Colpodes, W. S. Macleay, Annulosa Javanica, 1825, 17.
- brunnea** Columba, C. J. Temminck, Fig. et Gallin. I. June 1813, 475.
- brunneus** Colymbetes (Fab.), Dejean, Catal. Coléopt. 1821, 19.—Dytiscus, 1798.
- brunneus** Conus, W. Wood, Suppl. Index Test. 1828, 8 [n. et f.].
- brunneus** Conus, G. B. Sowerby, I. (ex Wood), Proc. Zool. Soc. London, II (15) June
- brunnea** Coptia, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 402. [1834, 18.]
- brunnea** Coptoptera, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (3) 1837, 5.
- brunneus** Cremastocheilus, W. W. Saunders, Ann. Mag. Nat. Hist. X (62) Sept. 1842, 67.
- brunnea** Crioceris (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 351.—Lema,
- brunnea** Crioceris, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 7. [1798.]
- brunnea** Crocuta (Thunb.), J. E. Gray, List Mamm. Coll. B. M. 1843, 47.—Hyaena.
- brunneus** Cryptocephalus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 13.
- brunneus** Cryptophagus, L. Gyllenhal, Ins. Suecica, I. 1808, 174.
- brunnea** Cubaris, J. F. Brandt, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 190.
- brunneus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 248.
- brunneus** Curculio, J. Duncan, Coleopt. (Nat. Libr. VIII.) May 1835, 241.
- brunneus** Cyclas (Ol.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 196.—Brentus,
- brunneus** Cyd nus, J. C. Fabricius, Syst. Rhyng. 1803, 185. [1790.]
- brunnea** Cymatodera, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (12) Dec. 1845,
- brunnea** Cypris, C. L. Koch, Deutsch. Crust., heft 10, 1837, tab. 5. [306.]
- brunnea** Cytherea, C. T. Menke, Conch. Samml. Malsburg, 1829, 116.
- brunnea** Darnoides (Germ.), L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847,
- 496.—Smilia. [1837.]
- brunneus** Dasyornis, J. Gould, Syn. Birds of Australia & adj. islands (Descriptions p. 4,
- brunneus** Dasyopogon, J. C. Fabricius, Syst. Antliat. 1805, 165.—Asilus, 1787.
- brunneus** Dermestes, T. Marsham, Coleopt. Brit., Sept. 1802, 78. [1775.]
- brunnea** Diarsia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 222.—Noctua,
- brunneus** Dicheirus (Dej.), Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2)
- 1843, 212.—Harpalus.
- brunneus** Dyscolus, Dejean, Spec. gén. Coléopt. V. 1831, 440.
- brunnea** Eulima, G. B. Sowerby, I., Proc. Zool. Soc. London, II (13) May 1834, 7.
- brunnea** Eulima, G. B. Sowerby, I., Conch. Illustr. (53) 1834, f. 9 [n. et f.].
- brunneus** Erytylus, F. Weber, Obs. Ent. 1801, 59.
- brunnea** Eurypelma, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 73.
- brunneus** Falco, J. M. Bechstein, Gem. Nat. Deutschl., ed. 2, II. 1805, 807.
- brunnea** Falco, J. Gould, Syn. Birds Austral. (3) Ap. 1838.
- brunnea** Feronia (Esch.), Dejean, Spec. gén. Coléopt. III. 1828, 327.—Platysma.
- brunnea** Fissurella, H. E. Anton, Verz. Conch. 1839, 27.
- brunneus** Gobius, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1845), 142.
- brunnea** Graphiphora (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 68.—
Noctua, 1775.
- brunneus** Gryllus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 256.
- brunnea** Haltica, K. Duftschmid, Fauna Austriae, III. 1825, 260.

- brunneus** Harpalus, L. Gyllenhal, Ins. Suecica, I (2) 1810, 143.
brunneus Harpalus, Eschscholtz in Dejean, Spec. gén. Coléopt. IV. 1829, 239.
brunneus Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Carc. III (1) 1836, 203.
brunnea Helix, H. E. Anton, Verz. Conch. 1839, 35.
brunnea Helix, G. B. Sowerby, L., Proc. Zool. Soc. London, IX (99) Oct. 1841, 40.
brunneus Helluo, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 396.
brunneus Helops, J. Sturm, Catal. Ins. Samml. 1826, 150 [*n. n.*].
brunneus Hemicircus, T. C. Eyton, Proc. Zool. Soc. London, VII (78) Nov. 1839, 106.
brunneus Heterocerus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (5) Oct. 1844, 99.
brunneum Himatidium (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 151.—Cassida, 1798.
brunnea Holophrya, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 497.
brunnea Holothuria, Chamisso & Eysenhardt, N. A. Ac. Caes. Leop. Car. X (2) 1821,
brunnea Holothuria, E. Forbes, Ann. Nat. Hist. V. Ap. 1840, 100. [353-
brunnea Homalota (Fab.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 326.—
 Staphylinus, Payk. 1789.
brunnea Hyaena, C. P. Thunberg, K. Vet. Ac. Handl. 1820 (1) 1820, 59.
brunnea Hydra, R. Templeton, Mag. Nat. Hist. IX. Aug. 1836, 417.
brunneus Hylesinus, W. F. Erichson, Arch. f. Naturg. II (1) 1836, 48.
brunneus Hypherpes, Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 13.
brunneus Hypophloeus, L. Gyllenhal, Ins. Suecica, I (3) 1813, 711.
brunneus Iassus, J. C. Fabricius, Syst. Rhyng. 1803, 87.—Cicada, 1794.
brunneus Ischnosoma (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22.—Sta-
 phylinus, ? Payk. 1789. [Tenebrio, 1798.
brunneus Isocerus (Fab.), Illiger, Mag. f. Insektenk. (Illiger) I (3 & 4) 1802, 295.—
brunneus Ixodes, C. L. Koch, Arch. f. Naturg. X (1) 1844, 232.
brunneus Ixos (Blyth), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 266.—Pycnonotus.
brunnea Lagria, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 5.
brunnea Larvivora, B. H. Hodgson, J. Asiat. Soc. Bengal. VI. 1837, 102.
brunneus Lasiodactylus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 35.
brunneum Lathrobium, J. Sturm, Catal. Ins. Samml. 1826, 160.
brunneus Latridius, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 45.
brunnea Lebia, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 59.
brunnea Lebia, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843, 298.
brunnea Leiodes (Gyll.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Mar. 1829, 171.—
 Anisotoma.
brunnea Lema, J. C. Fabricius, Syst. Eleuth. I. 1801, 473.—Cricocerus, 1792.
brunneus Lemur, J. v. d. Hoeven, Tijdschr. nat. geschied. physiol. XI (1) 1844, 35.
brunnea Libellula, Boyer de Fonscolombe, Ann. Soc. Ent. France, VI (2) *post* June
brunneus Limax, J. P. R. Draparnaud, Tab. Moll. France, 1801, 104. [1837, 141.
brunneus Limnesius (Gyll.), J. Sturm, Catal. Käfer Samml. 1843, 93.—Cryptoc. 1808.
brunnea Lithocharis, W. F. Erichson, Käfer Mark Brand. I (2) 1839, 513.
brunneus Litochrus, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 109.—
 Phalacrus, 1842.
brunneus Lixus, J. C. Fabricius, Syst. Eleuth. II. 1801, 505.—Curculio, 1781.
brunnea Lobopoda (Dej.), A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June
 1835, 234.—Allecula.
brunnea Loricaria, J. Hancock, Zool. Journ. IV (14) Oct. 1828, 247.
brunnea Lynnaea, Kenyon, Edinburgh Journ. Nat. Geogr. Sci. I. Dec. 1829, 221.
brunnea Macraspis, Dejean, Catal. Coléopt. 1821, 60 [*n. n.*].
brunnea Macraspis, M. Perty, Del. anim. artic. Brasil. (1) 1830, 52.
brunnea Mantispia, T. Say in Keating, Exp. Peter River, II. 1824, 309 & ed. London,
 1825 (App.), 49.
brunnea Mecomera, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
brunnea Megalomastoma, J. E. Gray, Figs. Moll. Anim. IV. 1850, 120. [54.
brunneus Meiglyptes (Eyton), G. R. Gray, Gen. Birds, II. Aug. 1846, 447.—Hemicircus.
brunnea Menipha, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 113.
brunneus Messorus (Fab.), C. J. B. Amyot, Ann. Soc. Ent. France, III (4) 1846, 427.—
brunneus Mitorhynchus, C. Wesmael, Bull. Ac. Roy. Brux. III. 1836, 165. [Cydnus.

- brunneus** Mogoplistes, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 357. [Pimelia, 1795.]
- brunnea** Moluris (Oliv.), P. A. Latreille in G. Cuvier, R. Anim. III. 1817, 295.—
- brunnea** Monanthia (Germ.), Herrich-S., Wanzenart. Ins. IV (2) Nov. 1837, 25.—Tingis.
- brunnea** Mordella, J. C. Fabricius, Syst. Eleuth. II. 1801, 125.
- brunneus** Mus, B. H. Hodgson, Ann. Mag. N. H. XV. Ap. 1845, 266.
- brunnea** Muscisaxicola, J. Gould, Zool. "Beagle" (Birds, 1839), 84.
- brunnea** Mycetophila, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 134.
- brunnea** Mygale, Latreille, N. Dict. H. N., ed. 2, XXII. 1818, 119.
- brunneus** Mylaechus, P. A. Latreille, Gen. Crust. Ins. II. 1807, 30.
- brunnea** Myraptera, J. Curtis, Proc. Linn. Soc. London (20) May 1844, 188.
- brunnea** Myrmicaria, W. W. Saunders, Tr. Entom. Soc. Lond. III (1) Jan. 1842, 57.
- brunneus** Mytilus, D. Solander, Catal. Portland Mus. 1786, 104 [n. n.].
- brunnea** Natica, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 140.
- brunnea** Nebria (Dufts.), Dejean, Catal. Coléopt. 1821, 7.—Carabus.
- brunnea** Nemoura, F. J. Pictet, H. N. Ins. Neuropt. Perlides, 1842, 380.
- brunneus** Nerius, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 493.
- brunnea** Nitidula, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 72.
- brunnea** Nitidula, O. Heer, Coleopt. Helvet. (3) 1841, 400.
- brunnea** Noctua, J. W. Meigen, Syst. Besch. Europ. Schmett. III (3) 1832, 98.
- brunnea** Nomada, P. S. Schilling, Uebers. Arb. schles. Ges. 1848 (1849), 103.
- brunnea** Notoclea, T. Marsham, Tr. Linn. Soc. London, IX. 1808, 291.
- brunnea** Nyroca, T. C. Eytton, Mon. Anatidae, 1838, 161.
- brunneum** Obrium (Fab.), Dejean, Catal. Coléopt. 1821, 110.—Saperda, 1792.
- brunneus** Oncus, E. Forbes, Hist. Brit. Starfish (5) Feb. 1841, 229.—Holothuria, 1840.
- brunneus** Oligomerus (Ol.), L. Redtenbacher, F. Austr., Käfer, 1849, 347.—Anobium, 1790. [linus, 1789.]
- brunneum** Omalium (Payk.), J. L. C. Gravenhorst, Coleopt. micr. 1802, 113.—Staphy-
- brunnea** Omaloplia (Fab.), Dejean, Catal. Coléopt. 1821, 59.—Melolontha, 1775.
- brunneus** Onthophagus, Meg.; Dejean, Catal. Coléopt. 1821, 54 [n. n.].
- brunneus** Orion, F. E. Guérin-M., Iconographie, 1844, Ins. 229.
- brunnea** Ornithomyia, P. A. Latreille, Ency. Méth. VIII (2) (Ins.) [1812], 544.
- brunnea** Orthosteira (Germ.), F. X. Fieber, Entom. Monogr. 1844, 48.—Tingis.
- brunneus** Otiorhynchus (Stev.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 587.—Pachygaster [non comp.].
- brunnea** Ozaena, Dejean, Spec. gén. Coléopt. I. 1825, 435.—Plochionus, 1821.
- brunneus** Pachynomus, F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 81.
- brunnea** Paludina, H. E. Anton, Verz. Conch. 1839, 52.
- brunneus** Pandarus, D. Zeigler, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844, 45.
- brunnea** Parandra (Fab.), L. Gyllenhal, K. Vet. Ac. Handl. 1817 (1) 1817, 140.—Tenebrio, 1798. [1830, 599.]
- brunnea** Pegomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- brunneus** Pentodon, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 382.
- brunnea** Periplaneta, Klug in H. Burmeister, Handb. Ent. II (2) i, 1838, 503.
- brunneus** Phalacrus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 239.
- brunneum** Phanerotoma (Ol.), A. J. J. Solier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 297.—Pimelia, 1795. [linus.]
- brunneus** Philonthus (Grav.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 486.—Staphy-
- brunnea** Phryno, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 144. [1830, 605.]
- brunnea** Phyllis, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- brunneus** Phylloscopus, E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (post Sept.), 591.
- brunneus** Picus, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 32.
- brunneus** Pinophilus, F. L. de Laporte, Etudes Entom. (2) 1835, 122.
- brunnea** Pipra, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 286.
- brunnea** Planaria, J. R. Johnson, Phil. Trans. R. Soc. 1822 (2) 1822, 438.
- brunnea** Platysma, J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 89.
- brunnea** Pleurotoma, H. D. de Blainville, Faune Française (20) Malac. 1829, 98.

- brunneus** Plochionus, Dejean, Catal. Coléopt. 1821, 5 [*n. n.*].
- brunneus** Polistichus, Dejean, Spec. gén. Coléopt. V. 1831, 298.
- brunneus** Pompilus, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834), sign. *h.*
- brunnea** Popillia, E. Newman, Mag. Nat. Hist., n. s., II. June 1838, 336.
- brunneus** Porcellio, J. F. Brandt, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 180.
- brunneus** Potamanthus, F. J. Pictet, H. N. Ins. Neuropt. Ephémère. 1845 [*i. e.* Dec. 1845].
- brunneus** Prionus, J. Sturm, Catal. Ins. Samml. 1826, 187 [*n. n.*]. [217.]
- brunneus** Pselaphus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 34 [*n. n.*].
- brunneus** Pselaphus, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 49.
- brunnea** Pseudoboa, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 17.
- brunneus** Pterostichus (Esch.), Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 202.—Hyperperes.
- brunneus** Ptinus, Megerle in K. Duftschmid, Fauna Austriae, III. 1825, 65.
- brunneus** Ptiocerus, F. L. de Laporte, Ann. Soc. Ent. France, III (2) *post* June 1834, 265.
- brunnea** Ptyonura (Gould), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 197.—Musci-saxicola.
- brunneus** Pycnonotus, E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (*post* Sept.), 568.
- brunneus** Pyrrholaemus, J. Gould, Proc. Zool. Soc. London, VIII (95) July 1841, 173.
- brunnea** Rhipicera, J. O. Westwood, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 66.
- brunneus** Rhynchaenus (Fab.), A. G. Olivier, Entom. V. 1807, 179.—Curculio, 1781.
- brunneus** Rhyncolus, Eschscholtz in Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 295.
- brunneus** Rhyparochromus, R. F. Sahlberg, Mon. Geocoris. Fenn. 1848, 57.
- brunnea** Rutela (Dej.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 316.—Macraspis. [Ptiocerus.]
- brunneus** Sandalus (Lap.), F. E. Guérin-M., Spec. et Icon. Anim. artic. (1) 1843, 5.—
- brunneus** Scarites, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 53 [*n. n.*].
- brunneus** Scydmaenus, H. R. Schaum, Symb. Mon. Scyd. 1841, 28. [1775.]
- brunnea** Serica (Fab.), W. S. Macleay, Horae Entom. I (1) 1819, 147.—Melolontha,
- brunneus** Sericosomus (L.), H. C. Kuester, Käfer Europas, X. 1847, 40.—Elater, 1758.
- brunneus** Sericus (L.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.—Elater, 1758.
- brunneus** Serranus (Bl.), G. Cuvier, R. Anim. II. 1817, 278.—Epinelephus, 1793.
- brunneus** Silenus, P. A. Latreille, Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 129.
- brunnea** Silpha, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 17 [*n. n.*].
- brunnea** Smilia, E. F. Germar, Revue Entom. III (6) 1835, 308.
- brunnea** Sparus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 280.
- brunnea** Sphenura (Gould), G. R. Gray, Genera of Birds, I. Aug. 1848, 167.—Dasyornis.
- brunneus** Sphodrus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 21.
- brunneus** Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 172.
- brunneus** Staphylinus, F. V. Melsheimer, Ins. Pennsylv. 1806, 57 [*n. n.*]. [1792.]
- brunneus** Stenochorus (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 410.—Saperda,
- brunneus** Sunius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*].
- brunnea** Sylvia, T. Forster, Phil. Mag. L (234) Oct. 1817, 296.
- brunnea** Synallaxis, J. Gould, Zool. "Beagle" (Birds, 1839), 78.
- brunneus** Tabanus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 56.
- brunneus** Tabanus, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 203.
- brunneus** Tachinus, Ill.; Dejean, Catal. Coléopt. 1821, 26 [*n. n.*].
- brunneus** Tachinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 249.
- brunneus** Tachyporus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) May 1832, 179. [Oxyporus, 1792.]
- brunneus** Tachyporus (Fab.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 396.—
- brunneus** Tachys, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 53 [*n. n.*].
- brunnea** Tanagra, J. B. v. Spix, Avium Brasil. II. 1825, 37.
- brunnea** Tanyglossa, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 69.
- brunneus** Tenebrio, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 54 [*n. n.*].
- brunnea** Tenthredo, F. Klug, Zoologisches Magazin, I (3) 1819, 72.
- brunnea** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 53.

- brunnea** Tettigonia (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 326.—
Iassus.
- brunneus** Teuchestes, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 177.
- brunnea** Thyamis (Dufts.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 314.—
Haltica. [Peltis, 1798.]
- brunnea** Thymalus (Payk.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 133.—
- brunnea** Tingis, E. F. Germar, Fauna Ins. Europ. (18) 1835, 23.
- brunnea** Tritoma, T. Lacordaire, Mon. Erotyl., Sept. 1842, 222. [[Ap. 1849], 188.
- brunneus** Trochus (Chlorostoma), R. A. Philippi, Zeitschr. f. Malakozool. (Dec.) 1848
- brunneus** Typhlops (Seetz.), B. Merrem, Tent. Syst. Amph. 1820, 159.—Anguis, 1796.
- brunneus** Xylophagus, C. R. W. Wiedemann, Anal. Entom. 1824, 19.
- brunneus** Xylotrogus, J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Aug. 1830, 117.
- brunneum** Zuphium, C. H. Boheman, Ins. Caffr. I (1) 1848, 33.
- brunneusculus** Mus, B. H. Hodgson, Ann. Mag. N. H. XV. Ap. 1845, 267. [147.]
- brunneo-aenea** Anoplocheila, J. O. Westwood, Tr. Entom. Soc. Lond. V (6) May 1849,
- brunibarbis** Calliphora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
II. 1830, 434.
- brunicans** Agria (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 184.—
Gesneria. [1830, 379.]
- brunicans** Gesneria, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- brunicans** Pales, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
1830, 156.
- brunnicans** Pteromalus, J. T. C. Ratzeburg, Die Ichneum, II. 1848, 188.
- brunnicans** Sarcophaga (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838,
281.—Agria.
- brunnicans** Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 270.
- brunneicapillus** Campylorhynchus (Lafr.), G. R. Gray, Genera of Birds, I. Mar. 1847,
159.—Picolaptes.
- brunneicapillus** Picolaptes, F. de Lafresnaye, Magasin de Zool. V. 1835, pl. 47.
- brunnicephalus** Larus, T. C. Jerdon, Madras Journ. XII (20) Oct. 1840, 225.
- brunnicephala** Xema (Jerd.), G. R. Gray, List Birds Coll. B. M. III. 1844, 172.—
Larus.
- brunniceps** Aleochara, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill.
Brit. Ent. (Mand. V.) Ap. 1832, 138. [Setophaga.]
- brunniceps** Basileuterus (Lafr.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 314.—
- brunniceps** Carpalinus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 24
[*n. n.*]. [1841, 12.]
- brunniceps** Emberiza, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. IX (1) May
- brunniceps** Halcyon, T. C. Jerdon, Madras Journ. XIII (31) Dec. 1844, 143. [134.]
- brunniceps** Salicaria (Cisticola), Temminck & Schlegel in Siebold, F. Japon. (Aves, 1850),
- brunniceps** Setophaga, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin
de Zool. VII. 1837, 50.
- brunniceps** Spermophilus, Brandt in Litke, Voy. Monde, III. 1836, 322 [*n. n.*].
- brunniceps** Sunius, L. Fairmaire, Rev. et Mag. de Zool. (2) I. June 1849, 290.
- brunnichii** Clupea, J. G. Schneider, Bloch, Syst. Ichth. 1801, 424.
- brunnichii** Crenilabrus (Lac.), H. Cloquet, Dict. Sci. Nat. XI. 1818, 387.—Lutjanus.
- brunnichii** Lomvia (Sab.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. II (22) Aug.
1837, 345.—Uria.
- brunnichii** Lutjanus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 184.
- brunnichii** Perca, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 395.
- brunnichii** Rissa, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (1) 1826, 181.
- brunnichii** Sparus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 424.
- brunnichii** Sparus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 462.
- brunnichii** Uria, Sabine, Tr. Linn. Soc. London, XII. 1817, 538.
- brunnichiana** Epiblema (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 376.—
Tortrix, 1775. [1767.]
- brunnichiana** Paedisca (L.), F. Treitschke, Schmett. Europa, VIII. 1830, 194.—Tortrix,
- brunnichiana** Phalaena (Tort.), [Denis & Schiffermueller], Schmett. Wien. 1775, 132.

- brunnichiana** Thirates (L.), F. Treitschke, Schmett. Europa, VII. 1829, 233.—Phalaena, 1767. [1775.]
- brunnichana** Tortrix (Fab.), A. H. Haworth, Lepidopt. Brit. (3) 1811, 440.—Pyralis, [1840, 334.]
- brunnicollis** Cantharis, J. C. Fabricius, Syst. Eleuth. I. 1801, 298. [1840, 334.]
- brunneicollis** Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1836, Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, Gematis, J. Sturm, Catal. Ins. Samml. 1826, 143 [*n. n.*]. [780.]
- brunnicollis** Lema, T. Lacordaire (*ex* Dej. Cat.), Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 391. [Epitragus.]
- brunnicornis** Aethales (Latr.), Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 180.—
- brunnicornis** Agriotes (St.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.—Elater. [*ibid.* Coleopt. 36.]
- brunnicornis** Amara, O. Heer, N. D. Allg. Schweiz. Gesellsch. II. 1838, 55 [*n. n.*];
- brunnicornis** Ampedus, F. E. Germar (*ex* Dej. Cat.), Zeitschr. f. d. Entom. V. 1844, 173.
- brunnicornis** Archimerus, Herrich-S., Wanzenart. Ins. VI (2) Nov. 1840, 26.
- brunnicorne** Bembidium, Dej.; J. Sturm, Catal. Ins. Samml. 1826, 100.
- brunnicorne** Bembidium, Dejean, Spec. gén. Coléopt. V. 1831, 141.—Peryphus, 1821.
- brunnicornis** Ceresa (Germ.), L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 285.—Smilia.
- brunnicornis** Chlorops, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 591.
- brunicornis** Chrysomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 451.
- brunnicornis** Craterocerus, F. W. Hope, Coleopt. Manual, II. 1838, 74 [*n. n.*].
- brunnicornis** Dexia, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 243.
- brunnicornis** Elater, J. Sturm, Catal. Ins. Samml. 1826, 135 [*n. n.*]. [1809, 368.]
- brunnicornis** Epitragus, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.)
- brunnicornis** Exorista, J. Macquart, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850, 406.—Lydella, 1834.
- brunnicornis** Haltica, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 17 [*n. n.*]; & III. Brit. Ent. (Mand. IV.) Dec. 1831, 301.
- brunnicornis** Harpalus, J. Sturm, Catal. Ins. Samml. 1826, 148 [*n. n.*].
- brunnicornis** Herpestomus (Grav.), C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 170.—Ichneumon.
- brunneicornis** Hydroptile, F. J. Pictet, Rech. Phrygan. 1834, 226.
- brunneicornis** Hydroptila, F. A. Kolenati, Gen. et sp. Trichopt. 1848, 106.
- brunnicornis** Ichneumon, J. L. C. Gravenhorst, Ichneumon. Europ. I. 1829, 145.
- brunnicornis** Lamia (Leprodera), F. E. Guérin-M., Iconographie, 1844, Ins. 239.
- brunnicornis** Lucilia, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 299.
- brunnicornis** Lydella, J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 271.
- brunnicornis** Meligethes, J. Sturm, Deutschl. Fauna (Insecten) XVI. 1845, 27.
- brunicornis** Nemoreaa, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 73.
- brunnicornis** Osorius, F. W. Hope, Tr. Entom. Soc. Lond. II (1) Feb. 1838, 52.
- brunicornis** Palusia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 543. [II. 1830, 599.]
- brunicornis** Pegomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
- brunnicornis** Peryphus, Dejean, Catal. Coléopt. 1821, 17 [*n. n.*].
- brunnicornis** Promecoderus, Latreille in Dejean, Spec. gén. Coléopt. IV. 1829, 28.
- brunnicornis** Ptilocera, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 172.
- brunnicornis** Rhinophora (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 211.—Ptilocera.
- brunnicornis** Smilia, E. F. Germar, Revue Entom. III (5) 1835, 235. [II. 1830, 522.]
- brunicosa** Limnophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
- brunicosa** Lucilia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 459. [1830, 745.]
- brunicosa** Nemopoda, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- brunicosa** Noeeta, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 779.

- brunicosa** Pegomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II, 1830, 599.
- brunicosa** Solieria, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VI (4) May 1849, 470.
- brunifacies** Hydrellia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II, 1830, 792. [II, 1830, 348.]
- brunifacies** Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II, 1830, 792.
- brunneo-fasciata** Smilia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 292.
- brunniformis** Prinia, B. H. Hodgson, Proc. Zool. Soc. London, XIII (146) Aug. 1845, 29.
- brunneifrons** Anthomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 690.
- brunifrons** Dendrocopus, W. Swainson, N. H. Classif. Birds, II, June 1837, 307.
- brunnifrons** Dendrocopus, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85.—
[*n. n.*].
- brunnifrons** Horeites, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82.—[*n. n.*]
- brunnifrons** Picus, Vigors in Gould, Cent. Birds Himalaya, 1831, pl. 52.
- brunnilabris** Orthogonius, W. S. Macleay, Annulosa Javanica, 1825, 27.
- brunneilinea** Aricia, J. W. Zetterstedt, Dipt. Scand. IV, 1845, 1448.
- brunneomarginatus** Anchomenus, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI, 1843 (2) 1843, 196.
- brunnina** Noctua, [A. H. Haworth], Prod. Lepidopt. Brit. 1802, 12 [*n. n.*].
- brunneo-niger** Leptochirus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 32. [Embernagra.]
- brunneinucha** Buarremon (Lafr.), C. L. Bonaparte, Consp. gen. Avium, I, 1850, 484.—
- brunnei-nucha** Embernagra, Lafresnaye, Rev. Zool. (Soc. Cuv.) Ap. 1839, 97.
- brunneonucha** Fringilla (Linaria), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. X (14-16) May 1842, 252. [—Fringilla (Linaria).]
- brunneinucha** Leucosticte (Brandt), C. L. Bonaparte, Consp. gen. Avium, I, 1850, 536.
- brunneinucha** Montifringilla (Brandt), Bonaparte & Schlegel, Mon. Loxiens, 1850, 36.—
—Fringilla.
- brunneo-olivaceus** Tyrannula, R. P. Lesson, Echo Monde Savant, XI, 8 Aug. 1844, 253.
- brunnipalpis** Tachina, J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 263.
- brunnipennis** Aegithus, Klug in T. Lacordaire, Mon. Erotyl., Sept. 1842, 285.
- brunipennis** Agra, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 185.
- brunnipennis** Agrilus, A. Chevrolat, Revue Entom. V (2) c. Sept. 1838, 96.
- brunnipennis** Amara, Dejean, Spec. gén. Coléopt. V, 1831, 800. [II, 1830, 570.]
- brunipennis** Aminta, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II, 1830, 570.
- brunnipennis** Anomala (Schoen.), H. Burmeister, Handb. Ent. IV (1) 1844, 250.—
Melolontha.
- brunnipennis** Anoplognathus, Schoen.; Dejean, Catal. Coléopt. 1821, 60 [*n. n.*].
- brunnipennis** Anthicus, J. Sturm, Catal. Ins. Samml. 1826, 93 [*n. n.*].
- brunnipennis** Anthomyia, J. Macquart (Roret's Suite à Buffon), Diptères, II, 1835, 337.
- brunnipennis** Anthonomus, J. Curtis, Ann. Nat. Hist. V, June 1840, 280. [1843, 292.]
- brunnipennis** Anthonomus, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI, 1843 (2) 1843, 292.
- brunnipennis** Anthrax, J. Macquart in Webb & Berthelot, Canaries (Dipt.) 1840, 105.
- brunnipennis** Anthrax, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 339.
- brunnipennis** Anthrax, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 348.
- brunnipennis** Apate, J. C. Fabricius, Syst. Eleuth. II, 1801, 383. [Staphylinus.]
- brunnipennis** Bledius (Fab.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 779.—
- brunnipennis** Bolitobius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) May 1832, 175.
- brunnipennis** Brachinus, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 397.
- brunnipennis** Calandra, E. F. Germar, Ins. Spec. novae, I, 1824, 297.
- brunnipennis** Capsus, L. R. Meyer, Verz. Schweiz. Rhynchoten, 1843, 66.
- brunnipennis** Centrotus, E. F. Germar, Revue Entom. III (5) 1835, 257.
- brunnipennis** Clivina, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 625.
- brunnipennis** Cydnus, J. C. Fabricius, Syst. Rhyng. 1803, 185.
- brunnipennis** Dyscolus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (7) 1837, 1837, 1837.
- brunnipennis** Elater, Dejean, Catal. Coléopt. 1821, 32 [*n. n.*]. [16.]
- brunnipennis** Emphanes, V. v. Mochulski, Kaefer Russl., *post* May 1850, 13 [*n. n.*].
- brunneipennis** Erotylus, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 10.

- brunnipennis** Graphoderus, Dejean, Cat. Coléopt., ed. 3, 1836, 61.
brunnipennis Harpalus, Dejean, Catal. Coléopt. 1821, 15 [*n. n.*].
brunneipennis Harpalus, C. H. Boheman, Ins. Caffr. I (1) 1848, 215.
brunneipennis Hister, J. W. Randall, Boston Journ. N. H. II (1) 1838, 40.
brunnipennis Hydaticus, C. Aubé, Spec. gén. Hydroc. 1838, 203.—Graphoderus.
brunnipennis Hydrotaea, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 304.
brunnipennis Limnobia, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 106.
brunnipennis Melolontha, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 191; & App. 1817, 108. [II. 1817], 106.
brunnipennis Melolontha, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool.
brunnipennis Melolontha, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 131.
brunnipenne Microstylus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 366.
brunnipennis Odontoscelis, E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 38.
brunnipenne Omalium (Marsh.), J. F. Stephens, Nom. Brit. Ins., June 1829, 25.—
 Staph. ? Fab. [Cat. Brit. Ins., Aug. 1829, 293 [*n. n.*].
brunnipennis Oxytelus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*]; & Syst.
brunnipennis Pachymerus, E. F. Germar, Revue Entom. V (3) 1840, 140.
brunneipennis Percus, A. Costa, Ann. Accad. Aspir. Nat. (2) I. 1847, 92. [381.
brunnipennis Phytomomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834,
brunnipennis Platygaster, J. Curtis, Guide Brit. Ins. (4) 1829–30, 112 [*n. n.*].
brunnipennis Platypeza, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 18.
brunnipennis Platystethus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 105.—
 Oxytelus, 1829.
brunnipennis Platyra, C. Staeger, Naturhist. Tidsskrift, III (2 & 3) 1840, 277.
brunneipennis Psalidophora, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839
 [Dec. 1838], 30. [232.
brunnipennis Quedius, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843,
brunni-pennis Rutela, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 150; &
 App. 1817, 62.
brunnipennis Sciomyza, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 349.
brunnipennis Sericosomus, J. F. Stephens, Man. Brit. Coleopt. 1839, 177.
brunnipennis Sphenophorus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838,
 965.—Calandra.
brunnipennis Staphylinus, J. C. Fabricius, Syst. Eleuth. II. 1801, 596.
brunnipennis Staphylinus, Dahl; Dejean, Catal. Coléopt. 1821, 23 [*n. n.*].
brunnipennis Tachinus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Ill.
 Brit. Ent. (Mand. V.) May 1832, 195.
brunnipennis Thlasia, E. F. Germar, Revue Entom. IV (2) 1836, 72.
brunneipennis Xantholinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 327.
brunnipes Acanthocerus, Reiche in E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 142.
brunnipes Acupalpus (St.), H. Lucas, Explor. Algér. (Artic. II.) 1846, 75.—Trechus.
brunnipes Agonum, Dejean, Catal. Coléopt. 1821, 10 [*n. n.*].
brunnipes Aleochara, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill. Brit.
 Ent. (Mand. V.) Ap. 1832, 133.
brunnipes Amycterus, C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 104 [*n. n.*].
brunnipes Apate, J. C. Fabricius, Syst. Eleuth. II. 1801, 383.
brunnipes Apion, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 386.
brunnipes Bembidium, J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 128.
brunnipes Bembidium, Dejean, Spec. gén. Coléopt. V. 1831, 144.—Peryphus, 1821.
brunnipes Bibio (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 81.
 —Tipula, 1794.
brunnipes Campylirhynchus, J. Sturm, Catal. Ins. Samml. 1826, 108 [*n. n.*]. [1835, 264.
brunnipes Celibe, Latreille in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2)
brunnipes Ceratopogon, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 29.
brunnipes Ceratopogon, E. Perris, Ann. Soc. Ent. France [2] V (4) June 1848, 556.
brunnipes Cetonia, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 465.
brunnipes Chasmodia (Ol.), H. Burmeister, Handb. Ent. IV (1) 1844, 342.—Cetonia, 1789.

- brunnipes** Chironomus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 52 [*n. n.*].
- brunnipes** Chironomus, J. W. Zetterstedt, Dipt. Scand. IX. 1850, 3518.
- brunnipes** Cilibe, F. de Brême, Ess. Cossyph. (1) 1842, 37.
- brunnipes** Circelium, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- brunnipes** Colaspis, J. Sturm, Catal. Ins. Samml. 1826, 123 [*n. n.*] [67].
- brunnipes** Coprimorphus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 169.
- brunnipes** Cratonychus (Germ.), W. F. Erichson in Germar, Zeitschr. f. d. Entom. III. 1841, 91.—Elater. [1798].
- brunnipes** Cratopus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 53.—Curculio,
- brunnipes** Cryptophagus, L. Gyllenhal, Ins. Suecica, I. 1808, 185.
- brunnipes** Curculio, A. G. Olivier, Entom. V. 1807, 384.
- brunnipes** Dasypogon, J. C. Fabricius, Syst. Antliat. 1805, 170.—Asilus, 1794.
- brunnipes** Dasypogon, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 279.
- brunnipes** Decamera (Bon.), E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 504.
- brunnipes** Diapria, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 332. [—Hoplia.
- brunnipes** Dorcadion, J. Sturm, Catal. Ins. Samml. 1826, 132 [*n. n.*].
- brunnipes** Drapetis, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 358.
- brunnipes** Drosochrus, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 244.
- brunnipes** Edessa, J. C. Fabricius, Syst. Rhyng. 1803, 148.
- brunnipes** Elater, Ziegl.; Dejean, Catal. Coléopt. 1821, 32 [*n. n.*].
- brunnipes** Elater, E. F. Germar, Ins. spec. nov. 1824, 41.
- brunnipes** Empis, J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 224.
- brunnipes** Empis, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 32.
- brunnipes** Eumolpus, A. G. Olivier, Entom. VI. 1808, 913.
- brunnipes** Eurypelma, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 74.—Mygale, 1841.
- brunnipes** Exetastes, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 399.
- brunnipes** Falciger, J. Sturm, Catal. Ins. Samml. 1826, 141 [*n. n.*].
- brunnipes** Haltica, K. Duftschmid, Fauna Austriae, III. 1825, 280.
- brunnipes** Harpalus, Dejean, Spec. gén. Coléopt. IV. 1829, 264.
- brunnipes** Helops, J. Sturm, Catal. Ins. Samml. 1826, 150 [*n. n.*].
- brunnipes** Hister, J. Sturm, Catal. Ins. Samml. 1826, 152 [*n. n.*].
- brunnipes** Hister, W. F. Erichson, Jahrb. Insectenk. I. 1834, 141.
- brunnipes** Hoplia, Bonelli, Mem. R. Soc. Agrar. Torino, IX [?], 156 [*mihi non visum*].
- brunnipes** Hybos, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 55 [*n. n.*].
- brunnipes** Keratocera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 789.
- brunnipes** Labidomyia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 52 [*n. n.*] [1792].
- brunnipes** Lathrobium (Fab.), J. L. C. Gravenhorst, Coleopt. micr. 1802, 56.—Paederus,
- brunnipes** Limosia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II,
- brunnipes** Lobarhynchus, Ol.; J. Sturm, Catal. Ins. Samml. 1826, 164. [1830, 536.
- brunnipes** Lucilia, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 295.
- brunnipes** Macrocnema, J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 320.
- brunnipes** Magdalinus (Drap.), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 140.—
Thamnophilus, ? Gyll.
- brunnipes** Megascelis, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 288.
- brunnipes** Melolontha, J. Sturm, Catal. Ins. Samml. 1826, 169 [*n. n.*].
- brunnipes** Molobrus (Meig.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 54.—Sciara.
- brunnipes** Monomma, F. E. Guérin-M., Iconographie, 1844, Ins. 314.
- brunnipes** Mygale, C. L. Koch, Die Arachniden, IX (2) *post* May 1841, 35.
- brunnipes** Mylabris, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834) sign. 6.
- brunnipes** Myrmosa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 590.
- brunnipes** Ocybus (Ol.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22.—Staphylinus,
Fab. 1781. [Ent. (Mand. V.) Jan. 1834, 347.
- brunnipes** Omalium, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 25 [*n. n.*]; & Ill. Brit.
- brunnipes** Omias (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 506.—Curculio,
- brunnipes** Oscinis, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2626. [? Fab. 1798.
- brunnipes** Osorius, J. Gistel, Isis (Oken), 1831, 307.
- brunnipes** Pachygaster, Ol.; Dejean, Catal. Coléopt. 1821, 91 [*n. n.*].

- brunnipes** Pachyta, E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 238.
- brunnipes** Peryphus, Meg.; Dejean, Catal. Coléopt. 1821, 17 [*n. n.*].
- brunnipes** Peryphus, Sturm; Dejean, Catal. Coléopt. 1821, 17 [*n. n.*].
- brunnipes** Phylan, Dejean, Catal. Coléopt. 1821, 66 [*n. n.*].
- brunnipes** Platygaster, J. Curtis, Brit. Entom. VII (77) May 1830, no. 309 [*n. n.*].
- brunnipes** Psilocera, Laporte & Gory, H. N. Coléopt. I. 1835-1836, 9.
- brunnipes** Psychidium (Gyll.), O. Heer, Coleopt. Helvet. I (3) 1841, 433.—Cryptophagus.
- brunnipes** Pterostichus, J. Curtis (*ex* Sam. MS), Brit. Entom. V (49) Jan. 1828, no. 196.
- brunnipes** Pterostichus, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) May 1828, 121.
- brunnipes** Pterosticus, G. Samouelle, Entom. Cab. II (Mar. 1833) sign. 51-1 [=15-1].
- brunnipes** Rutela (Ol.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 157.—Cetonia, 1789.
- brunnipes** Sciarra, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 99.
- brunnipes** Sciomyza, J. Waltl, Isis (Oken), 1837, 281.
- brunnipes** Sciomyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 364.
- brunnipes** Siagona, Dejean, Spec. gén. Coléopt. I. 1825, 360. [Trechus.
- brunnipes** Stenolophus (Sturm), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 62.—
- brunnipes** Stenus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Nov. 1833, 285.
- brunnipes** Stenus, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 33. [1842, 667-
- brunnipes** Tachydromia, B. A. Gimmerthal, Bull. Soc. Imp. Moscou, XV. 1842 (3)
- brunnipes** Thamnophilus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836,
- brunnipes** Trechus, J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 88. [270.
- brunnipes** Triplax, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 313.
- brunnipes** Uloma, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 150 [*n. n.*].
- brunnipes** Vespa, J. C. Fabricius, Syst. Piezat. 1804, 265.
- brunnipterus** Bubas, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 81.
- brunneopygia** Drymodes, J. Gould, Proc. Zool. Soc. London, VIII (95) July 1841, 170.
- brunnirostris** Grypidius (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. III (1), 1836, 316.—
Curculio, 1792. [1850, 54.
- brunnirubella** Gracillaria, T. Bruand, Mém. Soc. Emul. Doubs, Vol. III. Tom. 3 (5 & 6)
- brunneisquama** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1462.
- brunnisquamis** Elophoria, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
- brunnitarsis** Colaspis, J. Sturm, Catal. Ins. Samml. 1826, 123 [*n. n.*]. [II. 1830, 157-
- brunnitarsis** Ocinis, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 602.
- brunnitarsis** Sapromyza, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 398.
- brunithorax** Forellia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
1830, 762. [Chaetura.
- brunnitorques** Acanthylis (Lafr.), G. R. Gray, Genera of Birds, I. Feb. 1845, 55.—
- brunnitorques** Chaetura, de Lafresnaye, Rev. Zool. (Soc. Cuv.) VII. Mar. 1844, 81.
- brunneiventris** Diglossa, O. Des Murs, Rev. Zool. (Soc. Cuv.) IX. Sept. [Nov.] 1846, 318.
- brunneiventris** Hemiptycha, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846,
- brunniventris** Ichneumon, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 133. [316.
- brunniventris** Tenthredo, T. Hartig, Adelfl. Deutschl. I. 1837, 274.
- brunniventris** Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 281.
- brunnius** Acharia (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 124.—Sphinx, 1777.
- bruno** Squilla, N. Prestandrea, Effem. Sci. Lett. Sicilia, VI. Ap. 1833, 7.
- brunonensis** Bradybaena, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 19.
- brunonii** Hemipharis (Kirby), H. Burmeister, Handb. Ent. III. 1842, 532.—Cetonia
brownii.
- brunonianus** Curculio, L. Ponza, Mém. Ac. Sci. Turin, 1804-5 (1805) Mém. prés. 61.
- brunsvicensis** Chrysomela, Knoch in K. Duftschmid, Fauna Austriae, III. 1825, 175.
- bruntoniana** Testacella, M. de Serres, Ann. Sci. Soc. Agric. Lyon, III. Mar. 1840, 486.
- bruntrutana** Diadema, Desor, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 348.
- bruntrutana** Exogyra, J. Thurmann, Mém. Soc. H. N. Strasbourg, I (2) 1833, 13 [*n. n.*].
- bruntrutana** Nerinea, J. Thurmann, Mém. Soc. H. N. Strasbourg, I (2) 1833, 17.
- bruntrutana** Ostrea (Thurm.), A. d'Orbigny, Prodr. Paléont. II. [Nov.] 1850, 61.—
Exogyra. [Nerinea, ? Thurm.
- bruntrutana** Ptygmatis (Arch.), D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 108.—

- bruntrutana** Ptygmatis (Thurm.), D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 108.—
- brussonii** Hinnites, P. M. T. de Serres, Geogn. Terr. tert. 1829, 134. [Nerinaea.]
- brutius** Leuciscus, O. G. Costa, Fauna Regno Napoli, Pesci, I. Cyprinoides, 22 (1838).
- brutius** Nymphalis (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 351.—Papilio brutus, 1779.
- brutia** Silpha, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 27 [*n. n.*] [1779.]
- brutus** Charaxes (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1845, 111.—Papilio, 1779.
- bruta** Eriboea (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 46.—Papilio, 1779.
- brutus** Laertias (Fab.), J. Huebner, Verz. bekannt. Schmett. [1820], 84.—Papilio, 1781.
- brutus** Sphenophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 948.
- brutus** Trochus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 300.
- brutus** Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 266.
- bruxellense** Bembidion, C. Wesmael, Bull. Ac. Roy. Brux. II. 1835, 47.
- Bryabius** *err. pro* Bryobius, Chaud. ; M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 17.
- bryaxoides** Hamotus, C. Aubé, Ann. Soc. Ent. France [2] II (1) June 1844, 93.
- bryce** Hipparchia, F. Ochsenheimer, Schmett. Europa, IV. 1816, 20. [Papilio, 1799.]
- bryce** Maniola (Huebner), J. W. Meigen, Syst. Besch. Europ. Schmett. 1 (3) 1828, 116.—
- bryce** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 33 (Fernaldo judice 1799)
- bryce** Papilio, J. Huebner, Europ. Schmett. (Ziefer), 1805, 25. [*n. et f.*]
- bryce** Pteromalus, F. Walker, Entomologist (21) July 1842, 336.
- bryce** Satyrus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 522.—Papilio, Huebner.
- brycei** Modiola, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 425.
- Brychetus** L. Agassiz, 14 Rept. Brit. Assoc. (York, 1844) 1845, 293.—P.
- Brycinus** Cuvier & Valenc., H. N. Poiss. XXII. 1849, 157.—P.
- Brycon** Müller & Troschel, Arch. f. Naturg. X (1) 1844, 90.—P.
- bryereus** Cingula, J. Fleming, Ency. Brit. (Suppl. to ed. 4-6) III (1) 1818, 311.
- bryereus** Pyramis (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. 1, f. 78.—Turbo.
- bryerea** Rissoa (Mont.), W. Macgillivray, Hist. Moll. Aberdeen, 1843, 341.—Turbo.
- bryereus** Turbo, G. Montagu, Test. Brit. II. 1803, 313.
- bryerii** Ebalia, W. E. Leach, Malac. podophth. Brit., text to pl. xxv (14) Ap. 1817.
- bryerii** [*err. pro* breynii] Echinobrissus, J. E. Gray, Ann. Phil. XXVI. 1825, 430.
- bryerii** Nassa (Mont.), T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 5.—Turbo bryereus.
- bryerium** Buccinum (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xlix, f. 26.—Turbo
- Bryobia** C. L. Koch in Panzer, Ins. Germ., heft 133, 1835, tab. 9.—Ar. [bryereus.]
- Bryobius** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 10.—Col.
- Bryocharis** Boisduval & Lacordaire, Faune Ent. Paris, I. 1835, 502.—Col.
- Bryocoris** C. F. Fallen, Hemipt. Sveciae, 1829, 151.—Hem.
- bryoides** Eudendrium, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 296.
- Bryolophus** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839] Tab. II. facing p. 120.—Polyz.
- bryoniae** Catopha, J. Huebner, Verz. bekannt. Schmett. [1820], 93.
- bryoniae** Cecidomyia, P. F. Bouché, Entom. Zeitung, Stettin, VIII (5) May 1847, 144.
- bryoniae** Pieris, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 162.
- Bryopa** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 150.—L. [*n. n.*].
- Bryophila** F. Treitschke, Schmett. Europa, V (1) 1825, 57.—Lep.
- bryorum** Bombus, J. C. Fabricius, Syst. Piezat. 1804, 348.—Apis, 1775.
- Bryssus** Megerle, Col. [*teste* Scudder, *sed non comp.*].
- Bryttus** Cuvier & Valenc., H. N. Poiss. VII. 1831, 457.—P.
- buansu** Primaevus, R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 39.
- Buarremon** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 483.—A.
- bubalella** Ochsenheimeria, J. Huebner, Verz. bekannt. Schmett., 1826, 416.—Tinea, 1811-17.
- bubalella** Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 55 (Fernaldo judice 1811-17)
- bubali** Filaria, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 8 [*n. n.*] [*n. et f.*].
- bubalina** Antilope, B. H. Hodgson, Proc. Comm. Sci. Zool. Soc. London, (15) Mar. 1832, 12. [Antilope.]
- bubalina** Capricornis (Hodg.), J. E. Gray, List Mamm. Coll. B. M. 1843, 166.—

- bubalinus** Falco, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 28.
- Bubalis** Lichtenstein, Ges. Naturf. Freunde Berlin, Mag. VI. 1814, 153 & 163.—M.
- Bubalis** C. S. Rafinesque, Analyse, 1815, 56.—M. [*n. n.*].
- Bubalis** Cuvier, Règn. Anim. 1817 [*teste* Agassiz; *non comp.*].
- bubalis** *v.* **bubalus**.
- Bubalornis** A. Smith, Rep. Exp. Centr. Africa, 1836, 51.—A.
- Bubalus** C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. Syn. 1827, 371.—M.
- Bubalus** W. Ogilby, Proc. Zool. Soc. London, IV (48) June 1837, 139.—M.
- [**bubalus**.] [1767.
- bubalis** Acronotus (Pall.), J. E. Gray, List Mamm. Coll. B. M. 1843, 157.—Antilope,
- bubalis** Alcelaphus (Pall.) de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (May), 75.—Antilope, 1767.
- bubalus** Amblodon, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 421.
- bubalus** Amycterus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 474.—Curculio.
- bubalus** Bubas (Ol.), E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 80.—Onitis.
- bubalus** Catostomus, C. S. Rafinesque, Amer. Monthly Mag. III (5) Sept. 1818, 355.
- bubalus** Cemas, L. Oken, Lehrb. Nat. III (2) 1816, 730.
- bubalus** Centrotus, J. C. Fabricius, Syst. Rhyng. 1803, 20.—Membracis, 1794.
- bubalus** Curculio, A. G. Olivier, Entom. V. 1807, 399. [Syn. 1827, 362.
- bubalis** Damalis, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. IV. 347 (1827);
- bubalus** Dorypleura (Lep. & S.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 157.—Pentatoma.
- bubalus** Edessa (L. & S.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832,
- bubalus** Lucanus, M. Perty, Obs. Coleopt. Ind. 1831, p. xxxv. [62.—Pentatoma.
- bubalis** Membracis (Fab.), T. Say, J. Acad. Nat. Sci. Philad. VI. Ap. 1831, 303.—Centrotus.
- bubalus** Nigidius (Swed.), J. O. Westwood, Entom. Mag. V (3) Ap. 1838, 266.—Lucanus,
- bubalus** Onitis, A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 492. [1787.
- bubalis** Onitis, Latr.; Dejean, Catal. Coléopt. 1821, 53 [*n. n.*].
- bubalus** Onthophagus, Meg.; Dejean, Catal. Coléopt. 1821, 53 [*n. n.*].
- bubalus** Pentatoma, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 54.
- bubalus** Scaphigenia, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 550.
- bubaris** Pteromalus, F. Walker, Proc. Linn. Soc. London (27) Nov. 1845, 261.
- Bubas** Megerle, Dejean, Catal. Coléopt., ed. 2 (2), July 1833, 143.—Col. [*sine typo*].
- Bubas** E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 76.—Col.
- Bubastes** Laporte & Gory, H. N. Coléopt. I. 1838, Bubastes, p. 1.—Col.
- [**bubastus**.] [1777-
- bubastes** Amplypterus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 133.—Sphinx,
- bubastus** Hemiarigus, J. Huebner, Verz. bekannt. Schmett. 1818, 69.
- bubastis** Hipparchia, F. Meissner, Nat. Anz. Allg. Schweiz. Gesellsch. I (10) 1818, 78.
- bubastis** Maniola (Germ.), J. W. Meigen, Syst. Besch. Europ. Schmett. I (4) 1829, 140.—Hipparchia, Meiss.
- bubastus** Thecla (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (2), 1847, 30.—Papilio,
- Bubo** A. M. C. Duméril, Zool. Anal. 1806, 34.—A. [1780.
- Bubo** P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 353.—Neur.
- Bubo** J. O. Westwood, Cab. Orient. Entom. 1847, 69.—Neur. [*typus* Ascalaphus canifrons].
- bubo** Alcides (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 612.—Rhynchaenus.
- bubo** Athyrma, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 13.
- bubo** Bubo (L.), G. Cuvier, R. Anim. I. 1817, 331.—Strix, 1758.
- bubo** Erebus (Fab.), J. A. Boisduval, F. Ent. Madagas. 1833 (7) 110.—Noctua, 1775.
- bubo** Erebus (Fab.), J. A. Boisduval, N. Ann. Mus. H. N. (Paris), II [2] 3rd qtr. of 1833, 258.—Noctua, 1775.
- bubo** Fidicina, F. Walker, List Homopt. Coll. B. M. (1) 1850, 82.
- bubo** Otus, E. F. v. Homeyer, Vögel Pommerns, 1837, 14.
- bubo** Pentamerus, J. Barrande, Naturw. Abhandl. (Haidinger) I. 1847, 472.
- bubo** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 474.
- Bubonina** McClelland, 1841 [*teste* Agassiz *sed sub-fam. non gen.*].
- bubonis** Ascaris, J. A. Frolich, Naturforscher, XXIX. 1802, 39.

- bubonis** Dermalichus, C. L. Koch, Uebers. Arachnidensyst. III (3) 1843, 125 [*n. n.*]
bubonius Strombus, Lamarck, An. s. vert. VII. 1822, 203.
Bubotus C. S. Rafinesque, Analyse, 1815, 69.—A. [*n. n.*].
Bubotus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Bubotus, Less.
bubulcus Aphodius, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 258.
bubulcus Ardea, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Ois.) 1826, 298.
bubulcus Ardeola (Sav.), G. R. Gray, List Birds Coll. B. M. III. 1844, 82.—Ardea.
bubulcus Milesia, F. Walker, List Dipt. Coll. B. M. (3) 1849, 567.
bubulus Scarabaeus, F. V. Melsheimer, Ins. Pennsylv. 1806, 3 [*n. n.*].
bubulus Scops, H. Braguier, H. N. Faune Franç. 1840, 72.
Bubutus R. P. Lesson, Traité Ornith. (2) May 1830, 143.—A.
bubutus Centropus, T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 180.
bubutus Cuculus (Horsf.), T. S. Raffles, Tr. Linn. Soc. London, XIII (2) 1822, 286.—
Bucania J. Hall, N. H. New York (Pal. I.) 1847, 32.—G. [Centropus.
Bucardia C. F. Schumacher, Essai Vers test. 1817, 48 & 143.—L.
Bucardites E. F. v. Schlotheim, Die Petref. 1820, 206.—L.
bucardites Isocardium, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 19.
Bucardium L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Buccardium, Meg.
bucardium Hemiaster (Goldf.), Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 17.—
 Spatangus. [184.—Spatangus.
bucardium Micraster (Goldf.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836),
bucardium Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 77.
bucardium Spatangus, G. A. Goldfuss, Petref. German. I (2) 1829, 157. [210.
buccalis Albinia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
buccalis Aratinga (Bechst.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826,
 140.—Psittacus. [1830, 448.
buccalis Chrysomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II
buccalis Erebia (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 242.—Albinia.
buccalis Fringilla, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 15 [*n. n.*].
buccalis Hemicidaris, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 339.
buccalis Macquartia, (Macq.), J. W. Meigen, Syst. Beschr. Zweifl. Insekt. VII. 1838,
 231.—Erebia.
buccalis Phacolepis, Agassiz, Edinburgh New Phil. Journ. XXX (59) Jan. 1841, 83.
buccalis Psittacus, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 83.
buccalis Psittacus, G. Cuvier, Règne Anim., ed. 2, I. 1829, 463.
buccalis Rhacolepis, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 497 [*n. n.*]; Poiss.
 Foss. IV. 293 (1844).—[*n. n.*]
buccalis Zophomyia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
 161.—Albinia.
buccanella Mesopripon, Cuvier & Valenc., H. N. Poiss. II. 1828, 455.
Bucardites E. F. Schlotheim, Tasch. Min. 1813, 72.—*v.* Bucardites.
Bucardium J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 52.—L.
buccator Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 271.
buccata Actora (Fall.), A. H. Haliday, Entom. Mag. I (2) Jan. 1833, 168.—Heteromyza.
buccata Anthomyia (Fall.), J. W. Meigen, Syst. Beschr. Zweifl. Insekt. V. 1826, 146.—
 Musca.
buccata Aricia (Fall.), J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1506.—Musca.
buccata Cuterebra (Fab.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 47.—
buccatus Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 60. [Oestrus, 1777.
buccata Heteromyza, C. F. Fallen, Heteromyzides Sveciae, 1820, 2.
buccatus Homalopsis (L.), Boie in Férussac, Bull. Sci. IX. 1826, 238.—Coluber, 1758.
buccata Limnophora (Fall.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
 312.—Musca.
buccata Musca, C. F. Fallen, Mon. Muscidum Sveciae (7) 1824, 65.
buccata Myopa (L.), H. Lucas, Explor. Algér. (Artic. III.) 1849, 474.—Conops, 1758.
buccata Natica, P. M. T. de Serres, Geogn. Terr. tert. 1829, 102.
buccata Paxylomma, de Brébisson in Ency. Méth. (Ins.) X. 1825, 23. [48.
buccata Phryganea, Boyer de Fonscolombe, Ann. Soc. Ent. France [2] IV (1) July 1846,

- buccata** Pipiza, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 167.
- buccata** Scatella, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II, Scatophaga, C. F. Fallen, Suppl. Dipter. Sveciae (2) 1826, 15. [1830, 801.
- buccata** Scirus, M. H. K. Lichtenstein, Abh. ph.-Kl. K. pr. Ak. Wiss. 1827 (1830), 117.
- buccata** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 386.
- buccata** Trypoderma (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 259.—Musca. [1758.
- buccata** Vipera (L.), F. M. Daudin, Sonnini's Buffon, Rept. VI (1803), 220.—Coluber,
- buccellarius** Byrsops, C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 409.—Cryptops,
- buccellarius** Cryptops, C. J. Schoenherr, Curc. disp. meth. 1826, 66. [1826.
- buccinalis** Bulimus, Lamarck, Ann. Mus. H. N. (Paris) IV (22) June 1804, 294.
- buccinalis** Chemnitzia (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 413.—Melania. [Bulimus.
- buccinalis** Melania (Lam.), G. P. Deshayes, Descr. Coq. foss. Paris, II. 1825, 116.—
- buccinalis** Rissoa, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (10) 1828, 132.
- buccinalis** Rissoa (Lam.), H. G. Bronn, Index Pal. 1848, 1090.—Bulimus.
- Buccinanops** A. d'Orbigny, Amér. Mérid. (Moll.) 1841, 434.—G.
- Buccinarius** A. M. C. Duméril, Zool. Anal. 1806, 166.—G.
- buccinatiformis** Helicites, E. F. v. Schlotheim, Die Petref. 1820, 109.
- buccinator** J. Gistel, Nat. Thierr. 1848, p. xi.—R. [Hydrachna, 1776.
- buccinator** Arrenurus (Müll.), C. L. Koch, Deutsch. Crust., heft 13, 1837, tab. 7.—
- buccinator** Buceros, C. J. Temminck in T. & Laugier, Pls. color. (48) July 1824; (89) Feb. 1832.
- buccinator** Bucorvus (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 89.—Buceros.
- buccinator** Cygnus, Richardson in Jameson's ed. Wilson & B., Amer. Orn. IV. Aug. 1831, 245 & 345.
- buccinator** Larinus (OL), C. J. Schoenherr, Gen. et Sp. Curc. III (1), 1836, 110.—Lixus.
- buccinator** Lixus, A. G. Olivier, Entom. V. 1807, 274.
- buccinator** Olor (Rich.), J. G. Wagler, Isis (Oken), 1832, 1234.—Cygnus.
- buccinator** Rhinobatus, Ol.; Dejean, Catal. Coléopt. 1821, 98 [*n. n.*].
- buccinatus** Fusus, Lamarck, An. s. vert. VII. 1822, 132.
- buccinata** Helix, J. W. v. Alten, Conch. Augsburg, 1812, 100.
- buccinata** Mitra, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 653.
- buccinatus** Murex (Fusus), F. S. Voigt in Cuvier, Thierreich, III. 1834, 385. [[*n. n.*].
- buccinatus** Mus, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811 (1815), 108.
- buccinatus** Pusionella (Lam.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 68.—Fusus.
- buccinata** Voluta, S. A. Renier, Tavole [1804] viii [*n. n.*].
- buccinata** Voluta, Renieri; G. Brocchi, Conch. Subap. 1814, 645.
- Buccinella** G. Perry, Conchology, Ap. 1811, pl. 27.—G.
- buccinea** Auricula (Br.), J. De C. Sowerby, Min. Conch. V. 1824, 100.—Voluta.
- buccinea** Columbella (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 335.—Auricula.
- buccinea** Eburna, C. T. Menke, Conch.-Samml. Malsburg, 1829, 31.
- buccineus** Fusus, Lamarck, Ency. Méth. (Vers) 1816, pl. 427, Liste p. 6 [*n. et f.*].
- buccineus** Fusus, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 198.
- buccinea** Marginella (Broc.), A. Risso, H. N. Europe, IV. 1826, 232.—Voluta.
- buccinea** Ringicula (Broc.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VIII. June 1838, 344.—Voluta.
- buccinea** Ringicula (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.) 1842-44, 485 (479 French ed.)—Auricula.
- buccinea** Voluta, G. Brocchi, Conch. Subap. 1814, 319.
- buccinea** Voluta, G. Brocchi, Conch. Subap. 1814, 645.
- bucciniformis** Purpura, L. C. Kiener, Spec. Coquilles (Purpura) 1835-6, 40.
- bucciniformis** Raphitoma, L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 638.
- buccinoides** Anaulax (Lam.), F. de Roissy, Sonnini's Buffon, Moll. V (1805), 432.—Ancilla.
- buccinoides** Ancilla, Lamarck, Ann. Mus. H. N. (Paris) I (6) Ap. 1803, 475.
- buccinoides** Ancillaria, Lamarck, Ann. Mus. H. N. (Paris), XVI (94) *inter* Jan.-Mar. 1811, 305.—Ancilla, 1803.

- buccinoides** Buccinum (Lam.), W. Wood, Suppl. Index Test. 1828, 49.—Pleurotoma.
- buccinoides** Cancellaria, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (17) June 1832, 54.
- buccinoides** Cancellaria, J. P. Couthouy, Boston Journ. N. H. II (1) 1838, 105.
- buccinoides** Cerithium (Sow.), A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 134.—
Rostellaria. [Aug. 1832, 114.]
- buccinoides** Columbella, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (19)
- buccinoides** Columbella, R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. June 1842, 184.
- buccinoides** Colombella, P. L. Duclos in Chenu, Illustr. Conch. (62) 1846, pl. 2 [*n. et f.*].
- buccinoides** Fusus, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 62.
- buccinoides** Melanopsis, A. E. Férussac, H. N. g. et p. Moll., wrapper of livr. 15, 1822 [*n. et f.*].
- buccinoides** Murex (Pleurotoma), F. S. Voigt in Cuvier, Thierreich, III. 1834, 388.
- buccinoides** Natica, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 43.
- buccinoides** Paludina, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834)
- buccinoides** Planaxis, Deshayes, Dict. Class. H. N. XIV. 1828, 13. [175.]
- buccinoides** Pleurotoma, Lamarck, An. s. vert. VII. 1822, 94. [316.—Fusus.
- buccinoides** Pleurotoma (Bast.), Grateloup, Actes Soc. Linn. Bordeaux, V (30) 1832,
- buccinoides** Rissoa, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 151.
- buccinoides** Rostellaria, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 336.
- buccinoides** Rostellaria (Strombus), H. E. Anton, Verz. Conch. 1839, 86.
- buccinoides** Turbinella, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840—
46 [*vero propius* 1847], Turbinelles pl. 1.
- buccinoides** Volutites (Lam.), E. F. v. Schlotheim, Die Petref. 1820, 123.—Ancilla.
- buccinoidea** Ampullaria, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 249.
- buccinoidea** Melania, G. A. Olivier, Voy. Othoman, II (1801), 142.
- buccinoidea** Melanopsis (Ol.), J. B. Férussac, Essai Méth. Conch. 1807, 70.—Melania.
- buccinoidea** Mitra, A. Risso, H. N. Europe, IV. 1826, 245.
- buccinoidea** Purpura, H. D. de Blainville, Faune Française (20) Malac. 1829, 148.
- buccinoidea** Terebra, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 206.
- buccinoideum** Triton, A. Buvignier, Mém. Soc. Philom. Verdun, II. 1843, 248.
- Buccinula** Huebner, Epist. 1810; (Fér., Prodr. 87); Herrmannsen, Ind. gen. Malac.,
Suppl. 1852, 19.—G.
- buccinula** Achatina, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (9) 1828, 100.
- buccinula** Achatina, Grateloup, Actes Soc. Linn. Bordeaux, X (51) 1838, 122.
- buccinula** Cancellaria, Lamarck, An. s. vert. VII. 1822, 117. [[2] III. 1841, 255.
- buccinula** Cancellaria, Bast., *var.* multicostata, L. Bellardi, Mém. R. Acc. Sci. Torino
- buccinulum** Colymbetes, J. Huebner, Epist. 1810; Férussac, Tabl. Syst. Moll. 1821—22,
- buccinulum** Melanopsis, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 95. [Prodr. 87.
- buccinula** Mitra, F. v. Hauer, N. Jahrb. f. Min. 1837, 417 [*n. n.*].
- buccinula** Mitra, M. Hoernes (*ex* Partsch MS), Verz. Fossil-Reste Wien, 1848, 17 [*n. n.*].
- buccinula** Serpula, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto,
- buccinum** Helix, F. v. P. Schrank, F. Boica, III (2) 1803, 271. [1847, 101.
- buccina** Terebella, S. A. Renier, Tavole [1804] xix.
- Bucco** P. H. G. Moehring, Ges. Vogel. (Nozemann & Vosmaer's ed.) 1758, 1 & 12.—A.
- Buccodus** Deshayes (*ex* Guett.), Traité élém. Conch. I. 1839, 17.—L. [= Clavagella].
- buccoides** Cissa (Temm.), G. R. Gray, Genera of Birds, III. Ap. 1849, 14.—Kitta.
- buccoides** Corapica (Temm.), P. A. J. Drapiez, Dict. class. Sci. Nat. VIII. 1842, 696.—
Kitta.
- buccoides** Dacelo, H. Boie, N. Staatsburg. Mag. (Schleswik) I (2) 1832, 492 [*n. n.*].
- buccoides** Dacelo, C. J. Temminck in T. & Laugier, Pls. color. (99) 1835.
- buccoides** Kitta, C. J. Temminck in T. & Laugier, Pls. color. (97) 1835.
- buccoides** Ptilorhynchus (Müll.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 370.—
Kitta, Temm.
- bucconis** Osmia, T. Say, Boston Journ. N. H. I (4) 1837, 400.
- buccula** Arca, T. A. Conrad, Foss. Med. Tert. U. S. (3) Jan. 1845, 60.
- Bucculatrix** P. C. Zeller, Isis (Oken), 1839, 215.—Lep.
- bucculentus** Emphytus, Tischbein, Entom. Zeitung, Stettin, VII (3) Mar. 1846, 79.

- bucculenta** Helix, A. Gould, Proc. Boston Soc. N. H. III. 1851 (1848), 40.
bucculentus Ichneumon, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 61.
bucculenta Linyphia (Clerck), C. J. Sundevall, K. Vet. Ac. Handl. 1831 (1832), 109.
 —Aranea, 1757.
- bucculentus** Oniscus, H. Nicolet in Gay, Chili (Crust.) 1849, 267.
bucculentus Syngnathus, H. Rathke, Mém. présentés Ac. Imp. Sci. St Pétersb. III (3 & 4) Sept. 1837, 317.
- bucculenta** Terebratula, J. De C. Sowerby, Min. Conch. V. 1823, 54.
bucculentum Theridion, H. Nicolet in Gay, Chili, III (Arach.) 1849, 531.
- Bucentes** P. A. Latreille, Gen. Crust. Ins. IV. 1809, 339.—Dipt. [1830, 144.
bucentoidea Phryno, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
Bucephala J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 42.—R. [*n. n.*].
bucephali Paradoxides (Wahl.), J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 258.
 —Entomotrachites bucephalus. [1830, 25.—Pygaera.
- bucephaloides** Acrosema (Ochs.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (1)
bucephaloides Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 63 (Fernaldo
 judice 1810-18) [*n. et f.*]. [Pygaera.
- bucephaloides** Phalera (Ochs.), J. Huebner, Verz. bekannt. Schmett. [1820], 147.—
bucephaloides Pygaera, F. Ochseneimer, Schmett. Europa, IV. 1816, 57 [*n. n.*].
- Bucephalon** R. P. Lesson, Ann. Sci. Nat. [2] (Zool.) V. Ap. 1836, 248.—Med.
bucephalon Callianira, Reynaud in R. P. Lesson, Cent. Zool. (4-12) ante Mar. 1831, 84.
Bucephalum L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Bucephalon, Less.
Bucephalus K. E. v. Baer, N. A. Ac. Caes. Leop. Car. XIII (2) 1827, 570.—Verm.
Bucephalus A. Smith, Zool. Journ. IV (16) May 1829, 441.—R.
bucephalus Acinopus, Dejean, Spec. gén. Coléopt. IV. 1829, 36.
bucephala Acrosema (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (1) 1830,
 24.—Phalaena, L. 1761. [Phasia, 1824.
- bucephala** Alophora, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 284.—
bucephalus Amycterus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 473.—
 Curculio.
- bucephalum** Anobium, J. Sturm, Catal. Ins. Samml. 1826, 92 [*n. n.*].
bucephala Anthophora, J. C. Fabricius, Syst. Piezat. 1804, 379.—Apis, 1793.
bucephalus Aristes (Latr.), L. Dufour, Ann. gén. Sci. Phys. (Bruxelles) VI. Dec. 1820,
 324.—Harpalus. [*n. n.*].
- bucephalus** Asaphus, Goldfuss in v. Dechen in De la Beche, Handb. Geogn. 1832, 539
bucephala Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 45 (Fernaldo judice
 1802-08) [*n. et f.*]. [Mar. 1811, 392.—Coluber.
- bucephalus** Bugarus (Shaw), M. Oppel, Ann. Mus. H. N. (Paris) XVI (95) *inter* Jan.—
bucephalus Carassius, J. J. Heckel, Ann. Wiener Mus. II [1] 1839, 157.
bucephala Cheilotoma (Fab.), Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 420.—
bucephalus Coluber, G. Shaw, Gen. Zool. (Amph.) III (2) 1802, 422. [Clythra, 1798.
bucephalus Coluber (Natrix), Shaw, B. Merrem, Tent. Syst. Amph. 1820, 128.
bucephalus Copris, J. C. Fabricius, Syst. Eleuth. I. 1801, 42.—Scarab. 1775.
bucephalus Curculio, A. G. Olivier, Entom. V. 1807, 399.
bucephala Dipsas (Shaw), H. R. Schinz in Cuvier, Thierreich, II. 1822, 117.—Coluber.
bucephalus Ditomus, Olivier in Dejean, Catal. Coléopt. 1821, 5 [*n. n.*].
bucephalus Dorcus (Perty), H. Burmeister, Handb. Ent. V. 1847, 384.—Lucanus.
bucephalus Elater, Melsh.; J. Sturm, Catal. Ins. Samml. 1826, 135. [Lanius.
bucephalus Enneoctonus (T. & S.), G. R. Gray, Genera of Birds, I. Feb. 1847, 291.—
bucephalus Entomotrachites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep.
 1819], 37.
- bucephala** Feronia (Sturm), Dejean, Spec. gén. Coléopt. III. 1828, 415.—Molops.
bucephalus Gryllus, Marschall, Ann. Wiener Mus. I [2] 1836, 217. [—Phal. 1761.
bucephala Hammatophora (L.), Humphreys & Westwood, Brit. Moths, I. 1840-1, 63.
bucephalus Harpalus (Ol.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 372.—
bucephalus Hylotorus, J. W. Dalman, Anal. Entom. 1823, 103. [Scarites, 1795.
bucephalus Hylotorus (Gyll.), J. O. Westwood, Arcana Entom. II (15) Sept. 1843, 40.
 —Pausus.

- bucephalus** Lanius, Temminck & Schlegel in Siebold, F. Japon. (Aves, 1847), 39.
- bucephalus** Lucanus, M. Perty, Obs. Coleopt. Ind. 1831, p. xxxvi.
- bucephalus** Lucanus F. W. Hope (*ex* Klug MS), Cat. Lucanoid Coleopt. 1845, 15.
- bucephalus** Macrocrates, H. Burmeister, Handb. Ent. V. 1847, 382.
- bucephalus** Molops, Parreys; J. Sturm, Catal. Ins. Samml. 1826, 170.
- bucephalus** Murex (Pyrula), F. S. Voigt in Cuvier, Thierreich, III. 1834, 389.
- bucephala** Mutilla, M. Perty, Del. anim. artic. Brasil. (3) 1833, 137. [Entomostr.]
- bucephalus** Olenus (Wahl.), J. W. Dalman, K. Vet. Ac. Handl. 1826 (2) 1827, 255.—
- bucephalus** Onthophagus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 177.—Coprins, Ol.
- bucephalus** Opilio, C. L. Koch in Panzer, Ins. Germ., heft 128, 1835, tab. 21. [1790.]
- bucephala** Otites (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 425.
—Sciomyza.
- bucephalus** Pamphila, J. F. Stephens, Ill. Brit. Ent. (Haust. I.) June 1828, 102.
- bucephalus** Pausus, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3), 1817, 19; & App. 1817, 15. [1761.]
- bucephala** Phalera (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 147.—Phalaena,
- bucephala** Phasia, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 197.
- bucephala** Pholidolaemus (Boie), L. Fitzinger, Syst. Rept. 1843, 27.—Dipsas, ? Schinz.
- bucephalus** Phyllirhoe, L. Oken, Lehrb. Nat. III (1) 1815, 330.
- bucephalus** Plataspis, A. White, Entomologist (9) July 1841, 136. [1835.]
- bucephalus** Platylophus, C. L. Koch, Uebers. Arachnidensyst. II. 1839, 29.—Opilio,
- bucephalus** Ptilinus, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 16.
- bucephala** Pygaera (L.), F. Ochseneimer, Schmett. Europa, III. 1810, 235.—Bombyx,
- bucephala** Pyrula, Lamarck, An. s. vert. VII. 1822, 139. [1775.]
- bucephala** Sciomyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 15.
- bucephalus** Syrphus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 126.
- bucephala** Tachina, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824,
- bucephala** Tarpa, F. Klug, Entom. Mon. 1824, 185. [252.]
- buceras** Diplonema, H. Loew, Dipterologische Beiträge, I. 1845, 7.
- bucardo** Scarites, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 102.
- buceroides** Philedon, W. Swainson, Anim. in Menag., Dec. 1837, 325. [Philedon.]
- buceroides** Tropicorhynchus (Sw.), G. R. Gray, Genera of Birds, I. Oct. 1846, 125.—
- buceros** Turbinolia, Rafinesque & Clifford, Ann. gén. Sci. Phys. (Bruxelles) V., Aug. 1820,
- Buceroturus** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 89.—A. [233.]
- Bucerus** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 203.—Col. [*n. n.*].
- buchanani** Acanthiza, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 227.
- buchanani** Catla, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 411.
- buchannani** Colpodes, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 21.
- buchanani** Drymoica, E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 460.
- buchanani** Emberiza, E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (1845), 957.
- buchanani** Notopterus, Cuvier & Valenc., H. N. Poiss. XXI. 1848, 148.
- buchanani** Panchax, Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 383.
- buchanani** Pangasius, Cuvier & Valenc., H. N. Poiss. XV. 1840, 45.
- buchanani** Prinia, E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (*post* Oct.) 376.
- buchanani** Rohita, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 251.
- buchanani** Suya (Blyth), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 281.—Drymoica.
- buchananii** Tiliqua, J. E. Gray, Ann. Nat. Hist. II. Dec. 1838, 291.
- Buchanania** R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 296.—G.
- buchanensis** Anodonta, I. Lea, Syn. Naiades, 1836, 54 [*n. n.*]; Tr. Amer. Phil. Soc., n. s., VI (1) 1838, 47.
- buchanensis** Fusus, W. Macgillivray, Hist. Moll. Aberdeen, 1843, 170.
- buchanensis** Planorbis, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 32.
- bucharensis** Polistes, Erichson in Ménétriés, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2 = Sci. Nat. VI.) (4) Nov. 1849, 307.
- [buchi]
- buchii** Aganides (V. & K.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 58.—
- buchii** Ammonites, F. A. Alberti, Beitr. Bunter, 1834, 52. [Goniatites.]
- buchii** Ammonites, G. G. Pusch, Polens Palaeont. (2) 1837, 151.

- debuchii Asaphus, Al. Brongniart in B. & Desmarest, H. N. Crust. foss. 1822, 20.
 buchii Asaphus, *id. ac* debuchii, Br., H. F. Emmrich, De Trilobitis, 1839, 28.
 buchii Astarte, C. F. Roemer, De Astartarum, 1842, 20. [Terebratula.
 buchii Atrypa (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 93.—
 buchii Cerithium, Keferstein, Deutschland, V. 1830, 530 [*teste* Bronn].
 buchii Chenopus, G. v. Muenster, Beitr. zur Petref. (1) 1839, 98.
 buchii Cidaris, G. v. Muenster, Beitr. zur Petref. (4) 1841, 43.
 buchii Cidarites, Muenster in G. A. Goldfuss, Petref. German. I (2) 1829, 121.
 buchii Conularia, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 103.
 buchii Cribrospongia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],
 388.—Scyphia.
 buchii Cupellaerinites, G. Troost, P. Amer. Assoc. 1849 (1850), 61 [*n. n.*].
 buchii Cyclas, W. Dunker, Stud. Goetting. Ver. bergm. Freunde, V (2) [1843], 167 ;
 Norddeutsch. Wälderthon, 1843, 36 ; Mon. Norddeutsch. Weald. 1846, 44.
 buchii Cyrtoceras, Kolenati, K.-B. zool.-min. Ver. Regensburg, III. 1849, 122.
 buchii Dysaster, E. Desor in L. Agassiz, Mon. Ech. IV. 1842, 21.
 buchii Echinus, J. Steininger, Verst. Uebergangsgeb. Eifel, 1831, 23.
 de buchii Fissurella, H. B. Geinitz, Char. Schicht. säch.-böhm. Kreidegeb. (2) 1840, 48.
 buchii Goniatites, d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI. 1842, 340.
 buchii Goniatites, A. v. Klipstein, Beitr. geol. östl. Alpen (1) 1843, 137.
 buchii Isocardia, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 259.
 buchii Lymnaea, E. Eichwald, Nat. Lithuaen, 1830, 217.
 buchii Nerinea (Kef.), H. G. Bronn, Index Pal. 1848, 801.—Cerithium.
 buchii Odontopleura, J. Barrande, Not. pré. Silur. 1846, 28.
 buchii Ogygia (Brongn.), J. W. Salter, Mem. Geol. Surv. U. K., Figures, Decade 2,
 1849, pl. vi, p. 1.—Asaphus. [Orbicula.
 buchii Orbicella (Vern.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 20.—
 buchii Orbicula, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
 buchii Orthis, F. v. Hagenow, N. Jahrb. f. Min. 1842, 544. [288.
 buchii Orthis, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 49.
 buchii Pecten, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 27.
 buchii Pinna, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith. 1837, 33.
 buchii Platycrinus, F. A. Roemer, Verst. Harzgsb. 1843, 9.
 debuchii Pleurotomaria, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VIII. 1849, 90.
 —*varr.* oxyspira, intermedia (92); exsertiuscula (93); platyspira, cingu-
 lifera (94).
 buchii Podophthalmus, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 15.
 buchii Polycyphus (Stein.), Agassiz, An. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 361.—
 Echinus. [Schizostoma.
 buchii Porcellia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 195.—
 buchii Posidonia, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 81.
 buchii Proetus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 74.
 buchii Schizostoma, G. v. Muenster, Beitr. zur Petref. (4) 1841, 105.
 buchii Scyphia, Muenster in G. A. Goldfuss, Petref. German. I (2) 1829, 88.
 buchii Selenopeltis, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 35.
 buchii Spirifer, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 230.
 buchii Spondylus, R. A. Philippi, N. Jahrb. f. Min. 1845, 449 [*n. n.*].
 buchii Spondylus, R. A. Philippi, Palaeontographica, I (2) Mar. 1847, 55.
 buchii Terebratula, F. A. Roemer, Verst. Norddeutsch. Oolith. (1) 1835, 42.
 buchii Terebratula, H. E. Anton, Verz. Conch. 1839, 23.
 de buchii Terebratula, G. Michelotti, Ann. Sci. Lomb.-Ven. IX. 1839, 123.
 buchii Terebratula, G. v. Muenster, Beitr. zur Petref. (3) 1840, 74.
 buchii Terebratula, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 218.
 buchii Terebratula (Hag.), H. G. Bronn, Index Pal. 1848, 1231.—Orthis.
 de buchii Trigonina, H. B. Geinitz, Char. Schicht. säch.-böhm. Kreidegeb. (2) 1840, 54.
 buchii Trochus, F. Du Bois de M., Conch. foss. Wolhyni, 1831, 39.
 buchii Trochus, G. A. Goldfuss, Petref. German. III (8) 1844, 60.
 buchii Turbo, d'Archiac, Mém. Soc. géol. France (2) III (2) 1850, 445.

- buchii** Turbo (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 224.—Trochus.
- Buchia** C. Rouillier, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 289.—L.
- buchianus** Agelacrinites, E. Forbes, Mem. Geol. Surv. Gt Britain, II (2) 1848, 521.
- buchiana** Alveolites, W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 30.
- buchiana** Ammonites, E. Forbes, Proc. Geol. Soc. London, IV. 1844, 394.
- buchianus** Ancyloceras, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 101.
- buchiana** Arca, P. H. Nyst, Mém. Ac. Roy. Belg. XXII. 1848, 14.
- buchiana** Astarte, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 456.
- buchiana** Avicula, L. de Koninck, Descr. An. foss. carb. Belge (14) Dec. 1844, 634.
- buchiana** Bulimina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 186.
- buchiana** Chonetes, L. G. de Koninck, Descr. Anim. foss. (5) Aug. 1842, 208.
- buchianus** Millericrinus, A. d'Orbigny, H. N. Crinoides (3) May 1841, 71. [1845, 451.
- buchiana** Pleurotomaria, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug.
- buchianus** Productus, L. G. de Koninck, Rech. Anim. foss. (1) *post* June 1847, 129.
- buchiana** Quinqueloculina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 289.
- buchianus** Spirifer, L. G. de Koninck, Descr. Anim. foss. (6) Mar. 1843, 265.
- buchiana** Turritella, G. A. Goldfuss, Petref. German. III (8) 1844, 108.
- Bucia** B. H. Hodgson, J. Asiat. Soc. Bengal, V. 1836, 360.—A.
- bucida** Scarites (Pall.), Dejean, Spec. gén. Coléopt. I. 1825, 369.—Carabus, 1776.
- buckii** Ammonites, M. Simpson, Mon. Amm. 1843, 42.
- bucklandi** Aganides (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 58.—
- bucklandi** Ammonites, J. Sowerby, Min. Conch. II. 1816, 69. [Goniatites.
- bucklandii** Ammonites (Muenst.), H. D. de Blainville, Dict.* Sci. Nat., Suppl. I. 1840,
- bucklandi** Arcania, G. A. Mantell, Medals, II. 1844, 534. [143.—Goniatites.
- bucklandi** Belopeltis, L. Voltz, Mém. Soc. H. N. Strasbourg, III (1) 1840, 30.
- bucklandi** Botheratiotherium, ? E. Charlesworth, Athenaeum, 24 Nov. 1838, 841 [*nomen*
factum].
- bucklandii** Calymene, J. G. Anthony, Amer. J. Sci. XXXVI (1) Ap. 1839, 106.
- bucklandi** Caturus, J. L. R. Agassiz, Poiss. Foss. II (2), 119 (1844).
- bucklandii** Cerithium (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 196.—
- bucklandi** Cervus, R. Owen, B. Foss. Mamm. (1846), 485. [Turritella.
- bucklandi** Chimaera, P. de M. Grey Egerton, Proc. Geol. Soc. London, IV. 1843, 153.
- bucklandi** Chimaera (Ischyodon), P. de M. Grey Egerton in J. L. R. Agassiz, Poiss. Foss.
III. 343 (1843). [(1844).
- bucklandi** Coccolepis, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 141 (1843); II (1), 300
- bucklandi** Cyrtolites (Portl.), F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 13.
—Ecculiomphalus. [411.
- bucklandi** Didelphis, W. J. Broderip, Zool. Journ. III (11) Aug.—Nov. [*i.e.* Dec. 31] 1827,
- bucklandii** Didelphys (Phascolotherium), W. Ogilby, Proc. Geol. Soc. London, III. 1839,
- bucklandi** Dirinus, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 44. [21.
- bucklandii** Ecculiomphalus, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 411.
- bucklandi** Edaphodon, J. L. R. Agassiz, Poiss. Foss. III. 351 (1843).
- bucklandii** Egeria, I. Lea, Contrib. to Geol. 1833, 52.
- bucklandi** Goniatites, G. v. Muenster, Beitr. zur Petref. (1) 1839, 28.
- bucklandi** Gryllus, P. B. Brodie, Hist. foss. Ins. 1845, 76. [Spatangus.
- bucklandi** Hemiaster (Goldf.), Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 17.—
- bucklandi** Herpetichnus, W. Jardine, Ann. Mag. N. H. (2) VI. Sept. 1850, 209.
- bucklandi** Hypodaues, C. G. Giebel, Fauna d. Vorwelt, I (1) 1847, 88.
- bucklandi** Labyrinthodon, G. Lloyd, 19 Rept. Brit. Assoc. (Birm. 1849) 1850, Trans. 56.
- bucklandii** Megalonyx, P. W. Lund, Ann. Sci. Nat. [2] (Zool.) XI. Ap. 1839, 219.
- bucklandi** Megalosaurus, H. v. Meyer, Palaeologica, 1832, 110.
- bucklandii** Micraster (Goldf.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836),
184.—Spatangus.
- bucklandi** Naupygyus, L. Agassiz, 14 Rept. Brit. Assoc. (York, 1844) 1845, 308 [*n. n.*].
- bucklandi** Nautilus, G. Michelotti, Ann. Sci. Lomb.-Ven. X. 1840, 124.
- bucklandii** Peltoura, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 345.
- bucklandi** Phascolotherium (Brod.), R. Owen, Tr. Geol. Soc. London [2] VI. 1841, 57.—
Didelphys.

- bucklandii** *Platyonyx*, P. W. Lund, Ann. Sci. Nat. [2] (Zool.) XIII. May 1840, 311.—*Megalonyx*, 1839.
- bucklandii** *Poekilopleuron*, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VI. 1838, 37.
- buklandi** *Protomyia*, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 238.
- bucklandi** *Pterodactylus*, H. v. Meyer, Palaeologica, 1832, 117 & 252.
- bucklandi** *Pycnodus*, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 372 [*n. n.*]; Poiss. Foss. II (2) 192 (1844) & Feuilleton, 122 (1839).
- bucklandi** *Pygopterus*, L. Agassiz, Tr. R. Soc. Edinb. XII (1) c. Feb. 1835, 217.
- bucklandii** *Scelidothorium*, P. W. Lund, Afhandl. K. Danske Vid. Selsk. XII. 1846, 62.
- bucklandii** *Spatangus*, G. A. Goldfuss, Petref. German. I (2) 1829, 154.
- bucklandii** *Spirolinites*, Northampton, Proc. Geol. Soc. London, II. 1838, 686 [*n. n.*].
- bucklandii** *Thylacotherium* (Brod.), A. Valenciennes, C. R. Acad. Sci. (Paris) VII. 1838, 580.—*Didelphis*.
- bucklandi** *Tretaspis* (Barr.), F. M'Coy, Ann. Mag. N. H. (2) IV. Dec. 1849, 410.—*Trinucleus*.
- bucklandi** *Trinucleus*, J. Barrande, Not. pré. Silur. 1846, 31. [*nucleus*].
- bucklandi** *Trochus*, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 34.
- bucklandii** *Turritella*, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 174.
- Bucklandium** C. D. E. Koenig, Icones foss. 1825 [4], pl. 8.—P.
- bucklandius** *Nautilus*, A. Risso, H. N. Europe, IV. 1826, 9.
- buckmani** *Agriion*, P. B. Brodie, Hist. foss. Ins. 1845, 102.
- buckmanii** *Ammonites*, C. Moxon, Ill. Char. Foss. (3) July 1841, text to pl. xxiv.
- buckmanni** *Arca*, G. F. Richardson, Geol. for Beginners, 1843, 504.
- buckmani** *Arca*, Richardson in J. Buckman in Murchison, Outlines Geol. Cheltenham, *bucolion* *Platygaster*, F. Walker, Entom. Mag. III (3) Oct. 1835, 258. [1844, 96].
- Bucolus** H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxii (June 1850).—A. [*n. et f.*].
- Bucolus** E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1000.—Col.
- Bucorax** Sundevall, Ofvers. K. Vet. Ak. Förh. 1849 (1850), 161.—A. [*sinicus*, Gm.].
- Bucorvus** R. P. Lesson, Traité Ornith. (4) Sept. 1830, 256.—A.—*typus* *Buceros abyss-Bucquetia* C. Rondani, Ann. Soc. Ent. France, 1847 [*teste* Scudder *sed non comp.*, ? *err.*].
- Bucrates** H. Burmeister, Handb. Ent. II (2) i, 1838, 708.—Orth. [*pro* *Bucquetia*].
- buculus** *Brachycerus*, C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 427.
- buculus** *Onthophagus*, Mannerheim, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 40.
- buculus** *Scarabaeus*, Dejean, Catal. Coléopt. 1821, 57 [*n. n.*].
- buddha** *Ammonites*, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 112.
- buddha** *Bombyx*, A. Lefebvre, Zool. Journ. III (10) July [*i. e.* Sept.] 1827, 209.
- budda** *Clerota* (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 317.—*Macronota*.
- buddha** *Lucanus*, F. W. Hope, Proc. Linn. Soc. London (14) Mar. 1842, 127.
- budda** *Macronota*, Gory & P. (*ex* Hope MS), Mon. Cétoines (12) May 1836, 310.
- buddii** *Melania*, I. Lea, P. Amer. Phil. Soc. IV (33) Aug. 1845, 165.
- buddii** *Schizostoma*, I. Lea, P. Amer. Phil. Soc. IV (33) Aug. 1845, 167.
- budea** *Cycnia*, J. Huebner, Verz. bekannt. Schmett. [1822], 184.
- budegassa** *Lophius*, M. Spinola, Ann. Mus. H. N. (Paris) X (58-59) Oct. 1807, 376.
- budensis** *Acanthoptera* (Goetze), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 114.—*Cerambyx*, 1783.
- budensis** *Acanthopterus*, Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 781.
- budensis** *Agrotis*, C. F. Freyer, Neuere Beitr. Schmett. III (39) 1838, 56.
- budensis** *Hypera*, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 157.
- budensis** *Purpuricenus* (Fab.), Dejean, Catal. Coléopt. 1821, 105.—*Cerambyx*, Goetze, 1783.
- Budomys** A. Bravard, Ann. Sci. Litt. Auvergne, VII. Sept. 1843, 429.—M. [*n. n.*, *teste*].
- Budorcas** B. H. Hodgson, Journ. Asiat. Soc. Bengal, XIX. 1850, 65.—M. [Palmer].
- Budytes** G. Cuvier, R. Anim. I. 1817, 371.—A.
- budytoides** *Culicivora*, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 56. [Lafr. 1837].
- budytoides** *Setophaga*, A. d'Orbigny, Amér. Mérid. (Ois.) 1840, 330.—*Culicivora*, d'O. & **buergeri** [*Buergeria*] (Schl.), J. J. Tschudi, Classif. Batrach. 1838, *ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 34.—*Hyla*.
- buergeri** *Carassius*, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1846), 194.
- buergeri** *Dendricus*, J. Gistl. Nat. Thierr. 1848, p. xi [*n. n.*].

- buergeri** Hyla, Temminck & Schlegel in Siebold, F. Japon. (Rept. 1838), 113.
- buergeri** Locusta (Decticus), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 214.
- buergeri** Palinurus, W. de Haan in Siebold, F. Japon. (Crust. 1841), 159.
- buergeri** Polypedates (Schl.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841, 521.—Hyla.
- buergeri** Scyllium, Joh. Mueller & Henle, Syst. Plagiost. (1) 1838, 8.
- buergeri** Trigla, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1843), 35.
- Buergeria** J. J. Tschudi, Classif. Batrach. 1838, *ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 34 & 75.—R.
- buessii** Prostemma, Herrich-S., Wanzenart. Ins. VI (5) June 1842, 91.
- buettneri** Vertigo, J. M. v. Siemaschko, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. VII (15) Sept. 1848, 234.
- bufali-europei** Pediculus, P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 97.
- bufalus** Sparus, G. D. Nardo (*ex* Chiareghini MS), Sin. mod. spec. Lag. Veneto, 1847, 121.
- buffelus** Bos, J. F. Blumenbach, Man. Hist. Nat. I. 1803, 144.
- buffelus** Bubalus (Blum.), J. E. Gray, List Mamm. Coll. B. M. 1843, 152.—Bos.
- buflus** Bubalus, W. Jardine, Goats (Nat. Libr. XII.) Feb. 1836, 245.
- Buffo** Denys de Montfort, Conch. II. 1810, 574.—G.
- buffonii** Arara, C. L. Brehm, Mon. Papag. (2) 1842, 6.
- buffonii** Cebus, R. P. Lesson, Spec. des Mamm., Nov. 1840, 140. [? Temm.]
- buffoni** Chrysoptilus (Kuhl), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 122.—Picus,
- buffonii** Corythaix (Vieill.), Jardine & Selby, Ill. Orn., pl. 122, 1833.—Opaethus.
- buffonii** E[rethizon], F. Cuvier, Mém. Mus. H. N. (Paris) IX [6] Nov. 1823, 432.
- buffoni** Lampornis (Less.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 72.—Trochilus.
- buffoni** Lestris, H. Boie in F. Boie, Isis (Oken), 1822, 562 & 874.
- buffoni** Opaethus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 304.
- buffonii** Picumnus, de Lafresnaye, Rev. Zool. (Soc. Cuv.) VIII. Jan. 1845, 5.
- buffoni** Picus, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, 62.
- buffoni** Polytmus (Less.), G. R. Gray, Genera of Birds, I. Dec. 1848, 108.—Trochilus.
- buffonii** Thomisus, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Arach.) 1826, 64.
- buffonii** Trochilus, R. P. Lesson, Les Trochilidées (2) July 1832, 31.
- Buffonia** C. S. Rafinesque, Specchio d. Sci. II (10) Oct. 1814, 102.—?
- buffoniana** Helix, L. Pfeiffer, Zeitschr. f. Malakozool., Oct. 1845, 152.
- buffonianus** Oriolus, G. Shaw, Gen. Zool. (Aves) VII (2) 1809, 437.
- buffonis** Hemiramphus, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 48.
- buffonis** Mastodon, A. Pomel, Bull. Soc. géol. France (sér. 2) V. 1848, 258.
- Buffonites** C. Sternberg, Casopsis wlast. Mus. Cechach. 1829 (2) 104 [=Ptychodus].
- Bufichthys** W. Swainson, N. H. Fishes etc. II. July 1839, 181 & 268.—P.
- buflus** *v.* buffelus.
- Bufo** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Buffo, Montf.
- bufo** Akis, J. Sturm, Catal. Ins. Samml. 1826, 89 [*n. n.*].
- bufo** Aphis, F. Walker (*ex* Haliday MS), Ann. Mag. N. H. (2) II. July 1848, 46.
- bufo** Batrachotetrix, H. Burmeister, Handb. Ent. II (2) i, 1838, 661.
- bufo** Batrachus, C. S. Rafinesque, Specchio d. Sci. II (10) Oct. 1814, 102.
- bufo** Brachycerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 375.
- bufo** Buccinum (Purpura), F. S. Voigt in Cuvier, Thierreich, III. 1834, 335.
- bufo** Calymene, J. Green, Monthly Amer. J. Geol. I (? Aug.) 1832, 559.
- bufo** Cancer, T. Pennant, Brit. Zool., ed. 5, IV. 1812, 7.
- bufo** Cetonia, Gory & Percheron, Revue Entom. III (3) 1835, 129.
- bufo** Cymindis (Fab.), J. Gistel, Syst. Insect. I (2) 1839, 128.—Galerita.
- bufo** Eccopterus, Dejean, Catal. Coléopt. 1821, 86 [*n. n.*].
- bufo** Galerita, J. C. Fabricius, Syst. Eleuth. I. 1801, 216.
- bufo** Galgulus, M. Spinola, Ess. Ins. Hémipt. 1837, 62.
- bufo** Gematis, Dejean, Catal. Coléopt. 1821, 58 [*n. n.*].
- bufo** Hemiaster, Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 16.—Micraster, 1836.
- bufo** Limacodes (Fab.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 405.—Hepialus, 1794.

- bufo** Lophius, S. L. Mitchill, Tr. Lit. Phil. Soc. N. York, I. 1815, 463.
- bufo** Maja (Herbst), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 255.—Cancer, 1790.
- bufo** Micraster (Brongn.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 184.—Spatangus.
- bufo** Oxypleura, F. Walker, List Homopt. Coll. B. M. (1) 1850, 27.
- bufo** Parachilia (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 558.—Cetonia.
- bufo** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 44.
- bufo** Phalaena (Hepialus), W. Turton, Linnaeus, Syst. Nat. II. 1802, 341.
- bufo** Phasma (Acanthoderus), J. O. Westwood, Cab. Orient. Entom. 1848, 77.
- bufo** Pholis, R. T. Lowe, Proc. Zool. Soc. London, XI (125) Dec. 1843, 87.
- bufo** Pissodes (Fab.), E. F. Germar, Mag. Entom. (Germar) II. 1817, 340.—Rhynchites.
- bufo** [Portlockia] (Green), F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 51.—
- bufo** Purpura, Lamarck, An. s. vert. VII. 1822, 239. [Calymene.
- bufo** Pycnopus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 281.
- bufo** Ranella, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. xxvi.
- bufo** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 444.—Curculio, 1781.
- bufo** Scarabaeus, W. S. Macleay, Horae Entom. I (2) 1821, 515.
- bufo** Scorpaena, Cuvier & Valenc., H. N. Poiss. IV. 1829, 306.
- bufo** Scutellera, J. F. Eschscholtz, Entomographien, I (1) 1822, 104.
- bufo** Spatangus, Al. Brongniart in Cuvier & B., Desc. Géol. Paris, ed. 3, 1822, 389.
- bufo** Thomisus, L. Dufour, Ann. gén. Sci. Phys. (Bruxelles) V. Aug. 1820, 206.
- bufo** Thyreocoris (Esch.), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 28.—Scutellera.
- bufo** Trachypetra, A. White in Methuen, Life in the Wilderness, 1846, 317.
- bufo** Uranoscopus, A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 16.
- buffo** Zygops, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 608.
- Bufonaria** C. F. Schumacher, Ess. Vers test. 1817, 76 & 251.—G.
- bufonias** Hyas, A. White, List Crustacea Coll. B. M. 1847, 6 [*n. n.*].
- bufonides** Purpura, A. Valenciennes in Du Petit-Thouars, Voy. "Venus" (Tabl. Pls. 1846).
- bufonium** Pleurodema, T. Bell, Zool. "Beagle" (Rept. 1843), 39.
- Bufonita** Grateloup (*ex* Worm), Actes Soc. Linn. Bordeaux, VIII. 1836, 182.—Ech.
- bufonites** Aurata (Lac.), H. Cloquet, Dict. Sci. Nat. XII. 1818, 552.—Sparus.
- bufonites** Sparus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 46.
- bufonius** Decticus, F. Klug in Ehrenberg, Sym. Phys., Ins. III (1832) sign. *f.*
- bufonius** Dictyophorus (Klug), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 39.—Decticus.
- bufonium** Gyrineum, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 123.
- bufonia** Hyla, J. B. v. Spix, Ranar. Brasil. 1824, 18.
- bufonius** Hypostomus, Cuvier & Valenc., H. N. Poiss. XV. 1840, 511.
- bufonium** Phrynosoma, A. F. A. Wiegmann, Isis (Oken), 1828, 367.
- bufonius** Pimelodus, Cuvier & Valenc., H. N. Poiss. XV. 1840, 154.
- bufonia** Pipa, B. Merrem, Tent. Syst. Amph. 1820, 180.
- bufonia** Poecilocera (Klug), H. Burmeister, Handb. Ent. II (2) i, 1838, 623.—Decticus.
- bufonia** Rana, B. Merrem, Tent. Syst. Amph. 1820, 177.
- bufonia** Ranella (L.), Lamarck, Ency. Méth. (Vers) 1816, pl. 412, Liste p. 4.—Murex.
- bufonia** Steirolepis, L. Fitzinger, Syst. Rept. 1843, 73.
- bufonium** Triton, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 549.—? Ranella, Lam.
- bufonoides** Hyla, L. J. Fitzinger, Neue Classif. Rept. 1826, 63 [*n. n.*].
- Bufotes emend. pro Bufo**, Daud.; C. S. Rafinesque, Analyse, 1815, 78.—R. [*n. n.*].
- Bugainvillia** R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 291.—[*v.* Bougain-bugainvillii *v.* bougainvillei. [villia].
- bugaravella** Pagrus, A. Risso, H. N. Europe, III. 1826, 359.
- Bugeranus** C. W. L. Gloger, Gemeinnütz. Naturges. (2) 1842, 440.—A.
- bugesiacus** Spathobatis, V. Thollière, Ann. Soc. Agric. Lyon, sér. 2, I (1) 1849, 63.
- [buggenhagi.] [Cyprinus, 1784.]
- buggenhagen** Abramis (Bloch), P. A. Millet, Faune Maine et Loire, II. 1828, 722.—
- buggenhagii** Bliccopsis (Bl.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1032.—Cyprinus, 1784.

- buggenhagii** Leuciscus (Bl.), G. Cuvier, R. Anim. II. 1817, 195.—Cyprinus, 1784.
- bugi** Prosimia, R. P. Lesson, Spec. des Mamm., Nov. 1840, 227.
- bugiensis** Alauda, Loewenstein & Brehm, Isis (Oken), 1841, 137.
- buglossa** Solea, C. S. Rafinesque-S., Ind. itt. Sic. 1810, 14 [n. n.].
- buglossi** Zygaena, Escher in Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. II (Crépus.) 1836, 138. [[1843], 417.
- bugnionana** Coccyx, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)
- bugnionana** Stictea (Dup.), A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 162.—Coccyx.
- bugnionii** Carabus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (3) 1837, 16.
- Bugula** L. Oken, Lehrb. Nat. III (1) 1815, 89.—Polyz.
- Bugulina** E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 114.—Polyz.
- buklandi** v. bucklandi.
- buku** Semnopithecus, W. C. L. Martin, Mag. Nat. Hist., n. s., II. Aug. 1838, 435.
- Bulaca** B. H. Hodgson, J. Asiat. Soc. Bengal, VI. 1837, 372.—A.
- Bulaea** E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 69.—Col.
- bulaea** Terias, T. Roger in Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 680.
- bulan** Clupalosa, P. Bleeker, Verh. Batav. Genootsch. (Ichth. fauna Madura) XXII. 1849, 12.
- bulatmai** Barbus (Pall.), H. Cloquet, Dict. Sci. Nat. (ed. 2) IV (Suppl.) 1816, 9.—Cy-
- Bulbifer** Meg.; Dejean, Catal. Coléopt. 1821, 99.—Col. [rpinus.
- bulbifer** Arcopagus (Reich.), W. E. Leach, Zool. Miscell. III. 1817, 84.—Pselaphus.
- bulbifer** Bronchus, E. F. Germar, Ins. Spec. novae, I. 1824, 333. [—Pselaphus.
- bulbifer** Bythinus (Reich.), C. Aubé, Pselaph. Mon. in Magazin de Zool. III. 1833, 37.
- bulbifera** Escharina, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 14.
- bulbifer** Hipporhinus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 477.—
- bulbifer** Malachus, F. A. Kolenati, Melet. Entom. (5) June 1846, 43. [Bronchus.
- bulbifera** Membracis, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 30.
- bulbiferus** Oreaster, E. Forbes, Mem. Geol. Surv. Gt Britain, II (2) 1848, 468.
- bulbifer** Pselaphus, H. G. L. Reichenbach, Mon. Pselaph. 1816, 37.
- bulbiforme** Alcyonium, J. F. V. Lamouroux, Ency. Méth. (Zooph.) 1824, 35.
- bulbiformis** Cylindrites, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 418.
- bulbiformis** Fasciolaria (Lam.), Cristofori & Jan, Cat. Mus., Sect. II (1) Conch. foss. 1832, 10.—Voluta bulbula.
- bulbiformis** Fasciolaria (Lam.), G. G. Pusch, Geogn. Besch. Polen. II. 1836, 524.—Fusus.
- bulbiformis** Ficus, L. Rousseau in J. C. Chenu, Illustr. conch. III (56) 1846, pl. 3 [n. et f.].
- bulbiformis** Fusus, Lamarck, Ann. Mus. H. N. (Paris) II (11) Aug. 1803, 387.
- bulbiformis** Leiostomus (Lam.), W. Swainson, Treat. Malacol., May 1840, 90.—Fusus.
- bulbiformis** Murex, G. R. Leathes in S. Woodward, Geol. Norf. 1833, 44.
- bulbiformis** Natica, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 418 [n. et f.].
- bulbiformis** Oliva, P. L. Duclos, H. N. Coq. (Olive) 1835, pl. 27 [n. et f.].
- bulbiformis** Purpura, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. post June 1837, 266.
- bulbiformis** Pyrula (Sow.), G. A. Mantell, Tr. Geol. Soc. London [2] III. 1829, 203.—Fusus, Lam.
- bulbiformis** Turbinellus, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl.
- bulbimus** Conops, F. Walker, List Dipt. Coll. B. M. (3) 1849, 674. [xxiv.
- bulbina** Helix, G. P. Deshayes in A. E. Férussac, H. N. g. et p. Moll. I. 1850, 108.
- bulbistrotris** Cossonus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 83.
- bulbivorus** Ascomys (Rich.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1842, 388.
- bulbivorum** Diplostoma, J. Richardson, F. Bor.-Amer. (1) June 1829, 206. [—Geomys.
- bulbivorus** Geomys, J. Richardson, Zool. "Blossom," 1839, 13*.—Diplostoma, 1829.
- bulbivorum** Pseudostoma (Rich.), Audubon & Bachman, Quad. N. Amer. III. 1854, 337.—Diplostoma. [1845, 341.
- bulbocerus** Lethrus, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (2)
- bulborum** Merodon, C. Rondani, N. Ann. Sci. Nat. [2] IV. 1845 [Oct.], 256.
- bulbosum** Alcyonium, E. J. C. Esper, Pflanzenth. III (14-15) [inter 1805-10], 41.
- bulbosum** Buccinum, D. Solander, Catal. Portland Mus. 1786, 49 [n. n.].
- bulbosum** Buccinum (ex Chem.), W. Wood, Index Test. 1818, 111. [25.
- bulbosus** Cyrtoceratites, Sandberger in J. Steininger, Verst. Uebergangsgeb. Eifel, 1849,

- bulbosum** Dentalium, H. G. Bronn, Zschr. Min. 1827, II (1828), 538 [*n. n.*].
- bulbosus** Fusus, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls. 1846).
- bulbosus** Lucanus, F. W. Hope, Proc. Linn. Soc. London (9) Nov. 1840, 78.
- bulbosa** Melania, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 225.
- bulbosa** Polyplex, G. Perry, Conchology, Ap. 1811, pl. 9.
- bulbosa** Polytremaçis, A. d'Orbigny, Note Polyp. foss., Oct. 1849, 11.
- bulbosus** Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 196.
- bulbosa** Thoosa, A. Hancock, Ann. Mag. N. H. (2) III. May 1849, 346.
- bulbulus** Cancellaria, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (17) June
- bulbula** Fasciolaria, Defrance, Dict. Sci. Nat. XVI. 1820, 197. [1832, 55-
- bulbulus** Strombus, G. B. Sowerby, II., Thes. Conch. I (1) May 1842, 32.
- bulbula** Voluta, Lamarck, Ann. Mus. H. N. (Paris) I (6) Ap. 1803, 479.
- Bulbus** J. Smith (*ex* Humph.), Mem. Werner. N. H. Soc. VIII (1) 1839, 104.—G.
- Bulbus** "Desh." T. Brown, Proc. Geol. Soc. Lond. III. 1839, 119.—G.
- bulbus** Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 465.
- bulbus** Buccinum, W. Wood, Suppl. Index Test. 1828, 12 [*n. et f.*].
- bulbus** Conus, L. Reeve, Conch. Icon.—Conus, no. 169, Nov. 1843.
- bulbus** Fusus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 361.
- bulbus** Helix, K. T. Menke, Zeitschr. f. Malakozool. (Aug.) 1848 [Mar. 1849], 116.
- bulbus** Helix, A. Mousson, Land-Mollusk. Java, 1849, 113.
- bulbus** Purpura, W. Wood, Suppl. Index Test. 1828, 50.—Buccinum, 1828.
- bulbus** Pyrula, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. xvii.
- bulbus** Syritta, F. Walker, List Dipt. Coll. B. M. (3) 1849, 553.
- Buleites** J. Gistel, Nat. Thierr. 1848, p. xi.—A.
- Bulestes** J. Cabanis, Mus. Heineanum (1) 1850 [1851], 66.—A.
- bulga** Terebratula, G. Fischer v. W., Progr. Séance Publ. Soc. Imp. Nat. Moscou, 1809, 25.
- bulimea** Columna, J. B. v. Spix, Testac. Brasil. 1827, 11.
- Bulimida** H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 49.—G. [*teste* Agass.; *nom. trib.*
- bulimiformis** Auricula, G. v. Muenster, N. Jahrb. f. Min. 1835, 442. [*non gen.*].
- Bulimina** A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 269.—Rh.
- Bulimina** C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828) sign. *d.*—G.
- Buliminus** *emend. pro* Bulimina, Ehrenb.; H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837,
- Bulimnea** S. S. Haldeman, Mon. Limniades N. Amer. (3) July 1841, 6.—G. [68.—G.
- bulimoides** Achatina, L. Pfeiffer, Proc. Zool. Soc. London, XIV (166) Jan. 26, 1847, 116.
- bulimoides** Achatinella, W. Swainson, Q. Journ. Sci. (R. Inst. Gt Brit.) Mar. 1828, 85.
- bulimoides** Acteon, Grateloup, Actes Soc. Linn. Bordeaux, X (53) 1838, 275.
- bulimoides** Ampullaria, Deshayes in Leymerie, Mém. Soc. géol. Fr. V. 1842, 12.
- bulimoides** Atlanta, A. d'Orbigny, Amér. Mérid. (Moll.) 1836, 179.
- bulimoides** Buccinum (Lam.), W. Wood, Suppl. Index Test. 1828, 48.—Phasianella.
- bulimoides** Cerithium, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 209.
- bulimoides** Clausilia, C. Thomae, Jahrb. Ver. Nat. Nassau, II. 1845, 149.
- bulimoides** Conovulus, Lamarck, Ency. Méth. (Vers) 1816, pl. 459, Liste p. 12 [*n. et f.*].
- bulimoides** Cyclostoma, G. A. Olivier, Voy. Othoman, III (1804), 68.
- bulimoides** Cyclostoma, P. Mathéron, Ann. Sci. Midi France, III (9 & 10) Sept. & Oct.
- bulimoides** Cyclostoma, H. E. Anton, Verz. Conch. 1839, 54. [1832, 61.
- bulimoides** Heliconoides, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 37.—Atlanta, 1836.
- bulimoides** Limacina (Orb.), Catlow & Reeve, Conch. Nomen. 1845, 324.—Atlanta.
- bulimoides** Limacina (Eyd.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 123.—Spirialis.
- bulimoides** Lymnea, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 33.
- bulimoides** Meladomus, W. Swainson, Treat. Malacol., May 1840, 340.
- bulimoides** Melania, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 229.
- bulimoides** Melania, v. Klein, Jahresh. Ver. vat. Naturk. Württ. II (1) 1846 (*post* Mar.),
- bulimoides** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 224, Jan. 1845. [81.
- bulimoides** Natica (Desh.), A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 153.—
- Ampullaria. [stoma.
- bulimoides** Paludina (Ol.), Férussac, Mém. Soc. H. N. Paris, I (2) 1824, 363—Cyclo-
- bulimoides** Paludina, F. Cailliaud, Voy. Méroé, IV. 1827, 264 & Atlas pl. lx.

- bulimoides** Paludina, W. Wood, Suppl. Index Test. 1828, 47.—Turbo, 1828.
- bulimoides** Partula, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 326.
- bulimoides** Phasianella, Lamarck, An. s. vert. VII. 1822, 52.
- bulimoides** Potomophila (Lam.), W. Swainson, Treat. Malacol., May 1840, 187.—Cono-
- bulimoides** Pupa, L. Pfeiffer, Symb. Helic. II. 1842, 53. [vulus.
- bulimoides** Rissoa, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (10) 1828, 132.
- bulimoides** Spirialis (Orb.), Eydoux & Souleyet, Rev. Zool. (Soc. Cuv.) III. Aug. 1840,
- bulimoides** Turbo, W. Wood, Suppl. Index Test. 1828, 19 [*n. et f.*]. [238.—Atlanta.
- bulimoidea** Hydrobia (Mich.), D. Dupuy, H. N. Moll. France (5) May 1851, 572.—
Paludina.
- bulimoidea** Paludina, A. G. L. Michaud, Compl. Moll. Draparnaud, 1831, 99.
- bulimoidea** Pupa, Michaud, Actes Soc. Linn. Bordeaux, X (52) 1838, 153.
- bulimorius** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 255.
- Bulimulus** W. E. Leach, Zool. Miscell. I. 1814, 41.—G.
- bulimus** Eulimus (Sc.), R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 135.—Melania.
- bulimus** Melania, A. Scacchi, Ann. Civ. Reg. Due Sicilie, VII. 1835, 11. [Less.]
- Bulina** R. P. Lesson, Illustr. de Zool. (8) Aug. 1833, pl. 22.—G. [*typus* Helix rufogaster,
- bulinea** Parthenia, R. T. Lowe, Proc. Zool. Soc. London, VIII (88 & 89) Jan. 1841, 40.
- Bulinus** [Adanson, 1757.] Many species of Bulimus have been recorded under this variant
which is pre-Linnean. It has not been thought necessary to record them.
- Bulinus** O. F. Müller, Der Naturf. XV. 1781, 6.—G.
- Bulinus** S. Studer, Nat. Anz. Allg. Schweiz. Ges. gesamt. Naturw. III. 1820, 88.—G.
- Bulinus** A. Férussac (*ex* Adanson), Dict. Class. H. N. II. 1822, 569.—G.
- Bulinus** *emend. pro* Bulimus, Scop.; W. J. Broderip, Zool. Journ. IV (14) Oct. 1828, 222.
- Bulis** Laporte & Gory, H. N. Coléopt. I. 1838, Bulis, p. 1.—Col.
- Bulis** J. Gisl, Nat. Thierr. 1848, 162; Handb. Naturg. 1850 [1847], 532.—Cirr.
- bulia** Acropera, J. O. Westwood, Tr. Entom. Soc. Lond. V (4) June 1848, 98.
- bulia** Aegithus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 289.
- bulia** Bulimus, C. T. Menke, Moll. N. Holl. 1843, 7.
- bulia** Exogyra, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 346.
- bulia** Gryphaea (Sow.), J. Morris, Cat. Brit. Foss. 1843, 108.—Exogyra.
- bulia** Helix, L. Pfeiffer, Proc. Zool. Soc. London, X (118) Feb. 1843, 151.
- bulia** Lucina, F. McCoy in Griffith, Syn. Silurian foss. Ireland, 1846, 17.
- bulia** Medusa (Beroe), F. Faber, Nat. Fische Islands, 1829, 203.
- bulia** Melampus, R. T. Lowe, Zool. Journ. V (19) July 1832, 293.
- bulia** Monas (Müll.), Bory de St V., Ency. Méth. (Zooph.) 1827, 550.—Cyclidium, 1773.
- bulia** Ovulum, Adams & Reeve, Zool. "Samarang" (Moll. 1848), 21.
- bulia** Oxitricha (Müll.), Bory de St V., Ency. Méth. (Zooph.) 1827, 596.—Trichoda, 1786.
- bulia** Terebratula, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 346.
- Bullacites** E. F. v. Schlotheim, Die Petref. I. 1820, 119.—G.
- Bullaea** Lamarck, Syst. Anim. 1801, 63.—G.
- Bullaea** T. Brown, Ill. Conch. G. B. I. 1827, pl. xxxviii, f. 33.—G.
- bullaeforme** Buccinum, D. Solander, Catal. Portland Mus. 1786, 186 [*n. n.*].
- bullans** Trypeta, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 506.
- bulloides** Auricula (Mont.), J. E. Gray, Ann. Phil. XXV. 1825, 415.—Voluta.
- bulloides** Conovulus (Mont.), Forbes & Hanley, Hist. Brit. Moll. IV. 1852, 197.—Voluta.
- bulloides** Helix, E. Donovan, Brit. Shells, 1804, pl. clxviii.
- bulloides** Tornatella (Mont.), A. E. Férussac, H. N. g. et p. Moll., Tabl. Auricules
- bulloides** Voluta, G. Montagu, Test. Brit., Suppl. 1808, 102. [[1821], 112.—Voluta.
- bullaragang** Ardea, J. Wagler, Syst. Avium, I. 1827, sign. 1115.
- Bullaria** C. S. Rafinesque, Analyse, 1815, 142.—G. [*n. n.*].
- bullaria** Cypraea (Schl.), C. Lyell, Tr. Geol. Soc. Lond. V (1) 1837, 250.—Cypraeacites.
- bullarius** Cypraeacites, E. F. v. Schlotheim, Die Petref. 1820, 117. [—Cypraeacites.
- bullaria** Ovula (Schloth.), A. d'Orbigny, Bull. Soc. géol. France (sér. 2) VII. 1850, 128.
- bullaria** Ovula (Lyell), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 291.—Cypraea.
- bullaris** Anolis (L.), F. M. Daudin, Sonnini's Buffon, Rept. IV (1802), 69.—Lacerta,
1758.
- bullaris** Anolius (Gm.), G. Cuvier, R. Anim. II. 1817, 43.—Lacerta, L. 1758.

- bullaris** Cyprinus, C. S. Rafinesque, Amer. Monthly Mag. II (2) Dec. 1817, 120.
- bullaris** Dactyloa (L.), J. Wagler, Nat. Syst. Amph. 1830, 148.—Lacerta, 1758.
- bullatus** Acalles, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 340:
- bullatum** Alcyonidium, Lamouroux, Dict. Class. H. N. I. 1822, 206.
- bullatus** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1848, 412.
- bullata** Ancilla (L.), G. Fischer, Mus. Démid. III. 1807, 164.—Conus, 1758.
- bullatus** Aptychus, H. v. Meyer, N. A. Ac. Caes. Leop. Car. XV (2) 1831, 163.
- bullata** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 107, May 1844.
- bullata** Argonauta, W. Wood (ex Gault.), Index Test. 1818, 62.
- bullata** Astarte, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 423. [tella.
- bullata** Avellana (Mort.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 220.—Torna-
- bullata** Avicula, F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 23.
- bullata** Biloculina, J. Morris, Cat. Brit. Foss. 1843, 61 [*n. n.*].
- bullatus** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 396.
- bullatum** Buccinum, R. A. Philippi, N. Jahrb. f. Min. 1845, 450 [*n. n.*].
- bullatum** Buccinum, R. A. Philippi, Palaeontographica, I (2) Mar. 1847, 76.
- bullata** Bulla (Müll.), A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 572.
—Akeria, 1776. [141.—Voluta.
- bullata** Callipara (Sw.), J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847,
- bullata** Cancellaria, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (17) June
- bullatum** Cardium (L.), Lamarck, An. s. vert. VI (1) 1819, 6.—Solen, 1758. [1832, 51.
- bullatus** Cephalites, J. T. Smith, Ann. Mag. N. H. (2) I. Ap. 1848, 284.
- bullatum** Cyclidium, M. Losana, Mém. R. Acc. Sci. Torino, XXXIII. 1829, 33.
- bullata** Cypraea, G. Montagu, Test. Brit. I. 1803, 202.
- bullata** Flata, T. Say, J. Acad. Nat. Sci. Philad. VI. Aug. 1830, 240.
- bullata** Glandina, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1848), 64.
- bullata** Gryphaea, J. Sowerby, Min. Conch. IV. 1822, 93.
- bullata** Gryphaea, J. Phillips, Geol. Yorksh. I. 1829, 130 [*n. et f.*].
- bullata** Harpula, W. Swainson, Treat. Malacol., May 1840, 107 & 318.
- bullata** Kellia, R. A. Philippi, Arch. f. Naturg. XI (1) 1845, 51.
- bullata** Lima, Lamarck, Ann. Mus. H. N. (Paris) VIII (48) me judice Jan. 1807, 463.
- bullata** Lima, W. Turton, Conch. Insul. Brit. 1822, 217. [82.
- bullatus** Limnaeus, v. Klein, Jahresh. Ver. vat. Naturk. Württ. II (1) 1846 (*post* Mar.),
- bullata** Lobia (Müll.), L. Oken, Lehrb. Nat. III (1) 1815, 292.—Acera, 1776.
- bullata** Lucina, R. A. Philippi, Zeitschr. f. Malakozool., May 1847, 76.
- bullata** Marginella (Gm.), Lamarck, An. s. vert. VII. 1822, 360.—Voluta, Born, 1778.
- bullata** Marginella (Born), W. Swainson, App. Cat. Bligh, 1822, 12.—Voluta, 1778.
- bullata** Marginulina, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 29.
- bullata** Muraena, J. Richardson, Zool. "Ereb. Terr." (Fish, 1848), 86.
- bullata** Obliquaria, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820,
- bullata** Ostrea, R. A. Philippi, Tertiärverst. Wilhelmshöhe, 1841, 16. [307-
- bullatum** Ovulum, Adams & Reeve, Zool. "Samarang" (Moll. 1848), 23.
- bullatum** Paramaecium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 46.
- bullata** Petricola, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 163 [*n. n.*].
- bullata** Physa, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 223. [191.
- bullata** Plectana, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841].
- bullata** Plumularia, J. Fleming, App. Parry's Voy. 1821-23, 1825, 431.
- bullatus** Pyrala, T. Brown, Ill. Foss. Conch. G. B. I. (13, 14) 1839, 59.
- bullata** Salda, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- bullata** Scalaria, G. B. Sowerby, II., Proc. Zool. Soc. London, XII (132) July 1844, 27.
- bullatus** Scotobius, J. Curtis, Proc. Linn. Soc. London (21) June 1844, 200.
- bullata** Sedgwickia, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 62.
- bullata** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.—Oct. 1814,
- bullata** Spongia, J. V. F. Lamouroux, Hist. Polyp. 1816, 51. [437-
- bullata** Spongia, E. Bennett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 8 [*n. n.*].
- bullata** Terebratula, J. De C. Sowerby, Min. Conch. V. 1823, 49.
- bullatus** Textilia, W. Swainson, Treat. Malacol., May 1840, 312.
- bullata** Tornitella (*sic*), S. G. Morton, Amer. J. Sci. XXIII (2) Jan. 1833, 292.

- bullata** Tornatella, L. C. Kiener, Spec. Coquilles (Tornatella) 1834, 5.
bullatus Trochus, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 226.
bullatus Trox, J. Curtis, Proc. Linn. Soc. London (21) June 1844, 197.
bullata Tubularia, E. J. C. Esper, Pflanzenth. III (14-15) [*inter* 1805-1810], 122.
bullata Unio, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 307.
bullata Voluta, W. Swainson, Zool. Illust. (2) I (3) — 1829, pl. 15.
bullata Volutella, W. Swainson, Treat. Malacol., May 1840, 323.
bullatus Volvox, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 11.
Bullea H. D. de Blainville, Man. Malac. 1825, 477.—G.
Bullearius A. M. C. Duméril, Zool. Anal. 1806, 164.—G.
Bullia J. E. Gray, Phil. Trans. 1835, 305.—G.
Bullia J. E. Gray, Zool. "Blossom," 1839, 125.—G.
Bulliana J. E. Gray, Fig. Moll. Anim. IV. 1850, 71.—G.
bulliceps Phacops, J. Barrande, Not. prélim. Silur. 1846, 46.
Bullidium J. F. Meckel in Leue, Diss. Pleurobranch. 1813, 10.—Nud.
bullifera Combophora, H. Burmeister, Revue Entom. I (5) c. Nov. 1833, 229.
bullifer Tergipes, S. Loven, Ofvers. K. Vet. Ac. Förh. III (5) 1846, 139.
Bullina A. E. Férussac, H. N. g. et p. Moll., Tabl. gén. 1822, p. xxx.—G.
Bullina A. Risso, H. N. Europ. IV. 1826, 51.—G.
Bullinia C. S. Rafinesque, Analyse, 1815, 142.—G. [*n. n.*].
Bullinula Beck; G. B. Sowerby, II., Conch. Man. 1839, 15.—G.
Bullinus L. Oken, Lehrb. Nat. III (1) 1815, 302.—G. [Patellidae].
Bullinus O. Fabricius, Fortegnelse, 1823, 71.—Gast. undefined but evidently Physa. The following *n. n.* are appended:—fontinalis; hypnorum; terebellum.
bullinum Lembadion, M. Perty, Mitth. Nat. Ges. Bern, 1849, 171.
bullina Succinea, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 99.
Bullites E. F. Schlotheim, Taschen. Min. 1813, 92.—G.
Bullites Schlaepfer, N. Alpina, I. 1821, 272.—Col.
bullockii Calocitta (Wagl.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 50.—Pica.
bullockii Colobus, P. Boitard, Jardin d. Plantes, 1842 [*i.e.* 1841], 20.
bullockii Corvus, J. J. Audubon, Orn. Biogr. I. 1831, 483. [115.—Pica.
bullockii Cyanurus (Wagl.), C. L. Bonaparte, Proc. Zool. Soc. London, V (59) June 1838,
bullockii Icterus (Sw.), G. R. Gray, Genera of Birds, II. Oct. 1844, 343.—Xanthornus.
bullockii Melittophagus (Vieill.), G. R. Gray, Genera of Birds, I. July 1846, 86.—Merops.
bullocki Merops, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 13.
bullockii Pica, J. Wagler, Syst. Avium, I. 1827, sign. 217.
bullockii Platymys, R. Owen, 11 Rept. Brit. Assoc. (Plym. 1841) 1842, 164.
bullocki Procellaria, J. Fleming, Hist. Brit. Anim. 1828, 136.
bullocki Psarocolius (Sw.), J. G. Wagler, Isis (Oken), 1829, 754.—Xanthornus.
bullocki Psilorhinus (Wagl.), G. R. Gray, Genera of Birds, II. Mar. 1845, 308.—Pica.
bullockii Thalassidroma (Flem.), P. J. Selby, Ill. Brit. Orn. II. 1833, 537.—Procellaria.
bullocki Xanthornus, W. Swainson, Phil. Mag., n. s., I (6) June 1827, 436.
bullocki Yphantus (Gray), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 432.—Icterus.
bullockoides Melittophagus (A. Smith), G. R. Gray, Genera of Birds, I. July 1846, 86.—
 Merops.
bullockoides Merops, A. Smith, S. African Quart. Journ. II. no. 4 (1) Sept. 1834, 320.
bulloides Alveolina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 306 [*n. n.*].
bulloides Biloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 297.
bulloides Borelis (Orb.), H. G. Bronn, Index Pal. 1848, 171.—Alveolina.
bulloides Chilina, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 335.—Lymneus, 1835.
bulloides Globigerina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 277.
bulloides Lima, Lamarck, Ann. Mus. H. N. (Paris) VIII (48) me judice Jan. 1807, 463.
bulloides Lima, Defrance, Dict. Sci. Nat. XXVI. 1823, 445. [24.
bulloides Lymneus, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835,
bulloides Nonionina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 293 [*n. n.*].
bulloides Quinqueloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 301 [*n. n.*].
bulloides Rosalina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 98.
bulloides Rotalia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 275 [*n. n.*].

- bulloides** Sphaeroidina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 267.
- bulloides** Textularia (Orb.), L. Reeve, Conch. Syst. II. 1842, 292.—Sphaeroidina.
- bulloides** Volvaria, Lamarck, Ann. Mus. H. N. (Paris) V (25) Sept. 1804, 29.
- Bullula** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Bullidium, Meck.
- bullula** Bulinus, W. J. Broderip, Proc. Zool. Soc. London, VIII (94) July 1841, 159.
- bullula** Helix, T. Hutton & Benson, J. Asiat. Soc. Bengal, VII. 1838, 218.
- bullula** Lucina, L. Reeve, Conch. Icon. VI.—Lucina, no. 35 (pl. x) Aug. 1850.
- bullula** Oliva, L. Reeve, Conch. Icon. VI.—Oliva, no. 96, Nov. 1850.
- Bullulina** K. E. Hammerschmidt, Isis (Oken), 1838, 357.—Verm.
- Bullus** D. de Montfort, Conch. syst. II. 1810, 330.—G.
- bulmerincqii** Bostrichus, F. A. Kolenati, Melet. Entom. (3) Jan. 1846, 39.
- bulmerincqii** Eulophus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 155.
- Bulmimus** *err. pro* Bulimus, J. Sowerby, Min. Conch. IV. 1822, 46.
- Bulnaria** Hartmann; H. Mitre, Journ. Conch. I. 1850, 238.—L.
- bulver**→ *v.* **bulver**→. [426.—Procellaria.]
- bulveri** Bulweria (Jard.), C. L. Bonaparte, N. Ann. Sci. Nat. VIII. 1842 [Jan. 1843],
- bulveri** Chilotrema (Wood), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 28.—Helix.
- bulveri** Epheria, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 271.
- bulverii** Helix, W. Wood, Suppl. Index Test. 1828, 25 [*n. et f.*].
- bulverii** Omaseus, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) May 1828, 113.
- bulverii** Procellaria, Jardine & Selby, Ill. Orn., pl. 65, 1828. [cellaria.]
- bulverii** Thalassidroma (J. & S.), J. Gould, Birds of Europe, V. 1837, pl. 449.—Pro-
- Bulweria** C. L. Bonaparte, N. Ann. Sci. Nat. VIII. 1842 [Jan. 1843], 426.—A.
- bulveriana** Helix, R. T. Lowe, Tr. Cambridge Phil. Soc. IV (1) 1831, 44.
- Bumastes** Murch. Sil. Syst.; [*teste* Agassiz, *non comp.*].
- Bumastes** H. Burmeister, Organ. Trilob. 1843, 119.—Cr. [district, 1842], 434-
- bumastiformis** Sphaeroma, J. Eights in E. Emmons, N. H. New York (Geol. 2nd
- Bumastis** *err. pro* Bumastus, Murch.; Emmons, 1844 [*teste* Scudder].
- Bumastus** R. I. Murchison, Silurian System, Jan. 1839, 656.—Cr.
- bumeliae** Aphis, F. v. P. Schrank, F. Boica, II (1) 1801, 102. [Aphis.]
- bumeliae** Erisoma (Schr.), C. H. G. v. Heyden, Abh. Senckenb. Mus. II (3) 1837, 295.—
- bumeliae** Pemphigus (Schr.), J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 184.—Aphis.
- Bunaea** J. Huebner, Verz. bekannt. Schmett. [1820], 154.—Lep.
- bunelii** Teudopsis, J. A. Eudes-D., Mém. Soc. Linn. Normandie, V. 1835, 74.
- buneli** Trochus, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 335.
- bungaroides** Elapocormus (Schleg.), L. Fitzinger, Syst. Rept. 1843, 28.—Naja.
- bungaroides** Elaps, T. Cantor, Proc. Zool. Soc. London, VII (74) July 1839, 33.
- bungaroides** Naja, H. Boie, Isis (Oken), 1828, 1034.
- Bungarus** F. M. Daudin, Mag. Encyclop., An. 8, V (20), Mar. 1803, 434.—R.
- Bungarus** M. Oppel, Ann. Mus. H. N. (Paris) XVI (95) *inter* Jan.-Mar. 1811, 378 & 391.
- bungarus** Dendraspis (Schleg.), L. Fitzinger, Syst. Rept. 1843, 28.—Naja. [—R.]
- bungarus** Naja, H. Schlegel, Essai phys. Serp. 1837, I. 184; II. 476.
- bungii** Carabus, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 51. [Mar. 1835, 433-
- bungii** Cerambyx, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5)
- bungii** Harpalus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3) 1844, 451.
- bungii** Iulus (Brandt), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 167.—Spirobolus. [Jan. 1841, 126.]
- bungii** Iulus (Spirobolus), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (7 & 8)
- bungii** Spirobolus, J. F. Brandt, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 203.
- bungus** Lethrinus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 279.
- buniae** Catophaga, J. Huebner, Exot. Schmett. II. Tab. [125] (*die indet.*) [*n. et f.*].
- buniae** Pieris (Huebner), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 530.—Catophaga.
- bunichus** Menelaides, J. Huebner, Exot. Schmett. II. Tab. [103] (*die indet.*) [*n. et f.*].
- bunichus** Papilio, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 308.
- buniva** Balistes, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 668.
- bunobaenus** *v.* **bounobaenus**. [M. [*teste* Palmer].
- Bunochoerus** Hemprich & Ehrenberg, Symb. Phys., Mamm. II. Nov. 1832, sign. 99.—

- Bunode** A. F. Schweigger (*ex* Guettard), Handb. Naturges. 1820, 601.—Verm.
- Bunodus** H. D. de Blainville (*ex* Guettard), Dict. Sci. Nat. V. 1817, Suppl. 135.—Moll.
- bunogaster** Aequorea, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 335.
- bunogaster** Foveolia, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 340.
- bunus** Cirrospilus, F. Walker, Ann. Nat. Hist. III. May 1839, 179. [1839.]
- bunus** Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 76.—Cirrospilus,
- buoliana** Cocyx (D. & S.), F. Treitschke, Schmett. Europa, VII. 1829, 230.—Tortrix,
- buoliana** Phalaena (Pylalis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 350. [1775.]
- buoliana** Retinia (D. & S.), A. Guénéé, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 180. [1775.]
—Tortix, 1775.
- buoliana** Rhyacionia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 379.—Tortrix,
- buonopoziensis** Bathycoelia (Pal.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 110.—Pentatoma.
- buonopoziensis** Pentatoma, Palisot de B., Ins. Afr. Amér. (—) 1807, 82.
- buosega** Mugil, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847,
- Bupalus** W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 134.—Lep. [127.]
- Buparia** J. Gistl, Nat. Thierr. 1848, p. viii.—Ech.
- buphagoides** Indicator, B. Leadbeater, Tr. Linn. Soc. London, XVI (1) 1829, 91.
- buphagus** Mecosarthron, L. Buquet, Rev. Zool. (Soc. Cuv.) III. June 1840, 172.
- buphthalmica** Cicada, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 342.
- buphthalmos** Anthias, C. L. Bonaparte, Icon. Faune Ital. (2) 1833.
- buphthalmus** Cerambyx, W. Turton, Linnaeus, Syst. Nat. II. 1802, 291.
- buphthalmus** Coccinella, G. Fischer de W., Lettre à Pander, 1821, 15.
- buphthalmus** Gymnogaster, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*incunte* 1851], 155.
- buphthalmus** Harmonia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 90.
- buphthalmus** Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 46.—[*n. n.*] [*post* Mar. 1834, 145.—Pyrophorus]
- buphthalmus** Hypsiophthalmus (Esch.), P. A. Latreille, Ann. Soc. Ent. France, III (1)
- buphthalmus** Pyrophorus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I.
- buphthalmus** Quedius, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 534. [1840, 236.]
- buphthalmus** Stenus (Schrank), J. L. C. Gravenhorst, Coleopt. micr. 1802, 156.—Staphylinus, 1776.
- buphthalmos** Stenus, S. J. Ljungh [*non* Grav.] in Weber, Beitr. Nat. II. 1810, 156.
- Buphus** F. Boie, Isis (Oken), 1826, 979.—A. [1845, 224.—Geom. 1775.]
- buplevraria** Chlorochroma (D. & S.), P. A. J. Duponchel, Cat. méth. Lepid. Europe (2)
- buplevraria** Hemitheia (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, VII (2) (Noct. 4, pt. 2), 236, 1829.—Geometra, 1775. [1775.]
- bupleuraria** Phalaena (D. & S.), F. v. P. Schrank, F. Boica, II (2) 1802, 3.—Geometra,
- bupleuraria** Phalaena (Geometra), W. Turton, Linnaeus, Syst. Nat. III. 1802, 231.
- bupleuraria** Thalera (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1825, 285.—Geometra, 1775.
- bupresticida** Cerceris, L. Dufour, Ann. Sci. Nat. [2] (Zool.) XV. June 1841, 370.
- buprestis** Filaria, C. A. Rudolphi, Entoz. II (1) 1809, 77.
- Buprestites** O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 128.—Col.
- buprestoides** Anisomorpha (Stoll), G. R. Gray, Syn. Phasmidae, 1835, 19.—Phasma.
- buprestoide** Callidium, Savenius in A. D. Hummel, Essais Entom. I (4) 1824, 64.
- buprestoides** Chrysomela, T. Marsham, Coleopt. Brit., Sept. 1802, 192.
- buprestoides** Dircaea, Payk.; Dejean, Catal. Coléopt. 1821, 69 [*n. n.*].
- buprestoides** Heterosternus, H. Dupont, Magasin de Zool. II. 1832, pl. 10.
- buprestoides** Nitidula, F. Weber, Obs. Ent. 1801, 48.
- buprestoides** Phasma, M. Houttyn in Stoll, Spoken (Index Phasm. [1813]), 77.
- buprestoides** Pimelia (Pall.), W. Turton, Linnaeus, Syst. Nat. II. 1802, 491.—Tenebrio, 1773.
- Buprestis** *err. pro* Buprestis, L.; F. v. Gebler in Ledebour, Reise Altai, II. 1830, 74.
- buqueti** Agra, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 184.
- buquetii** Aproposus, F. E. Guérin-M., Iconographie, 1844, Ins. 248.
- buquetii** Arescus, F. E. Guérin-M., Iconographie, 1844, Ins. 267.

- buquetii** Aspidolopha, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 255.
buquetii Aulacomerus, M. Spinola, Ann. Soc. Ent. France, IX (2) *post* June 1840, 140.
buqueti Batrisus, C. Aubé, Ann. Soc. Ent. France, II (4) *c.* Mar. 1834, 509 [*n. n.*].
buqueti Blatta, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 93.
buquetii Bracon, M. Spinola, Ann. Soc. Ent. France, IX (2) *post* June 1840, 183.
buquet Buprestis, Gory, Magasin de Zool. III. 1833, pl. 61.
buquetii Buprestis (Agrilus), J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 30.
buquetii Callidryas, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 607.
buqueti Carabus, F. L. de Laporte, Etudes Entom. (2) 1835, 158.
buquetii Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 754.
buquetii Chrysobothris, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 163.
buqueti Chrysochroa (Gory), Laporte & Gory, H. N. Coléopt. I. 1835-1836, 12.—
 Buprestis.
buquetii Cicindela, F. E. Guérin-M., Rev. et Mag. de Zool. (2) I. Mar. 1849, 147.
buqueti Cleothera, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 542.
buquet Clerus, A. Lefebvre, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 577.
buqueti Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, *sed me* *judice* 1836], 86.
buqueti Coeculus, Laporte & Gory, H. N. Coléopt. I. 1838, 3.
buqueti Copelatus, C. Aubé, Spec. gén. Hydroc. 1838, 368.
buquetii Cratosomus, F. E. Guérin-M., Iconographie, 1844, Ins. 165.
buqueti Cybister, C. Aubé, Spec. gén. Hydroc. 1838, 44.
buquetii Cyclosomus, Dejean, Spec. gén. Coléopt. V. 1831, 812.
buquetii Cyrtotrachelus, F. E. Guérin-M., Iconographie, 1844, Ins. 176.
buquetii Epiphlaeus, M. Spinola, Ess. mon. Clérites, II. 1844, 10.
buquetii Eronia (Boisd.), M. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I
 (1847), 65.—Callidryas.
buquetii Erotylus, Dejean in T. Lacordaire, Mon. Erotyl., Sept. 1842, 445.
buquetii Euschizomerus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2)
 1850, 415.
buquetii Galleruca, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 148.
buqueti Gyrimus, C. Aubé, Spec. gén. Hydroc. 1838, 658.
buquetii Heilipus, F. E. Guérin-M., Iconographie, 1844, Ins. 152.
buquetii Hexarthrius, F. W. Hope, Tr. Entom. Soc. Lond. IV (3) Mar. 1846, 182.
buqueti Hydrocanthus (Lap.), C. Aubé, Spec. gén. Hydroc. 1838, 407.—Noterus.
buquetii Lophosternus, F. E. Guérin-M., Iconographie, 1844, Ins. 209.
buquetii Lucanus (Hexarthrius), F. W. Hope, Ann. Mag. Nat. Hist. XVI (104) Sept.
buquetii Meropachus, M. Spinola, Ess. Ins. Hémipt. 1837, 131. [1845, 208.
buquetii Myota, M. Spinola, Tav. sin. Hem. 1850 (*ex* Mem. Soc. Ital. Sci. XXV (1)
buqueti Noterus, F. L. de Laporte, Etudes Entom. (2) 1835, 105. [1852], 112.
buquetii Notoxus, M. Spinola, Ess. mon. Clérites, I. 1844, 217. [1850, 431.
buquetii Orthogonius, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2)
buquetii Pelonium, M. Spinola, Ess. mon. Clérites, II. 1844, 152.
buquetii Perotis, M. Spinola, Ann. Ent. France, VI (1) *post* Mar. 1837, 112.
buquetii Phacellocerus, F. E. Guérin-M., Iconographie, 1844, Ins. 240.
buqueti Phlegon, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840, 255.
buquetii Phloiocopus, M. Spinola, Ess. mon. Clérites, I. 1844, 340.
buqueti Platydactylus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.
buquetii Sagra, R. P. Lesson, Illustr. de Zool. (10) Oct. 1833, pl. 30. [1838], 367.
buquetii Scutellera, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 159.
buquetii Siagona, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) May 1838, 77.
buquetii Staphylinus, F. L. de Laporte, Etudes Entom. (2) 1835, 114.
buquetii Stigmodera, Laporte & Gory, H. N. Coléopt. II. 1837, 52.
buquetii Taeniotes, A. Tasté [= Taslé], Rev. Zool. (Soc. Cuv.) IV. Jan. 1841, 14.
buqueti Thaneroclerus (Lefeb.), J. O. Westwood, Ann. Soc. Ent. France, VII (1) *post*
 Mar. 1838, p. xiii.—Clerus.
buqueti Trigonotoma, F. L. de Laporte, Etudes Entom. (1) 1834, 77.
buquetii Vertagus, Dejean, Spec. gén. Coléopt. V. 1831, 609.
Buquetia A. J. B. Robineau-D., Ann. Soc. Ent. France [2] V (2) Aug. 1847, 286.—Dipt.

- Bura** E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 419.—Col.
- bura** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 760.
- burcharidi** Buccinum, R. A. Philippi, Abb. Conch. III (6) 1849, 69.
- burchellii** Anthia, F. W. Hope in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, 271.
- burchellii** Antilope, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. IV. 262 (1827); Syn. 1827, 345.
- burchellii** Aplothorax, G. R. Waterhouse, Ann. Mag. Nat. Hist. VII. no. 42, Ap. 1841,
- burchellii** Asinus, J. E. Gray, Zool. Journ. I (2) June 1824, 247. [145.]
- burchellii** Barbus (Pseudobarbus), A. Smith, Ill. Zool. S. Afr. (Pisc.) pl. xi, 1841.
- burchellii** Bulimus, J. E. Gray, Proc. Zool. Soc. London, II (19) Nov. 1834, 66.
- burchellii** Centropus, W. Swainson, Anim. in Menag., Dec. 1837, 321.
- burchellii** Cephalopus, A. Smith (*ex* C. H. Smith MS), S. African Quart. Journ. II. no. 3 (1) June 1834, 215. [256.]
- burchellii** Cetonia, G. Fischer (*ex* Macleay MS), Mém. Soc. Imp. Nat. Moscou, VI. 1823,
- burchelli** Chaetops, W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*z. z.* Feb. 1832], 487.
- burchelli** Corythaix, A. Smith, S. Afr. Q. Journ. (5) Oct. 1831, 13.
- burchellii** Cursorius (Sw.), G. R. Gray, Genera of Birds, III. July 1844, 537.—Tachy-
- burchellii** Equus (Gray), J. B. Fischer, Syn. Mamm. 1829, 432.—Asinus. [dromus.]
- burchellii** Eremias, Duméril & Bibron (*ex* Smith MS), (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 303. [—Equus.]
- burchelli** Hippotigris (Fisch.), C. H. Smith, Horses (Nat. Libr. XXXI.) June 1841, 329.
- burchellii** Juida (Smith), C. L. Bonaparte, Consp. gen. Avium. I. 1850, 415.—Lampro-
- burchellii** Labidus, J. O. Westwood, Arcana Entom. (5) Jan. 1842, 74. [tornis.]
- burchellii** Lamprotornis, A. Smith, Ill. Zool. S. Afr. (Aves), pl. xlvii, 1840.
- burchellii** Pedioplanis (D. & B.), L. Fitzinger, Syst. Rept. 1843, 21.—Eremias.
- burchellii** Rhinoceros, R. P. Lesson, Man. Mamm., May 1827, 332.
- burchellii** Tachydromus, W. Swainson, Anim. in Menag., Dec. 1837, 340.
- burchellii** Tropidosaura, A. Smith, Ill. Zool. S. Afr. (Rept.), App. p. 7, 1849.
- burdi** Pomacentrus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 506.
- burdigalensis** Anomia, DeFrance, Dict. Sci. Nat. (ed. 2) II (Suppl.) 1816, 67.
- burdigalensis** Astrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Aug. 1849, 108.
- burdigalense** Buccinum, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 144 [*n. n.*].
- burdigalensis** Donax, DeFrance, Dict. Sci. Nat. XIII. 1819, 425.
- burdigalensis** Echinolampas, L. Agassiz, Cat. Ect. Ech. 1840, 5.
- burdigalensis** Isocardia, G. P. Deshayes, Traité élém. Conch. Atlas, 1850, 15.
- burdigalensis** Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 218. [355.]
- burdigalensis** Pecten, Lamarck, Ann. Mus. H. N. (Paris) VIII (47) *inter* June–Sept. 1806,
- burdigalensis** Polymorphina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 265.
- burdigalensis** Rotalia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 273 [*n. n.*].
- burdigalensis** Scarabaeus, Dargelas, Mag. Encyclop., An. 8, III (19) Sept. 1802, 229.
- burdigalinum** Cardium, Lamarck, An. s. vert. VI (1) 1819, 18.
- Burdo** J. Gistl, Nat. Thierr. 1848, 120; Handb. Naturg. 1850 [1847], 392.—Col.
- Burecus** C. S. Rafinesque, Analyse, 1815, 111.—Col. [*n. n.*].
- burgall** Labrus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 251.
- burgaria** Cidaria, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XVI 1843 (3) 1843, 551.
- burgaria** Eusebia (Eversm.), P. A. J. Duponchel, Cat. méth. Lepid. Europe (2) 1845, 249.—Cidaria.
- burgomontana** Astarte, de Verneuil, Bull. Soc. géol. France, XI. 1840, 262.
- burgueti** Smilocomptus, F. L. P. Gervais, C. R. Ac. Sci. (Paris) XXVIII. May 1849, 645.
- burguetiana** Mitra, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840–46 [*vero propius* 1847], Mitres pl. 1.
- burgundiae** Astrea, de Blainville, Dict. Sci. Nat. LX. 1830, 339.
- burgundiae** Complexastrea (Leym.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 10.—
- Burhinus** C. Illiger, Prod. 1811, 250.—A. [Astrea.]
- buriasiensis** Natica, C. A. Récluz, Proc. Zool. Soc. London, XI (130) June 1844, 212.
- burgingerana** Ph. (Tortrix), J. Huebner, Samml. Europ. Schmett. (Tort.) f. 216 [*die indet.*].
- burka** Gallinago, Bonap; G. R. Gray, Genera of Birds, III. June 1846, 583.

- burkei** Ceratorhina (Cheirolasia), J. O. Westwood, Arcana Entom. (12) Mar. 1843, 178.
- burkei** var. *hopei*, Ceratorhina, J. Bertoloni, N. Comm. Ac. Sci. Inst. Bonon. X. 1849, 424.
- burkii** Culicipeta (Burt.), E. Blyth, Ann. Mag. N. H. XII. Aug. 1843, 99.—*Sylvia*.
- burkii** *Sylvia*, E. Burton, Proc. Zool. Soc. London, III (34) Feb. 1836, 153.
- burlingtonensis** Platycrinus, D. D. Owen & B. F. Shumard, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 60. [1781.]
- burmanniana** Phalaena, Stoll in Cramer, Uitl. Kapellen, IV (—) 1782, 242.—*burmaniana*
- burmeisteri** Acides, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 448.
- burmeisteri** Aegithus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 281.
- burmeisteri** Anomma, W. E. Shuckard, Ann. Nat. Hist. V. July 1840, 326.
- burmeisteri** Anoplocnemus, F. W. Hope, Cat. Lucanoid Coleopt. 1845, 5.
- burmeisteri** Antodon, Brême, Ann. Soc. Ent. France [2] II (3) Jan. 1845, 302.
- burmeisteri** Cetonia, Chevrolat in [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, no. 1, Cetoniidae, Nov. 1842, 5.
- burmeisteri** Cicindela, G. Fischer de W., Cat. Col. Sibir. [1842], 4. [Cyphaspis.]
- burmeisteri** Conoparia (Barr.), Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 83.—
burmeisteri Cyphaspis [err. pro Cyphaspis], J. Barrande, Not. préf. Silur. 1846, 59.
- burmeisteri** Decatoma, J. Bertoloni, N. Comm. Ac. Sci. Inst. Bonon. X. 1849, 420.
- burmeisteri** Dilobopterus, V. Signoret, Rev. et Mag. de Zool. (2) II. May 1850, 286.
- burmeisteri** Harpocera, J. Curtis, Brit. Entom. XV (177) Sept. 1838, no. 709.
- burmeisterii** Inca, Besck in H. Burmeister, Handb. Ent. V. 1847, 568.
- burmeisteri** Lateranus, Dej.; J. Sturm, Catal. Käfer Samml. 1843, 147.
- burmeisteri** Lucanus, F. W. Hope, Ann. Mag. Nat. Hist. VIII (51) Dec. 1841, 302.
- burmeisteri** Lycoderes, L. Fairmaire, Rev. Zool. (Soc. Cuv.) IX. Jan. 1846, 12.
- burmeisteri** Mantis (Mantis), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 80.
- burmeisteri** Monophlebus, J. O. Westwood, Arcana Entom. (2) July 1841, 22.
- burmeisteri** Nitzschia, H. Denny, Mon. Anoplur. 1842, 230.
- burmeisteri** Odontopleura, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 157.
- burmeisteri** Pausus, J. O. Westwood, Tr. Entom. Soc. Lond. II (2) Sept. 1838, 86.
- burmeisteri** Pelidnota, Dupont in H. Burmeister, Handb. Ent. IV (1) 1844, 409.
- burmeisteri** Perla, F. J. Pictet, H. N. Ins. Neuropt. Perlides, 1842, 311. [71 [n. n.].]
- burmeisteri** Pterostichus, O. Heer in Froebel & Herr, Mitth. theor. Erdkunde, I. 1834,
- burmeisteri** Rhaphidosoma, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 392.
- burmeisteri** Rhizobius, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1002.
- burmeisteri** Sipalus, Boheman in C. J. Schoenherr, Gen. et Sp. Carc. IV (2) 1838, 802.
- burnaschevii** Carabus, Gebler in Dejean, Spec. gén. Coléopt. II. 1826, 57.
- burnesii** Eurycercus, E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (*post* Oct.), 374.
- burnesii** Limmulax (Blyth), G. R. Gray, Genera of Birds, III. App. 1849, 10.—*Eurycercus*.
- burnesii** Psammoenas, E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (*post* May 1846), 860.
- burnesiana** Cirrhinus, M'Clelland & Griffith, Calcutta Journ. Nat. Hist. II (8) Jan. 1842, 582.
- burneti** Tellina, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829, 362.
- burnettii** Cercopithecus, J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 256.
- burnettii** Gerrhonotus, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 64.
- burnettii** Heptabanchus, A. Adams in Belcher, Narr. Voy. "Samarang," II. 1848, 494.
- burnetti** Linnæa, J. Alder, Ann. Mag. N. H. (2) II. Dec. 1848, 396.
- burnettii** Murex, Adams & Reeve, Zool. "Samarang" (6) Moll., May 1850, 38.
- burneyi** Heliconia (Huebn.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 104.—*Migonitis*. [14.—*Migonitis*.]
- burneyi** Hesiconia (*sic*) (Huebn.), E. Doubleday, List Lepidopt. Coll. B. M. (App.) 1848,
- burneyi** *Migonitis*, J. Huebner, Verz. bekannt. Schmett. 1816, 12 [n. n.].
- Buro** B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 421.—P.
- Buronus** *emend. pro* Buro, Lac.; C. S. Rafinesque, Analyse, 1815, 88.—P. [n. n.].
- burra** Lanius, J. E. Gray, Ill. Indian Zool. II (—) [1832-5] (pl. 33).
- burra** Scorpaena, J. Richardson, Ann. Mag. N. H. IX. May 1842, 215.
- burrellana** Apis, W. Kirby, Mon. Apum Angl. II. 1802, 358.

- burrellanus** *Bombus* (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 167.—*Apis*.
burrellii Bythinus, H. Denny, Mon. Pselaph. 1825, 22.
burrellii Pogonus, J. Curtis, Brit. Entom. I (12) Dec. 1824, no. 47. [Ovis.
burrhel *Aegoceros* (Blyth), J. A. Wagner in Schreber, Säugth., Suppl. IV. 1844, 507.—
burrhel Ovis, E. Blyth, Proc. Zool. Soc. London, VIII (86) July 1840, 13.
Burrhinus R. P. Lesson, Rev. Zool. II. 1839, 46.—*v.* *Burhinus*, Ill.
burroughiana Anodonta, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 105.
burrovianus (*sic*) Cathartes, J. Cassin, Proc. Acad. Nat. Sci. Philad. II (8) Ap. 1845, 212.
burroughiana Paludina, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 113.
burroughianus Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 67.
burrus Silago, J. Richardson, Ann. Mag. N. H. IX. Ap. 1842, 128.
bursa Balistes, J. G. Schneider, Bloch, Syst. Ichth. 1801, 476.
bursa *Cyathocrinus*, J. Phillips, Geol. Yorksh. II. 1836, 206.
bursa *Gilbertocrinus*, J. Phillips, Geol. Yorksh. II. 1836, 207.
bursa *Vespertilio*, P. W. Lund, Ann. Sci. Nat. [2] (Zool.) XIII. May 1840, 313 [*n. n.*].
bursa-pastoris *Siliquella*, Bory de St V., Ency. Méth. (Zooph.) 1827, 538.
Bursarius R. P. Lesson, Ann. Sci. Nat. (2) V. 1836, 244; Prod. Méduses [auct. typ.] 1837, 10; (Roret's Suite à Buffon), Acalèphes, 1843, 278.—Coel.
bursarius *Ascomys* (Shaw), F. S. Voigt in Cuvier, Thierreich, I. 1831, 240.—*Mus*, 1800.
bursarius *Cassicus*, B. Merrem, Ersch & Gruber, Allg. Ency. XV. 1826, 277.
bursaria *Cecidomyia*, J. J. Bremi, N. D. Allg. Schweiz. Gesellsch. IX. 1847, 20 & 52.
bursaria *Cellularia* (L.), P. S. Pallas, Elenchus Zooph. 1766, 65.—*Sertularia*.
bursarius *Cricetus* (Shaw), C. Illiger, Prod. 1811, 85.—*Mus*, 1800. [1786.
bursaria *Dynamena* (S. & E.), J. V. F. Lamouroux, Hist. Polyp. 1816, 179.—*Cellaria*,
bursaria [*Epistomia*] (L.), J. Fleming, Hist. Brit. Anim. 1828, 541.—*Sertularia*, 1758.
bursaria *Eriosoma* (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 67.—*Aphis*, 1758.*
bursaria *Gemicellaria* (Pall.), de Blainville, Dict. Sci. Nat. LX. 1830, 425.—*Cellularia*, 1766.
bursarius *Geomys* (Shaw), J. Richardson, F. Bor.-Amer. (1) June 1829, 203.—*Mus*, 1800.
bursaria *Leucopis*, C. Rondani, N. Ann. Sci. Nat. [2] VIII. 1847 [Jan. 1848], 437.
bursaria *Loxodes*, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 109.
bursaria *Notamia* (L.), J. Fleming, Hist. Brit. Anim. 1828, 541.—*Sertularia*, 1758.
bursarius *Pemphigus* (L.), J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 182.—*Aphis*,
bursaria *Proteus*, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 197. [1758.
bursaria *Pseudostoma* (Shaw), T. Say in Long, Exped. Rocky Mts. I. 1823, 406; & London ed. II. 1823, 231.—*Mus*, 1800.
bursarius *Saccophorus* (Shaw), H. Kuhl, Beitr. Zool. I. 1820, 65.—*Mus*, 1800. [433.
bursaria *Spongia*, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.—Oct. 1814,
bursata *Urceolaria* (Müll.), Lamarck, An. s. vert. II. 1816, 41.—*Vorticella*, 1786.
Bursatella H. M. D. de Blainville, Dict. Sci. Nat., Suppl. V. 1817, 138; XXXII. 1824, 265.—*Nud*.
Bursatella Turpin, Dict. H. N. 1828 [= *ovum rotatorii apud* Agassiz].
bursatella *Helix*, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 175.
Bursella Turpin, Dict. H. N. 1828 [= *ovum rotatorii apud* Agassiz].
bursicola *Distoma*, Creplin in Ersch & Gruber, Allg. Ency. XXIX (Nachtr.) 1837, 310.
bursinus *Eleginus*, Cuvier & Valenc., H. N. Poiss. V. 1830, 161.
Bursiris *err. pro* *Busiris*; J. E. Gray, Syn. cont. B. M., ed. 44, 1842, 90.—*Nud*.
Bursula A. N. Herrmannsen (*ex* Klein), Ind. Gen. Malacoz. I. 1846, 148.—*Br*.
burtinea *Astarte*, de la Jonkaire, Mém. Soc. H. N. Paris, I (1) 1823, 129.
burtini *Cancer*, H. G. Galeotti, Mém. cour. Ac. Roy. Brux. XII. 1837, 48.
burtini *Nautilus*, H. G. Galeotti, Mém. cour. Ac. Roy. Brux. XII. 1837, 140.
burtini *Strigocephalus*, DeFrance, Dict. Sci. Nat. LI. 1827, 102.
burtini *Terebratula*, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 301.
burtini *Teredo*, Deshayes, P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 38.
burtiniana *Millepora*, C. F. A. Morren, Ann. Ac. Groning. 1828, 25.
Burto J. Gistl, Naturg. Thierr. 1848, 120.—*Col. [err. Waterhouse pro* *Burdo]*.
burtonii *Asterina*, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 289. [—*Carduelis*.
burtoni *Callacanthis* (Gould), C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXXI. 1850, 479.

- burtoni** Carduelis, J. Gould, Proc. Zool. Soc. London, V (57) Feb. 1838, 90.
- burtoni** Fringilla, J. Gould, Birds of Asia, V (1) 1850, pl. 16.
- burtoni** Gerbillus, F. Cuvier, Proc. Zool. Soc. London, IV (48) June 27, 1837, 142 [*n. n.*];
Tr. Zool. Soc. London, II (2) Dec. 1838, 145.
- burtoni** Meriones (F. Cuv.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1843, 479.—
- burtonii** Nessia, J. E. Gray, Ann. Nat. Hist. II. Jan. 1839, 336. [Gerbillus.]
- burtonii** Ciriophthalmus (Gray), L. Fitzinger, Syst. Rept. 1843, 23.—Lialis burtonis.
- Burtonia** C. L. Bonaparte, Consp. Gen. Av. (1) 1850, 507.—A.
- burtonis** Lialis, J. E. Gray, Proc. Zool. Soc. London, II (23) Mar. 1835, 134.
- Busarellus** de la Fresnaye, Rev. Zool. II. 1839, 196.—A. [Daud. 1800.]
- busarellus** Buteo (Lath.), C. Dumont, Dict. Sci. Nat. (ed. 1) V. 1806, 463.—Falco.
- busarellus** Buteogallus (Daud.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 17.—Falco.
- busarellus** Circus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 453.—Falco,
- busbyii** Helix, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 317. [Daud. 1800.]
- buschii** Astropecten, Müller & Troschel, Arch. f. Naturg. IX (1) 1843, 118.
- buschii** Bulimus, L. Pfeiffer, Symb. Helic. III. 1846, 53.—Succinea, 1842.
- buschii** Cyrena, R. A. Philippi, Abb. Conch. III (6) 1849, 78.
- buschi** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (153) Feb. 1846, 126.
- buschii** Physa, H. C. Kuester in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Limnaeacea
- buschii** Succinea, L. Pfeiffer, Symb. Helic. II. 1842, 56. [(90) 1850, 28.]
- buschii** Trochus, R. A. Philippi, Abb. Conch. I (4) 1844, 90.
- Buselaphus** Reichenbach, Vollst. Naturges. (Säug.) III. 1845, 142.—M. [Frisch, 1775;
= Boselaphus; *teste* Palmer.]
- buselus** Cirrospilus, F. Walker, Mon. Chalcid. II. 1839, 96.
- buserai** Falco, J. Wilkes, Ency. Londin. VII (418) 1805, 185 = busarellus, Daud. 1800.
- Buserinus** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 522.—A.
- busignatus** Lissonotus, H. Dupont, Mon. Trachyd. in Magasin de Zool. VI. 1836, 13.
- Busiris** A. Risso, H. N. Europe, IV. 1826, 34.—Nud.
- busiris** Achlyodes (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 108.—Papilio, 1779.
- busiris** Ammonites (Ceratites), G. v. Muenster, N. Jahrb. f. Min. 1834, 12.
- busiris** Ceratites, G. v. Muenster, Beitr. zur Petref. (4) 1841, 130.—Ammonites, 1834.
- busiris** Entedon, F. Walker, Mon. Chalcid. I. 1839, 99.
- busiris** Papilio (Fab.), E. Donovan, Ins. India, 1803.—Hesperia, 1793. [1800.]
- buson** Buteo (Lath.), C. Dumont, Dict. Sci. Nat. (ed. 1) V. 1806, 464.—Falco, Daud.
- buson** Buteogallus (Shaw), G. R. Gray, List Gen. Birds, 1840, 2.—Falco, Daud. 1800.
- buson** Buteogallus (Daud.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 17.—Falco,
1800. [1800.]
- buson** Circus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 454.—Falco, Daud.
- buson** Daptrius (Daud.), G. R. Gray, List Birds Coll. B. M. I. 1844, 14.—Falco, 1800.
- buson** Hypomorphus (Daud.), J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III.
1848, 740.—Falco, 1800.
- buson** Morphus (Shaw), G. R. Gray, Genera of Birds, I. May 1845, 15.—Falco, Daud.
- busschaerdi** Venus, [E. Requier], Cat. Coq. Corse, *extremo* 1848, 24. [1800.]
- bussenensis** Palaeochelys, H. v. Meyer, Jahresh. Ver. vat. Naturk. Württ. III (2) 1847
(*post* May), 167.
- Bustamantia** C. L. Bonaparte, N. Ann. Sci. Nat. [2] I. 1844 [July], 397.—A.
- bustamentii** Cerithium, Nyst & Galeotti, Bull. Ac. Roy. Brux. VII (2) 1840, 215.
- Bustomus** C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 100.—Col.
- Butaetes** R. P. Lesson, Traité Ornith. (2) May 1830, 83.—A.
- Butaëtus** E. Blyth, Journ. Asiat. Soc. Bengal, XIV (1) 1845, 174.—A.
- Butalis** F. Boie, Isis (Oken), 1826, 973.—A.
- Butalis** F. Treitschke, Schmett. Europa, IX (2) 1833, 108.—Lep.
- butalis** Strix, J. Hermann, Obs. Zool. 1804, 120.
- Butaquila** B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 81.—A. [*n. n.*].
- Butastur** B. H. Hodgson, J. Asiat. Soc. Bengal, XII (1) 1843, 311.—A.
- Butaurus** R. P. Lesson, Traité Orn. (8) 1831, 572.—A.
- buteo** Accipiter (L.), P. S. Pallas, Zoographia, I. 1811, 367.—Falco, 1758.
- buteo** Butaetes, R. P. Lesson, Traité Ornith. (2) May 1830, 83.

- buteo** Buteo (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 18.—Falco, 1758.
- buteo** Cerchne (L.), F. O. Morris, The Naturalist, II (9) June 1837, 123.—Falco, 1758.
- buteo** Cleonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 78.
- Buteogallus** R. P. Lesson, Traité Ornith. (2) May 1830, 83.—A.
- buteoides** Aviceda, de Lafresnaye, Rev. Zool. (Soc. Cuv.) IX. Ap. 1846, 133.
- buteoides** Falco, T. Nuttall, Man. Ornith., Land Birds, 1832, 100.
- buteo-japonicus** Falco, Temminck & Schlegel in Siebold, F. Japon. (Aves, 1844), 16.
- buteonides** Cymindis, R. P. Lesson, Traité Ornith. (1) Feb. 1830, 55.
- buteonis** Cucullanus, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, II. 1801, 22.
- buteonis** Distoma (Gm.), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 221.—Fasciola, 1790. [Pediculus, 1777.]
- buteonis** Ricinus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 104.—
- Buteopernis** W. Jameson, Calc. Journ. N. H. I. 1841, 319.—A. [*n. n.*].
- butes** Erycina (Clerck), W. W. Saunders, Tr. Entom. Soc. Lond. V (9) Feb. 1850, 217.—Papilio, 1764.
- Buthraupis** J. Cabanis, Mus. Heineanum (1) 1850 [1851], 29.—A.
- Buthus** W. E. Leach, Tr. Linn. Soc. London, XI (2) 1815, 391.—Ar.
- Butirinus** E. Rueppell, N. Wirbelth. Abyssin. (11) 1837, 80.—[Butyrinus.]
- butis** Cheilodipterus, F. Hamilton, Fish. Ganges, 1822, 57. [—Cheilodipterus.]
- butis** Eleotris (Ham.), T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1178.
- butleri** Helix, L. Pfeiffer, Proc. Zool. Soc. London, X (113) Dec. 1842, 87.
- butomi** Aphis, F. v. P. Schrank, F. Boica, II (1) 1801, 114.
- Butor** Forster, Pocket Encycl. Nat. Phenom. 1827, 417.—*Typus* Ardea stellaris, L. [*teste* Butor W. Swainson in H. Murray, Ency. Geogr. 1834, 1384.—A. [Iredale].]
- Butor** J. Gistel, Nat. Thierr. 1848, 172; Handb. Naturg. 1850 [1847], 565.—L.
- Butorides** E. Blyth, Cat. Birds Mus. Asiat. Soc. 1849 [*i. e.* 1852], 281.—A.
- Buturinus** Cuvier & Valenc. (*ex* Comm. MS), H. N. Poiss. XIX. 1846, 316.—P.
- butus** Entedon, F. Walker, Mon. Chalcid. I. 1839, 32.
- butyracea** Coccothraustes, L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 529.
- butyracea** Crithagra (L.), G. R. Gray, Gen. Birds, III. App. 1849, 30c.—Fringilla, 1758.
- butyracea** Serinus (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 522.—Fringilla,
- Butyrinus** B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 45.—P. [1758.]
- butskopf** Hyperoodon, B. G. E. de Lacepède, H. N. Cétac. 1804, p. xliv.
- butztkopf** Uranodon (Bonn.), C. Illiger, Prod. 1811, 144.—Delphinus, 1789.
- buvignieri** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1844, 261.
- buvignieri** Aplosmilia (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 38.—Lobophyllia
- buvignieri** Cerithium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 11. [phyllia.]
- buvignieri** Eusmilia (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 266.—Lobophyllia.
- buvinieri** (*sic*) Helix, G. Michaud, Actes Soc. Linn. Bordeaux, XII (37=58) 1841, 64.
- buvignierii** Lobophyllia, H. Michelin, Icon. Zoophyt. (7) 1843, 90.
- buvignieri** Opis, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 362.
- buvignieri** Panopaea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 358.
- buvignieri** Pentacrinus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 320.
- buvignieri** Phasianella, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 9.
- buvignieri** Thecosmilia (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 31.—Lobophyllia.
- buvignieri** Trochus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 151.
- buvignieri** Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 354.
- buxeus** Conus, J. F. Bolten, Mus. Bolten. II. 1798, 42.
- buxeus** Conus, L. Reeve, Conch. Icon.—Conus, no. 265, Feb. 1844.
- buxeus** Fusus, L. Reeve, Conch. Icon. IV.—Fusus, no. 18, Nov. 1847.
- buxeus** Murex, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (25) Mar. 1833, 194.
- buxi** Cerastis, Boisduval, Gen. Index Europ. Lepid. 1840, 147.
- buxi** Coccus, Boyer de F., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 218.
- buxi** Psylla (L.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 379.—Chermes, 1758.
- buxovillanum** Lophiodon (Cuv.), H. v. Meyer, Palaeologica, 1832, 87.—Palaeotherium.
- buxovillanum** Palaeotherium, G. Cuvier, Oss. foss. III. 1812, Add. p. 6.

- buxus** Psylla, F. de Tigny, s. à Deterville ed. Buffon, Ins. IV. 1801, 167.
- Byas** Dalman in G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 85.—Lep. [n. d., 6 nom. triv. append.].
- Byas** F. O. Morris in N. Wood, Naturalist, II (9) June 1837, 123.—A.
- Byas** P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 361.—Neur.
- Byblia** J. Huebner, Verz. bekannt. Schmett. 1818, 28.—Lep.
- Bylgia** G. v. Muenster, Beitr. zur Petref. (2) 1839, 56.—Cr.
- Bylliodes** "Latr." D. Ziegler, Proc. Acad. Nat. Sci. Philad. II (10) Aug. 1845, 271.—Col.
- Bynamphus** C. S. Rafinesque, Analyse, 1815, 71.—A. [n. n.].
- bynni** Barbus (Forsk.), Cuvier & Valenc., H. N. Poiss. XVI. 1842, 174.—Cyprinus, 1775.
- bynoëi** Idiocephala, W. W. Saunders, Tr. Entom. Soc. Lond. IV (2) Nov. 1845, 146.
- bynoensis** Gobius, J. Richardson, Zool. "Ereb. Terr." (Fish, 1844), 1.
- bynoensis** Scorpaena, J. Richardson, Zool. "Ereb. Terr." (Fish, 1845), 22. [Dipt.
- Byomya** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 392.—
- Byomyia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Byomya, Rob.
- byringerana** Eclectis, J. Huebner, Verz. bekannt. Schmett. 1826, 385.—Tortrix, 1796.
- byringerana** Feronea (Huebner.), J. Curtis, Brit. Entom. I (4) Ap. 1824, no. 16; & ed. 2, *ibid.* 1835-9, 5.
- byronensis** Drepanis, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Aves, II. 1829, [390]
- byronensis** Helicteres, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 51. [& pl.
- byronensis** Mactra (Gray), Catlow & Reeve, Conch. Nomen. 1845, 13.—Mulinia.
- byronensis** Melania, W. Wood, Suppl. Index Test. 1828, 42.—Strombus, 1828.
- byronensis** Mulinia, J. E. Gray, Mag. Nat. Hist., n. s., I, July 1837, 376.
- byronensis** Nectarina, A. Bloxam in Byron, Voy. "Blonde" Sandwich Islands, 1826, 249.
- byronensis** Regulus, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Aves, II. 1829, [42]
- byronensis** Strombus, W. Wood, Suppl. Index Test. 1828, 14 [n. et f.]. [& pl.
- byronensis** Trigona, J. E. Gray, The Analyst, VIII (24) July 1838, 304.
- byronii** Achatina, W. Wood, Suppl. Index Test. 1828, 29.—Helix, 1828.
- byronii** Helix, W. Wood, Suppl. Index Test. 1828, 22 [n. et f.].
- byronii** Macrorhinus (de Bl.), R. P. Lesson, Man. Mamm., May 1827, 202.—Phoca.
- byronii** Mirounga (Bl.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Mamm. Syn. 1827, 181.—Phoca.
- byronia** (*sic*) Phoca, H. M. de Blainville, Journ. de Physique, XCI. Oct. 1820, 300 [n. n.].
- byronii** Phoca, A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 240.
- byroni** Psittacus (Aratinga), J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 12.
- byronianus** Trochus, W. Wood, Suppl. Index Test. 1828, 16 [n. et f.].
- byrrhinus** Larinus (Sparrm.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 139.—Curculio, 1785.
- Byrseus** H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxv (June 1850).—A. [n. et f.].
- Byrsocrypta** A. H. Haliday, Ann. Nat. Hist. II (9) Nov. 1838, 190.—Hem.
- Byrsopages** C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 208.—Col.
- Byrsopolis** H. Burmeister, Handb. Ent. IV (1) 1844, 425.—Col.
- Byrsops** C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 14; & II (2) 1834, 408.—Col.
- Byrsoptera** M. Spinola, Ess. Ins. Hémipt. 1837, 191.—Hem.
- bysantica** *v.* byzantica.
- byses** Satyrus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 496.
- bysia** Anthomyia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 936.
- Bysoanodonta** *err. pro* Byssosan→; d'Orbigny, Voy. Amér. mérid. (Moll.) 1846, pl. 84.
- Byssacanthus** J. L. R. Agassiz, Poiss. F. V. G. R. 116 (1845).—P.
- Byssacanthus** L. Agassiz in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 409.—P.
- Byssanodonta** A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 621.—L.
- byssifera** Glycimeris (Fab.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 6.—Mya, 1780.
- byssifer** Pecten, H. Dufo, Ann. Sci. Nat. [2] (Zool.) XIV. Oct. 1840, 210.
- byssinata** Acidalia, F. Treitschke, Schmett. Europa, VI (2) 1828, 36. [17.
- byssinella** Ochromolopis, J. Huebner, Verz. bekannt. Schmett. 1826, 408.—Tinea, 1811-
- byssinella** Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 56 (Fernaldo giudice 1811-17)
- byssinus** Anthocomus, W. F. Erichson, Entomographien, 1840, 109. [[n. et f.].

- byssina** Anthophora (Panz.), J. C. Fabricius, Syst. Piezat. 1804, 378.—*Apis*, 1798.
byssina Bathyscia, Schiödte, Overs. K. Danske Vid. Selsk. Förhandl. (6) 1847, 79.
byssinus Chironomus (Schr.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 46.—
byssina Chnoodes, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 913. [Tipula.
byssinus Conus (Bolt.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 102.
 —Cucullus, 1798.
byssinum Enoplium, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 86.
byssina Megachile (Panz.), C. A. Walckenaer, Faune Paris. II. 1802, 139.—*Apis*, 1798.
byssina Megilla, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 142 [*n. n.*].
byssina Osmia (Panz.), M. Spinola, Ins. Liguria, II. 1808, 201.—*Apis*, 1798.
byssina Saropoda, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. *z*.
byssina Tipula, F. v. P. Schrank, F. Boica, III (1) 1803, 76.
byssina Trachusa (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 252.—Anthophora.
Byssoarca W. Swainson, Proc. Zool. Soc. London, 1833, 16; Zool. Illust. (2) III (26)
 1833, pl. 118.—L. [Orb. 1846].
Byssodonta J. E. Gray, Proc. Zool. Soc. London, 1847, 197.—L. [*err. pro* Byssanodonta,
byssoides Amorphospongia (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 289.
byssoides Millepora, Lamarck, An. s. vert. II. 1816, 203. [—Scyphia.
byssoides Nullipora, Lamarck, Syst. Anim. 1801, 374.
byssoides Scyphia, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 6.
byssoides Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (119) Jan. 1814, 375.
Byssomia *err. pro* Byssomya; G. P. Deshayes, Ency. Méth. (Moll.) II. 1830, 553, table
 [teste Scudder, *non comp. sed* Byssomie *vernac.*].
byssomiae Pinnotheres, T. Say, J. Acad. Nat. Sci. Philad. I (16) Dec. 1818, 451.
Byssomya L. Oken, Isis (Oken), 1817, 1166.—L.
Byssomya H. R. Schinz in Cuvier, Thierreich, II. 1822, 763.—L. [*non* Cuvier, *vernac.*].
Byssonina de Blainville, Dict. Sci. Nat. (ed. 2) V (Suppl.) 1817, 158.—L. [=Byssomya,
 Cuv., teste Herrmannsen].
Byssura F. O. Morris, The Naturalist, II (9) June 1837, 124.—A.
Bythina W. Macgillivray, Hist. Moll. Aberdeen, 1843, 124.—G.
Bythinus W. E. Leach, Zool. Miscell. III. 1817, 80.—Col.
Bythis J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 11.—Bithys, 1818.
Bythites J. C. H. Reinhardt, Overs. K. Danske Vid. Selsk. Förhandl. (1832–36) (1835),
 p. lxxviii; Afhandl. K. Danske Vid. Selsk. VII. 1838, 178.—P. [*non* Bithytes,
apud Agassiz].
Bythonessa C. W. L. Gloger, Gemeinnütz. Naturges. (2) 1842, 472.—A.
Bythoscopus E. F. Germar, Revue Entom. I (4) c. Sept. 1833, 180.—Hem.
bytonii Cantharis, Sedakov in Mannerheim, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (1)
 1849, 231.
bysantica Elaphocera, P. Rambur, Ann. Soc. Ent. France [2] I (4) Mar. 1844, 354.
byzantina Mylabris, J. Gistel, Nat. Thierr. 1848, 126; Handb. Naturg. 1850 [1847], 413.
Byzenos G. v. Muenster, Beitr. zur Petref. (6) 1843, 50.—P.
Byzenus C. S. Rafinesque-S., Précis Som. 1814, 23.—Cr.
byzos Lycaena, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 81.

NOTICE

This work will be divided into sections convenient for binding. The first section comprises A and B. The second section will comprise C; and each succeeding section will likewise comprise a complete letter or letters.

The blue wrappers should be bound in place, as issued.

