


des vier und siebenzigsten Hefts.

- Tab. I. *Pimelia variolosa* Fabric.
— 2. *Carabus gemmatus* Fabric.
— 3. *Carabus arvensis* Fabric.
— 4. *Carabus glabratus* Fabric.
— 5. *Carabus convexus* Fabric.
— 6. *Cychrus rostratus* Fabric.
— 7. *Notoxus cornutus* Fabric.
— 8. *Notoxus equestrus* Panzer.
— 9. *Cynips armata* Panzer.
— 10. *Andrena Rosae* Panzer.
— 11. *Apis campestris* Panzer.
— 12. *Apis arenaria* Panzer.
— 13. *Thereva subcoleoptrata* Mas. Fabric.
— 14. *Thereva subcoleoptrata Femina*, Fab.
— 15. *Thereva crassipennis* Fabric.
— 16. *Thereva affinis* Fabric.
— 17. *Thereva analis* Fabric.
— 18. *Empis pennipes* Fabric.
— 19. *Aranea aromaria* Panzer.
— 20. *Aranea irregularis* Panzer.
— 21. *Papilio Danaus Sinapis* Fabric.
— 22. *Papilio Danaus Daplidice* Fabric.
— 23. *Papilio Danaus Cleopatra* Mas Fabric.
— 24. *Papilio Danaus Cleopatra Femina* Fab.





Pimelia variolosa Fabr.



PIMELIA variolosa.

Der blätterigte Höckerkäfer.

Pimelia variolosa: thorace marginato, marginibus reflexis, elytris linea media elevata dentata. *Fabric. Entom. syst. Suppl.* p. 45.

Blaps variolosa. *Fabric. Entom. syst. T. I. n. 10.* p. 108.

Silpha granulata. *Fabrie. Mant. Inf. T. I. n. 12.* p. 49.

Habitat in Austriae campis fabulosis, unde in collectionem meam transiit.

Cum illustr. *Fabricio* communicavi ante plures annos huius speciei exemplum, quod tum sub nomine *Silphae rugosae* *Scopol.* 53. fuerat ad me missum; idem, quod *Fabricius* statim pro *Blape variolosa* agnoverat: hinc nullum dubium est, me veram hic *Pimeliam variol.* *F.* publicasse, quamvis ullo *synonymorum* strepitum, eandem comitari nolim, ne indubiam speciem infidam reddere velle videar..

the first of the month, we were enabled to get a good
start, and about 10 miles from town we came to
the first of the T. The water was very low
and the banks were high, so that we had to go
over them to get across. We were soon in
the river, and continued on our way, passing
through several rapids, which were very
dangerous. We were soon in the middle of the
river, and the water was very deep. We had to
go over the rocks, which were very numerous, and
which were very dangerous. We were soon in
the middle of the river, and the water was very



Carabus gemmatus Fabr.



CARABVS gemmatus.

Der brilliantirte Laufkäfer.

Carabus gemmatus: apterus niger elytris striatis, punctis aeneis bilobis excavatis triplici serie. *Fabric.* Entom. syst. T. I. n. 12. p. 127. Spec. Inf. T. I. n. 9. p. 300. *Mant. Inf.* T. I. n. 15. p. 196.

Carabus striatus. *Degeer* Inf. T. IV. p. 90. n. 5. tab. 3. fig. 1.

Paykull. Mon. Car. n. 6. p. 15.

Eiusd. Faun. Suec. T. I. n. 6. p. 101.

Panzer Entom. germ. I. n. 8. p. 45.

Habitat in sylvaticis Harcyniae.

Nulla synonyma adduxi, praeter ea, quae prae aliis mihi equidem, magis certa videbantur. Puncta elytrorum biloba, numero variant.


returning -200000

Winnipeg -200000

There's about 200000 in my account at the bank and I'm going to cash it out
just before Christmas. I have a few things I want to buy and I don't
want to wait until after Christmas because I'll be gone for a week.
I'm going to buy a new car and a new house.
I'm going to buy a new car and a new house.
I'm going to buy a new car and a new house.



Carabus arvensis Fabr.



CARABVS arvensis.

Der Feld - Laufkäfer.

Carabus arvensis: apterus nigro cupreus, elytris striatis: punctis excavatis triplici serie. *Fabric.* Mant. Inf. T. I. n. 18. p. 196. *Entom. syst.* T. I. n. 17. p. 128.

Paykull. Mon. Car. n. 10. p. 21.

Eiusd. Faun. Suec. T. I. n. 10. p. 105. -

Illiger Kug. Preus. Käf. T. I. n. 16. p. 153.

Panzer Entom. germ. I. n. 13. p. 46.

Habitat in arvis fabulosis.



Carabus glabratus Fabr.



CARABVS glabratus.

Der geglättete Laufkäfer.

Carabus glabratus: apterus ater, elytris laevissimis unicoloribus. *Fabric.* Ent.
syst. T. I. n. 4. p. 125.

Paykull. Mon. Car. n. 5. p. 14.

Eiusd. Faun. Suec. T. I. n. 5. p. 101.

Carabus laevigatus. *Scriba* Beytr. I. p. 4. n. 2. n. 2. tab. I. fig. 2.

Carabus convexus. *Herbst* Archiv. V. 2. n. 6. p. 130. tab. 29. f. 2.

Illiger Kugel. Käfer Preuß. T. I. n. 11. p. 149.

Panzer Entom. germ. I. n. 2. p. 44.

Habitat in sylvaticis.

and which will be more or less permanent. It is not

the same with

the other

and which will be more or less permanent. It is not

the same with

the other

and which will be more or less permanent. It is not

the same with

the other

and which will be more or less permanent. It is not

the same with



Carabus convexus Fabr.



CARABVS convexus.

Der gewölbte Laufkäfer.

Carabus convexus: apterus convexus ater laevis thorace postice emarginato. *Fabric.* Entom. syst. T. I. n. 21. p. 129. *Syst. Ent.* n. 11. p. 238. *Spec. Inf.* T. I. n. 14. p. 301. *Mant. Inf.* T. I. n. 22. p. 197.

Paykull Mon. Car. n. 13. p. 25.

Eiusd. Faun. Suec. T. I. n. 13. p. 107.

Scriba Beytr. I. p. 10. n. 5. tab. 1. fig. 5.

Illiger Kug. Käf. Preuß. T. I. n. 12. p. 149.

Panzer Entom. germ. I. n. 14. p. 47.


Habitat in sylvaticis.

the first time in the history of our country, that the
people of the United States have been compelled to
make a national offering to God, in thanksgiving for
the deliverance of their country from the pestilence
which threatened it. This offering was made in
the month of October, 1782, and it was a very
large one. It was made by the people of the
United States, and it was made in thanksgiving
for the deliverance of their country from the
pestilence which threatened it.



Cyphrus rostratus Fabr:

J. St. f.



CYCHRVS rostratus.

Der langgerüsselte Deckkäfer.

Cycbrus rostratus: elytris laevibus nigris, capite angustissimo. *Fabric.* Entom.
syst. T. VI, app. p. 440.

Carabus rostratus. *Fabric.* Entom. syst. T. I. n. 31. p. 131. Syst. Ent. n. 21.
p. 240. Spec. Plant. T. I. n. 26. p. 304. Mant. Inf. T. I. n. 36. p. 198.

Tenebrio rostratus. *Linn.* Syst. Nat. n. 20. p. 577. ed. XIII. n. 72. p. 1966.
Fn. Suec. n. 823.

Tenebrio caraboides. *Linn.* Syst. Nat. n. 25. p. 577. ed. XIII. n. 25. p. 1997.
Fn. Suec. n. 825.

Paykull. Mon. Car. n. 14. p. 26.

Eiusd. Faun. Suec. T. I. n. 1. p. 97.

Fetagna Inf. Calabr. p. 25. n. 121, fig. 21.

Scribus Beytr. I. 5. tab. I. fig. 3.

Carabus coadunatus. Degeer Ins. IV. n. 7. p. 92. tab. 3. fig. 13.

Illiger Kug. Käf. Preus. T. I. n. I. p. 216.

Panzer Entom. germ. I. n. 21. p. 48.


Habitat in quisquiliis.

a Magnitudo naturalis. b Caput etc. auctum.



Notoxus cornutus Fabr.

J. J.



NOTOXVS cornutus.

Der gehörnte Schildkrotenkäfer.

- *Notoxus cornutus*: thorace in cornu supra caput protenso, elytris fasciis tribus atris. *Fabric. Entom. syst.* T. I. n. 7. p. 211.

Rossi *Faun. Etrusc.* T. I. n. 354. p. 139. Var.

Habitat in Austria.

a Magnitudo naturalis. b Eadem aucta. c Caput supine visum auctum.

180000 - 170000

- 170000 - 160000 -

160000 - 150000 - 140000 -
130000 - 120000 - 110000 -
100000 - 90000 - 80000 -
70000 - 60000 - 50000 -

40000 - 30000 - 20000 - 10000 -

0 -

1

2



Notoxus equestris Mihi.



NOTOXVS equestris.

Der Ritter - Schildkrotenkäfer.

Notoxus equestris: fuscus thorace antennarum elytrorumque basi pedibusque rufis.

Legi semel in floribus Crataeg. Oxyacanth. 1799.

Caput transversum fuscum nudum. Antennae corporis dimidii longitudine rufae apice fuscae, articulis fere omnibus ciliatis. Thorax elongatus antice rotundatus postice angustatus rufus punctatus. Coleoptera fusca nitida margine ciliata basi rufa. Pedes rufi femoribus obscurioribus.

Similis *Not. pedestri* Rossi Faun. Eurus. Mant. n. 114. p. 45., quem omnino
huc referrem, nisi femorum anticorum fabrica dentata obstareret, quam huic illustr.
Fabric. (Ent. syst. Suppl. p. 65.) assignavit.

a Magnitudo naturalis. b Eadem aucta.

1870-1871

1870-1871


After spending a few days in Boston and New York, I returned
to New Haven on the 2^d inst. and remained at home until
Sunday afternoon when I went to New Haven and
spent the evening with my old friends. On Monday morning
I took a boat to New Haven and spent the day there. On
Tuesday I took a boat to New Haven and spent the day there. On
Wednesday I took a boat to New Haven and spent the day there.
On Thursday I took a boat to New Haven and spent the day there.
On Friday I took a boat to New Haven and spent the day there.
On Saturday I took a boat to New Haven and spent the day there.

1870-1871



Cynips armata Mihi.

J. St. fee.



CYNIPS armata.

Die bewafnete Gallwespe.

Cynips armata: atra nitida, scutello bidentato, antennarum basi pedibusque rufis.

Legi in Quercu caesa et iam decorticata, quam sero autumno 1799. circumvolabat.

Corpus totum nigrum nitidum. Capit transversum paullo a thorace remotum, punctatum. Antennae nigrae basi rufae. Thorax corporis maxima pars, ater inaequalis punctatus nitidus. Scutellum elevatum productum bidentatum. Abdomen ovatum nitidum. Pedes antici et medii rufi: femora postica valde incrassata, nigra, nitida, tibiis apice et basi plantisque rufis. Alae hyalinae subaveniae, fasciis duabus obsoletis fuscis.

a Magnitudo naturalis. b Eadem aucta. c Scutellum bidentatum. c Pes posticus, auctus.

THE
CATHOLIC

WEEKLY RECORD AND

CATHOLIC AND UNIVERSAL POPULAR JOURNAL WHICH CONTAINS THE
CATHOLIC CHURCH OF THE UNITED STATES AND THE WORLD.

CONTAINING A HISTORY OF THE CATHOLIC CHURCH IN THE UNITED STATES, THE
LITERATURE OF THE CHURCH, AND THE HISTORY OF THE CATHOLIC CHURCH IN THE

UNITED STATES, AND THE CHURCH IN THE WORLD; AND THE HISTORY OF THE
CATHOLIC CHURCH IN THE UNITED STATES, AND THE HISTORY OF THE CATHOLIC CHURCH IN THE

UNITED STATES, AND THE CHURCH IN THE WORLD; AND THE HISTORY OF THE
CATHOLIC CHURCH IN THE UNITED STATES, AND THE HISTORY OF THE CATHOLIC CHURCH IN THE

UNITED STATES, AND THE CHURCH IN THE WORLD; AND THE HISTORY OF THE
CATHOLIC CHURCH IN THE UNITED STATES, AND THE HISTORY OF THE CATHOLIC CHURCH IN THE

UNITED STATES, AND THE CHURCH IN THE WORLD; AND THE HISTORY OF THE
CATHOLIC CHURCH IN THE UNITED STATES, AND THE HISTORY OF THE CATHOLIC CHURCH IN THE



Andrena Rosae Mihi.

J. et. fe.

看

ANDRENA Rosae.

Die Rosen - Waldbiene.

Andrena Rosae: thorace pubescente, abdomine nigro nitido, segmento secundo tertioque rufis, macula media nigra.

Legi haud infrequens in *Rosa sylvestri* 1793.

Corpus mediae magnitudinis. Caput atrum transversum cinero pubescens, vertice subnudo. Antennae nigrae tenues breves. Thorax ater subopacus dorso nudo, margine laterali cinereo pubescenti. Abdomen compressum nudum nitidulum nigrum: segmentis secundo, tertio, quandoque etiam primo postice, rufis; medio macula nigra, utplurimum in secundo segmento sita. Alae subfuscæ, nervo antico crassiori nigro, puncto obscure flavo. Pedes nigri, praesertim postici valde nigro pilosi: tarsis omnibus fuscis,

a Magnitudo naturalis. b Eadem aucta.

1922 READING

WEEKLY ANALYSIS

After a week's pause after returning from a long vacation
and the return of the new school year, we are again
in the thick of things and it is apparent how fast

the time has passed. The new students seem to be
getting along well and the old ones are back in the swing
of things. The new students seem to be getting along well,
but some of them are still having trouble with their
homework and I am trying to help them out. One girl
has been having trouble with her handwriting, so I have
been working with her to help her improve it. She is

making progress, but there is still a



Apis campestris Mihi.

J. G. fee.

APIS campestris.

Die Feldbiene. Die Feldhummel.

Apis campestris: hirsuta nigra: thorace flavo fascia atra: abdomine nudo nitido,
apice elongata acuminato, alis nigricantibus.

Legi haud infrequens in regione sylvarum fabulosa, floribus Solidag. Virg.
aur. L. insidentem, mense Octobr. 1799.

Magnitudo et statura *Ap. lapidar.* F. Caput atrum nitidum fronte atro pilosa, vertice cum regione stemmatum calvis. Mandibulae productae validæ crassæ, oblique truncatae, subdentatae, extus lineis aliquot elevatis: apice parum rufo pilosae. Antennæ nigrae. Oculi magni nigri, nebula cinerea. Thorax ater flavus, medio nudus. Alae obscure fuscae præsertim apice, s. nigricantes. Abdomen in viva Ape, valde elongatum: ano acuto, post mortem inflexo: atrum, dorso nitidissimo nudo, sub lente tamen obsolete pubescenti, inprimis ad marginem lateralem: anus acuminatus inflexus, saepius utrinque ad marginem lateralem flavobarbatus. Pedes nigri pilosi, tarsis fuscis.


... que se ha de tener en cuenta para la ejecución de la obra. La ejecución de la obra se efectuará en el menor tiempo posible, cumpliendo con las normas de seguridad establecidas en la legislación laboral y las normas de calidad establecidas en la legislación de la construcción.

En la ejecución de la obra se deben cumplir las normas de



Apis arenaria Mihi.

J. St. fee.



APIS arenaria.

Die Sandbiene. Die Sandhummel.

Apis arenaria: atra pubescens, ano fulvo, alis nigricantibus,

Legi sero autumno A. 1799. in floribus.

Similis quidem *A. rupestris* F. sed omnino ab illa diversa, quae frequens apud nos. Habitus et statura aliena. Corpus minus hirsutum ac in *A. rupestris*, abdominis dorso nudiusculo. Thorax antice hirsutie sordide flava, et anus omnino fulvus. Alae intensius nigricantes.

During 1958
I made several contacts with
members of the public who were interested in the development
of the new science of ecology and its
application to the solution of environmental problems. The meetings which
I had with these individuals were generally quite brief, and they usually
consisted of a short period of listening to me talk about my work and then
a question and answer period.



Thereva subcoleoptrata Mas Fabr. J.S. fec



THEREVA subcoleoptrata. Mas.

Die halbgedekte Käferfliege. Das Männchen.

Thereva subcoleoptrata: thorace nigro alis cinereis: vittis duabus fuscis repandis.

Fabric. Entom. syst. Supplem. n. 1. p. 560.

Syrphus subcoleoptratus. Fabric. Entom. syst. T. VI. n. 21. p. 283. Syst. Entom.

n. 9. p. 764. Spec. Ins. T. II. n. 12. p. 423. Mant. Ins. T. II. n. 13. p. 335.

Conops subcoleoptratus. Linu. Syst. Nat. n. 13. p. 1006. ed. XIII. n. 335. p. 2869.

Legi saepius in copula, in umbelliferis, cymosis et corymbiferis. Animal inquietum, agile, ocyssime volitans.

a Magnitudo naturalis. b Eadem aucta,

240 THE AMERICAN JOURNAL

OF SCIENCE AND ART

which had been used during the early months of 1875, and
which were called "Rome's" which
will be the name of the new school now proposed.
The first meeting of the new school will be held at
the old room now occupied by the old school, and the new school
will consist of approximately the same number of students.


The new school will be conducted in the same way as

the old school, making the only



Thereva subcoleoptrata Tem. Fabr.

J. St. fcc



THEREVA subcoleoptrata. Feminæ.

Die halbgedekte Käferfliege. Das Weibchen.

Thereva subcoleoptrata Fabr. l. c.

Habitat cum mare.

a Magnitudo naturalis. b Eadem aucta.

Golden Gate Park
San Francisco, California
July 1912

Dear Mr. and Mrs. C. L. Burleigh,
I am enclosing a copy of my
last letter to you, which
will give you some idea
of the present situation.



Thereva crassipennis Fabr.

J. St. Jea.



THEREVA crassipennis.

Die dickflügligste Käferfliege.

Thereva crassipennis: thorace flavescente, alis disco albido: puncto distincto nigro. *Fabric. Entom. syst. Supplem. n. 3. p. 560.*

Syrphus crassipennis. *Fabric. Entom. syst. T. VI. n. 23. p. 284.*

Habitat in floribus.

a Magnitudo naturalis, b Eadem aucta.

THURSDAY 24th January
Die Schäfchen sind wieder
zurück gekommen : sie sind sehr gesund und kräftig.
Sie haben sich sehr gut verhalten und sind sehr
aufmerksam gewesen. Ich habe sie mit viel Liebe
versorgt und gepflegt. Sie sind sehr dankbar.
Habt mir ein gutes Bild von den Schäfchen geschickt.



Thereva affinis Fabr.

J Sturm fec.



THEREVA affinis.

Die ähnliche Käferfliege.

Thereva affinis: thoracis lateribus fulvis: abdomine atro lateribus testaceis. *Fabric.* Entom. syst. Suppl. n. 4. p. 561.

Syrphus affinis. *Fabric.* Entom. syst. T. VI. n. 24. p. 284.

A me lecta quotannis in editioribus in floribus. Abdominis macula lateralis minime in meis testacea, sed obscure rufa.


a Magnitudo naturalis. b Eadem aucta.

10
S. S. T. A. M. I. C. H. I. N. G.
D. I. K. Y. A. K. I. N. G.
T. I. C. H. I. N. G. D. I. K. Y. A. K. I. N. G.
I. C. H. I. N. G. T. I. C. H. I. N. G. D. I. K. Y. A. K. I. N. G.
C. H. I. N. G. I. C. H. I. N. G. T. I. C. H. I. N. G. D. I. K. Y. A. K. I. N. G.
H. I. N. G. C. H. I. N. G. I. C. H. I. N. G. T. I. C. H. I. N. G. D. I. K. Y. A. K. I. N. G.
I. N. G. H. I. N. G. C. H. I. N. G. I. C. H. I. N. G. T. I. C. H. I. N. G. D. I. K. Y. A. K. I. N. G.
C. H. I. N. G. I. N. G. H. I. N. G. C. H. I. N. G. I. C. H. I. N. G. T. I. C. H. I. N. G. D. I. K. Y. A. K. I. N. G.
H. I. N. G. C. H. I. N. G. I. N. G. H. I. N. G. C. H. I. N. G. I. C. H. I. N. G. T. I. C. H. I. N. G. D. I. K. Y. A. K. I. N. G.
I. N. G. H. I. N. G. C. H. I. N. G. I. N. G. H. I. N. G. C. H. I. N. G. I. C. H. I. N. G. T. I. C. H. I. N. G. D. I. K. Y. A. K. I. N. G.
C. H. I. N. G. I. N. G. H. I. N. G. C. H. I. N. G. I. N. G. H. I. N. G. C. H. I. N. G. I. C. H. I. N. G. T. I. C. H. I. N. G. D. I. K. Y. A. K. I. N. G.
H. I. N. G. C. H. I. N. G. I. N. G. H. I. N. G. C. H. I. N. G. I. N. G. H. I. N. G. C. H. I. N. G. I. C. H. I. N. G. T. I. C. H. I. N. G. D. I. K. Y. A. K. I. N. G.
I. N. G. H. I. N. G. C. H. I. N. G. I. N. G. H. I. N. G. C. H. I. N. G. I. N. G. H. I. N. G. C. H. I. N. G. I. C. H. I. N. G. T. I. C. H. I. N. G. D. I. K. Y. A. K. I. N. G.



Thereva analis Fabr:

Jac. St. fee.



THEREVA analis.

Die bleichhafterichte Käferfliege.

Therева analis: fusca abdominis lateribus basi fulvis, ano albido. *Fabric.* En-tom. syst. Suppl. n. 5. p. 561.

Legi non raro in montosis asperis. 1799.

.a Magnitudo naturalis. .b Eadem aucta.

the first time in the history of
the world that a man has
been born who can do
what I have done.



Empis pennipes Fabr.

J. St. fec.



EMPIS pennipes.

Die federfűsichte Schnepfenfliege.

Empis pennipes: nigra pedibus posticis elongatis pennatis. *Fabric.* Entom. syst. T. VI. n. 5. p. 404. Syst. Entom. n. 2. p. 801. Spec. Inf. T. II. n. 2. p. 471. Mant. Inf. T. II. n. 3. p. 364.

Empis pennipes. *Linn.* Syst. Nat. n. 2. p. 1003. ed. XIII. n. 2. p. 2889. Faun. Suec. n. 1896.

Asilus pennipes. *Scop.* carn. n. 994.

Sulzer Kennz. d. Inf. tab. 21. fig. 137.

Primo vere frequens in pratensisibus.

a Magnitudo naturalis. b Eadem aucta.

1900-1903

Mythology, Chinese, etc.

Chinese folk-lore, stories, legends, superstitions, etc.
and the like, also, etc., etc., etc., etc., etc., etc., etc., etc.,
etc., etc., etc., etc., etc., etc., etc., etc., etc., etc., etc., etc.,
etc., etc., etc., etc., etc., etc., etc., etc., etc., etc., etc., etc.,

Chinese folk-lore, stories, legends,
etc., etc.,


Chinese folk-lore, stories, legends,

Chinese folk-lore, stories, legends,



Aranea atomaria Mihi.

J. St. fee



ARANEA atomaria.

Die zartgetupfte Spinne.

Aranea atomaria: grisea, abdomine globoso punctulato, thorace vittis duabus basi coeuntibus fuscis.

Legi sero autumno in sylvaticis sub muscis.

Parva. Thorax rotundatus margine laterali obscuro, linea dorsali tenuissima, vittisque duabus fuscis basi coeuntibus. Abdomen globosum, punctis, atomis et nebulis sparsis fuscis, obscuris. Pedes pallide fasciati.


a Magnitudo naturalis. b Eadem aucta. c Situs oculorum.

and the *lungs* were *normal*.
The *liver* was *normal*.
The *kidneys* were *normal*.
The *bladder* was *normal*.
The *uterus* was *normal*.
The *ovaries* were *normal*.
The *testes* were *normal*.
The *prostate* was *normal*.
The *rectum* was *normal*.
The *colon* was *normal*.
The *stomach* was *normal*.
The *intestines* were *normal*.
The *pancreas* was *normal*.
The *liver* was *normal*.
The *lungs* were *normal*.
The *heart* was *normal*.
The *kidneys* were *normal*.
The *bladder* was *normal*.
The *uterus* was *normal*.
The *ovaries* were *normal*.
The *testes* were *normal*.
The *prostate* was *normal*.
The *rectum* was *normal*.
The *colon* was *normal*.
The *stomach* was *normal*.
The *intestines* were *normal*.
The *pancreas* was *normal*.



Aranea irregularis Mihi.

J. St. fee.



ARANEA irregularis.

Die unregelmäsig gezeichnete Spinne.

Aranea irregularis: atra, abdomine ovato margine laterali irregulariter repando testaceo.

Legi sub trunko Quercus caesae.

Parva. Corpus totum atrum. Thorax ovalis nudus glaber. Abdomen ovatum nigrum, margine omni irregulariter repando, seu interrupte testaceo. Pedes nigri pilosi.


a Magnitudo naturalis. b Eadem aucta. c Situs oculorum.

the first time I have seen it. It is a very
handsome bird, with a long crest, and
is about the size of a pheasant. It has
a black body, with white spots,
and a long tail, which is
very bushy. It has a very
long beak, and its feet
are very strong. It is
a very active bird, and
flies very well. It is
a very beautiful bird, and
I am very glad to have
seen it.



Papilio D. Sinapis (Fabr.)

J. J. de Geer.



PAPILIO Danaus Sinapis.

Der Senffalter. Der Senfweisling. Papillon tout blanc. Papillon blanc de lait. Smal white wood Butterfly.

Papilio Dan. Sinapis: alis rotundatis integerimis albis: apicibus fuscis. *Fabric.*
Entom. syst. T. IV. n. 577. p. 187. *Syst. Entom.* n. 114. p. 470. *Spec.*
Ins. T. II. n. 164. p. 40. *Mant. Ins.* T. II. n. 186. p. 18.

Papilio Dan. Cand. Sinapis. *Linn. Syst. Nat.* n. 79. p. 760. *ed. XIII.* n. 79.
p. 2261. *Fn. Suec.* n. 1038.

Verz. d. W. Schmetterl. n. 5. p. 163.

Degeer Ins. T. II. P. I. n. 4. p. 183. *tab. 1. fig. 1.*


Scop. Carn. n. 452. *ic. 452.*

Schäffer Ic. Ins. Ratisb. *tab. 97. fig. 8 — 11.*

Egger Eur. Schmett. T. I. *tab. 3. fig. 4.*

Borkhausen Eur. Schm. T. I. n. 9. *tab. 124.*

Von der Naturgeschichte dieses Falters ist gar nichts bekannt. Er selbst wird vom Frühling an bis in Herbst in niedrigen lichten Waldungen ziemlich häufig gefunden. *Borkhausen.*





Papilio D. Daphidice Fabr.

J. St. Sc.



PAPILIO Danaus Daplidice.

Der grüngefleckte Weisling. Der Waufalter. Der Petersfilienvogel.
Der Heiderichsfchmetterling. Le blanc marbré de verd. Le Papillon
persillé batard. The slight greenish Half-mourner.

Papilio Dan. Daplidice: alis rotundatis integris albis margine fuscis: subtus griseo
virescentibus albo maculatis. *Fabric. Entom. syst. T. IV.* n. 593. p. 191.
Syst. Ent. n. 122. p. 471. *Spec. Ins. T. II.* n. 174. p. 41. *Mant. Ins. T. II.*
n. 197. p. 19.

Papilio Dan. Cand. Daplidice. *Linn. Syst. Nat. n. 81.* p. 760. ed. XIII. n. 81.
p. 2263.

Verz. d. Wien. Schmett. n. 6. p. 163.

Geoffr. Ins. T. II. n. 44. p. 71.


Pallas Spicil. IX. 32. tab. 10. fig. 4. 5. 6.

Schaeffer Ic. Ins. Ratisb. tab. 79. fig. 2. 3.

Esper Eur. Schmett. T. I. tab. 3. fig. 5.


Borkhausen Eur. Schmett. T. I. n. 8 p. 123.

Nach dem Bericht der Wiener Entomologen, soll die Raupe dieses Falters auf dem Färberwau (*Reseda Luteola* Linn.) wohnen, und grün seyn. Er wurde schon im Frühjahr entdeckt, und im Sommer und Herbst beobachtet. Er liebt die mit Blumen besetzten Aecker, und die daran, oder an Wälder stossende Wiesen.
Borkhausen.



Papilio D. Cleopatra Nas Fabr.

J. St. sc.



PAPILIO Danaus Cleopatra. Mas.

Die Orangefahne. Das Männchen.

Papilio Dan. Cleopatra: alis integerimis: anticis supra disco fulvo, reliquis
puncto ferrugineo. *Fabric. Ent. syst.* T. IV. n. 667. p. 213. *Syst. Entom.*
n. 160. p. 479. *Spec. Ins.* T. II. n. 225. p. 52. *Mant. Ins.* T. II. n. 258.
p. 24.

Papilio Dan. Cand. Cleopatra. *Linn. Syst. Nat.* n. 105. p. 765. ed. XIII. n. 105.
p. 2272.

Cyrill. Entom. neapolit. I. tab. 3. fig. 2.

Seba Mus. T. IV. tab. 16. fig. 7. 8.

Esper Eur. Schm. T. I. tab. 48. suppl. 24. fig. 1.

Borkhausen Eur. Schm. T. I. n. 2. p. 118.

Dieser Falter, ist nicht nur nach sichern Beobachtungen in Europa zu Han-
se, sondern wird auch namentlich in der Schweiz angetroffen. Seine Naturge-
schichte ist noch nicht hinlänglich genug aufgehellt.

and the same would apply to
the other two, and all you have to do
is to add the first two together. The result will be the
sum of the first two numbers, and the
product of the first two numbers.

Now, if you want to multiply
two numbers together, you can do it by
adding the first number to the second
number, and then multiplying the sum
by the second number. This is called
the multiplication rule, and it is very
useful when you are doing calculations.



Papilio D. Cleopatra Tem. Fabr.

J. St. sc.



PAPILIO Danaus Cleopatra. Femina.

Die Orangefahne. Das Weibchen.

Papilio Danaus Cleopatra. Fabric. et Linn. l. l. c. c.

Wohnt und lebt bey seinem Männchen, und unterscheidet sich vorzüglich,
durch die dem Centro der Vorderflügel abgängige orangefarbne Makel.

and the world around us

is a world full of change & life

and it is hard to know exactly what's going on

but we can see that things are changing and getting better

and that's a good thing for our world and our future



